GE Security

	OL Occurry		
Part Number	Product Description	MSRP	Reference
1005N-10PKG	Mini-Magnapull Pull-Apart Magnetic Contact, Surface Mount. 10-Pack	97.75	Sensors & Detectors
1015-N	Recessed Contact w/Wire Leads, 1/4" Diameter, White, 3/8" Gap Size	4.85	Sensors & Detectors
1015N-10PKG	Recessed Contact, 1/4" Diameter, White. 10-Pack	48.44	Sensors & Detectors
103-20	Single Action (SPST) Manual Fire Alarm Station w/Hex Reset	22.72	Fire
103-21	Single Action (DPST) Manual Fire Alarm Station w/Hex Reset	32.37	Fire
103-22	Dual Action (SPST) Manual Fire Alarm Station w/Hex Reset	33.29	Fire
103-22S	Dual Action (SPST) Manual Fire Alarm Station w/Hex Reset and NY Stripe	45.29	Fire
103-23	Dual Action (DPST) Manual Fire Alarm Station w/Hex Reset	38.82	Fire
103-25	Red Surface Back Box for 103-20 Through 103-42	16.61	Fire
103-26	Replacement Glass Rod for 103-20 Through 103-60	3.71	Fire
1032-G	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, Grey, 5/8" Gap Size	3.78	Sensors & Detectors
	Mini Flange Surface Mount, Contact, Grey. 10-Pack		
1032G-10PKG		37.84	Sensors & Detectors
1032-N	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, White, 5/8" Gap Size	3.78	Sensors & Detectors
1032N-10PKG	Mini Flange Surface Mount, Contact, Brown. 10-Pack	37.84	Sensors & Detectors
1032W-N	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 1" Gap	4.29	Sensors & Detectors
	Size		
1032WN-10PKG	Mini-Flange Surface Mount, Contact, Wide Gap, White. 10-Pack	42.86	Sensors & Detectors
1032WN-3.3K	Surface Miniature Flange Mount Contact w/Wire Leads, 3.3k Ohm Resistor, Closed Loop, White,	7.89	Sensors & Detectors
	5/8" Gap Size		
103-31	Single Action (SPST) Manual Fire Alarm Station w/Key Reset	31.46	Fire
103-36	Replacement Glass Rod for 103-31	2.77	Fire
103-42	Dual Action (SPST) Manual Fire Alarm Station w/Key Reset	36.70	Fire
1035611A	Raw Camera/Power Cable, per Foot	1.30	MobileView
1035-N	Surface Mount Miniature Self-Adhesive Contact w/Wire Leads, Closed Loop, White, Closed Loop.	3.43	Sensors & Detectors
	5/8" Gap Size		
1035N-10PKG	Mini Adhesive Surface Mount, Contact, White, w/ Wire Leads. 10-Pack	34.27	Sensors & Detectors
1035W-N	Surface Mount Miniature Self-Adhesive Contact w/Wire Leads, Closed Loop, Wide Gap, White,	4.11	Sensors & Detectors
	Closed Loop, 1" Gap Size	7.11	CONSCIOUS & DELECTORS
1035WN-10PKG	Mini Adhesive Surface Mount, Contact, White, w/Wire Leads Wide Gap. 10-Pack	41.15	Sensors & Detectors
103-60	Weatherproof, Single Action (SPST) Manual Fire Alarm Station w/Key Reset, Back Box	87.63	Fire
1038353A	Timer, Multi-Purpose, 12-24VDC, 8Amp SPDT	52.00	MobileView
1038-M	Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, Brown, Closed Loop. 1" Gap Size	1.55	Sensors & Detectors
1038M-10PKG	Surface Mount. Contact, Brown. 10-Pack	15.48	Sensors & Detectors
1038-N	Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, White, Closed Loop. 1" Gap Size	1.55	Sensors & Detectors
1038N-10PKG	Surface Mount. Contact, White. 10-Pack	15.48	Sensors & Detectors
1038T-N	Surface Screw Mount Terminal Contact, Closed Loop, White, 1" Gap Size. Tape or Screw Mounting	3.71	Sensors & Detectors
1038TN-10PKG	Surface Mount, Contact w/Terminals, White. 10-Pack	36.97	Sensors & Detectors
104-13	135° Fixed Temp/Rate-of-Rise Heat Detector, Single Circuit	12.01	Fire
104-14	194° Fixed Temp/Rate-of-Rise Heat Detector, Single Circuit	11.36	Fire
104-15	135° Fixed Temperature, Single Circuit	0.00	Fire
104-16	194° Fixed Temperature, Single Circuit	11.36	Fire
1042TWG-5PKG	Surface Mount, Industrial Steel Door Contact w/Terminals, Grey. 5-Pack	55.47	Sensors & Detectors
1042TW-M	Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, Brown, 3" Gap Size	11.10	Sensors & Detectors
10421 **-1	industrial Surface Would Terminal Contact, Glosed Loop, Extra Wide Cap, Brown, 3 Cap Size	11.10	Gensors & Detectors
1042TWM-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Brown. 5-Pack	55.47	Sensors & Detectors
1042TW-N	Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, White, 3" Gap Size	11.10	Sensors & Detectors
1042177-14	industrial Surface Mount Terminal Contact, Glosed Loop, Extra Wide Gap, Write, 3 Gap Gize	11.10	Selisors & Detectors
O AOTANA EDICO	0 (M ()) () () () () () () () (55.47	0 0 0 0 1 1
1042TWN-5PKG	Surface Mount, Industrial Steel Door w/Terminals, White. 5-Pack	55.47	Sensors & Detectors
1044887A	Label, Model 940 proximity reader, 1-LED, gray	3.72	Readers
1044TW-N	Industrial Surface Mount Terminal Contact, SPDT, Extra Wide Gap, White, 3" Gap Size. Single Pole	14.22	Sensors & Detectors
	Double Throw		
045T-G	Industrial Surface Mount Terminal Contact, Closed Loop, Grey, 1 1/4" Gap Size	7.68	Sensors & Detectors
1045TG-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Grey. 5-Pack	38.42	Sensors & Detectors
1045T-M	Industrial Surface Mount Terminal Contact, Closed Loop, Brown, 1 1/4" Gap Size	7.68	Sensors & Detectors
1045TM-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Brown. 5-Pack	38.42	Sensors & Detectors
045T-N	Industrial Surface Mount Terminal Contact, Closed Loop, White, 1 1/4" Gap Size	7.68	Sensors & Detectors
045W-G	Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, Grey, 3" Gap Size	9.78	Sensors & Detectors
1045WG-5PKG	Surface Mount, Industrial Steel Door Wide Gap, Grey. 5-Pack	48.88	Sensors & Detectors
I045WM-5PKG	Surface Mount, Industrial Steel Door Wide Gap, Brown. 5-Pack	48.88	Sensors & Detectors
1045W-N	Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 3" Gap Size	9.78	Sensors & Detectors
	Cap olizo		
1045WN-5PKG	Surface Mount, Industrial Steel Door Wide Gap, White. 5-Pack	48.88	Sensors & Detectors
1047H-N	Industrial Surface Mount Contact w/Wire Leads, Higher Security, SPDT, White, Biased for Higher	27.95	Sensors & Detectors
I OTT I I TIN		21.90	Gensors & Delectors
1047T N	Security Applications. 3/8" to 1 1/4" Gap Size. Single Pole-Double Throw	44.40	Canage & Datasta
1047T-N	Industrial Surface Mount Terminal Contact, SPDT, White, 1 1/4" Gap Size. Single Pole-Double	11.43	Sensors & Detectors
IO ATTN EDICO	Throw		0.00
1047TN-5PKG	Surface Mount, Industrial Steel Door Terminal. 5-Pack	57.11	Sensors & Detectors
1055-N	Recessed Contact w/Wire Leads, 1/4" Diameter, White, 1/2" Gap Size	2.87	Sensors & Detectors
1055N-10PKG	Recessed Mount, 1/4" Diameter, White. 10-Pack	28.67	Sensors & Detectors
1055W-N	Recessed Contact w/Wire Leads, 1/4" Diameter, Wide Gap, White, 1 1/4" Gap Size	3.46	Sensors & Detectors
1055WN-10PKG	Recessed Mount Wide Gap, 1/4" Diameter, White. 10-Pack	34.55	Sensors & Detectors
1056	Magnet, 1/4" Diameter x 1 3/16" Long	2.02	Sensors & Detectors
	Magnet, 3/8" Diameter x 1 1/2" Long	3.85	Sensors & Detectors
1057			
	CD. AL-ENTR-SINGLE Software Printed	NC	Alliance
	CD, AL-ENTR-SINGLE Software Printed	NC	Alliance
057060			
057060 057-10PKG	Bare Magnet. 10-Pack	38.56	Sensors & Detectors
1057060 1057-10PKG 1058-M	Bare Magnet. 10-Pack Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, Brown, 1/2" Gap Size	38.56 5.76	Sensors & Detectors Sensors & Detectors
1057060 1057-10PKG 1058-M 1058-N	Bare Magnet. 10-Pack Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, Brown, 1/2" Gap Size Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, White, 1/2" Gap Size	38.56 5.76 5.76	Sensors & Detectors Sensors & Detectors Sensors & Detectors
1057 1057060 1057-10PKG 1058-M 1058-N 1059209A 105BM	Bare Magnet. 10-Pack Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, Brown, 1/2" Gap Size	38.56 5.76	Sensors & Detectors Sensors & Detectors

10EBV	Fire Alarm Signal Assessery Mounting Boy for 405DHISTO F.I.	20.40	Fire
105BX	Fire Alarm Signal Accessory, Mounting Box for 105DHISTC-FJ	29.48	Fire
105DHISTC-FJ	Strobe, Adverse-Location, Type 4X & Marine Rated, 20-30VDC	327.60	Fire
105H-LA	Strobe Accessory, Surface Box for 105DHISTC-FJ Strobe, White	53.39	Fire
105H-LB	Strobe Accessory, Blue Lens for 105DHISTC-FJ	53.39	Fire
105H-LC	Strobe Accessory, Clear Lens for 105DHISTC-FJ	53.39	Fire
105H-LG		53.39	Fire
	Strobe Accessory, Magenta Lens for 105DHISTC-FJ		
105H-LM	Strobe Accessory, Red Lens for 105DHISTC-FJ	53.39	Fire
105H-LR	Strobe Accessory, Green Lens for 105DHISTC-FJ	53.39	Fire
105PM	Strobe Accessory, Pipe Mount for 105DHISTC-FJ Strobe	22.82	Fire
106-06	6, 24V DC, .07A, Vibrating Bell	30.59	Fire
1065W-N	Recessed Press Fit Contact Large Magnet w/Wire Leads, 3/8" Diameter, White, 2" Gap Size		Sensors & Detectors
1000W-IN	Recessed Press Fit Contact Large Magnet W/Wire Leads, 3/8 Diameter, White, 2 Gap Size	3.46	Sensors & Detectors
1065WN-10PKG	Recessed Mount, Wide Gap, 3/8" Diameter, White. 10-Pack	34.55	Sensors & Detectors
1070-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-	9.05	Sensors & Detectors
	Double Throw	0.00	Consolid a Bolostoid
10701 10010		00.44	0 00 1
1070N-10PKG	Recessed Mount Press Fit, 3/8" Diameter, SPDT, White. 10-Pack	90.44	Sensors & Detectors
1072-N	Recessed Flanged Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	5.36	Sensors & Detectors
1072N-10PKG	Recessed Flange Mount, 3/8" Diameter, White. 10-Pack	53.47	Sensors & Detectors
1072W-N	Recessed Flanged Contact w/Wire Leads, 3/8" Diameter, Wide Gap, White, 1 1/4" Gap Size	6.99	Sensors & Detectors
1075-M	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Brown, 1/2" Gap Size	1.55	Sensors & Detectors
1075M-10PKG	Recessed Mount Press Fit, 3/8" Diameter, Brown. 10-Pack	15.48	Sensors & Detectors
1075-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, White, 1/2" Gap Size	1.55	Sensors & Detectors
. •			
407FN 40DKC	December Mayor December 14 (2011) Dispersion Whit 14 C.D. 1	45.40	Common & Data :
1075N-10PKG	Recessed Mount Press Fit, 3/8" Diameter, White. 10-Pack	15.48	Sensors & Detectors
1075T-N	Recessed Press Fit Contact w/Wire w/Terminals, 3/8" Diameter, White, 1/2" Gap Size	4.29	Sensors & Detectors
1075TN-10PKG	Recessed Press Fit w/Terminal, 3/8" Diameter, White. 10-Pack	42.86	Sensors & Detectors
1075TW-N	Recessed Press Fit Wide Gap Contact w/Wire w/Terminals, 3/8" Diameter, White, 1-1/8" Gap Size	4.75	Sensors & Detectors
	Cap die William Willia	, 0	2255.5 & 25.55.615
1075W-M	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, Brown, 1 1/4"	2.94	Sensors & Detectors
101044-141	Gap Size	2.34	Comports & Delectors
1075WM-10PKG	Recessed MountPress Fit Wide Gap, 3/8" Diameter, White. 10-Pack	29.39	Sensors & Detectors
			Sensors & Detectors
1075W-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4"	2.94	Sensors & Detectors
	Gap Size		
1075WN-10PKG	Recessed MountPress Fit Wide Gap, 3/8" Diameter, White. 10-Pack	29.39	Sensors & Detectors
1076CDN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, DPDT, White. 10-Pack	228.46	Sensors & Detectors
1076CG-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Grey. 10-Pack	113.66	Sensors & Detectors
1076CH-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Higher Security, White, Biased for	18.99	Sensors & Detectors
	Higher Security Applications. Single Pole-Double Throw		
1076C-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, Brown, 3/8" Gap Size. Single	11.38	Sensors & Detectors
	Pole-Double Throw		
1076CM-10PKG	Recessed Steel Door Mount, 3/4"Diameter, Brown. 10-Pack	113.66	Sensors & Detectors
1076C-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, White, 3/8" Gap Size. Single	11.38	Sensors & Detectors
1076C-N		11.30	Serisors & Detectors
	Pole-Double Throw		
1076CW-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, Brown, 3/4" Gap	12.88	Sensors & Detectors
	Size. Single Pole-Double Throw		
1076CW-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, White, 3/4" Gap	12.88	Sensors & Detectors
	Size. Single Pole-Double Throw		
1076D-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Grey, 1/2" Gap Size. Double Pole-	19.21	Sensors & Detectors
1070D-G		13.21	Selisors & Detectors
	Double Throw		
1076DG-10PKG	Recessed Steel Door Mount, 1" Diameter, Grey, DPDT. 10-Pack	192.21	Sensors & Detectors
1076D-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Brown, 1/2" Gap Size. Double	19.21	Sensors & Detectors
	Pole-Double Throw		
1076DM-10PKG	Recessed Steel Door Mount, 1" Diameter, Brown, DPDT. 10-Pack	192.21	Sensors & Detectors
1076D-N		19.21	Sensors & Detectors
ווייםטיטו	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, White, 1/2" Gap Size. Double	19.21	Gensors & Detectors
	Pole-Double Throw		
1076DN-10PKG	Recessed Steel Door Mount, 1" Diameter, DPDT. 10-Pack	192.21	Sensors & Detectors
1076-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, Grey, 1/2" Gap Size. Single Pole-	11.38	Sensors & Detectors
	Double Throw		
1076G-10PKG	Recessed Steel Door Mount, 1" Diameter, Grey. 10-Pack	113.66	Sensors & Detectors
			1
1076H-N	Recessed Steel Door Contact w/Leads, 1" Diameter, High Security, SPDT, White, Biased for Higher	18.99	Sensors & Detectors
4070 14	Security. 1/2" gap. Single Pole-Double Throw		0 05:::
1076-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, Brown, 1/2" Gap Size. Single Pole	11.38	Sensors & Detectors
	Double Throw		
1076M-10PKG	Recessed Steel Door Mount, 1" Diameter, Brown. 10-Pack	113.66	Sensors & Detectors
1076-N	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-	11.38	Sensors & Detectors
	Double Throw		
1076N-10PKG	Recessed Steel Door Mount, 1" Diameter, White. 10-Pack	113.66	Sensors & Detectors
			Sensors & Detectors
1076W-M	Recessed Steel Door Contact w/Leads, 1" Diameter, SPDT, Wide Gap, Brown, 1" Gap Size. Single	12.88	Sensors & Detectors
	Pole-Double Throw		
1076W-N	Recessed Steel Door Contact w/Leads, 1" Diameter, SPDT, Wide Gap, White, 1" Gap Size. Single	12.88	Sensors & Detectors
	Pole-Double Throw		<u> </u>
1078C1-M	1078C w/1929 Magnet Brown	4.86	Sensors & Detectors
1078C1M-10PKG	Recessed Steel Door Mount, 3/4" Diameter, w/1929 Magnet, Brown. 10-Pack	48.52	Sensors & Detectors
1078C-G	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Grey, 3/8" Gap Size	7.84	Sensors & Detectors
	The second of th	7.04	Control & Delectors
407000 40D/C	December of the I December of the Internation of th	70.10	Common & Date :
1078CG-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Grey. 10-Pack	78.40	Sensors & Detectors
1078C-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Brown, 3/8" Gap Size	7.84	Sensors & Detectors
			<u> </u>
1078C-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, White, 3/8" Gap Size	7.84	Sensors & Detectors
1078CN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, White. 10-Pack	78.40	Sensors & Detectors
1078CT-M	Recessed Steel Door Terminal Contact, 3/4" Diameter, Brown, 7/8" Gap Size (3/8" in Steel)	8.80	Sensors & Detectors
	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	00	
1078CTM-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal, Brown. 10-Pack	88.00	Sensors & Detectors
1078CT-N	Recessed Steel Door Terminal Contact, 3/4" Diameter, White, 7/8" Gap Size (3/8" in Steel)	8.80	Sensors & Detectors
1078CTN-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal, White. 10-Pack	88.00	Sensors & Detectors

1078CTW-N	Recessed Steel Door Terminal Contact, 3/4" Diameter, Wide Gap, White, 2" Gap Size (3/4" in Steel)	10.39	Sensors & Detectors
1078CTWN-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal. 10-Pack	103.92	Sensors & Detectors
1078CW-G	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Grey, 3/4"	9.35	Sensors & Detectors
	Gap Size		
1078CWG-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Grey. 10-Pack	93.44	Sensors & Detectors
1078CW-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Brown, 3/4"	9.35	Sensors & Detectors
	Gap Size		
1078CWM-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Brown. 10-Pack	93.44	Sensors & Detectors
1078CW-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, White, 3/4"	9.35	Sensors & Detectors
	Gap Size		
1078CWN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, White. 10-Pack	93.44	Sensors & Detectors
1078-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Grey, 1/2" Gap Size. Closed Loop	7.84	Sensors & Detectors
1078G-10PKG	Recessed Steel Door Mount, 1" Diameter, Grey. 10-Pack	78.40	Sensors & Detectors
1078-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap Size. Closed Loop	7.84	Sensors & Detectors
1078M-10PKG	December Office December 411 Discretes December 40 December 1	70.40	Sensors & Detectors
1078M-10PKG 1078-N	Recessed Steel Door Mount, 1" Diameter, Brown. 10-Pack	78.40 7.84	Sensors & Detectors Sensors & Detectors
1076-N	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size. Closed Loop	7.04	Sensors & Detectors
1078N-10PKG	Decreed Chall Decree Mayor All Dispersion White 40 Decl	70.40	Caracas & Datastas
1078W-G	Recessed Steel Door Mount, 1" Diameter, White. 10-Pack	78.40	Sensors & Detectors
1076W-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Grey, 1" Gap Size. Closed Loop	9.35	Sensors & Detectors
1078WG-10PKG	·	93.44	Sensors & Detectors
1078W-M	Recessed Steel Door Mount, 1" Diameter, Wide Gap Grey. 10-Pack Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Brown, 1" Gap Size. Closed	9.35	Sensors & Detectors
107644-141		9.33	Selisors & Detectors
1079\MM 10DVC	Loop Recessed Steel Door Mount, 1" Diameter, Wide Gap Brown, 10-Pack	02.44	Sansara & Datastara
1078WM-10PKG 1078W-N	Recessed Steel Door Mount, 1" Diameter, Wide Gap Brown. 10-Pack Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, White, 1" Gap Size. Closed	93.44	Sensors & Detectors Sensors & Detectors
IO OVV-IN	Loop	9.35	Gensors & Detectors
1078WN-10PKG	Recessed Steel Door Mount, 1" Diameter, Wide Gap White. 10-Pack	93.44	Sensors & Detectors
1078WN-3.3K	Recessed Steel Door Mount, 1 Diameter, Wide Gap White. 10-Pack Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, 3.3K Ohm Resistor, White, 1"	93.44	Sensors & Detectors Sensors & Detectors
TOT OVVINGO.OR	Gap Size. Closed Loop	9.07	Deligota & Delectors
1080T-N	Magnet, 1082T Series, White	4.29	Sensors & Detectors
1080T-N 1080TN-10PKG	Magnet for 1082 Series, White 10-Pack	4.29	Sensors & Detectors Sensors & Detectors
1081-N	Magnet, 1085 Series, White	2.41	Sensors & Detectors
1081TG-10PKG	Magnet for 1085T Series. 10-Pack	24.08	Sensors & Detectors
1081TM-10PKG	Magnet for 1085T Series. 10-Pack	24.08	Sensors & Detectors
1081T-N	Magnet, 1085T/1087T/1085TW/1087TW, White		Sensors & Detectors
1081TN-10PKG	Magnet for 1085T Series. 10-Pack	2.41 24.08	Sensors & Detectors
1082-G	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, Grey, 1" Gap Size	6.99	Sensors & Detectors
1002-G	Surface Screw Mount Contact w/wire Leads, Long Gap Series, Closed Loop, Grey, 1 Gap Size	6.99	Sensors & Detectors
1082G-10PKG	Surface Screw Mount, Grey. 10-Pack	69.94	Sensors & Detectors
1082-N			Sensors & Detectors
1062-IN	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, White, 1" Gap Size	6.99	Sensors & Detectors
1082N-10PKG	Surface Screw Mount White. 10-Pack	69.94	Sensors & Detectors
1082TW-M	Surface Terminal Contact, Extra Wide Gap, Closed Loop, Brown, 2" Gap Size. Includes Cover,	8.39	Sensors & Detectors
10021 **-1	Spacer and Screws	0.55	Gensors & Detectors
1082TWM-10PKG	Surface Mount Terminal, Wide Gap, Brown. 10-Pack	83.85	Sensors & Detectors
1084DM-10PKG	Surface Screw Mount, DPDT, Brown. 10-Pack	207.53	Sensors & Detectors
1084D-N	Surface Screw Mount Contact w/Wire Leads, DPDT, White, 3/4" Gap Size. Double Pole-Double	20.75	Sensors & Detectors
	Throw	20.70	Concord & Detectors
1084DN-10PKG	Surface Screw Mount, DPDT, White. 10-Pack	207.53	Sensors & Detectors
1084-M	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, SPDT, Brown, 1" Gap Size	10.62	Sensors & Detectors
1084TW-G	Surface Terminal Contact, Extra Wide Gap, SPDT, Grey, 2" Gap Size. Single Pole Double Throw	12.19	Sensors & Detectors
1084TW-M	Surface Terminal Contact, Extra Wide Gap, SPDT, Brown, 2" Gap Size. Single Pole Double Throw	12.19	Sensors & Detectors
1084TW-N	Surface Terminal Contact, Extra Wide Gap, SPDT, White, 2" Gap Size. Single Pole Double Throw	12.19	Sensors & Detectors
1085-M	Surface Screw Mount Contact w/Leads, Brown, 5/8" Gap Size	4.42	Sensors & Detectors
1085M-10PKG	Surface Screw Mount Brown. 10-Pack	44.29	Sensors & Detectors
1085-N	Surface Screw Mount Contact w/Leads, White, 5/8" Gap Size	4.42	Sensors & Detectors
1085N-10PKG	Surface Screw Mount White. 10-Pack	44.29	Sensors & Detectors
1085T-G	Surface Screw Mount Terminal Contact, Closed Loop, Grey, 3/4" Gap Size	1.68	Sensors & Detectors
1085TG-10PKG	Surface Screw Mount Terminal, Grey. 10-Pack	16.77	Sensors & Detectors
1085T-M	Surface Screw Mount Terminal Contact, Closed Loop, Brown, 3/4" Gap Size	1.68	Sensors & Detectors
1085TM-10PKG	Surface Screw Mount Terminal Brown. 10-Pack	16.77	Sensors & Detectors
1085T-N	Surface Screw Mount Terminal Contact, Closed Loop, White, 3/4" Gap Size	1.68	Sensors & Detectors
1085TN-10PKG	Surface Screw Mount Terminal, White. 10-Pack	16.77	Sensors & Detectors
1085TW-M	Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, Brown, 1 1/2" Gap Size	5.25	Sensors & Detectors
1085TWM-10PKG	Surface Screw Mount Wide Gap, w/Terminal, Brown. 10-Pack	52.61	Sensors & Detectors
1085TW-N	Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, White, 1 1/2" Gap Size	5.25	Sensors & Detectors
1085TWN-10PKG	Surface Screw Mount Wide Gap, w/Terminal, White. 10-Pack	52.61	Sensors & Detectors
1085W-M	Surface Screw Mount Contact w/Leads, Wide Gap, Brown, 1 1/2" Gap Size	6.06	Sensors & Detectors
1085WM-10PKG	Surface Screw Mount, Wide Gap, Brown. 10-Pack	60.63	Sensors & Detectors
1085W-N	Surface Screw Mount Contact w/Leads, Wide Gap, White, 1 1/2" Gap Size	6.06	Sensors & Detectors
1085WN-10PKG	Surface Screw Mount, Wide Gap. 10-Pack	60.63	Sensors & Detectors
1085WN-3.3K	Surface Screw Mount Contact w/Leads, Wide Gap, 3.3k Ohm Resistor, White, 1 1/2" Gap Size	7.53	Sensors & Detectors
1086-N	Surface Screw Mount, Open Loop, White	6.28	Sensors & Detectors
1086N-10PKG	Surface Screw Mount, Open Loop, White. 10-Pack	62.78	Sensors & Detectors
1086T-N	Surface Terminal Mount, White, Open Loop	6.99	Sensors & Detectors
	Surface Screw Mount, Open Loop, Wide Gap, Brown	8.29	Sensors & Detectors
1086W-M			Sensors & Detectors
1086W-M 1087T-G	Surface Screw Mount Terminal Contact, SPDT, Grey, 3/4" Gap Size. Single Pole Double Throw	8.39	Deliadia di Delectora
	Surface Screw Mount Terminal Contact, SPDT, Grey, 3/4" Gap Size. Single Pole Double Throw	8.39	Sensors & Detectors
1087T-G 1087TG-10PKG	Surface Screw Mount Terminal Contact, SPDT, Grey, 3/4" Gap Size. Single Pole Double Throw Surface Screw Mount Terminal, SPDT, Grey. 10-Pack	83.85	Sensors & Detectors

1087T-M	Surface Screw Mount Terminal Contact, SPDT, Brown, 3/4" Gap Size. Single Pole Double Throw	8.39	Sensors & Detectors
1087TM-10PKG	Surface Screw Mount Terminal, SPDT, Brown. 10-Pack	83.85	Sensors & Detectors
087T-N	Surface Screw Mount Terminal Contact, SPDT, White, 3/4" Gap Size. Single Pole Double Throw	8.39	Sensors & Detectors
087TN-10PKG	Surface Screw Mount Terminal, SPDT, White. 10-Pack	83.85	Sensors & Detectors
087TW-N	Surface Screw Mount Terminal Contact, Wide Gap, SPDT, White, 1 1/2" Gap Size. Single Pole	9.95	Sensors & Detectors
	Double Throw		
090002	Sensorcard, .030 thick, 2601, A1, white gloss/gloss, no ext, specify site code & card number, no	4.52	Credentials
	slot		
090-G	Recessed ANSI Switch, SPDT	28.07	Sensors & Detectors
092A-L	Garage Door Track Mounting Kit for 2505A, Aluminum, Includes (1) 1940 Bracket Kit, (1) 1912	38.34	Sensors & Detectors
	Bracket, (1) 2505A Contact		
094A-L	Chain Link Fence Mounting Kit for 2507A, Aluminum, Includes (1) 1941 Bracket, (1) 1942 Bracket,	67.64	Sensors & Detectors
	(1) 2507A Contact, Mounting Screws and Instructions		
10061001	Back Plane, Micro/5-All versions	129.68	Controllers
10063001	2RP Reader Interface Unsupervised DI, 5V and 12V readers supported. M5 and M3000, not in	750.75	Controllers
	combination with 8RP.		
10064001	Power / Comm Card, Micro/5-All versions	259.35	Controllers
10071001	16 Digital Output, 1604A @ 24VDC (max.), M5 and M3000	563.07	Controllers
10072003	20 Digital Input, 20 supervised points, 1K supervision resistors supplied, M5 and M3000	563.07	Controllers
10078001	16 Digital Output with Relays, 16 - 2A @ 40VDC or 30VAC (max.), M5 and M3000	819.00	Controllers
10100501	8RP Reader Interface, 12VDC F/2F and Supervised F/2F readers, No provision for REX or Door	1492.97	Controllers
	Status contacts. M5 and M3000, not in combination with 2RP or 2SRP	02.01	Controller
10101501	2SRP Reader Interface Supervised DI, 5V and 12V readers supported. M5 and M3000, not in	836.07	Controllers
10101001	combination with 8RP.	000.07	Controllera
10.01		26.00	Fire
10-81	Mini Speaker 25vrms Single Gang, Red	36.06	Fire
10-82	8" Round Speaker, 24VDC, 24VDC, 70 mA, White	36.06	Fire
11-82	Mini Speaker w/40/75CD Strobe, White	98.01	Fire
11-86	Speaker 4 round w/40/75 Strobe, White	98.01	Fire
125-M	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Brown, 1/4" Gap Size	3.21	Sensors & Detectors
125M-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Brown. 10-Pack	32.02	Sensors & Detectors
125-N	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/4" Gap Size	3.21	Sensors & Detectors
125N-10PKG	Recessed Mount, Stubby, 3/8" Diameter. 10-Pack	32.02	Sensors & Detectors
125T-N	Recessed Stubby Terminal Contact, White, 1/4" Gap Size	2.44	Sensors & Detectors
125TN-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Terminal. 10-Pack	24.36	Sensors & Detectors
125TWM-10PKG	Recessed Mount, Stubby w/Terminals, 3/8" Diameter, Wide Gap, Brown. 10-Pack	51.94	Sensors & Detectors
125TW-N	Recessed Stubby Terminal Wide Gap Contact, White, 3/4" Gap Size	5.19	Sensors & Detectors
125TWN-10PKG	Recessed Mount, Stubby w/Terminals, 3/8" Diameter, Wide Gap. 10-Pack	51.94	Sensors & Detectors
125WBN-10PKG		11.97	+
	Recessed Mount, Stubby 3/8" Diameter, White. 10-Pack		Sensors & Detectors
125W-N	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Wide Gap, White, 3/4" Gap Size	1.74	Sensors & Detectors
125WN-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Wide Gap, White. 10-Pack	17.41	Sensors & Detectors
130N-10PKG	Recessed Mount, Stubby, 3/8" Diameter, White. 10-Pack	72.10	Sensors & Detectors
13-82	Standard 4 Square Box, Red	69.34	Fire
13-83	Universal Weatherproof Backbox Surface, Red	69.34	Fire
13-84	Flushmount Wall Box Electronic Horn	69.34	Fire
13-85	Trimplate for Flush or Semi Flush Box, Red	69.34	Fire
13-86	Trimplate for Flush or Semi Flush Box, White	15.74	Fire
13-87	Flushmount Wall Box for Vibratory Horn	15.74	Fire
138T-M	Surface Mount Terminal Contact, Closed Loop, Brown, 1" Gap Size	2.37	Sensors & Detectors
138TM-10PKG	Surface Mount w/Terminal, Brown. 10-Pack	23.67	Sensors & Detectors
138T-N	Surface Mount Terminal Contact, Closed Loop, White, 1" Gap Size	2.37	Sensors & Detectors
138TN-10PKG	Surface Mount w/Terminal, White. 10-Pack	23.67	Sensors & Detectors
145-M	Surface Mount Ultra-Miniature Contact w/Wire Leads, Brown, 3/8" Gap Size	4.11	Sensors & Detectors
145M-10PKG	Surface Mount, Ultra Mini, Brown. 10-Pack	41.15	Sensors & Detectors
145-N	Surface Mount Ultra-Miniature Contact w/Wire Leads, White, 3/8" Gap Size	4.11	Sensors & Detectors
145N-10PKG	Surface Mount, Ultra Mini, White. 10-Pack	41.15	Sensors & Detectors
145W-N	Surface Mount Ultra-Miniature Contact w/Wire Leads, Wide Gap, White, 3/4" Gap Size	5.36	Sensors & Detectors
145WN-10PKG	Surface Mount, Ultra Mini, Wide Gap White. 10-Pack	53.47	Sensors & Detectors
16DEXSTC-FJ	Strobe, Hazardous Location, Clear	1439.71	Fire
I6EX-B	Strobe Accessory, Wall Elbow Bracket	197.43	Fire
16EX-C	Strobe Accessory, Wall/Ceiling Mount Box	261.21	Fire
198-M	Magnet, 1135T Series, Brown	2.33	Sensors & Detectors
198-N	Magnet, 1135T Series, White	2.33	Sensors & Detectors
225-N	Recessed Stubby Wing Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	4.52	Sensors & Detectors
225N-10PKG	Recessed Mount, Shorty, Wing Fit , White. 10-Pack	45.15	Sensors & Detectors
225W-N	Recessed Stubby Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 1" Gap Size	5.36	Sensors & Detectors
	1	2.00	
225WN-10PKG	Recessed Mount, Shorty, Wing Fit , Wide Gap White. 10-Pack	53.47	Sensors & Detectors
225WN-3.3K	Recessed Mount, Shorty, Wing Fit , Wide Gap White. 10-Pack Recessed Stubby Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, 3.3K Ohm Resistor,	6.46	Sensors & Detectors
-20111-0.011	White, 1" Gap Size	0.40	CONSUIS & DELECTORS
77E N		2.74	Canagra & Data -t
275-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, White, 1/2" Gap Size	3.71	Sensors & Detectors
2751 40010	D 1M 1M 57 M 7 40 D 1		0.00
275N-10PKG	Recessed Mount, Wing Fit, White. 10-Pack	36.97	Sensors & Detectors
275W-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4"	4.19	Sensors & Detectors
	Gap Size		
275WN-10PKG	Recessed Mount, Wing Fit, Wide Gap , White. 10-Pack	41.85	Sensors & Detectors
277-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-	7.89	Sensors & Detectors
	Double Throw	- -	1
277N-10PKG	Recessed Mount, Wing Fit, White. 10-Pack	78.83	Sensors & Detectors
285T-M	Designer Styled Terminal Contact, Brown, 3/4" Gap Size	4.16	Sensors & Detectors
285TM-10PKG	Surface Mount, Designer Style, Terminals, Brown. 10-Pack	41.56	Sensors & Detectors
285T-N	Designer Styled Terminal Contact, White, 3/4" Gap Size	4.16	Sensors & Detectors
285TN-10PKG	Surface Mount, Designer Style, Terminals, White. 10-Pack	41.56	Sensors & Detectors
285TW-M	Designer Styled Terminal Contact, Wide Gap, Brown, 1 1/2" Gap Size	5.73	Sensors & Detectors
285TW-N	Designer Styled Terminal Contact, Wide Gap, White, 1 1/2" Gap Size	5.73	Sensors & Detectors
285TWN-10PKG	Surface Mount, Designer Style, Terminals, Wide Gap White. 10-Pack	57.33	Sensors & Detectors

i			
12V17A	Battery 17 AH,12 Volt	90.13	Fire
12V24A	24Ah Sealed Lead Acid Battery, 12 VDC	168.09	Fire
12V4A	Battery 4.0 AH, 12 Volt	45.93	Fire
12V6A5	Battery 6.5 AH, 12 Volt	45.93	Fire
1300B-M-R	MM - 2-CH Microphone Audio Signal Preamplifier	711.75	Fiber Optic Transmission
1300B-R-R	MM - 2-CH Audio Equalizer/Limiter & 3 Output Dist Amplifier	776.75	Fiber Optic Transmission
1300B-T-R	MM - 4-CH Audio Mixer w/Dual Output	776.75	Fiber Optic Transmission
13-079	X10 Appliance Module: Communicates Through Existing AC Wiring, X10 Part Number PAM-01	19.50	Wireless
1315B-R/1B	MM - AES/EBU Digital Audio, Rx, Can	806.82	Fiber Optic Transmission
1315B-T/1B	MM - AES/EBU Digital Audio, Tx, Can	806.82	Fiber Optic Transmission
1315SBL-T/1XX	SM - AES/EBU Digital Audio, Tx, Laser, Can	1284.57	Fiber Optic Transmission
1315SB-R/1SXX	SM - AES/EBU Digital Audio, Rx, Can	1045.69	Fiber Optic Transmission
13-204	X10 Lamp Module, Powerhouse Series: Communicates Through Existing AC Wiring. Turns Lights	19.49	Wireless
İ	On or Blinks Lights During Alarms. Activates Lights Via a Keychain Touchpad. X10 Part Number LM 465. Requires Line Carrier Transformer		
1324A	Direct image, adhesive PVC label, use with ProxCard II, 28 mils, no slot	1.24	Photo ID Equipment
1324N	Direct image, non-adhesive PVC label, use with ProxCard II adhesive front 1326-A	1.24	Photo ID Equipment
1326-A	ProxCard II, self-adhesive front/molded logo back, 26-bit format, facility code & card number	3.97	Credentials
1326-HID	assigned, matching int/ext, vertical slot ProxCard II, standard artwork matte front/molded logo back, 26-bit format, facility code & card	3.06	Credentials
	number assigned, matching int/ext, vertical slot		
1326LMSMV	ProxCard II, white matte front/molded logo back, 26-bit format, specify facility code & card number, matching int/ext, vertical slot	3.11	Credentials
1326LMSMV-35	ProxCard II, white matte front/molded logo back, 35-bit format, specify Corporate 1000 format code,	3.54	Credentials
1326LMSSV	matching int/ext, vertical slot	3.11	Cradentials
1020LIVIOOV	ProxCard II, white matte front/molded logo back, 26-bit format, specify facility code & card number, sequential int/ext, vertical slot	3.11	Credentials
1326LSSMV	ProxCard II, standard artwork matte front/molded logo back, 26-bit format, specify facility code &	3.11	Credentials
1326LSSMV-35	card number, matching int/ext, vertical slot ProxCard II, standard artwork matte front/molded logo back, 35-bit format, specify Corporate 1000	4.10	Credentials
	format code, matching int/ext, vertical slot		
1326-W	ProxCard II, white matte front/molded logo back, 26-bit format, facility code & card number assigned, matching int/ext, vertical slot	3.26	Credentials
13-286	Lens DS924I PIR, Long Range Barrier, 3-Pack	14.92	Wireless
13-287-3PKG	Lens DS924I PIR, Pet Lens Broad, 3-Pack	11.75	Wireless
13-288	Lens DS924I PIR, Wide Angle, 3-Pack	11.75	Wireless
1336-HID	DuoProx II, white gloss front/standard artwork gloss back with magstripe, 26-bit format, facility code	7.59	Credentials
1336LGGMN	& card number assigned, matching int/ext, no slot DuoProx II, white gloss front/white gloss back with magstripe, 26-bit format, specify facility code &	6.80	Credentials
1336LGGMN-35	card number, matching int/ext, no slot DuoProx II, white gloss front/white gloss back with magstripe, 35-bit format, specify Corporate 1000	6.80	Credentials
	format code, matching int/ext, no slot		
1336LGGMN-37	DuoProx II, white gloss front/white gloss back with magstripe, 37-bit format, no facility code, card number assigned, matching int/ext, no slot	6.80	Credentials
1336NGGNN	DuoProx II ISO prox card w/ magstripe, white gloss front/white gloss back, no slot, NON- PROGRAMMED, no ext ID	6.49	Credentials
13-397	X10 2-Way Wall Switch Module, Pro Series: Communicates Through Existing AC Wiring. Automates Indoor or Outdoor Lights. X10 Part Number PLW-01. Requires Line Carrier Transformer	21.00	Wireless
13-398	X10 Powerhorn Remote Siren: AC-Powered Siren Using X10 Line Carrier Signaling Technology. Unsupervised; No Battery Backup. Only Compatible w/Simon; Not Compatible w/Any Other Panel	40.64	Wireless
13-399	X10 Universal Module, Pro Series: Communicates Through Existing AC Wiring. Activates a Relay for Devices Such as Garage Door Openers, Sprinklers and Curtains, Using a Keychain Touchpad. X10 Part Number PUM-01. Requires Line Carrier Transformer	34.97	Wireless
13-403	X10 Lamp Module, Pro Series: Communicates Through Existing AC Wiring. Turns Lights On or Blinks Lights During Alarms. Activates Lights Via a Keychain Touchpad. X10 Part Number PLM-01.	22.50	Wireless
13-438	Requires Line Carrier Transformer Overhead Garage Door Switch	16.93	Sensors & Detectors
13-438	System Sensor 2-Wire Smoke Detector - Low Profile, White: Model BK-2100D 2-Wire	61.58	Fire
13-444	Photoelectric 12/24VDC Form C w/o Sounder System Sensor Smoke Detector - Low Profile, White: Model BK-2100TD 2-Wire Photoelectric	67.69	Fire
	12/24VDC Form C w/Thermistor		
13-453	Interior Speaker, Surface Mount: 8 Ohm, 15W RMS w/20W Peak (Not Investigated By UL)	14.22	Wireless
13-454	Interior Speaker, Recess Mount: 8 Ohm, 15W RMS w/20W Peak. (Not Investigated By UL)	15.73	Wireless
13-461	X10 Screw-In Lamp Module: Communicates Through Existing AC Wiring. Screws Into Lamp Socket. Turns Lights On or Blinks Lights During Alarms. Activates Lights Via a Keychain Touchpad.	37.13	Wireless
13-469	X10 Part Number LM-15A. Requires Line Carrier Transformer Concord Express Dual Tone Siren: This small interior siren is Compatible w/Concord Express Only.	10.28	Wireless
1346-HID	Includes siren driver. Provides status and alarms ProxKey II, HID logo front/standard back, 26-bit format, facility code & card number assigned,	6.53	Credentials
1346LSSAN	matching int/ext, slot Proxkey II Proximity Key Fob, HID Logo Front/Standard Back, No Slot Punch, 26-Bit Format, Specify Earlife Code & Card Number Matching Int/Ext	8.20	Credentials
1346LSSMN	Specify Facility Code & Card Number Matching Int/Ext ProxKey II, HID logo front/standard back, 26-bit format, specify facility code & card number,	6.88	Credentials
13-474	matching int/ext, slot System Sensor Horn/Strobe, Red, 15/75 CD: Red, 12VDC Horn, 15/75 CD/sec Strobe. System	58.84	Fire
13-475	Sensor SpectrAlert P121575 Amseco Horn/Strobe, Red, 15/75 or 30/120 CD: ADA Compliant, 24VDC Horn, 15/75 CD/sec or	64.53	Fire
	30/120 CD/sec Strobe. Amseco Model SHW24-153075R		
13-476	Amseco Horn/Strobe, White, 15/75 or 30/120 CD: ADA Compliant, 24VDC Horn, 15/75 CD/sec or 30/120 CD/sec Strobe. Amseco Model SHW24-153075W.	56.85	Fire
13-477	Amseco Horn/Strobe, Red, 75 or 110 CD: ADA Compliant, 24VDC Horn, 75 or 110 CD Strobe. Amseco Model SHW24W-75110R	64.53	Fire
·			
13-478	Amseco Horn/Strobe, White, 75 or 110 CD: ADA Compliant, 24VDC Horn, 75 or 110 CD Strobe. Amseco Model SHW24W-75110W	56.85	Fire
13-4//		64.53	Fire

13-481	Amseco Strobe, Red, 15/75 CD or 30/120 CD: ADA Compliant, 24VDC, 15/75 CD/sec or 30/120	43.46	Fire
13-482	CD/sec Strobe. Amseco Model SLW24-153075R Amseco Strobe, White, 15/75 CD or 30/120 CD: ADA Compliant, 24VDC, 15/75 CD/sec or 30/120	45.38	Fire
13-483	CD/sec Strobe. Amseco Model SLW24-153075W Amseco Speaker, White, Round, 25 V RMS: Provides 1/4, 1/2, 1 and 2 Watt Power Rating at 25 V	20.40	Fire
	RMS. Amseco Model FH-47W-25R		
13-484	Amseco Speaker, White, Square, 25 V RMS: Provides 2, 4 and 8 Watt Power Rating at 25 V RMS. Amseco Model FH-45W-253S	30.68	Fire
13-487	Red, Square, Fire Alarm Speaker Strobe w/Field Selectable Taps 1/4W-2W, 24VDC, Ceiling or Wall Mount, Strobe/Candela Rating 15/75, 30/120	64.53	Fire
13-488	Amseco Speaker/Strobe, White, Round, 15/75 or 30/120 CD: ADA Compliant, 25 V Round	64.53	Fire
13-489	Speaker, 15/75 CD/sec or 30/120 CD/sec Strobe. Amseco Model SFH47-153075W-25S Round, White, Speaker Strobe w/Field Selectable Taps 1/4W-2W, 24VDC, Ceiling or Wall Mount,	64.53	Fire
1351LBSMN	Strobe/Candela Rating 15/75, 30/120 Proxpass Active Vehicle Id Tag, standard beige front/Hid logo back, 26-Bit format, specify facility	40.89	Credentials
	code & card number, matching internal and external, no slot		
135945 1386-HID	Connector plug, 24 position, green ISOProx II, white gloss front/standard artwork gloss back, 26-bit format, facility code & card number	4.10 5.99	Controllers Credentials
1386LGGMH	assigned, matching int/ext, no slot ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number,	5.93	Credentials
	matching int/ext, horizontal slot		
1386LGGMN	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number, matching int/ext, no slot	5.93	Credentials
1386LGGMN-35	ISOProx II, white gloss front/white gloss back, 35-bit format, specify Corporate 1000 format code, matching int/ext, no slot	6.34	Credentials
1386LGGMN-37	ISOProx II, white gloss front/white gloss back, 37-bit format, no facility code, card number assigned, matching int/ext, no slot	5.93	Credentials
1386LGGMV	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number,	5.93	Credentials
1386LGGNN	matching int/ext, vertical slot ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number, no	5.93	Credentials
	int/ext, no slot		
1386LGGRN	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number, random int/sequential ext, no slot	6.28	Credentials
1386LGGSN	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code and internal card number, sequential non-matching ext ID, no slot	6.32	Credentials
1386LGGSV	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number, sequential int/ext, vertical slot	6.28	Credentials
1386-W	ISOProx II, white gloss front/white gloss back, 26-bit format, facility code & card number assigned,	6.12	Credentials
1391LSSNN	matching int/ext, no slot MicroProx Tag, standard logo front/adhesive back, 26 bit format, specify facility code & card	4.58	Credentials
13-949	number, no ext ID Interior Piezo Siren: High Volume, Low-Current Interior Siren. Built-In Tamper Switch, 109 DB, 5-	14.40	Wireless
	14VDC. UL Listings Approved		
13-950 1452SGGNNR28A1120509	Exterior Piezo Siren: New Low-Current Exterior Siren, 111 DB, 5-14VDC Dual Tech Desfire/Wiegand Card w/Custom 13.56Mhz GM Programming. Both Sides White Gloss. No Marking for Desfire, No Slot Punch. Sequential Random Internal/Seq Non-Matching External ID for Wiegand	17.32 11.17	Wireless Credentials
1500-1 1500-12	Door Holder Accessory, Catch Plate Extension, 1 1/2" Fixed Rod Door Holder Accessory, Catch Plate Extension, 7 1/2" to 12" Adjustable Rod	14.56 45.41	Fire Fire
1500-12	Door Holder Accessory, Catch Plate Extension, 7 1/2 to 12 Adjustable Rod Door Holder Accessory, Catch Plate Extension, 2 1/2" Fixed Rod	16.47	Fire
1500-7	Door Holder Accessory, Catch Plate Extension, 5 1/4" to 7 1/2" Adjustable Rod	45.41	Fire
1501-AQN5	Door Holder, Single, Floor Mount - 24-120V	85.97	Fire
1502-AQN5 1504-AQN5	Door Holder, Double, Floor Mount - 24-120V Door Holder, Flush, Wall Mount - 24-120V	129.31 67.60	Fire Fire
1505-AQN5	Door Holder, Semi-Flush, Wall Mount - 24-120V	75.92	Fire
1508-AQN5	Door Holder, Surface, Wall Mount - 24-120V	70.03	Fire
1509-AQN5	Door Holder, Comp.Flush, Wall Mount - 24-120V	70.03	Fire
170028024	Resistor network, 16-pin, 8 resistor, 1.0K ohm, M/5 2RP & m/5 S2RP	2.73	Controllers
170028028	Resistor network,16-pin resistor, 2.0K ohm, M/5 2RP & M/5 S2RP	2.73	Controllers
1802	Magnet, 1/2" x 1/4"	2.51	Sensors & Detectors
1830-10PKG	Rare Earth Standard Gap Magnet. 10-Pack	23.79	Sensors & Detectors
1835-10PKG	Rare Earth Wide Gap Magnet. 10-Pack	29.52	Sensors & Detectors
1838-N	Replacement Magnet	1.79	Sensors & Detectors
1838TM	Magnet, 1038T Series, Brown	1.14	Sensors & Detectors
1838TN	Magnet, 1038T Series, White	1.14	Sensors & Detectors
1838TN-10PKG	Magnet for 1038TN White. 10-Pack	11.47	Sensors & Detectors
1840-N 1840N-10PKG	Rare Earth Magnet for Steel Doors, 1 5/8" Diameter x 5/8" Long. White Rare Earth Squish Channel Door Magnet. 10-Pack	4.52	Sensors & Detectors
1901-N	Empty Shell, 1085 Series, White	45.15 0.46	Sensors & Detectors Sensors & Detectors
1902N-10PKG	Empty Shell, 1075 Series, White Empty Shell, 1075 Series, White, 10-Pack	4.55	Sensors & Detectors
1905	RTV Mounting Compound	8.71	Sensors & Detectors
1906-M	Spacer for 1082/1085 Series, Brown	0.74	Sensors & Detectors
1906-N	Spacer, 1085 Series, White	0.74	Sensors & Detectors
1906T-G	Spacer, 1085T Series, Grey	0.82	Sensors & Detectors
1906TM-10PKG	Spacer, Brown for 1085T. 10-Pack	8.18	Sensors & Detectors
1906T-N	Spacer, 1085T Series, White	0.82	Sensors & Detectors
1908C-N	Adaptor, 3/8" to 3/4", White Use to Adapt Over-Drilled Holes and to Facilitate Wiring, 10-Pack	0.42	Sensors & Detectors
1908CN-10PKG	Adapts 3/8" Switches to 3/4" White. 10-Pack	4.16	Sensors & Detectors
1909-G	Cover, 1085T Series, Grey	0.35	Sensors & Detectors
1909-N	Cover, 1085T Series, White	0.35	Sensors & Detectors
	Z Bracket, 1045/1045T Series, Aluminum, Refer to Interlogix Catalog for Dimensions	2.46	Sensors & Detectors
19102-L			
1910-L	Z Bracket for 1082/1085T/1285T Series, Aluminum	1.65	Sensors & Detectors
1910-L 1911-L	Z Bracket for 1082/1085T/1285T Series, Aluminum L Bracket, 2200 Series	1.65	Sensors & Detectors
1910-L 1911-L 19122-L	Z Bracket for 1082/1085T/1285T Series, Aluminum L Bracket, 2200 Series L Bracket, 1045/1045T Series, Aluminum	1.65 3.17	Sensors & Detectors Sensors & Detectors
1910-L 1911-L 19122-L 1912-L	Z Bracket for 1082/1085T/1285T Series, Aluminum L Bracket, 2200 Series L Bracket, 1045/1045T Series, Aluminum L Bracket for 2207-AH/2215/2505 Series, Aluminum	1.65 3.17 1.82	Sensors & Detectors Sensors & Detectors Sensors & Detectors
1910-L 1911-L 19122-L 1912-L 1913-L	Z Bracket for 1082/1085T/1285T Series, Aluminum L Bracket, 2200 Series L Bracket, 1045/1045T Series, Aluminum L Bracket for 2207-AH/2215/2505 Series, Aluminum Spacer, 2500 Series, Aluminum, Anodized Finish	1.65 3.17 1.82 5.24	Sensors & Detectors Sensors & Detectors Sensors & Detectors Sensors & Detectors
1910-L 1911-L 19122-L 1912-L	Z Bracket for 1082/1085T/1285T Series, Aluminum L Bracket, 2200 Series L Bracket, 1045/1045T Series, Aluminum L Bracket for 2207-AH/2215/2505 Series, Aluminum	1.65 3.17 1.82	Sensors & Detectors Sensors & Detectors Sensors & Detectors

1914M-05PKG	Spacer, Brown, 1045/1045T. 5-Pack	1.81	Sensors & Detectors
1914-N	Spacer, 1045/1045T Series, White	0.35	Sensors & Detectors
914N-05PKG	Spacer, White, 1045/1045T, 5-Pack	1.81	Sensors & Detectors
920D-L	Magnet, 2500 Series, Double Strength, Aluminum, Anodized Finish	18.66	Sensors & Detectors
920-L	Magnet for 2505, Aluminum, Anodized Finish	12.36	Sensors & Detectors
921CG-10PKG	Magnet 1078C Grey. 10-Pack	42.86	Sensors & Detectors
921C-M	Extra Magnet, 1078C Series, Brown, 3/4" Diameter x 1 9/16" Depth	4.29	Sensors & Detectors
921CM-10PKG	Magnet 1078C Brown. 10-Pack	42.86	Sensors & Detectors
921C-N	Extra Magnet, 1078C Series, White, 3/4" Diameter x 1 9/16" Depth	4.29	Sensors & Detectors
921-G	Extra Magnet, 1078 Series, Grey, 1" Diameter for Steel Doors, 1/2" Depth	4.29	Sensors & Detectors
921G-10PKG	Magnet 1078 Series Grey. 10-Pack	42.86	Sensors & Detectors
921-M	Extra Magnet, 1078 Series, Brown, 1" Diameter for Steel Doors, 1/2" Depth	4.29	Sensors & Detectors
921M-10PKG	Magnet 1078 Series Brown, 10-Pack	42.86	Sensors & Detectors
921-N	Extra Magnet, 1078 Series, White, 1" Diameter for Steel Doors, 1/2" Depth	4.29	Sensors & Detectors
921N-10PKG	Magnet 1078 Series. 10-Pack	42.86	Sensors & Detectors
922-B	Thin Magnet, 1078 Series, White	4.29	Sensors & Detectors
23	Magnet, 3/8" Diameter x 2 1/2" Long	5.54	Sensors & Detectors
24-M	Magnet, 1075 Series, Brown	2.41	Sensors & Detectors
924M-10PKG	Magnet 1075 Series, Brown. 10-Pack	24.08	Sensors & Detectors
24-N	Magnet, 1075 Series, White	2.41	Sensors & Detectors
924N-10PKG	Magnet 1075 Series, White. 10-Pack	24.08	Sensors & Detectors
927-M	Magnet, 1035 Series, Brown	1.14	Sensors & Detectors
927-N	Magnet, 1035 Series, White	1.14	Sensors & Detectors
27N-10PKG	Magnet for 1035 Series, White. 10-Pack	11.47	Sensors & Detectors
32CM-10PKG	Empty Shell, 1078C Series, Brown, 10-Pack	5.07	Sensors & Detectors
32C-N	Empty Shell, 1078C Series, White	0.51	Sensors & Detectors
32-N	Empty Shell, 1078 Series, White, 1" Diameter	0.56	Sensors & Detectors
33-G	Magnet, 1045/1045T Series, Grey	4.29	Sensors & Detectors
33-N	Magnet, 1045/1045T Series, White	4.29	Sensors & Detectors
34-G	Magnet for 1042TW, Grey	6.40	Sensors & Detectors
134-M		6.40	Sensors & Detectors
	Magnet for 1042TW, Brown		
34-N	Magnet for 1042TW, White	6.40	Sensors & Detectors
37-G	Magnet, 1032 Series, Grey, Includes Magnet and Tape	2.41	Sensors & Detectors
37M-10PKG	Magnet for 1032 Series, Brown. 10-Pack	24.08	Sensors & Detectors
37-N	Magnet, 1032 Series, White, Includes Magnet and Tape	2.41	Sensors & Detectors
37N-10PKG	Magnet for 1032 Series, White. 10-Pack	24.08	Sensors & Detectors
38TM	Spacer, 1138T Series, Brown	0.51	Sensors & Detectors
38TN	Spacer, 1138T Series, White	0.51	Sensors & Detectors
401-L	Garage Door Track Bracket for 1082T-W/1285T-W/2215 Series, Aluminum	7.80	Sensors & Detectors
9402-L	Garage Door Track Bracket for 1045T, Aluminum	8.37	Sensors & Detectors
140-L 141-L	Garage Door Bracket for 1082TW/1285T-W/2505 Series, Aluminum, Mounts on Wheel Tracks Chain Link Fence Bracket, 2500 Series, Aluminum, Anodized Finish, 1 3/8" to 2 1/2" Posts	9.54	Sensors & Detectors Sensors & Detectors
942-L	Chain Link Fence Bracket, 2500 Series, Aluminum, Anodized Finish for 2 1/2" to 4" Posts	9.54	Sensors & Detectors
143-L	Spacer, 2700 Series, Aluminum	10.47	Sensors & Detectors
9441-L	Z Bracket for 2800T, Aluminum	9.95	Sensors & Detectors
1442-L	L Bracket for 2707A, Aluminum	9.54	Sensors & Detectors
1443-M	L Bracket for 2800T, Brown	11.18	Sensors & Detectors
944-L	Z Bracket, 2700 Series, Aluminum	10.47	Sensors & Detectors
146-N	Magnet, 1125 Series, White	2.41	Sensors & Detectors
46N-10PKG	Magnet Only, 1125, White. 10-Pack	24.08	Sensors & Detectors
58-L	Magnet, 2200 Series for 2202A, 2204A, 2205A, 2207A	11.86	Sensors & Detectors
61-L	L Bracket for 2727A, Aluminum	7.48	Sensors & Detectors
63-L	Chain Link Fence Bracket for 2747A, Aluminum. 1 3/8" to 2 1/2" posts	8.67	Sensors & Detectors
65W-10PKG	Spacer, Thin, White for 3000 Series. 10-Pack	2.16	Sensors & Detectors
68-B	Spacer for 2505A, Black	1.59	Sensors & Detectors
69-B	Pry Tamper Plate for 2700, No Magnet	1.82	Sensors & Detectors
		24.08	
79N-10PKG	Magnet, 1285T, White. 10-Pack		Sensors & Detectors
80-100	Stainless Steel Flex Cable, 100' Roll, 3/16" ID, 9/32" OD	203.76	Sensors & Detectors
80-25	Stainless Steel Flex Cable, 25' Roll, 3/16" ID, 9/32" OD	48.57	Sensors & Detectors
80-50	Stainless Steel Flex Cable, 50' Roll, 3/16" ID, 9/32" OD	101.87	Sensors & Detectors
82-L	Universal Magnet, 2200 Series, Aluminum for 2202AU, 2204AU, 2205AU, 2207AU	11.86	Sensors & Detectors
89-N	Spare Cover, 1285T Series, White	0.56	Sensors & Detectors
00	Solution 2000 Glassbreak Detector. Features a Round, Low-Profile Design. It Has 25' Range and Can Be Wall Or Ceiling Mounted. Status and Alarm LEDs Are Visible Through the Grille. 10-14Vs	40.42	NetworX
000-BP	AC or DC Solution 2000 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2000. Must Be Ordered as a 50-	36.37	NetworX
002PGGNN	Pack I-Class Smart Card, contactless, 16K memory, 16 application areas, programmed I-Class, white	9.59	Credentials
70 <u>2</u> 1	gloss front, white gloss back, no ext ID , no slot , specify facility code, bit format, starting internal ID, min qty 100	0.00	o road made
04-12/24V	Power Supervision Relay for 12VDC and 24VDC Systems for Use w/4-Wire Smoke Detectors. Contact Rating (Resistive) 2A @ 26VDC or 115 VAC. Voltage 8.5 - 33 V DC. UL and FM Listed	17.30	Fire
14-12/24VCAN	Power Supervision Relay for 12VDC and 24VDC Systems, Canada for Use w/4-Wire Smoke Detectors. Contact Rating (Resistive) 2A @ 26VDC or 115 VAC. Voltage 8.5 - 33VDC. ULC Listed	17.30	Fire
14-6V	Power Supervision Relay for 6VDC Systems for Use w/4-Wire Smoke Detectors. UL and FM Listed	17.30	Fire
100	Solution 2100 Glassbreak Detector. Has 20' Range and Is Designed to Be Recess-Mounted In A Wall Of Ceiling, Making It Ideal for Flush-Mount Or Pre-Wire Applications. It Features Alarm/Status LEDs and Alarm Memory LED. 10-14Vs AC or DC	36.39	NetworX
100-BP	Solution 2100 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2100. Must Be Ordered as a 50-Pack	32.75	NetworX
105A-G	Magnapull Heavy Duty Magnetic Pull-Apart Cord, Closed Loop, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Closed	26.52	Sensors & Detectors
	Loop		

2107A-G	Magnapull Heavy Duty Magnetic Pull-Apart Cord, SPDT, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Single Pole-Double Throw	31.37	Sensors & Detectors
211-10PKG	Replaceable Optical Chambers for ESL Smoke Detectors for ESL 300, 400, 500, 500N, 700 and TS7 Smokes, 10-Pack	15.47	Fire
2120	Solution 2120 Glassbreak Detector. A double-gang version of the 2100, it provides a technology upgrade for the replacement of older double-gang sized detectors that have been flush-mounted. It has 20' range with alarm/status LEDs & alarm memory LED	47.52	NetworX
2200	Solution 2200 Glassbreak Detector. Features A Patented, Microprocessor-Based 3X3 Technology That Will Detect All Glass Types. It Has 20' Range and Can Be Wall or Ceiling Mounted. It Features Alarm/Status LEDs and Alarm Memory LED. 10-14Vs AC or DC	28.67	NetworX
2200-BP	Solution 2200 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2200. Must Be Ordered as a 50- Pack	25.81	NetworX
2202A-L	Overhead Door Floor Mount Contact w/Aluminum Housing, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable	18.67	Sensors & Detectors
2202AU-L	Overhead Door Floor Mount Contact w/Universal Magnet, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable	18.67	Sensors & Detectors
2204A-L	Overhead Door Floor Mount Contact w/Aluminum Housing, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable	23.09	Sensors & Detectors
2204AU-L	Overhead Door Floor Mount Contact w/Universal Magnet, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable	23.09	Sensors & Detectors
2205A-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable	30.54	Sensors & Detectors
2205AU-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable	26.69	Sensors & Detectors
2207AD-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, DPDT, Aluminum Bar Stock. 3" Gap Size. Double Pole-Double Throw. 3' Stainless Steel Armored Cable. UL Listed	63.87	Sensors & Detectors
2207AH-L	Overhead Door Higher Security Floor Mount Contact, SPDT, Biased for Higher Security. 3/4" to 2 1/2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	55.11	Sensors & Detectors
2207A-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	33.11	Sensors & Detectors
2207AU-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	35.02	Sensors & Detectors
2250D-R/1X3	SM - 16-CH Contact/TTL Data, Rx, Can	964.44	Fiber Optic Transmission
2250D-R/6X3	SM - 16-CH Contact/TTL Data, Rx, Can	964.44	Fiber Optic Transmission
2250D-R-R/1X3	SM - 16-CH Contact/TTL Data, Rx, Rack	964.44	Fiber Optic Transmission
2250D-R-R/6X3	SM - 16-CH Contact/TTL Data, Rx, Can	964.44	Fiber Optic Transmission
2251D-R/1X3	SM - Contact/TTL Data, Rx, Can	623.19	Fiber Optic Transmission
2251D-R/1X3 2251D-R-R/1X3	SM - Contact/TTL Data, Rx, Can SM - Contact/TTL Data, Rx, Rack	623.19	
			Fiber Optic Transmission
2251D-T/13X	SM - Contact/TTL Data, Tx, Can	623.19	Fiber Optic Transmission
2251D-T-R/13X	SM - Contact/TTL Data, Tx, Rack	623.19	Fiber Optic Transmission
2302A-L	Curtain Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. Form A	36.91	Sensors & Detectors
2304A-L	Curtain Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. Form C	47.24	Sensors & Detectors
2315A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, Closed Loop, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A	30.41	Sensors & Detectors
2317A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. 2' Stainless Steel Armored Cable. Form C	34.50	Sensors & Detectors
2325A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A	39.51	Sensors & Detectors
235196P	Transient Protector for Bell and Horn Circuits	2.99	Fire
23901-01	Beam Detector Accessory, Replacement Reflector for EC-50R/100R	71.71	Fire
2452THS-110-R	Strobe, Fire Alarm Signal, 110 CD, Red	60.67	Fire
2452THS-15/75-R	Strobe, Fire Alarm Signal, 15/75 CD, Red	60.67	Fire
2459-WPB-R	Fire Alarm Signal Accessory, Water-Proof Box, Red	25.91	Fire
2459-WPB-W	Fire Alarm Signal Accessory, Water-Proof Box, White	25.91	Fire
2502901	Sensorkey, 2801, hot stamp matching ext ID, specify site code & card number, slot	9.82	Credentials
2505A-L	Aluminum Housing Armored Cable Contact, Closed Loop, Wide Gap, 3" Gap Size	30.54	Sensors & Detectors
2507A*-LCFB30 2507AD-L	Aluminum Housing 2507 Magnetic Contact, SPDT, 30FT Jacketed Lead Aluminum Housing Armored Cable Contact, DPDT, Wide Gap, 1 1/2" Gap Size. Double Pole-	100.44 52.62	Sensors & Detectors Sensors & Detectors
2507AH-L	Double Throw Aluminum Housing Armored Cable Contact, SPDT, Higher Security, Wide Gap, Biased for Higher Security Applications, 3/4" to 2 1/2" Gap Size. Single Pole-Double Throw	55.13	Sensors & Detectors
2507A-L	Aluminum Housing Armored Cable Contact, SPDT, Wide Gap, 3" Gap Size. Single Pole-Double Throw	32.96	Sensors & Detectors
2507-L20	Aluminum Housing 2507 Magnetic Contact, SPDT, 20FT Jacketed Lead	48.87	Sensors & Detectors
250-CO	Carbon Monoxide Detector, 4-Wire System Monitored, Alarm & Trouble Relays, Remote Sensor EOL Alert, 12/24VDC, UL 2075	76.06	Fire
250-COPLT-5PKG	Carbon Monoxide Accessory, Mounting Plate Adapts 250-CO to 240-COe Footprint, 5-Pack, White	12.94	Fire
250DL-R/1BX3	MM - 16-CH Contact/TTL Data, Rx, Can	793.82	Fiber Optic Transmission
250DL-R-R/1BX3	MM - 16-CH Contact/TTL Data, Rx, Rack	793.82	Fiber Optic Transmission
250D-R/1BX3	MM - 16-CH Contact/TTL Data, Rx, Can	657.32	Fiber Optic Transmission
250D-R-R/1BX3	MM - 16-CH Contact/TTL Data, Rx, Rack	657.32	Fiber Optic Transmission
2515A-L	Maxi-Gap Extra Wide Gap Overhead Door Contact, Up to 6" Gap Size. Closed Loop; Normally Open. 1.5' Stainless Steel Armored Cable	41.95	Sensors & Detectors
251D-R/1BX3	MM - Contact/TTL Data, Rx, Can	255.94	Fiber Optic Transmission
251D-R-R/1BX3	MM - Contact/TTL Data, Rx, Rack	255.94	Fiber Optic Transmission
251D-T-101BX3	MM - Contact/TTL Data, TX, Rack	255.94	Fiber Optic Transmission
251D-1/163X 251D-T-R/1B3X	MM - Contact/TTL Data, Tx, Garr	255.94	Fiber Optic Transmission
260097	Programming Cable (PC to QSC, QS2, QS8)	44.53	Fire
2706AP-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test-Protective Loop, 3/16"	146.34	Sensors & Detectors
	to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable		

2706AS-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test-Supervised Loop,	164.27	Sensors & Detectors
	3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable		
2707AD-L	High Security Contacts w/Armored Cable, Triple Biased, DPDT, 3/16" to 5/8" Gap Size. Double Pole Double Throw. 3' Stainless Steel Armored Cable	212.43	Sensors & Detectors
2707AD-L5	2707Ad L5 W/5' Armored Cable	388.04	Sensors & Detectors
2707A-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, 3/16" to 5/8" Gap Size. Single Pole-	114.10	Sensors & Detectors
2/0/A-L	Double Throw. 3' Stainless Steel Armored Cable	114.10	Sensors & Detectors
2704 DDO		20.24	F:
270A-DPO	Pull Station, Noncoded, Break Glass, Metal, Double Pole, Open Curcuit, Wire Leads	38.31	Fire
270A-SPO	Pull Station, Noncoded, Break Glass, Metal, Single Pole, Open Curcuit, Wire Leads	22.53	Fire
270-DOC	Pull Station, Noncoded, Break Glass, Metal, Double Pole, Open Curcuit, One Curcuit Closed	79.56	Fire
270-DPO	Pull Station, Noncoded, Break Glass, Metal, Double Pole, Open Curcuit	38.65	Fire
270D-R/1BX7	MM - 4-20 mA Analog Data, Rx, Can	320.13	Fiber Optic Transmission
270D-R-R/1BX7	MM - 4-20 mA Analog Data, Rx, Rack	320.13	Fiber Optic Transmission
270D-T/1B7X	MM - 4-20 mA Analog Data, TX, Can	320.13	Fiber Optic Transmission
270D-1/167X 270D-T-R/1B7X			
	MM - 4-20 mA Analog Data, Tx, Rack	320.13	Fiber Optic Transmission
270-GLR	Pull Station Accessory, Glass Replacement Rods for 270/FX-270 Series, 20 Count	15.43	Fire
270P-SPO	Pull Station, Noncoded, Break Glass, Metal, Single, Open Curcuit, Pre-Signal Switch	82.33	Fire
270-SPO	Pull Station, Noncoded, Break Glass, Metal Single Pole, Open Curcuit	25.57	Fire
27193-11	Surface Mount Box, Indoor, 1-Gang, Red	11.60	Fire
27193-16	Surface Mount Box, Indoor, 1-Gang, White	11.60	Fire
?727A-L	High Security Contacts, Triple Biased, SPDT, Overhead Door Contact, 11/16" to 2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	152.88	Sensors & Detectors
2747A-L	High Security Contacts, Triple Biased, SPDT, Gate Contact, 11/16" to 2" Gap Size. Single Pole- Double Throw. 3' Stainless Steel Armored Cable	146.99	Sensors & Detectors
2757D-L	High Security Contacts, Triple Biased, DPDT, ANSI Recessed, 0" to 3/8" Gap Size. Double Pole-	277.89	Sensors & Detectors
2757-L	Double Throw. 3' Vinyl-Jacketed Cable High Security Contacts, Triple Biased, SPDT, ANSI Recessed, 0" to 3/8" Gap Size. Single Pole-	159.85	Sensors & Detectors
2767-L	Double Throw. 3' Vinyl-Jacketed Cable High Security Contacts, Triple Biased, SPDT, ANSI Adjustable Recessed, Both Switch and Magnet	176.25	Sensors & Detectors
	are Adjustable for Versatile Alignment. 0" to 3/8" Gap Size. Single Pole-Double Throw. 3' Vinyl-Jacketed Cable		
276B-1110	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single Pole, Open Curcuit, Screw Terminal	35.01	Fire
276B-1120	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single Pole, Open Curcuit, Screw Terminals, Key Reset	41.95	Fire
276B-RSB	Pull Station Accessory, Surface Mt., Mounting Box, 278/FX-278 Lexan Series	16.99	Fire
276-GLR	Pull Station Accessory, Glass Replacement Rods for 278/FX-278 Lexan Series, 20 Count	21.67	Fire
76-K1	Reset Key & Tag for 'Key-Reset' Manual Stations	11.61	Fire
77B-1110	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single Pole, Open Curcuit, Wire Leads	29.81	Fire
278B-1110	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single Pole, Open Curcuit, Screw Terminals, Wire Leads	28.60	Fire
278B-1120	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single	52.35	Fire
278B-1420	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Double Pole, One Open Curcuit, One Closed Curcuit, Key Reset	61.01	Fire
279B-1110	Pull Station, Noncoded, Double Action, Break Glass, Plastic, Single Pole, Open Curcuit, Wire Leads, Tool Reset	33.97	Fire
2804T-M	Explosion-Proof Terminal Contacts, Safe & Vault, Triple Biased, SPDT. UL listed for safe and vault; listed for hazardous location classes Explosion-proof; UL listed for hazardous location classes Class I Groups C, D and Class II Groups E, F & G	209.53	Sensors & Detectors
2807T-M	Explosion-Proof Terminal Contacts, Triple Biased High Security, SPDT, Single Pole-Double Throw. Explosion-proof; UL Listed for Hazardous Location Classes Class I Groups C, D and Class II Groups E, F and G	200.98	Sensors & Detectors
280A-PL	Heat Detector Accessory, Reversable Plastic Mounting Plate, White	3.03	Fire
2814T-M	Maximum Security Terminal Contact w/Guarded Housing, SPDT, 3/16" to 5/8" Gap Size. Single	492.95	Sensors & Detectors
104D DI	Pole-Double Throw	0.07	Fire
81B-PL	Heat Detector, 135ŰF Fixed/Rate of Rise, White	9.97	Fire
82B-PL	Heat Detector, 194°F Fixed/Rate of Rise, White	9.97	Fire
83B-PL	Heat Detector, 135ŰF Fixed, White	9.97	Fire
:845T-M	Explosion-Proof Conduit Fitting Terminal Contacts, Closed Loop, Wide Gap, Up to 1" Gap Size	82.10	Sensors & Detectors
2847TH-M	Explosion-Proof Conduit Fitting Terminal Contacts, Higher Security, SPDT, Biased for Higher Security. Explosion-proof. 1/4" to 1" Gap Size. Single Pole-Double Throw	119.87	Sensors & Detectors
2847T-M	Explosion-Proof Conduit Fitting Terminal Contacts, SPDT, Up to 1" Gap Size. Single Pole-Double Throw	88.66	Sensors & Detectors
284B-PL	Heat Detector, 194°F Fixed, White	9.97	Fire
00307001	Power Supply 3 amp, 110VAC to 12VDC, (UL listed), can be used with M5 Controllers.	179.15	Controllers
	Power Supply 3 amp, 110VAC to 12VDC, (UL listed), can be used with M5 Controllers. Power Supply 3 amp, 230VAC to 12VDC, (UL listed), can be used with M5 Controllers.		
300308001		196.22	Controllers
300340001 300377001	Spare Part - Power Supply, for M2000, 230VAC / 16VAC - wire leads Power Supply and Battery Back-Up, 6-amp, 110/220VAC, FCC, CE listed, 7-Ah battery. Enclosure: 10 x 12 x 6 inches. Recommended for M5 Controllers, not required for M2000 or M3000.	88.73 260.00	Controllers Controllers
200270504	Ethernet Suiteh DOE Single Port 45 4W	04.00	Controlloro
300379501	Ethernet Switch POE, Single Port, 15.4W	81.90	Controllers
300380501	Ethernet Switch POE, Midspan, 16 Port, 15.4W per port	845.00	Controllers
00381501	24VDC Power Supply, 110VAC Input, 1.75 Amp, BBU, 2 Batteries, Enclosure, UL Listed, recommended for DirecDoor Controller.	327.60	Controllers
300382001 300384001	Spare Part - Power Supply, 12Vdc @ 6 Amps, No Battery, No Enclosure Power Supply, 12Vdc @ 6 Amps, 12Ah Battery Backup, 110/220Vac Input with Enclosure. Can be	265.41 407.16	Controllers Controllers
3005-M	used with M5. Recessed Roller Plunger Contact with Wire Leads, Brown. Works as a plunger or ball switch;	2.83	Sensors & Detectors
	flanges for positive retention. Includes spacer and mounting screws. Three different mounting configurations. 1', #22 wire leads. Closed Loop. UL listed		
3005M-10PKG	Recessed Roller Plunger, Brown. 10-Pack	28.38	Sensors & Detectors
8005N-10PKG	Recessed Roller Plunger, White. 10-Pack	28.38	Sensors & Detectors
8007M-10PKG	Recessed Roller Plunger Contact with Wire Leads, Brown. Works as a plunger or ball switch; flanges for positive retention. Includes spacer and mounting screws. Three different mounting configurations. 11, #22 wire leads. SPDT_III_listed.	78.00	Sensors & Detectors
DOOM 10DKC	configurations. 1', #22 wire leads. SPDT. UL listed Recessed Roller Plunger, Shorty, Brown. 10-Pack	E4 94	Songare & Dotastore
8008M-10PKG	Nevessed Kollet Flutiget, Stiotty, Drown. 10-Fäck	51.31	Sensors & Detectors

3008W-10PKG	Recessed Roller Plunger, Shorty, Wide Gap, White. 10-Pack	51.31	Sensors & Detectors
30121N-10PKG	Recessed Plunger Clip Mount White. 10-Pack	63.06	Sensors & Detectors
3012N-10PKG	Recessed Plunger Clip Mount White. 10-Pack	63.06	Sensors & Detectors
3014-N	Recessed Plunger Clip Mount/SPDT, White	7.29	Sensors & Detectors
3015N-10PKG	Recessed Pin Plunger White. 10-Pack	56.76	Sensors & Detectors
3025TM-10PKG			
	Self-Adjusting Tamper Terminal Contact, Closed Loop, Brown, Plunger Self-Adjusts to Proper Reach. Screw-On Wire Terminals. Closed Loop. UL Listed, 10-Pack	64.97	Sensors & Detectors
3040CT-W	Panic Switch, Cold Temperature, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. 12' Jacketed Leads. Single Pole-Double Throw. UL Listed	35.96	Sensors & Detectors
3040-W	Panic Switch w/Terminals, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. Screw Terminals. Single Pole-Double Throw. UL Listed	28.74	Sensors & Detectors
3045CT-W	Panic Switch, Cold Temperature, SPST, Surface Mount, 12' Jacketed Leads. Single Pole-Single Throw	23.83	Sensors & Detectors
3045-W	Panic Switch w/Terminals, SPST, Surface Mount, Screw Terminals. Single Pole-Single Throw	13.99	Sensors & Detectors
3100130	Classic Swipe Wiegand reader, 5-12VDC, bi-color LED, black w/ logo, 6 ft cable	380.25	Readers
3100290	Classic Swipe Wiegand reader, 5-12VDC, bi-color LED, black w/ logo, terminal strip	380.25	Readers
3100330	Extended Wear Classic Swipe Wiegand reader, 5-12VDC, bi-color LED, black w/ logo, 6 ft cable	633.75	Readers
3100500	Classic Swipe Wiegand reader, 5-12VDC, bi-color LED, beige w/ logo, 6 ft cable	348.57	Readers
3103560	PINpad Wiegand reader, 8-bit, 5-12VDC, bi-color LED, black, 6 ft cable	887.25	Readers
3121160	Insertion Wiegand reader, style A1, 5-12VDC, red LED, black with escutcheon, 6 ft cable	464.75	Readers
3140190	Turnstile Wiegand reader, 5-12VDC, bi-color LED, black, 6 ft cable	644.32	Readers
3141650	Turnstile Wiegand reader, 5-12VDC, bi-color LED, chrome, 6 ft cable	644.32	Readers
3152540	Epic [™] Wiegand reader, 5-12VDC, tri-color LED's, black, 6 ft cable	401.38	Readers
320011002	Cable, 20 feet, IBM P-series DB25F to DB9F M/5	59.72	Computers & Peripheral
			Equipment
320018001	Cable, 15 feet, PC host to parallel printer	76.78	Computers & Peripheral Equipment
320025001	Cable, 20 feet, DB25M Modem-Dial or LH / SH to DB9F M/2 or M/5	59.72	Computers & Peripheral Equipment
320035001	Cable, 20 feet, DB9F PC to DB25M data broadcast unit, LH / SH modem	59.72	Computers & Peripheral Equipment
320038001	Cable, 20 feet, DB9F PC to DB9F M/2 or M/5	63.38	Computers & Peripheral Equipment
320097001	Model 43x reader cable, DB9 to unterminated (required for new installations)	71.67	Readers
320097001	Proximity Perfect reader cable, 15ft.		Readers
		34.13	
320098005 320112001	Proximity Perfect reader cable, 15ft., 4 pack Cable, 20 ft., DB9F PC to M/PX-2000	187.69 59.72	Readers Computers & Peripheral
320114001	Cable, 20ft., DB9F PC to DB25F, RS232 / RS422 converter	59.72	Equipment Computers & Peripheral
320115001	Cable, 20ft., DB25F serial port expander to DB25F, RS232/RS422 converter	59.72	Equipment Computers & Peripheral
320546001	Cable, 20 feet, DB9F system server to DB25M dialup modem	76.78	Equipment Computers & Peripheral
			Equipment
320547001	Cable, 20 feet, DB25F PC or serial port expander to DB25M dialup modem	59.72	Computers & Peripheral Equipment
320A	Photoelectric Smoke Alarm, 120VAC Smoke Alarm w/Sounder	44.50	Fire
320ACC	Photoelectric Smoke Alarm w/Relay, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke	53.61	Fire
320ACX	Photoelectric Smoke Alarm w/Tandem Relay, Form A and C Relays That Do Operate From the	54.24	Fire
24644 D/4DVV	Tandem Circuit and When Smoke Is Detected	050.40	Fiber Optio Tro
346A1-R/1BXX	MM - 2-Way Audio, 2-Wire, Rx, Can	853.13	Fiber Optic Transmission
346A1-R-R/1BXX	MM - 2-Way Audio, 2-Wire, Rx, Rack	853.13	Fiber Optic Transmission
346A1-T/1BXX	MM - 2-Way Audio, 2-Wire, Tx, Can	853.13	Fiber Optic Transmission
346A1-T-R/1BXX	MM - 2-Way Audio, 2-Wire, Tx, Rack	853.13	Fiber Optic Transmission
346A2/1BXX	MM - 2-Way Audio, 2-Wire, Tcvr, Can, 2-Fiber	597.19	Fiber Optic Transmission
346A2-R/1BXX	MM - 2-Way Audio, 2-Wire, Tcvr, Rack, 2-Fiber	597.19	Fiber Optic Transmission
350	Photoelectric Smoke Alarm w/Battery Backup, 120VAC Smoke Alarm w/Sounder and Backup Battery	47.14	Fire
350055002		4 10	Controllers
	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP)	4.10	Controllers
	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX)	4.10	Controllers
350055008 350055009	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX)	4.10	Controllers Controllers
	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX)	4.10	Controllers
350055008 350055009	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm., 16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-	4.10	Controllers Controllers
350055008 350055009 350055010 350A1-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can	4.10 4.43 4.43 725.57	Controllers Controllers Controllers Fiber Optic Transmission
350055008 350055009 350055010 350A1-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX)	4.10 4.43 4.43	Controllers Controllers Controllers
350055008 350055009 350055010 350A1-R/1BAP 350A1-R-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack	4.10 4.43 4.43 725.57 725.57 725.57	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
350055008 350055009 350055010 350A1-R-R/1BAP 350A1-T/BAP 350A1-T-R/BAP 350A1-T-R/BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack	4.10 4.43 4.43 725.57 725.57 725.57 725.57	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
350055008 350055009 350055010 350A1-R-R/1BAP 350A1-T/BAP 350A1-T-R/BAP 350A1-T-R/BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can	4.10 4.43 4.43 725.57 725.57 725.57	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
350055008 350055009 350055010 350A1-R/1BAP 350A1-R-R/1BAP 350A1-T/1BAP 350A1-T/R/1BAP 350A2-R/1BAP 350A2-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber	4.43 4.43 725.57 725.57 725.57 725.57 726.63 469.63	Controllers Controllers Controllers Fiber Optic Transmission
350055008 350055009 350055010 350A1-R/1BAP 350A1-R/1BAP 350A1-T/1BAP 350A2-T/1BAP 350A2-R/1BAP 350A2-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber	4.43 4.43 725.57 725.57 725.57 725.57 726.63 469.63 469.63	Controllers Controllers Controllers Fiber Optic Transmission
350055008 350055009 350055010 350A1-R-R/1BAP 350A1-R-R/1BAP 350A1-T/1BAP 350A1-T/1BAP 350A2-R/1BAP 350A2-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Rack, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not	4.43 4.43 725.57 725.57 725.57 725.57 726.63 469.63	Controllers Controllers Controllers Fiber Optic Transmission
350055008 350055009 350055010 350A1-R-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do	4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63	Controllers Controllers Fiber Optic Transmission
350055008 350055009 350055010 35001-R/1BAP 35001-R-R/1BAP 35001-T/1BAP 35002-R/1BAP 35002-R/1BAP 35002-R/1BAP 35002-T/1BAP 35002-T/1BAP 35002-T/1BAP 3500CC	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom	4.10 4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27	Controllers Controllers Controllers Fiber Optic Transmission Fire
350055008 350055009 350055010 35001-R-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R-R/1BAP 350A2-T/1BAP 350A2-T/1BAP 350A2-T/1BAP 350A2-T/1BAP 350A2-T/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit and When Smoke Is Detected. Includes Backup Battery MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can	4.10 4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fire
350055008 350055009 350055010 350A1-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R/1BAP 350A2-T/1BAP 350A2-T/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm., 16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit and When Smoke Is Detected. Includes Backup Battery MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack	4.10 4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63 469.63 59.97 60.27	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fiber Optic Transmission Fiber Optic Transmission
350055008 350055009 350055010 350A1-R/1BAP 350A1-R-R/1BAP 350A1-T/1BAP 350A2-R/1BAP 350A2-R-R/1BAP 350A2-R-R/1BAP 350A2-T/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can	4.10 4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fiber Optic Transmission
350055008 350055009 350055010 35001-R-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R-R/1BAP 350A2-T/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit and When Smoke Is Detected. Includes Backup Battery MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom Interface, 4-Wire, Tx, Can MM - 2-Way Audio, Intercom Interface, A-Wire, Tx, Can	4.10 4.43 4.43 725.57 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27 405.44 405.44 405.44	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fiber Optic Transmission
350055008 350055009 350055010 350A1-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Rack MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Tx, Rack MM - 2-Way Audio, Intercom Interface, Rx, San MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit and When Smoke Is Detected. Includes Backup Battery MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom Interface, 4-Wire, Tx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Tx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Tx, Rack Bill Trap, Black, SPDT	4.10 4.43 4.43 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27 405.44 405.44 405.44 31.19	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fire Fiber Optic Transmission Sensors & Detectors
350055008 350055009 350055010 35001-R-R/1BAP 350A1-R-R/1BAP 350A1-T-R/1BAP 350A2-R/1BAP 350A2-R-R/1BAP 350A2-T/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP 350A2-T-R/1BAP	Connector plug, 2 position, 45-degree, green (M/5 16-DO & M/5 CK8RP) Connector plug, 8 position, 45-degree, green (M/5 power comm.,16-DO & M/5 8RP, old J-box 520038XXX) Connector plug, 9 position, 45-degree, green (M/5 2RP & M/5-2SRP, old J-box 520038XXX) Connector plug, 10 position, 45-degree, green (M/5 power comm, M/5-2RP & M/5-2SRP, M/5-16DOR, old J-box 520038XXX) MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can MM - 2-Way Audio, Intercom Interface, Tx, Can MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Rx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber MM - 2-Way Audio, Intercom Interface, Tx, Can, 2-Fiber Photoelectric Smoke Alarm w/Relay and Battery Backup, Form A and C Relays That Do Not Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit; They Must Detect Smoke. Includes Backup Battery Photoelectric Smoke Alarm w/Tandem Relay and Battery Backup, Form A and C Relays That Do Operate From the Tandem Circuit and When Smoke Is Detected. Includes Backup Battery MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Can MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom Interface, 4-Wire, Tx, Can MM - 2-Way Audio, Intercom Interface, A-Wire, Tx, Can	4.10 4.43 4.43 725.57 725.57 725.57 725.57 725.57 469.63 469.63 469.63 59.97 60.27 405.44 405.44 405.44	Controllers Controllers Controllers Fiber Optic Transmission Fire Fire Fiber Optic Transmission

380691001	Visitor Central Credential Strap Clips, Avery 2923, 100 per box	59.72	Visitor System
385001001	Installation wrench, 1/8", Model T-5xx, T-7xx,1xxx, 97x, 94x, 84x, 82x and 43x readers	17.07	Readers
385005402	Installation wrench, 1/8", Model 950 and 960 readers.	17.07	Readers
385006001	Break-away lanyard - black flat woven nylon, 35" long with a nickel-plated steel swivel hook. 100/lot.	119.44	Credentials
363000001	Break-away lanyaru - black flat woven nylon, 35 flong with a nicker-plated steel swiver floor. Too/lot.	119.44	Crederitials
385006002	Break-away lanyard - royal blue flat woven nylon, 35" long with a nickel-plated steel swivel hook.	119.44	Credentials
	100/lot		
385006006	Break-away lanyard - red flat woven nylon, 35" long with a nickel-plated steel swivel hook. 100/lot	119.44	Credentials
385006008	Break-away lanyard - white flat woven nylon, 35" long with a nickel-plated steel swivel hook. 100/lot	119.44	Credentials
385006101	Neck chain - nickel-plated steel w/connector. 30" (763mm) long. Should be ordered with	68.25	Credentials
	385006201. 100/lot		
385006201	Neck chain strap adapter - 3 3/8" (86mm) clear vinyl strap. Should be ordered with 385006101.	51.19	Credentials
303000201	100/lot	31.13	Orederitials
385006301		17.07	Cradentiala
	2-hole clip - nickel-plated steel w/ 2 3/4" (70mm) clear vinyl strap. 100/lot		Credentials
385006401	Retractable black plastic badge reel; belt clip with reinforced vinyl strap. Reel diameter 1.25"	255.94	Credentials
	(32mm); cord length 23" (584mm). 100/lot		
385006408	Retractable white plastic badge reel; belt clip with reinforced vinyl strap. Reel diameter 1.25"	255.94	Credentials
	(32mm); cord length 23" (584mm). 100/lot		
390016001	Visitor Central Camera Stand: Digi camera stand for Watchport/V2 camera; universal 6 inch	100.67	Visitor System
	compact plastic camera bracket in color black; can also be wall mounted		
390017001	Visitor Central Camera Clamp Mount for Watchport/V2 camera	117.73	Visitor System
401	Magnetic Test Tool for use w/2 or 4-Wire Detectors	35.14	Fire
402	Area Detector Universal Adapter Base, Adapts 400 Series Detectors to Most Standard Electrical	3.93	Fire
· 	Boxes for use w/2 or 4-Wire Detectors, Accepts Nice-Duc	0.00	•
403	Thin Mounting Snap Ring for 400 Series for use w/2 or 4-Wire Detectors, 5-Pack	9.37	Fire
405-01		35.44	Fire
TUU-U I	Polarity Reversal Relay, 24VDC for Use w/2 or 4-Wire Smoke Detectors. 1 Circuit. Enables Any	35.44	1 116
	Control Panel to Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL		
	Listed. CSFM		
405010701	Thin white PVC card with adhesive back, .024" thick, 100/lot	81.90	Photo ID Equipment
405-03	Polarity Reversal Relay, 12VDC for Use w/2 or 4-Wire Smoke Detectors. 1 Circuit. Enables Any	34.81	Fire
	Control Panel to Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL		
	Listed		
405-05	Polarity Reversal Module, 12/24VDC, 4-Wire Smoke Detectors Only. Enables Any Control Panel to	34.01	Fire
403-03	Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL, MEA and CSFM	34.01	1 110
	Listed		
405054001	Print test card for .030" thick style badge, white gloss both sides, 500/lot.	84.50	Photo ID Equipment
405-06	DPDT Fire Auxiliary Relay, Allows Smoke Detectors to Initiate Two Auxiliary Functions. 12/24VDC.	30.00	Fire
	UL, MEA and CSFM Listed		
420102001	RS-232 Communication Line Splitter, for Redundant systems.	213.28	Computers & Peripheral
			Equipment
420169001	Table top slot punch manual operation	998.15	Credentials
420173001	Modem, external, dial-up and direct, (short 1-mile or long haul over leased line), 120VAC/60Hz to	524.16	Computers & Peripheral
120110001	9VAC, 1A PS included. Operates on either AC or DC power. For Micro/5 to host system	020	Equipment
	communication		Equipment
400470000		550.00	Committees & Designational
420173002	Modem, external, dial-up and direct, (short 1-mile or long haul over leased line), 230VAC/50Hz to	558.29	Computers & Peripheral
	9VAC, 1A PS included. Operates on either AC or DC power. For Micro/5 to host system		Equipment
	communication		
420190001	16-port expander box, DB25M, daisy chain to 16-port adapter DB25M: for p/n 420245001	1288.22	Computers & Peripheral
			Equipment
420232001	8-port serial adapter, half length board, PCI bus, RS232/DB25M expansion box	1416.19	Computers & Peripheral
			Equipment
420245001	16-port serial adapter, half length board, PCI bus, RS232/DM25M expansion box	1928.07	Computers & Peripheral
			Equipment
420248001	RS232/DB25M to RS422/4 screw terminals interface converter, 110VAC, 12VDC @ 125mA. Note:	238.88	Computers & Peripheral
420246001		230.00	
	the converter is only required at the host end. Extends host to 1st micro comm distance to 1,000		Equipment
	feet		
420299001	Dell 15FP 1U Rack Console w/Versarail, 15" TFT LCD, 83 Key mini-kybd US (Two Week Lead	2166.68	Computers & Peripheral
	Time)		Equipment
420310001	USB to 8 Port RS232 DB25 serial converter (For Secure Perfect Professional ONLY)	767.82	Computers & Peripheral
			Equipment
420416001	Visitor Central Flat Panel Touch Screen 15" Monitor: 3 year warranty	1194.38	Visitor System
420490001	Fargo DTC500 series YMCKO ribbon, 400 images, for single-sided printing	255.94	Photo ID Equipment
420491001	Fargo DTC500 series YMCKOK ribbon, 350 images, for dual-sided printing	255.94	Photo ID Equipment
420494001	Fargo DTC500 series cleaning kit (2 pens, 10 cards, 10 pads, 10 tapes)	59.72	Photo ID Equipment
420495001	Rio 2e Single Side Base Model Printer	4658.07	Photo ID Equipment
420495001		6364.32	Photo ID Equipment
	Tango 2e, Dual Side Base Model Printer		
420497001	Rio/Tango YMCKO Ribbon - 350 images, for single side printing	187.69	Photo ID Equipment
420498001	Tango YMCKOK Ribbon - 300 images, for dual side printing	230.35	Photo ID Equipment
420501001	Rio/Tango Cleaning Kit - includes 10 cleaning cards, 2 cleaning pens, and 3 cleaning rollers	71.67	Photo ID Equipment
			<u> </u>
420521001	Visitor Central C88 Ink Jet Printer: Epson Stylus C88 Color Ink Jet Printer with 6' printer cable;	255.94	Visitor System
	prints up to 5760X1440 optimized dpi		
420604001	PolyGuard 1.0 mil clear overlaminate, 250 images for DCT515 and DTC525 Lamination Module	187.69	Photo ID Equipment
	,		1
420605001	PolyGuard 1.0 mil overlaminate, standard hologram, 250 images for DCT515 and DTC525	255.94	Photo ID Equipment
72000001	Lamination Module	200.94	1 Hoto ID Equipment
400040004		740.00	Dhata ID Fasian :
420613001	Signature capture pad, USB, LCD, 1" x 5" active anti-glare tempered glass signing area, tethered	716.63	Photo ID Equipment
	electronic pen		
420624002	Watchport/V2 high-performance USB camera with low light sensitivity; 5 year warranty	409.50	Visitor System
420628001	Logitech Quickcam Orbit Camera: robotic camera head; 1.3 megapixal sensor; adjustable 9 inch	339.55	Visitor System
	extension height; 2 year warranty		·
420629001	Logitech Quickcam Fusion Camera 1.3 megapixal sensor; balances on monitor; 2year warranty	269.59	Visitor System
422 1044 01	Security Pro 1000 Panal Decal Packs, Includes (10) Security Pro Panal Decals	NC	Socurity Pro
422-1944-01	Security Pro 1000 Panel Decal Pack: Includes (10) Security Pro Panel Decals	NC	Security Pro
400 0000 04	0 4 5 5 15 1 1 1 1 200 2 4 5 5 15 15 15 15 15 15 15 15 15 15 15 15		0 " 0
422-2600-01	Security Pro Panel Decals: Includes (10) Security Pro Panel Decals for Pro 500, Pro 6000 and Pro	NC	Security Pro
l	7000 Panels		

429AT	Self-Diagnostic Photoelectric 2-Wire Smoke Detector w/Heat Sensor, 6/12VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor	49.76	Fire
429C	Self-Diagnostic Photoelectric 2-Wire Smoke Detector, 12/24VDC	48.20	Fire
429CRT	Self-Diagnostic Photoelectric 2-Wire Smoke Detector w/Heat Sensor and Auxiliary Relay,	58.19	Fire
	12/24VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor. Auxiliary Relay		" "
429CST	Self-Diagnostic Photoelectric 2-Wire Smoke Detector w/Heat Sensor and Sounder, 12/24VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor. 85DB Sounder	57.88	Fire
429CT	Self-Diagnostic Photoelectric 2-Wire Smoke Detector w/Heat Sensor, 12/24VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor	49.76	Fire
430062001	Model 610 BaFe Touch Card reader *, Wiegand output, beige	503.35	Readers
430083001	Model 430 Magnetic Stripe reader*, gray, aluminum housing, ABA track 2, 12/48VDC, S-F/2F & IBM 5029 comm, door strike relay, includes REX & door contact connect points	392.44	Readers
430083501	Model 435 Magnetic Stripe reader* w/12-key keypad, gray, aluminum housing, ABA track 2, 12/48VDC, S-F/2F & IBM 5029 comm, door strike relay includes REX & door contact connect points	503.35	Readers
430084001	Model 940 Proximity Perfect reader*, gray, single-width electrical box mount, conventional walls	418.03	Readers
430084001-CR	Traditional Model 940 Proximity Perfect reader*, gray, single-width electrical box mount, conventional walls, 15' cable	409.50	Readers
430084002	Model 940 Proximity Perfect reader*, black, single-width electrical box mount, conventional walls.	418.03	Readers
430084002-CR	Traditional Model 940 Proximity Perfect reader*, black, single-width electrical box mount, conventional walls, 15' cable	409.50	Readers
430084501-CR	Traditional Model 941 Proximity Perfect reader*, gray, single-width electrical box mount, metal walls, 15' cable	443.63	Readers
430084502-CR	Traditional Model 941 Proximity Perfect reader*, black, single-width electrical box mount, metal walls, 15' cable	443.63	Readers
430085001	Model 970 Proximity Perfect reader*, gray, dual-width electrical box mount, conventional walls, 15' cable	588.65	Readers
430085002	Model 970 Proximity Perfect reader*, black, dual-width electrical box mount, conventional walls, 15' cable	588.65	Readers
430085501	Model 971 Proximity Perfect reader*, gray, dual-width electrical box mount, metal walls, 15' cable	605.72	Readers
430085502	Model 971 Proximity Perfect reader*, black, dual-width electrical box mount, metal walls, 15' cable	605.72	Readers
430088001	Model 972 Proximity Perfect reader*, with keypad, gray, dual-width electrical box mount, conventional walls, 15' cable	708.10	Readers
430088002	Model 972 Proximity Perfect reader*, with keypad, black, dual-width electrical box mount, conventional walls, 15' cable	708.10	Readers
430088501	Model 973 Proximity Perfect reader*, with keypad, gray, dual-width electrical box mount, metal walls, 15' cable	725.15	Readers
430088502	Model 973 Proximity Perfect reader*, with keypad, black, dual-width electrical box mount, metal walls, 15' cable	725.15	Readers
430090001	Model 950 Proximity Perfect mullion mount reader*, gray, 20' cable	605.72	Readers
430090002	Model 950 Proximity Perfect mullion mount reader*, black, 20' cable	605.72	Readers
430090501	Second read head for Model 950 reader, gray, 20' cable	136.50	Readers
430090502	Second read head for Model 950 reader , black, 20' cable	136.50	Readers
430091001	Model 960 Proximity Perfect window mount reader*, gray, 20' cable	622.78	Readers
430091002	Model 960 Proximity Perfect window mount reader*, black, 20' cable	622.78	Readers
430091501	Second read head for Model 960 reader, gray, 20' cable	153.57	Readers
430091502	Second read head for Model 960 reader , black, 20' cable	153.57	Readers
430096001	Model 660 Touchpad reader, Wiegand output, (NOT a reader keypad)	460.69	Readers
430122001	Model 820 Contact Smart Card reader *, gray	742.22	Readers
430123001	Model 825 Contact Smart Card reader *, with keypad, gray	861.65	Readers
430131001	Model 551 Bar Code Swipe reader, black, 12VDC, F/2F, 3-9 and 2-5	383.90	Readers
430138001	Model 1000 Dual Tech proximity-magstripe reader*, gray. Reads ProxLite, ISO ProxLite and Entrée.	767.82	Readers
430139001	Model 1010 Dual Tech proximity-magstripe reader*, with 12-key keypad, gray. Reads ProxLite, ISO ProxLite and Entrée.	887.25	Readers
430160001	WIU-4 Wiegand Interface Unit converts multiple Wiegand data formats up to 40-bits to supervised F/2F protocol, and includes door strike relay; one per non-GE proximity reader. Default Wiegand formats include 26, 32, 35, and 40-bit.	110.90	Readers
430177001	Model 240 standard contactless (ISO 15693 / 14443A Mifare compatible) smart card reader, SF/2F, gray, single-width USA elect box mount	418.03	Readers
430182001	Model 245 Standard w/Keypad, Contactless (ISO 15693 / 14443A Mifare Compatible) Smart Card Reader, SF/2F, Gray, Single-Width USA Elect Box Mount	605.72	Readers
430183001	Model 260, Contactless (ISO 15693 / 14443A Mifare Compatible) Medium Read-Range Reader, SF/2F, Gray	1202.50	Readers
430187001	WIU-2 Wiegand Interface Unit, converts multiple Wiegand data formats up to 40 bits to supervised F/2F protocol, and includes door strike relay; one per non-GE proximity reader. Default Wiegand formats: 26, 32, 35, and 40-bit formats	85.32	Readers
430188001	BIF-VFlex to GE Proximity Perfect reader interface, Proximity Perfect reader must be configured for Wiegand 40-bit (bit format 4001) output.	68.25	Readers
430200001	Model 250 Mullion-Width, Contactless (ISO 15693/ 14443A Mifare Compatible) Smart Card Reader, SF/2F, Gray	375.38	Readers
430201001	M940 Reader Configuration card kit: Model 940 Only: F2F Supervised to Undersupervise, and F2F Supervised to Wiegand 40-bit operation.	NC	Readers
430209001	Model T-500SW reader, gray, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers
430209002	Model T-500SW reader, charcoal, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers
430209003	Model T-500SW reader, black, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers
430209004	Model T-500W reader, gray, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers

430209005	Model T-500W reader, charcoal, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers
430209006	Model T-500W reader, black, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	247.40	Readers
430210001	Model T-520SW reader, gray, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	281.53	Readers
430210002	Model T-520SW reader, charcoal, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693),HID proximity & Corp 1000	281.53	Readers
430210003	Model T-520SW reader, black, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	281.53	Readers
430210004	Model T-520W reader, gray, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	281.53	Readers
430210005	Model T-520W reader, charcoal, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	281.53	Readers
430210006	Model T-520W reader, black, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	281.53	Readers
430211001	Model T-525SW reader, gray, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430211002	Model T-525SW reader, charcoal, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430211003	Model T-525SW reader, black, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430211004	Model T-525W reader, gray, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430211005	Model T-525W reader, charcoal, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430211006	Model T-525W reader, black, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	503.35	Readers
430212006	Model T-500-PIV reader, black, mullion mount, Wiegand communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	341.25	Readers
430213006	Model T-520-PIV reader, black, single width USA electrical box mount, Wiegand communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	402.68	Readers
430214006	Model T-525-PIV reader, black, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	716.63	Readers
430215001	Visitor Central Driver's License Scanner	1023.75	Visitor System
430216001	Scanner, Symbol LS2208 Handel Barcode Reader	597.19	Visitor System
430220001	Keyboard Wedge Reader, Smartcard, Card Serial Number (CSN), Vicinity (ISO 15693) and Mifare	409.50	Computers & Peripheral
100001001	(ISO 14443A), USB	0.14.05	Equipment
430221001	Keyboard Wedge Reader, GE Proximity Desktop Credential Reader (USB Connection)	341.25	Computers & Peripheral
430222001	Model T-100 reader, Light Gray, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	116.03	Readers Readers
430222002	Model T-100 reader, Charcoal, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	116.03	Readers
430222003	Model T-100 reader, Black, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	116.03	Readers
430223001	Model T-200 reader, Light Gray, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	136.50	Readers
430223002	Model T-200 reader, Charcoal, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	136.50	Readers
430223003	Model T-200 reader, Black, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	136.50	Readers
430228001	Mifare Smart Card Reader, Integrated Engineering, GM	455.00	Readers
430228501 430237001	Mifare Reader (ISO14443) Desfire w/Pinpad Custom GM Configuration Contact/Contactless with keypad, Smart Card Reader for CAC & PIV Credentials,75-bit Wiegand	583.32 491.40	Readers Readers
400040000	Output, Indoor installations only	050.00	Deaders
430240006 430240501	Model T-700 Smart Card Reader, Complete, Mullion, Secure Sector, Black cover Model T-700 Smart Card Reader, Electronics Kit only, Mullion, Secure Sector, no cover	250.00 241.67	Readers Readers
430240501	Model T-700 Smart Card Reader, Electronics Kit only, Mullion, Secure Sector, no cover Model T-720 Smart Card Reader, Complete, Midrange, Secure Sector, Black cover	283.34	Readers
430241501	Model T-720 Smart Card Reader, Complete, Midrange, Secure Sector, Black cover Model T-720 Smart Card Reader, Electronics Kit only, Midrange, Secure Sector, no cover	275.00	Readers
430242006	Model T-725 Smart Card Reader, Complete, Midrange with Keypad, Secure Sector, Black cover	500.01	Readers
430242501	Model T-725 Smart Card Reader, Electronics Kit only, Midrange with Keypad, Secure Sector, no cover	491.67	Readers
438D-10N5	Fire Alarm Bell, 10", Hazardous Location, 120VAC, Gray	75.92	Fire
438D-10N5-R 438D-6N5	Fire Alarm Bell, 10", 120VAC, Red Fire Alarm Bell, 6", Hazardous Location, 120VAC, Gray	75.92	Fire
438D-6N5-R	Fire Alarm Bell, 6", Hazardous Location, 120VAC, Gray Fire Alarm Bell, 6", 120VAC, Red	65.00 65.00	Fire Fire
438D-8N5	Fire Alarm Bell, 8", Hazardous Location, 120VAC, Gray	72.11	Fire
438D-8N5-R	Fire Alarm Bell, 8", Hazardous Location, 120VAC, Gray	72.11	Fire
439D-10AW	Fire Alarm Bell, 10", 24VDC, Gray	79.13	Fire
439D-10AW-R	Fire Alarm Bell, 10:, 24VDC, Red	79.13	Fire
439D-6AW	Fire Alarm Bell, 6", 24VDC, Gray	68.64	Fire
439D-6AW-R	Fire Alarm Bell, 6", 24VDC, Red	58.24	Fire

439D-8AW	Fire Alarm Bell, 8", Hazardous Location, 24VDC, Gray	62.66	Fire
139D-8AW-R	Fire Alarm Bell, 8", Hazardous Location, 24VDC, Gray	62.66	Fire
39DEX-10AW	Fire Alarm Bell, 10", Explosion-Proof, 24VDC	1004.64	Fire
39DEX-6AW	Fire Alarm Bell, 6", Explosion-Proof, 24VDC	806.35	Fire
39DEX-8AW	Fire Alarm Bell, 8", Explosion-Proof, 24VDC	875.33	Fire
40180001	Windows XP Professional Edition O.S.	498.34	Computers & Peripheral
141206002	DeApywhere Version (Heat & Domete)	460.00	Equipment
41306002	PcAnywhere Version (Host & Remote)	469.22	Computers & Peripheral Equipment
41475002	SQL Server 2005 Standard Edition D.B. , 5 CAL License	3081.70	Computers & Peripheral
41579002	Facility Commander V2.1 Video Drivers (CD for non-GE DVRs)	NC	Equipment Picture Perfect
44000004	Visit Marie LVD Driver for Facility Commendate 2.4	04.50	Distance Destroy
41663001	VisioWave LVP Driver for Facility Commander v2.1	84.50	Picture Perfect
41663001-UPG	UPGRADE, VisioWave LVP Driver for Facility Commander v2.1. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	33.80	Picture Perfect
44-1437-01	Security Pro Fixed Display Door Pack: Includes (10) Security Pro-Labeled Doors for the Fixed Display Touchpad	NC	Security Pro
49	Weatherproof Notification Appliance Wall Box	34.32	Fire
49AT	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 6/12VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor. Not Listed MEA	63.28	Fire
49C	Self-Diagnostic Photoelectric 4-Wire Smoke Detector, 12/24VDC	49.70	Fire
49CRT	Self-Diagnostic Photoelectric 4-Wire Smoke Detector, 12/24-VDC Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Auxiliary Relay. Integral	57.93	Fire
+90K1	135° F Fixed Temperature/Rate-of-Rise Heat Sensor, 12/24VDC	37.93	riie
49CSRH	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Isolated Heat Sensor, Sounder and Auxiliary Relay. Isolated Fixed Temperature/Rate-of-Rise Heat Sensor, 85DB Sounder, 12/24VDC	69.32	Fire
49CSRT	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder and Auxiliary Relay.	67.81	Fire
	Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor, 85DB Sounder, 12/24VDC		
49CST	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Sounder. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor, 85DB Sounder, 12/24VDC	61.98	Fire
49CST-10PKG	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Sounder, Not Individually	605.55	Fire
49CSTE	Packaged, 1 Set of Literature Per Box, 10-Pack Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder and Status Relay.	72.45	Fire
	Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor, 85DB Sounder, Power Supervision/Sensitivity Status Relay, Not Listed MEA, 12/24VDC		
49CT	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor, 12/24VDC	50.73	Fire
49CT-10PKG	Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Not Individually Packaged, 1	492.91	Fire
49CTE	Set of Literature Per Box, 12/24VDC, 10-Pack Self-Diagnostic Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Status Relay, 12/24VDC. Integral 135° F Fixed Temperature/Rate-of-Rise Heat Sensor, Power Supervision/Sensitivity Status	65.03	Fire
	Relay		
50222001	Micro/Reader Junction Box, cabinet, door strike relay	85.32	Readers
6229-0107	Fire Alarm Control Accessory, 4.7K EOL Resistor	3.81	Fire
70336502	Model 43x surface mount back box, gray	93.85	Readers
70382001	Model 43x door mount plate	59.72	Readers
70389001	Model 43x wall plate (IBM replacement), stainless steel	59.72	Readers
70417001	Reader housing, M94X, 1-LED new and 3-LED CR-series, gray	18.77	Readers
70418001	Backplate, M94X proximity reader, for use with magnet reed switch & the gold-finger tamper	8.19	Readers
70420001	mechanisms Backplate, M97X proximity reader, for use with magnet reed switch - the original off-the-wall tamper	15.35	Readers
70420503	mechanism Protected MOZV reader two and gold finger quiteh machanism	13.65	Readers
	Backplate, M97X reader, two-pad gold finger switch mechanism		
70431001	Mounting plate, gray, M941 proximity reader	12.18	Readers
70431501	Mounting plate,gray, M971, M973 proximity reader	14.79	Readers
70433001	Model 94x back-to-back mounting plate, gray	29.00	Readers
70433002	Model 94x back-to-back mounting plate, black	29.00	Readers
70434001	Model 97x back-to-back mounting plate, gray	23.89	Readers
70434002	Model 97x back-to-back mounting plate, black	27.30	Readers
70577001	Housing, M820, M825 smart card reader	56.62	Readers
70578001	Backplate, M820, M825 smart card reader	43.08	Readers
70610001	Model 10x0 Dual Tech surface mount box, gray	59.72	Readers
70633001	Housing, M840, M845 smart card reader	68.25	Readers
70634001	Backplate, M840, M845 smart card reader	12.12	Readers
70672001	Model 24x Spacer Plate for Metal Wall Installation, Gray	13.65	Readers
70676001	Cover, snap-on, Model 240 reader, gray	21.68	Readers
	Cover, snap-on, Model 245 reader, gray	26.27	Readers
			Readers
70677001	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box	10.24	
70677001 70677002	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box	10.24	Readers
70677001 70677002	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box		
70677001 70677002 70677003	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box	10.24	Readers
70677001 70677002 70677003 I4O-ID	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4	10.24 10.24	Readers Readers
70677001 70677002 70677003 I4O-ID	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker	10.24 10.24 74.53	Readers Readers NetworX
70677001 70677002 70677003 I4O-ID -0001 00-PLT-5PKG	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack	10.24 10.24 74.53 10.28 8.52	Readers Readers NetworX NetworX Fire
70677001 70677002 70677003 I4O-ID -0001 00-PLT-5PKG	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card	10.24 10.24 74.53 10.28 8.52 79.63	Readers Readers NetworX NetworX Fire Fiber Optic Transmission
70677001 70677002 70677003 I4O-ID -0001 00-PLT-5PKG 01R 02R	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Homs, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6° Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards	10.24 10.24 74.53 10.28 8.52 79.63 105.63	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission
-70677001 -70677002 -70677003 -14O-ID -0001 -00-PLT-5PKG -01R -02R	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards N/A - Horizontal 3-Card Rack, 1 RU, 19-inch	10.24 10.24 74.53 10.28 8.52 79.63 105.63 364.82	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission
7.0676002 7.0677001 7.0677002 7.0677003 II4O-ID -0001 00-PLT-5PKG 101R 102R 103H	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards N/A - Horizontal 3-Card Rack, 1 RU, 19-inch 521 Series CleanMe Interpreter & 2 to 4-Wire Converter. Serves as an interface between the 521 Series smokes & most 24V UL listed panels, interpreting the CleanMe signal. Allows central station	10.24 10.24 74.53 10.28 8.52 79.63 105.63	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission
-70677001 -70677002 -70677003 -14O-ID -0001 -00-PLT-5PKG -01R -02R	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards N/A - Horizontal 3-Card Rack, 1 RU, 19-inch 521 Series CleanMe Interpreter & 2 to 4-Wire Converter. Serves as an interface between the 521 Series smokes & most 24V UL listed panels, interpreting the CleanMe signal. Allows central station to be notified when a detector needs to be cleaned Photoelectric 2-Wire Smoke Detector w/o CleanMe, 12/24VDC, No CleanMe. Not Listed MEA.	10.24 10.24 74.53 10.28 8.52 79.63 105.63 364.82	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission
70677001 70677002 70677003 I4O-ID -0001 00-PLT-5PKG 01R 02R 02R 03H 05	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Homs, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6° Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards N/A - Horizontal 3-Card Rack, 1 RU, 19-inch 521 Series CleanMe Interpreter & 2 to 4-Wire Converter. Serves as an interface between the 521 Series smokes & most 24V UL listed panels, interpreting the CleanMe signal. Allows central station to be notified when a detector needs to be cleaned Photoelectric 2-Wire Smoke Detector w/o CleanMe, 12/24VDC, No CleanMe. Not Listed MEA. S10A Compatible	10.24 10.24 74.53 10.28 8.52 79.63 105.63 364.82 50.75	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fire
70677001 70677002 70677003 I4O-ID -0001 00-PLT-5PKG 01R 02R 03H	Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box Mounting Plate, black, Mullion Transition reader on single-width USA electrical box Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) 15 Watt Interior Speaker 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack N/A - Rack Card Enclosure, 1 Card N/A - Rack Card Enclosure, 2 Cards N/A - Horizontal 3-Card Rack, 1 RU, 19-inch 521 Series CleanMe Interpreter & 2 to 4-Wire Converter. Serves as an interface between the 521 Series smokes & most 24V UL listed panels, interpreting the CleanMe signal. Allows central station to be notified when a detector needs to be cleaned Photoelectric 2-Wire Smoke Detector w/o CleanMe, 12/24VDC, No CleanMe. Not Listed MEA.	10.24 10.24 74.53 10.28 8.52 79.63 105.63 364.82 50.75	Readers Readers NetworX NetworX Fire Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fire

5150M19-100PKG	Shock Sensor, 2-Wire, Brown, 100-Pack	922.66	Sensors & Detectors
5150-W	Shock Sensor, 2-Wire, White	12.00	Sensors & Detectors
5150-W 5150W19-100PKG	Shock Sensor, 2-Wire, White, 100-Pack	922.66	Sensors & Detectors
515PS1	N/A - Internal Redundant Power Supply for 515R1	628.88	Fiber Optic Transmission
515R1	Card Cage, 15 Slots w/PS. Can also be used for SymNet-5R Units	950.63	Fiber Optic Transmission
517EPS1	N/A - External Power Supply for (2) 517R1	897.82	Fiber Optic Transmission
517R1	N/A - Hi-Density Card Cage, 17 Slots	377.82	Fiber Optic Transmission
51B	N/A - Rack-Mount Thermal Baffle	52.82	Fiber Optic Transmission
51FP-1	N/A - Card Cage Filler Panel, 1 Slot	26.82	Fiber Optic Transmission
51FP-2	N/A - Card Cage Filler Panel, 2 Slots	31.69	Fiber Optic Transmission
51FP-4	N/A - Card Cage Filler Panel, 4 Slots	37.38	Fiber Optic Transmission
51FP-8	N/A - Card Cage Filler Panel, 8 Slots	42.25	Fiber Optic Transmission
51WM	N/A - Wall Mount Bracket for 515R1 and 517R1	31.69	Fiber Optic Transmission
520111601	Micro/5 "C-bracket" assembly. Does NOT include backplane, 110061001.	65.52	Controllers
520159001	Model 43x heater kit, 110/24VAC, (see 560-92820-000 for heater power transformer)	153.57	Readers
520240004	T-700 Cover, Gray color Plastic. Order with 430240501	16.67	Readers
520240005	T-700 Cover, Charcoal color Plastic. Order with 430240501	16.67	Readers
520240006	T-700 Cover, Black color Plastic. Order with 430240501	16.67	Readers
520241004	T-720 Cover, Gray color Plastic. Order with 430241501	16.67	Readers
520241005	T-720 Cover, Charcoal color Plastic. Order with 430241501	16.67	Readers
520241006	T-720 Cover, Black color Plastic. Order with 430241501	16.67	Readers
520242004	T-725 Cover, Gray color Plastic. Order with 430242501	16.67	Readers
520242005	T-725 Cover, Charcoal color Plastic. Order with 430242501	16.67	Readers
520242006	T-725 Cover, Black color Plastic. Order with 430242501	16.67	Readers
520712001	Model 10x0 Dual Tech reader heater kit, 24VAC/DC (see 560-92820-000 for heater power	153.57	Readers
3207 12001	transformer)	155.57	Reducis
520769001		1195.08	Cradentials
	Entree Proximity Card (500) w/Tab Run Data File on CD		Credentials
520836001	Model 940 gray Reader and Junction Box kit. Includes reader, M/RJ box, installation wrench.	486.28	Readers
			-
520836001-CR	Traditional Model 940 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox	486.28	Readers
	reader cable, installation wrench.		
520838001	Model 940 black Reader and Junction Box kit. Includes reader, M/RJ box, installation wrench.	486.28	Readers
520838001-CR	Traditional Model 940 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox	486.28	Readers
	reader cable, installation wrench.		
520839001-CR	Traditional Model 941 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox	511.88	Readers
	reader cable, installation wrench.		
520840001-CR	Traditional Model 941 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox	511.88	Readers
0200-10001 OIX	reader cable, installation wrench.	011.00	reducis
520845001	Model 970 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	691.03	Readers
520645001		091.03	Readers
500047004	installation wrench.	740.00	D 1
520847001	Model 971 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	716.63	Readers
	installation wrench.		
520848001	Model 971 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	716.63	Readers
	installation wrench.		
520849001	Model 972 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	827.53	Readers
	installation wrench.		
520850001	Model 972 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	827.53	Readers
	installation wrench.		
520851001	Model 973 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	853.13	Readers
	installation wrench.		
520852001	Model 973 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable,	853.13	Readers
	installation wrench.		
520868001	Kit, mechanical, M5 PXNplus OEM M5 PXNplus Micro	191.10	Controllers
520949000	Access Vision 2.0 for Picture Perfect 2.0 Media Kit. Includes CD-ROM software for Win98 NT 2000	NC	Picture Perfect
0200 10000	and Documentation. No License included. Requires Active protection plan or order for license		i iotare i errest
	and bodumentation. No License included. Requires Active protection plan of order for license		
F20060001	Secure Perfect 6.X Professional Edition Server License - base license includes capacity for 256	029.44	Secure Perfect
520960001		938.44	Secure Periect
50000000	readers, 5 client workstations. SP Imaging not included and is a licensable option	1000 00	0 0 0
520960002	Secure Perfect 6.X Professional Edition Server License - base license includes capacity for 256	1663.60	Secure Perfect
	readers, 5 client Workstations, and SP Imaging Option licensed on (1) client workstation		
50000000		4=====	0 0 0
520960003	Secure Perfect 6.X Global Edition Server License - base license includes capacity for 5 client	17062.50	Secure Perfect
	workstations and support for both Professional and Enterprise Regional servers		-
520960004	Secure Perfect 6.X Global Edition, Professional Regional Server License - base license includes	9469.69	Secure Perfect
	capacity for 256 readers, 5 client workstations. SP Imaging not included and is a licensable option.		
520960005	Secure Perfect 6.X Global Edition, Enterprise Regional Server license - base license includes	11943.75	Secure Perfect
	capacity for 32 readers, 5 client workstations and SP Imaging Option licensed on (1) client		
	workstation		
520960806	Secure Perfect Visitor system interface for Secure Perfect 6.X - for non GE Visitor systems	853.13	Secure Perfect
	(Passage Point & CI-3).		
520960902	Secure Perfect 6.X Media Replacement Kit. Includes system software on CD and documentation.	NC	Secure Perfect
	No software license included.		
520960904	Secure Perfect 6.X API (application program interface). A third party developers kit for developing	4265.63	Secure Perfect
0_000004	software interfaces to Secure Perfect.	7200.00	SSSAIG I GIIGGE
520960905	Report Commander for Secure Perfect 6.X - Browser report generation for up to 50 concurrent	2132.82	Secure Perfect
	users. Standard report set, wizard guide for custom reports.	2132.02	Occure i ellect
02000000	users. Granuaru report set, wizaru guide ibi custom reports.		Cooura Dorfoot
	Coours Derfect Enterprise Heggeds, includes (4) Investor effect Destarting Discours	050.40	Secure Perfect
520960910	Secure Perfect Enterprise Upgrade, includes (1) Imaging client, Protection Plan purchased after	853.13	
520960910	April 25, 2005.		D D ()
	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April	853.13 235.47	Secure Perfect
520960910 520960930	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005.	235.47	
520960910	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect Professional Upgrade, with Imaging client, Protection Plan purchased after April 25,		Secure Perfect Secure Perfect
520960910 520960930	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005.	235.47	
520960910 520960930	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect Professional Upgrade, with Imaging client, Protection Plan purchased after April 25,	235.47	
520960910 520960930 520960940	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect Professional Upgrade, with Imaging client, Protection Plan purchased after April 25, 2005.	235.47 416.33	Secure Perfect
520960910 520960930 520960940	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect Professional Upgrade, with Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect 6.X - Enterprise Edition Server license - base license includes capacity for 32	235.47 416.33	Secure Perfect
520960910 520960930 520960940	April 25, 2005. Secure Perfect Professional Upgrade, without Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect Professional Upgrade, with Imaging client, Protection Plan purchased after April 25, 2005. Secure Perfect 6.X - Enterprise Edition Server license - base license includes capacity for 32	235.47 416.33	Secure Perfect

521006003	Secure Perfect protection plan upgrade, from SP eZ (any) or SP 2.1, 3x, 4.x, 5.x, 6.0 or SP-EE 1.1	NC	Secure Perfect
	to SP 6.1. Protection Plan in effect prior to April 25, 2005.		
521007001	Micro/Reader Junction Box Electonics Kit Only, No Enclosure	32.50	Readers
521011001	Secure Perfect 6.X eZ Edition Server License - base license includes capacity for 128 reader, 5 client workstations, Digital Video Surveillance option w/ 1st DVR connection. Support for M2000 controllers ONLY.	356.14	Secure Perfect
521209001	Model T-500SW reader kit, gray, mullion mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity	341.25	Readers
521209002	(ISO15693) Model T-500SW reader kit, charcoal, mullion mount, S-F/2F and Wiegand comm, with pigtail,	341.25	Readers
F0400000	installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693)	044.05	
521209003	Model T-500SW reader kit, black, mullion mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693)	341.25	Readers
521210001	Model T-520SW reader kit, gray, single-width USA electrical box mount, S-F/ZF and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693),HID prox & Corp 1000	375.38	Readers
521210002	Model T-520SW reader kit, charcoal, single-width USA electrical box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	375.38	Readers
521210003	Model T-520SW reader kit, black, single-width USA electrical box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	375.38	Readers
521211001	Model T-525SW reader kit, gray, 12-key keypad, single-width USA elect box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	580.13	Readers
521211002	Model T-525SW reader kit, charcoal, 12-key keypad, single-width USA elect box mnt, S-F/2F and Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) & Vicinity (ISO15693), HID prox & Corp 1000	580.13	Readers
521211003	Model T-525SW reader kit, black, 12-key keypad, single-width USA elect box mnt, S-F/2F \$ Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	580.13	Readers
521216001	PXNplus Ten-pack, CPU Card kit, Picture Perfect, Serial, Ethernet 10/100Mb. Upgrade M/5PX(N) or M/PX(N)-2000	15356.25	Controllers
521216002	PXNplus Ten-pack CPU Card kit, FC Wnx, Secure Perfect , Serial & Ethernet, 10/100Mb. Upgrade M/5PX(N) or M/PX(N)-2000.	15356.25	Controllers
521223001	Rack mount kit, M3000 - field installation required. Includes brackets and mounting hardware. Rack hardware not included.	127.97	Controllers
521226001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Light Gray	34.13	Readers
521227001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Charcoal Gray	34.13	Readers
521228001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Black	34.13	Readers
521241001	Visitor Central V1.4 Media Kit Only, Right to Use, License Not Included	42.65	Visitor System
521243001	Visitor Central Single Server Base License & Software	5971.88	Visitor System
521247001	Modem, daughter board plug-in, M5PXNplus, M3000PXNplus, and M2000PXNplus, DirecDoor ONLY. Field installation required.	255.94	Controllers
521252001 521258001	Fully assembled WIU-4 on standoffs in Micro/Reader J-box which has keylock and tamper switch T-5XX Generation 2 Plugs Kit, Black	2.60	Readers
521258001	T-5XX Generation 2 Plugs Kit, Charcoal		Readers
521258003	T-5XX Generation 2 Plugs Kit, Gray	2.60 2.60	Readers
521303001	Kit, Replacement Connectors, MRJ-Box	NC	Readers
521305001	Kit, Beeper Off & Reset Default Config. Cards, T-7XX Reader	NC	Readers
521306001	Kit, LED Green & Reset Default Config. Cards, T-7XX Reader	NC	Readers
521307001	Kit, PIV Bit Format & Reset Default Config. Cards, T-7XX Reader	NC	Readers
521308001	Kit, 5XX Emulation Mode & Reset Default Config. Cards, T-7XX Reader	NC	Readers
521309001	Kit, Keypad Config. Cards, T-7XX Reader	NC	Readers
521310001	Kit, OESM Key Cards, T-7XX Readers	NC	Readers
521B	Photoelectric 2-Wire Smoke Detector w/CleanMe, 6/12 or 12/24VDC. S09A, S10A Compatible	34.16	Fire
521B-10PKG 521BXT	Photoelectric 2-Wire Smoke Detector w/CleanMe, 1 Set of Literature Per Box, Not Individually Packaged, 10-Pack Photoelectric 2-Wire Smoke Detector w/CleanMe and Heat Sensor, 6/12 or 12/24VDC. Smart Dual	334.58 36.57	Fire
521BXT-10PKG	Fixed/Rate of Rise Heat Sensors Photoelectric 2-Wire Smoke Detector w/CleanMe and Heat Sensor, 1 Set of Literature Per Box, Not	358.42	Fire
521CRXT	Individually Packaged, 10-Pack Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Auxiliary Relay, 12/24VDC.	53.20	Fire
	Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay. S11A Compatible		
521CXT-ID	Photoelectric 2-Wire Addressable, Smoke Detector w/Thermal, UL, 12-24VDC	64.48	Fire
521NCRXT	Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Auxiliary Relay, 8.5 - 33 VDC.	53.20	Fire
	Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay		
521NCSRXT	Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor, Sounder and Auxiliary Relay, 8.5 - 33 VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay. 85DB Sounder	58.93	Fire
	Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Sounder, 8.5 - 33 VDC. Smart	44.27	Fire
521NCSXT	Dual Fixed/Rate of Rise Heat Sensors. 85DB Sounder		
521NCSXT-10PKG	Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Sounder, 1 Set of Literature Per Box, Not Individually Packaged, 10-Pack	436.97	Fire
	Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Sounder, 1 Set of Literature	436.97 34.16 36.57	Fire Fire Fire

5355ABK00 5355ABN00	Photoelectric 2-Wire Smoke Detector w/CleanMe and Heat Sensor, Same As 521BXT-10PK w/ULC	358.42	Fire
5355ABN00	Listing, 10-Pack		
5355ABN00	ProxPro proximity reader with keypad (2 of 7 matrix), 12VDC, Wiegand output, beige	452.15	Readers
	ProxPro proximity reader, 12VDC, Wiegand output, beige	281.53	Readers
LULE A CIVOO	ProxPro proximity reader, 12VDC, Wiegand output, beige ProxPro proximity reader w/keypad, 12-VDC, Wiegand output, charcoal		Readers
5355AGK00		554.53	
5355AGN00	ProxPro proximity reader, 12-VDC, Wiegand output, charcoal	281.53	Readers
5365EGP00	MiniProx proximity reader, 5-16VDC, Wiegand output, charcoal with pigtail	221.82	Readers
5365EKP00	MiniProx proximity reader, 5-16VDC, Wiegand output, black, with pigtail	221.82	Readers
5375AGN00	MaxiProx proximity reader, extended range, 24VDC, Wiegand output, charcoal	801.94	Readers
5395CB100	ThinLine II proximity reader, switch plate style, 5-16VDC, Wiegand output, beige with pigtail	221.82	Readers
339301100	Thinkine it proximity reader, switch plate style, 5-10400, wiegand output, beige with pigtail	221.02	Reducis
5395CG100 5395CK100	ThinLine II proximity reader, switch plate style,5-16VDC, Wiegand output, gray with pigtail ThinLine II proximity reader, switch plate style, 5-16VDC, Wiegand output, black with pigtail	221.82 221.82	Readers Readers
5395CW100	ThinLine II proximity reader, switch plate style, 5-16VDC, Wiegand output, white with pigtail	221.82	Readers
5402-W	Metal Enclosure, Assault Sensor, 2-Wire, Includes Lithium Battery, Grey	40.94	Sensors & Detectors
5414-W	Glassbreak Shock Sensor, 2-Wire, Tamper, White, Closed Loop, Lithium Powered, UL Listed	38.64	Sensors & Detectors
5415A-M	Glassbreak Shock Sensor, 2-Wire, Tamper, Brown, Closed Loop, Lithium Powered w/Reed Switch and Magnet. UL Listed	43.56	Sensors & Detectors
5415A-W	Glassbreak Shock Sensor, 2-Wire, Tamper, White, Closed Loop, Lithium Powered w/Reed Switch and Magnet. UL Listed	43.56	Sensors & Detectors
541AXT	Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 6/12VDC. Smart Dual Fixed/Rate of Rise	49.65	Fire
5440	Heat Sensor	40.51	Fire
541C	Photoelectric 4-Wire Smoke Detector, 12/24VDC	46.51	Fire
541C-10PKG	Photoelectric 4-Wire Smoke Detector, 1 Set of Literature Per Box, Not Individually Packaged, 10- Pack	450.91	Fire
541CXT	Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 12/24VDC. Smart Dual Fixed/Rate of Rise	49.65	Fire
541CXT-10PK	Heat Sensors Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 1 Set of Literature Per Box, Not Individually	482.14	Fire
541NB	Packaged, 10-Pack Photoelectric 4-Wire Smoke Detector, 6 - 33VDC. Base unit	46.51	Fire
541NB-10PK	Photoelectric 4-Wire Smoke Detector, 1 - 35VDC. Base thin Photoelectric 4-Wire Smoke Detector, 1 Set of Literature Per Box, Not Individually Packaged, 10-	450.91	Fire
541NBXT	Pack Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 6 - 33VDC. Smart Dual Fixed/Rate of Rise	49.65	Fire
541NBXT-10PKG	Heat Sensors Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 1 Set of Literature Per Box, Not Individually	482.14	Fire
	Packaged, 10-Pack		
541NCRXT	Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Auxiliary Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay	53.76	Fire
541NCSRH	Photoelectric 4-Wire Smoke Detector w/Isolated Heat Sensor, Sounder and Auxiliary Relay, 8.5 - 33VDC. Isolated Heat Sensor. Auxiliary Relay. 85DB Sounder	60.92	Fire
541NCSRXT	Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder and Auxiliary Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay. 85DB Sounder	59.49	Fire
541NCSXT	Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Sounder, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors, 85DB Sounder	55.19	Fire
541NCSXTE	Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder, and End of Line Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. End of line Relay. 85DB Sounder	58.06	Fire
541NCXTE	Photoelectric 4-Wire Smoke Detector w/Heat Sensor and End of Line Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. End of Line Relay	53.76	Fire
5422-W	Metal Enclosure, Assault Sensor, 4-Wire, External Power Required, Grey	44.03	Sensors & Detectors
5425-M	Glassbreak Shock Sensor, 4-Wire, Brown, Latching LED Option	40.94	Sensors & Detectors
5425-W			
	Glassbreak Shock Sensor, 4-Wire, White, Latching LED Option	40.94	Sensors & Detectors
5455AGM00	ProxPro II glass mount kit	42.65	Readers
5455BBN00	ProxPro II proximity reader, 5-16VDC, Wiegand, Wiegand output, beige	238.88	Readers
5455BGN00	ProxPro II proximity reader, 5-16VDC, Wiegand, Wiegand output, charcoal	255.94	Readers
5455BKN00		255.94	Readers
	ProxPro II proximity reader, 5-16VDC, Wiegand, Wiegand output, black		
5455BWN00	ProxPro II proximity reader, 5-16VDC, Wiegand, Wiegand output, white	238.88	Readers
	Photoelectric 4-Wire Smoke Detector, Same as 541C w/ULC Listing	31.56	Fire
548C	Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Same as 541CXT w/ULC Listing	49.65	Fire
	Processor for Moisture Sensor, Brown, Accommodates Up to 4 Detectors. Includes 2 Long-Life	54.30	Sensors & Detectors
548CXT			
548CXT 5501-M	Lithium Batteries. Closed Loop, Terminal Connection	04.07	Concore & Detector-
548CXT 5501-M 5515-G	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead	21.37	Sensors & Detectors
548CXT 5501-M 5515-G 5600-W	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed	31.01	Sensors & Detectors
548CXT 5501-M 5515-G 5600-W	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed	31.01	
548CXT 5501-M 5515-G 5600-W 560NS	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead		Sensors & Detectors
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized	31.01 65.31	Sensors & Detectors Fire
548CXT 5501-M 5515-G 5600-W	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes	31.01 65.31 803.92	Sensors & Detectors Fire Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSR-20PK	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed	31.01 65.31 803.92 856.06 35.67	Sensors & Detectors Fire Fire Fire Sensors & Detectors
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional	31.01 65.31 803.92 856.06 35.67	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 5620-W 562NS	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 5620-W 562NS 562NSR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66	Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Fire Fire Fire Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 562NS 562NSR-20PKG 562NST 564503-W	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08	Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Fire Fire Fire Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 562NS 562NSR-20PKG 562NST 562NST 564503-W 5709C-W	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66	Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Fire Fire Fire Sensors & Detectors
548CXT 5501-M 5515-G 5600-W 5600S 560NSR-20PK 560NSR-20PKG 5620-W 5620-W 562NS 562NSR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08 104.51	Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Fire Fire Sensors & Detectors Sensors & Detectors
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 562NS 562NS 562NST 564503-W 570NC-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack 500N Wireless Conventional, Commercial, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08 104.51 803.99	Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Sensors & Detectors Sensors & Detectors Fire
548CXT 5501-M 5515-G 5600-W 560NS 560NSR-20PK 560NSTR-20PKG 5620-W 562NS 562NST 562NST 564503-W 5709C-W 570NR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack 500N Wireless Conventional, Commercial, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08 104.51 803.99	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire Fire Sensors & Detectors Fire Fire Sensors & Detectors Sensors & Detectors Fire Fire Fire
548CXT 5501-M 5515-G 5600-W 5560NS 560NSR-20PK 560NSR-20PK 5620-W 5620-W 562NS 562NSR-20PKG 562NSR-20PKG 562NST 564503-W 5709C-W 570NR-20PKG 570NTR-20PKG 572NSTR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack 500N Wireless Conventional, Commercial, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NTR, 20-Pack 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NTR, 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08 104.51 803.99 842.21 813.54	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire Fire Fire Fire Fire Sensors & Detectors Sensors & Detectors Fire Fire Fire Fire Fire Fire Fire Fire
548CXT 5501-M 5515-G 5600-W 5660NS 560NSR-20PK 560NSTR-20PKG 5620-W 562NS 562NST 564503-W 5709C-W 570NSTR-20PKG	Lithium Batteries. Closed Loop, Terminal Connection Surface Mount Moisture Sensor, Grey, 10' Lead ShatterPoint Residential Glassbreak Sensor form C Relay, 9.5 - 16 VDC, White. UL Listed 560NS, Photo Smoke, RF, Sound, UL217, No Battery, Stand Alone Smoke, Residential 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed Battery Powered Optical Detector w/Sounder, UL217, RF Optional 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack Battery Powered Optical/Thermal Detector w/Sounder, UL217, RF Optional Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack 500N Wireless Conventional, Commercial, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NTR, 20-Pack	31.01 65.31 803.92 856.06 35.67 77.69 655.24 79.66 49.08 104.51 803.99 842.21	Sensors & Detectors Fire Fire Fire Sensors & Detectors Fire Fire Fire Sensors & Detectors Sensors & Detectors Sensors & Detectors Fire Fire Fire Fire Fire

	Bostonela Acquetta Classificadi Concer III C 1:-t! T f C	EO 40	Canagra 9 Data-t
5815A-W 5815NT	Rectangle Acoustic Glassbreak Sensor, ULC Listed, Tamper form C	52.49	Sensors & Detectors Sensors & Detectors
I VICTOU	ShatterPro 3 Glassbreak Sensor w/Tamper (Rectangular Housing) form C. Tamper Switch. 3' - 35' Adjustable Range	40.42	Sensors & Detectors
5820A-W	Recessed ShatterPro II Glassbreak Sensor, 1" Recessed Mounting	52.75	Sensors & Detectors
5822A-W	Recessed ShatterPro II Glassbreak w/Tamper, Includes Tamper Switch. 1" Recessed Mounting. UL	54.30	Sensors & Detectors
002271 11	Listed	04.00	Censors & Detectors
584503-W	Wireless ShatterPro, 3V, Transmitter Not Included	62.08	Sensors & Detectors
584509-W	Wireless ShatterPro. 9V. Transmitter Not Included	68.28	Sensors & Detectors
5845-ID	Addressable ShatterPro® Glassbreak Sensor. Featuring Pattern Recognition Technology for	64.48	Sensors & Detectors
	superior detection & false alarm immunity, it protects all glass types up to a thickness of 1/4". It has		
	a range of 20' and can be wall or ceiling mounted		
5885-W	Motion Sensitive Acoustic Sensor, UL Listed. 24 Hour Applications	95.24	Sensors & Detectors
5956A	FA Indicator	18.10	Fire
59-743-01-95R-32Z	Concord Integrated RF32 CPU (Board Only)	215.33	Wireless
59-851-03	Concord 4 Commercial Sub Assembly, PCB	180.08	Wireless
59-851-95R-AR	Concord 4 CPU Advanced Replacement	109.53	Wireless
5U5-BE-STD	Nice Duc Connector Pack, Standard Size, Beige	15.56	Sensors & Detectors
5U5-BR-STD	Nice Duc Connector Pack, Standard Size, Brown	15.56	Sensors & Detectors
5U5-OW-STD	Nice Duc Connector Pack, Standard Size, Off-White	15.56	Sensors & Detectors
5U5-WH-STD	Nice Duc Connector Pack, Standard Size, White	15.56	Sensors & Detectors
6000	6000 Series High Performance High Density Fresnel Lens PIR Motion Sensor, 35' X 35' PIR form A,	18.12	Sensors & Detectors
	w/ Tamper, Standard Lens, UL/ULC Residential		
600-1001	Firewatch Panel for US	174.73	Wireless
600-1001- 600-1002-95R	2-Button Medical Panic, 319.5	72.45	Wireless
600-1012	Broadband Ready Simon 3. Includes Ethernet Interface Module & cable assembly to enable	434.08	Wireless
1012	Internet connectivity. Includes 2-Way Voice capability, 24-hr backup battery, phone cord &		51000
	hardware kit. Ethernet cable, transformer, telco jack sold separately		
600-1019	SuperBus 2000 2AMP Power Supply	115.87	Wireless
600-1019			
	FTP 1000 Fixed English Touchpad	81.69	Wireless
600-1021-95R	Concord 4 Board w/Enclosure	126.48	Wireless
600-1023	Class 2 Transformer, 16.5V, 40VA	12.36	Wireless
600-1023-CN	Class 2 Transformer, 16.5V, 40VA (Canada)	12.36	Wireless
600-1024	Class 2 Transformer, 16.5V, 40VA, w/Power Line Carrier	26.03	Wireless
600-1025-01-95R	SB2000 Transceiver, 319.5 MHz SAW	116.94	Wireless
600-1030	Transformer, 12VDC, 500MA	8.74	Wireless
600-1037-8A	Series 868 Sharpshooter PIR	98.07	Wireless
600-1040	Concord 4 Commercial Panel	191.93	Wireless
600-1048	Simon 3 GSM Cellular Kit	285.29	Wireless
600-1048-XT	Simon XT GSM Cellular Kit	290.99	Wireless
600-1053	Concord 4 GSM Kit	337.86	Wireless
6005BBB00	ProxPoint Plus proximity reader, 5-16VDC, Wiegand output, LED & beeper, beige with pigtail	148.45	Readers
6005BGB00	ProxPoint Plus proximity reader, 5-16VDC, Wiegand output, LED & beeper, gray with pigtail	148.45	Readers
6005BKB00	ProxPoint Plus proximity reader, 5-16VDC, Wiegand output, LED & beeper, black with pigtail	148.45	Readers
6005BWB00	ProxPoint Plus proximity reader, 5-16VDC, Wiegand output, LED & beeper, white with pigtail	148.45	Readers
600-CL	Camlock w/keys for NetworX Enclosures	4.71	NetworX
60-188-25PKG	Magnet Spacers, White, 25-Pack	7.83	Wireless
60-189-20PKG	Door/Window Sensor Spacer, White, 20-Pack	7.83	Wireless
60-190-25PKG	Crystal Sensor Magnet Spacer, Brown, 25-Pack	7.83	Wireless
60-191-20PKG	Door/Window Sensor Spacer, Brown, 20-Pack	7.83	Wireless
601B-R/1B	MM - Serial Digital Video, Rx, Can	806.17	Fiber Optic Transmission
601B-T/1B	MM - Serial Digital Video, Tx, Can	806.82	Fiber Optic Transmission
601SBL-T/1S	SM - Serial Digital Video, Tx, Laser, Can	1284.57	Fiber Optic Transmission
601SB-R/1S	SM - Serial Digital Video, Rx, Can	1165.13	Fiber Optic Transmission
601SB-R/6S	SM - Serial Digital Video, Rx, Can	1165.13	Fiber Optic Transmission
60-248-SEC	Security Pro 4000: Alphanumeric Touchpad	167.43	Security Pro
60-252	Interior Speaker/Piezo Combination Mount: Voice, Status and Alarms. UL Listed	27.30	Wireless
60-260	Crystal Sensor Case, White, 5-Pack	7.92	Wireless
60-261	Crystal Sensor Case, Brown, 5-Pack	7.92	Wireless
60-278	Siren/Piezo Combination-Surface Mount Enclosure (Interior): Provides Low-Volume Status Beeps	47.37	Wireless
	and Full-Volume Alarm Sounds. Includes Speaker and Piezo		
60-290	451 Single Door Access Point Manager: Operates Independently of Controllers or a Central	497.98	Wireless
	Computer, Using Its Own Microprocessor, Database and Clock. 500 Card Capacity. Includes		
	Battery Cable		
60-336	Advent 1251e Single Door Access Point Manager: Provides Both Card Access and Alarm	564.56	Wireless
	Monitoring. 8,500 Card Capacity. Monitors the Status of Up to 8 Alarm Points and Can Control Up		
	to 4 Output Points. Includes Battery Cable		
60-362N-10-319.5	Crystal Standard Door/Window Sensor, White	46.76	Wireless
60-362N-10-319.5-PK	Crystal Standard Door/Window Sensor, White, 25-Pack	1049.82	Wireless
60-362N-11-319.5	Crystal Standard Door/Window Sensor, Brown	46.76	Wireless
60-368	Advent 1251e Dual Door Access Point Manager: Provides Both Card Access and Alarm	709.32	Wireless
	Monitoring, 8,500 Card Capacity, Monitors the Status of Up to 8 Alarm Points and Can Control Up		
	to 4 Output Points. Includes Battery Cable		
60-401	Rf Sniffer: Installation Tool Used to Determine if a Learn Mode Sensor is Transmitting	46.89	Wireless
60-452-10-319.5	Crystal Pendant Panic Sensor: Allows a Person to Wear a Sensor that Can Activate a Panic Alarm.	53.68	Wireless
00 /0 <u>2</u> 10 010.0	Can Be Worn Around Neck. Recessed Panic Button Prevents False Alarms	55.00	51666
60-457-10-319.5	Crystal Double-Button Panic Sensor: Allows a Person to Activate an Emergency Alarm. Two	47.37	Wireless
	Buttons Must Be Pressed Together, Reducing the Likelihood of False Alarms	-TI.31	
00-437-10-319.5			
	Crystal Single-Button Panic Sensor: Allows a Porcon to Activate on Emergency Alarm Single	17 27	Wireless
60-458-10-319.5	Crystal Single-Button Panic Sensor: Allows a Person to Activate an Emergency Alarm. Single	47.37	Wireless
60-458-10-319.5	Button Press for Easy Alarm Activation		
	Button Press for Easy Alarm Activation Crystal 200° Rate-of-Rise Heat Sensor w/Lithium Battery: Responds to High Temperatures or	47.37 85.46	Wireless
60-458-10-319.5	Button Press for Easy Alarm Activation		

60-460-319.5-LB	Crystal 135° Rate-of-Rise Heat Sensor W/Lithium Battery: Responds to High Temperatures or Rapid Temperature Changes. Activates When Temperature Increases 15° F/Minute Or Greater. Fixed Temperature Sensor Activates At 135° F. Lithium Battery Included	64.49	Wireless
60-462-10-319.5	Cristal Class Cuard Sansar White	62.52	Wireless
	Crystal Glass Guard Sensor, White	62.53	
60-462-11-319.5	Crystal Glass Guard Sensor, Brown	62.53	Wireless
60-483-01	Slim Line Piezo Siren (Interior): Provides Status and Alarms in a Small Size	29.65	Wireless
60-499-10-319.5	Crystal Slim Line Door/Window Sensor, White	53.14	Wireless
60-499-11-319.5	Crystal Slim Line Door/Window Sensor, Brown	53.14	Wireless
60-504-10-319.5	Crystal Freeze Sensor, White: Detects Furnace Failure By Signaling the Panel When Air Temperature Falls Below 45° F. Monitors Up to 900 Sq. Ft	59.40	Wireless
60-511-01-95	DS924I Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. 3 Sensitivity Settings. 40' X 40' Standard Coverage Pattern. Includes Masking Kit to Adjust Coverage Pattern. Optional Lenses Available	131.91	Wireless
60-511-02-95	DS924I Pet Crystal PIR Motion. Passive infrared detection inside enclosed structure. 3 sensitivity settings & 40' x 40' standard coverage pattern. Includes masking kit to adjust coverage pattern. For use with pets up to 40 lbs	131.91	Wireless
60-515	9VAC Class II Transformer for Repeater When No Backup Battery is Required	11.70	Wireless
60-554	SX-V and SX-IV Backup Battery, 6V, 3.2AH	20.57	Wireless
60-555-10	Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, White, 10-Pack	23.73	Wireless
60-555-11	Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, Brown, 10-Pack	23.73	Wireless
60-568	Barcode Swipe Reader, Weather Resistant. Reads Cards from Right to Left or Left to Right. Optional Wiegand and Magnetic-Stripe Output	338.36	Wireless
60-578-10-95	Crystal Water-Resistant Pendant Panic. Allows a person to wear a sensor that can activate a panic alarm. Recessed panic button prevents false alarms. Optional wall mount bracket available.	52.46	Wireless
60-597-95	Compatible with all panels. Use with Quik Bridge Receivers HiTech Hand-Held Wireless Crystal Touchpad. Provides Remote Operational Control of the Panel: Arm/Disarm, Bypass Sensors, Control Lights, Activate Panic Alarms and Report System Status.	80.91	Wireless
	Includes Battery and Wall Mount Bracket		
60-600	1.5VDC AA Alkaline Battery, 6-Pack	4.65	Wireless
60-606-319.5	4-Button Crystal Keychain Touchpad. Light Control Capability	49.61	Wireless
60-606-95-AC	4-Button Wireless Access Keychain Touchpad: Provides Portable Operational Control of the System. Light Control Capability	49.61	Wireless
60-607-319.5	2-Button Crystal Keychain Touchpad	42.52	Wireless
60-607-95-AC	2-Button Wireless Access Keychain Touchpad: Provides Portable Operational Control of the	42.52	Wireless
60-608	System HID MiniProx Short Range Proximity Reader, Low profile for MULlion Mounting. 4 - 5.5" Range.	230.72	Wireless
60-619	Indoor and Outdoor Mounting, Maintenance Free and Vandal Resistant. Consistent Reading Range, w/an Audible Read Indicator 2 SUNC Full Size Ad Al Missing Betters & Deals	44.59	Wireless
60-620-01	3.6VDC Full Size AA Lithium Battery, 6-Pack SuperBus 2000 Energy Saver Module: Monitor and Control Home Heating and Cooling. Analog	48.87	Wireless
60-639-95R	Thermostats Only Indoor Saw PIR Motion Sensor: Two Sensitivity Settings. Small and Unobtrusive. Optional Pet Alley	112.11	Wireless
60-639-95R-OD	Lens. 35' X 40' Coverage Area. Masking Kit Included Outdoor SAW PIR Motion. Use in driveways, walkways, etc., where chime notification of movement	140.69	Wireless
	outside the premises is required, or to turn on an exterior light upon approach. Passive infrared detection. 35' x 40' coverage area. Masking kit included		
60-641-11-95	Crystal Long-Life Door/Window Sensor, Brown	51.05	Wireless
60-641-95	Crystal Long-Life Door/Window Sensor, White	51.05	Wireless
60-644	HID ProxPro Reader w/Keypad	637.79	Wireless
60-648	Easy Access Software Package: Controls Up to 32 Doors. PowerfUL Report Generator. Remote	57.84	Wireless
00-048	Dial-Up Capability. On-Line Help. Includes Software, Manual, Planning Form and Free Software Updates for One Year	37.04	Wileless
60-652-95	Crystal Carbon Monoxide Gas Sensor. Detects hazardous levels of carbon monoxide gas. When gas is detected, an alarm signal is sent to the panel, an internal siren sounds & a red light comes on. Green light indicates detector is functioning properly	127.65	Fire
60-652-95-PK	Carbon Monoxide Sensor, 10-Pack	1234.29	Fire
60-659-95R	4-Button SAW Keychain Touchpad: Light Control Capability	39.68	Wireless
60-659-95R-PK	4-Button SAW Keychain Touchpad, 25-Pack	942.28	Wireless
60-660-01-95R	Quik Bridge Supervised 8-Channel Loop Receiver. Receiver allows up to 16 Learn Mode wireless sensors (2/channel) to be used. Powered from hardwire panel. Quik Bridge Receivers aren't compatible with Simon panels. Compatible with SAW & Crystal	97.41	Wireless
60-670-11-95R	SAW Door/Window Sensor, Brown	42.52	Wireless
60-670-95R	SAW Door/Window Sensor, White	42.52	Wireless
60-670-95R-PK 60-671-95R	SAW Door/Window Sensor, White, 25-Pack Simon Hand-Held Wireless Touchpad: Provides Remote Control Of The Security System. Includes	929.14 69.49	Wireless Wireless
60-675-WIN	Emergency Panic Button, Light Control And Status Control. Batteries Included ToolBox for Windows. PC-based remote programming software. Downloads panel information for	5.47	Wireless
	new installs. Updates existing panel programming. Uploads panel information for new accounts. Easy, menu-driven interface with on-line help. Modem required		
60-677	Interrogator 200 Audio Verification Module: Add Two-Way Voice Capability to a Concord Panel. Gives the Central Station Operator the Ability to Hear What is Happening During an Alarm and to Speak Directly to the People On the Premises	44.46	Wireless
60-679	16.5VAC 50VA, Class II Transformer, UL Listed	26.82	Wireless
60-680	12VDC, 7.0AH Backup Battery. Provides 24 Hours Backup Power to the Panel and Hardwire Devices When AC is Out	31.68	Wireless
60-681	12VDC, 4AH Backup Battery. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC is Out	16.50	Wireless
60-683	Phone Jack Piezo Siren: Provides Status and Alarms. Recessed Mount Into Standard Electrical Box. Includes Built-In RJ11 Jack	20.50	Wireless
60-688-11-95	Crystal Micro Door/Window Sensor, Brown	46.76	Wireless
60-688-95	Crystal Micro Door/Window Sensor, White	46.76	Wireless
60-688-95-PK	Crystal Micro Door Window Sensor, White, 25-Pack	1130.42	Wireless
60-694-95R	5-Button SAW Keychain Touchpad: Light Control Capability. Provides Single Button Panic Control	49.61	Wireless

60-703-95	Crystal PIR Motion Sensor: Two Sensitivity Settings. Ships w/One AA Lithium Battery for an Estimated 8-10 Years Battery Life. Add an Additional Battery to Extend the Operating Life. 35' X 40' Coverage Area. Optional Pet Lens	117.52	Wireless
60-707-01-95R	2-Button SAW Keychain Touchpad: Provides Portable Control of the Security System. LED Confirms RF Transmission. Recessed Buttons Help Prevent False Alarms. Battery Included	39.68	Wireless
60-707-01-95R-PK	2-Button SAW Keychain Touchpad, 25-Pack	942.28	Wireless
60-709	Pet Alley Lens/Mask Kit, 3-Pack	11.75	Wireless
6070N-5PKG	SharpShooter Standard Lens, 45' x 90° Range, 5-Pack	11.67	Sensors & Detectors
60-710	1.5VDC AAA Alkaline Battery for Use w/Simon Hand-Held and TouchTalk Two-Way Touchpads, 6-Pack	6.34	Wireless
60-711	12V Alkaline Battery for Keychain Touchpads, 6-Pack	7.14	Wireless
60-713	9VDC UltraLife Lithium Battery	9.32	Wireless
60-714-10PKG	SAW Door/Window Sensor Terminal Block, 10-Pack	12.44	Wireless
60-715	SAW Sensor Spacer, White, 20-Pack	7.83	Wireless
60-715-11	SAW Sensor Spacer, Brown 20-Pack	7.83	Wireless
60-716-11-25PKG	SAW Sensor Magnet Spacer, Brown, 25-Pack	7.83	Wireless
60-716-25PKG	SAW Sensor Magnet Spacer, White, 25-Pack	7.83	Wireless
60-717	Micro D/W Sensor Adapter Screw Mount, 25/pk, White. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, then the Micro Sensor base is taped to the Adapter	7.92	Wireless
60-717-11	Micro D/W Sensor Adapter Screw Mount, 25/pk, Brown. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, & then the Micro Sensor base is taped to the Adapter	7.92	Wireless
60-719	ToolBox Modem Kit: Recommended Modem for Remote Programmer. Includes Instructions	395.50	Wireless
6071N-5PKG	SharpShooter Long Range Lens, 90' x 6° Range, 5-Pack	11.67	Sensors & Detectors
60-720-3	Simon 3 Table Mounting Base for Table Top Mounting	12.47	Wireless
60-729	Micro Magnet, White, 10-Pack	23.73	Wireless
60-729-11	Micro Magnet, Brown, 10-Pack	23.73	Wireless
6072N-5PKG	SharpShooter Extra Wide Lens, 20' x140 Degrees, 5-Pack	11.67	Sensors & Detectors
60-733	3V Button Top Lithium Battery for HiTech Hand-Held Wireless Touchpads, AP750W PIR Motion Sensors, ShatterPro Sound Sensors, Shock Sensors, ESL Wireless Smoke Sensors and Wireless SAW Smoke Sensors, 6-Pack	26.92	Wireless
60-734-01	Concord Hybrid Control Panel: 8-Zone Hardwire Panel. Optional Wireless Receivers Available. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	137.62	Wireless
60-737	Swivel Mount Kit	4.98	Wireless
6073N-5PKG	SharpShooter Curtain Lens, 40' x 6° Range, 5-Pack	11.67	Sensors & Detectors
60-741-95	Crystal Recessed Micro Door/Window Sensor, White: Battery Included. Must Be Returned to GE Security for Battery Replacement	51.05	Wireless
60-742-95R	Saw Freeze Sensor: Only Compatible w/Simon and Caregard; Not Compatible w/Any Other Control Panel. Detects Furnace Failure When Temperature Drops Below 41° F. Batteries Included	55.25	Wireless
60-744-95R	Saw Water Sensor: Detects Water Leaks in Homes and Businesses. Consists of a Detector and a Transmitter. Not Compatible w/Advent Home Navigator, Advent Commercial, Advent Commercial Fire and Concord Ultra. Batteries Included	62.53	Wireless
60-745	Micro Case, White, 5-Pack	7.92	Wireless
60-745-11 60-746-01	Micro Case, Brown, 5-Pack SuperBus 2000 LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X16 Liquid Crystal Display. Allows for On-Site Installer Programming	7.92 102.14	Wireless Wireless
60-746-01-SEC	Security Pro SuperBus 2000 LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2x16 Liquid Crystal Display. Allows for On-Site Installer Programming	107.26	Security Pro
6074N-5PKG	Pet Alley Lens (12 Degree Tilt), 35' x 90° Range, 5-Pack	11.67	Sensors & Detectors
60-755	Power Line Carrier (X10) Card: CPU Feature Card. Use w/Part Number 60-762 or 60-779	26.90	Wireless
60-756	Combo Input/Output Snapcard: 3 Hardwire Inputs, 1 Two-Wire Smoke Input, 2 Form-C Relay Outputs. 2K Ohm Resistors Included	41.41	Wireless
60-757	8-Zone Input Expansion Snapcard: 6 Hardwire Inputs, 2 Two-Wire Smokes. 2K Ohm Resistors Included	41.41	Wireless
60-758	4-Zone Output Snapcard: 4 Form-C Relay Outputs	46.02	Wireless
60-760-01-95R	Quik Bridge Supervised 1-Channel Receiver: Supervised 1-Channel Capability. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors	32.90	Wireless
60-760-95R	Quik Bridge Non-Supervised 2-Channel Receiver: Non-supervised 2-Channel Receiver Enables Use of Up to 4 Wireless Learn Mode Sensors. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors	36.34	Wireless
60-761	24VAC, 30VA Class II Transformer: Provides Primary Power to the Panel	13.35	Wireless
60-762	24VAC, 30VA Line Carrier Transformer, 1AMP: Provides Primary Power to the Panel. Required for X10 Devices and Supervised Wireless Interior Siren. Add Part Number 60-755	26.82	Wireless
60-763	Lock and Key Set for Enclosures: Included in Concord Packages	4.55	Wireless
60-764-43-MAX	Supberbus RF Receiver 433 Mhz Max	126.69	Wireless
6076-N	SharpShooter Single Beam Pet Alley Lens, 50' x 6° Range, 5-Pack	11.67	Sensors & Detectors
60-770	SuperBus 2000 4 Relay Output Module. Adds 4 Programmable Relay Outputs. 2K Ohm Resistors Included	63.79	Wireless
60-773 60-774	Advent Voice Siren 25/70V Converter Card: Adds 25 or 70V Voice/Siren/Audio Output Capability SuperBus 2000 8-Zone Input Module. Adds 8 Additional Supervised Hardwire Zones. 2K Ohm	94.78	Wireless Wireless
60-774	Resistors Included SuperBus 2000 Phone Interface/Voice Module: Adds Phone Control, On-Premise Voice	135.10	Wireless
60-778	Annunciation and Voice Zone Descriptors. Requires 8 Ohm Speaker 24VAC, 50VA Class II Transformer: Provides Primary Power to the Panel	20.49	Wireless
60-779	24VAC, 50VA Line Carrier Transformer, 2AMP: Provides Primary Power to the Panel. Required for X10 Devices and Supervised Wireless Interior Siren. Add Part Number 60-755	34.72	Wireless
6077-N	SharpShooter Pet Alley Lens, Non-Tilt, 35' x 90° Range, 5-Pack	11.67	Sensors & Detectors

60-783-02 60-787 60-789	Devices When AC is Out SuperBus 2000 Automation Module w/RS232: Integrates Concord w/Energy Management Systems, Lighting Controls and Audio/Video Systems. For Concord Panels w/Software Version of 2.5 or Later. Not Compatible w/Concord Express. Not UL Listed Simon Interrogator 2-Way Voice Module. Add additional remote 2-way voice capability to a Simon 3	73.07	Wireless
60-789	2-Way panel. Gives the central station operator the ability to hear what's happening during an alarm	110.59	Wireless
	& to speak directly to the people on the premises Phone Line Monitor Card. Monitors voltage of the phone line connected to a Concord. If low line	9.04	Wireless
	voltage is detected, it initiates a trouble message. Easy installation. For Concord panels with software ver 2.5 or later. Not compatible with Express		
60-790	Simon Hand-Held Wall Mount Bracket	8.39	Wireless
60-791 60-792-01-95R-16Z	Installation Programming Cable. Quick Plug Cable for Programming Touchpads Concord RF16 Integrated Control Panel: Integrated 16-Zone Wireless/8-Zone Hardwire Panel.	7.42 191.20	Wireless
00-792-01-95K-10Z	Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	191.20	Wileless
60-792-01-95R-32Z	Concord RF32 Integrated Control Panel: Integrated 32-Zone Wireless/8-Zone Hardwire Panel. Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	227.07	Wireless
60-793	Panel or Expansion Enclosure: Concord Metal Panel Enclosure. Can Also Hold Up to Six Single- Sized SuperBus Modules	25.34	Wireless
60-799 60-799-11	Case, SAW Door/Window Sensor, White, 5-Pack Case, SAW Door/Window Sensor, Brown, 5-Pack	7.92 7.92	Wireless Wireless
60-800	Enclosure, Phone Interface Module or Input/Output Modules: Enclosure for External Mounting of Phone Interface Module or Up to (2) Input or Output Modules	9.45	Wireless
60-801-01	Concord Commercial Hybrid Control Panel. 8-zone hardwire panel with UL residential/commercial listings. Optional wireless receivers avail. Includes attack-proof case, tamper switch & lockset.	210.86	Wireless
60-803-04	Battery, transformer, phone cord & jack sold separately. SuperBus 2000 2-Line LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Liquid Crystal Display. Allows for On-Site Installer Programming	170.25	Wireless
60-804-01	SuperBus 2000 Advent VFD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Vacuum Fluorescent Display. Not UL Listed for Fire Applications	255.37	Wireless
60-804-04	SuperBus 2000 2-Line VFD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Vacuum Fluorescent Display. Allows for On-Site Installer Programming	255.37	Wireless
60-806-95R-16Z	Express Control Panel: 6 Hardwire Zones and 16 Wireless Zones. Does Not Include Battery, Transformer, Phone Cord or RJ31 Jack	115.26	Wireless
60-807-01-95R	Indoor SAW PIR Pet Immune Motion Sensor w/Lithium Battery	114.92	Wireless
60-807-95R	Indoor Saw PIR Pet Immune Motion Sensor: Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area	103.47	Wireless
60-807-95R-PK	Indoor SAW PIR Pet Immune Motion Sensor, 10-Pack	982.92	Wireless
60-809-03-SEC	Security Pro SB2000: 2x20 LCD Touchpad w/Door	178.80	Security Pro
60-809-04-SEC	Security Pro SuperBus 2000 2-line LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2x20 Liquid Crystal Display. Allows for On-Site Installer Programming	178.80	Security Pro
60-811	9VDC, 550 mAh, Duracell Alkaline Battery, 3-Pack	9.24	Wireless
60-813-09	3.6VDC ½ Size AA Lithium Battery for Water-Resistant Pendant Panic Sensors and Double/Single- Button Panic Sensors, 9-Pack	43.64	Wireless
60-814	9VDC Eveready Energizer Alkaline Battery, 3-Pack	8.31	Wireless
60-816	Commercial Panel or Expansion Enclosure: Commercial Metal Panel Enclosure. Can Also Be Used to Mount Additional SuperBus Modules. Includes Hardware	78.99	Wireless
60-817	Commercial Bus Module Mounting Kit: Used for Mounting Up to 4 Add-On Peripherals. Rail- Mounted Inside the Enclosure	18.89	Wireless
60-820	SuperBus 2000 Fixed Display Touchpad: English Language Alphanumeric Display for Zone Status and User Programming. Does Not Provide Panel Programming Capability	70.89	Wireless
60-820-SEC	Security Pro SuperBus 2000 Fixed Display Touchpad: English Language Alphanumeric Display for Zone Status and User Programming. Does Not Provide Panel Programming Capability	74.46	Security Pro
60-821-95	Advent Radio Transceiver Module. Plastic housing. 2500' typical open air range. Up to 5 transceivers can be added to an Advent. Compatible with crystal sensors only. For additional range, order the metal expansion enclosure (P/N 60-881)	270.24	Wireless
60-822	16.5VAC, 25VA Class II Transformer: Provides Primary Power to the Panel. Included in Express Packages. You Must Use This Transformer w/Concord Express, UL Listed	12.86	Wireless
60-822-CN	16.5VAC, 25VA Class II Transformer (Canadian): Provides Primary Power to the Panel, CSA Listed	12.86	Wireless
60-823 60-824	24VAC, 100VA Class II Transformer: Provides Primary Power to the Panel. Includes Line Carrier and Circuit Breaker HID ProxPoint Proximity Reader, 1-3* Range. Indoor and Outdoor Mounting. Maintenance Free and	71.92	Wireless
60-829	Vandal Resistant. Consistent Reading Range, w/an Audible Read Indicator International Class I Transformer, 24VAC, 100VA, 220V, 50 Hz.: For International Use, Not	72.64	Wireless
60-830	Intended for the U.S. Provides Primary Power to the Panel 24VAC, 100VA Class I Transformer: Provides Primary Power to the Panel. Includes Line Carrier and Circuit Breaker	72.64	Wireless
60-831-10	SAW Sensor Magnet w/Plastic, White, 10-Pack	23.73	Wireless
60-831-11	SAW Sensor Magnet w/Plastic, Brown, 10-Pack	23.73	Wireless
	2-Button Encrypted SAW Keychain Touchpad: Encryption Provides Increased Security of Wireless Communications. Compatible w/Concord Express, Concord (Version 2.0 or Higher), Concord	47.37	Wireless
	Commercial (Version 2.0 or Higher) and Simon 3		
60-832-95R 60-834-95	Commercial (Version 2.0 or Higher) and Simon 3 Adjustable Dual Technology Sound Sensor: 360° Room Coverage, Up to 25' Away. Adjustable Flex Sensitivity	135.10	Wireless
60-832-95R	Adjustable Dual Technology Sound Sensor: 360° Room Coverage, Up to 25' Away. Adjustable Flex	135.10	Wireless
60-832-95R 60-834-95	Adjustable Dual Technology Sound Sensor: 360° Room Coverage, Up to 25' Away. Adjustable Flex Sensitivity Superbus 2000 Voice Module: Expand the Panel w/Advanced Voice Messaging Functions. Digital		

60-847	Advent Downloader for Windows: CD-ROM PC-Based Remote Programming Software. Modem Required	5.64	Wireless
6084-N	Ceiling/Wall Extension Bracket	13.21	Sensors & Detectors
085	Wire Cage for Sharpshooter, Protects from Direct Hits	18.38	Sensors & Detectors
0-865	Advent Accessory Enclosure, Metal, Red: This Enclosure Can Be Used for Mounting Up to 4 Input/Output Modules or the Advent Transceiver Module. Includes Accessory Kit	33.53	Wireless
60-870	LED Driver Board: The LED Driver Board Works w/the LED Display Board and the LED Terminal Board to Enable Quick Determination of System Status, Such as Status of Zones, Outputs, Power	75.22	Wireless
0-871	or System Trouble. Compatible w/All Advent Panels. Not UL Listed LED Display Board: Red, Green and Yellow LEDs Provide Device/System Status. Pre-Wired LED	82.75	Wireless
	Groups Provide Quick and Easy Setup. Not UL Listed		
0-872	LED Terminal Board: Enables the Use of a Custom LED Layout. Not UL Listed	75.22	Wireless
0-873-95	ShatterPro Crystal Glassbreak Sensor: 360° Room Coverage, Up to 20' Away. Pattern Recognition Technology Ignores Most False Alarm Sounds	101.31	Wireless
0-874-95R	Allegro Control Panel: Control Panel Only. Includes Backup Battery and Transformer	161.51	Wireless
0-874-95R-CN	Canadian Allegro Control Panel: Canadian Control Panel Only. Includes Backup Battery and Transformer	161.51	Wireless
0-875-11-3	Simon 3 Control Panel. Compatible with SAW and crystal sensors. Includes 2-Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual and hardware kit. Transformer & RJ31X telco jack are sold separately	240.80	Wireless
0-875-11-3-ACS	Simon 3 Tabletop CPU	516.79	Wireless
0-875-11-3-CN	Simon 3 Canada Control Panel. Compatible with SAW and crystal sensors. Includes 2-Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual and hardware kit. Transformer,	240.80	Wireless
0-875-11-3-CNF	and RJ31X telco jack are sold separately Simon 3 French Canadian Control Panel. Compatible with SAW and crystal sensors. Includes 2- Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual and hardware kit.	240.80	Wireless
0-875-11-3-SPN	Transformer, and RJ31X telco jack are sold separately Simon 3 Spanish Control Panel. Compatible with SAW & crystal. Includes 2-Way Voice capability,	240.80	Wireless
	24-hour backup battery, phone cord, Owner's Manual, & hardware kit. Transformer and RJ31X telco jack are sold separately		
60-879-95R	Dialog Telephone Interface Module. The Dialog Telephone Interface Module (DTIM) receives signals from the panel & uses the telephone line to report to the central station. Supervised, with low-battery signal. Compatible with Simon 3 ver 4.1 & later	92.82	Wireless
0-880-95	AP750W Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field-Selectable. 33' or 50' Coverage Area. Cover- Activated Tamper	120.22	Wireless
0-882-09	3.6V Lithium Battery w/Leads, 9-Pack	47.42	Wireless
0-886-11-95	Crystal Shock Sensor, Brown	71.33	Wireless
0-886-95	Crystal Shock Sensor, White	71.33	Wireless
0-888	Advent DES3 Receiver Motherboard	143.33	Wireless
0-889	Advent DES3 Receiver Replacement Glass	143.33	Wireless
0-890	Advent DES3 Receiver VFD-GUI PCB	1289.93	Wireless
0-891	Advent DES Receiver LED PCB Assembly	716.63	Wireless
0-892	SuperBus 2000 DES3 Near Encryption Module: The SuperBus 2000 DES3 Near Encryption Module Provides Encryption/Decryption of Data from the Advent System to the Encrypted Receiver. Mounts "Near" (Inside) the Advent Control Panel. One Near Encryption Module	231.67	Wireless
60-893	SuperBus 2000 DES3 Far Encryption Module: The SuperBus 2000 DES3 Far Encryption Module Provides Encryption/Decryption of Data Between the Encrypted Receiver and Protected Areas. Mounts *Far* (in the Receiver) from the Advent Control Panel	231.67	Wireless
60-894	Advent DES3 Encrypted Receiver. The high security receiver allows you to connect up to 16 separate Advents with up to 16 total partitions for remote reporting, commanding & controlling of the systems (partitions)	3861.31	Wireless
60-898-CN	Simon 3 Class II Transformer (Canada). Provides Primary Power to the Panel. No X10 Capability, CSA Listed	7.32	Wireless
0-898-ITI	Simon 3 Class II Transformer: Provides Primary Power to the Panel. No X10 Capability. UL Listed	7.45	Wireless
60-899	Simon XT Transformer	30.03	Wireless
0-906-95	Crystal Micro Wristwatch Panic Button: A Wireless Device Used for Activating Medical Alarms. The Panic Button Can Be Worn On the Wrist Like a Watch, Clipped On a Belt, Used as a Pendant or Mounted On the Wall. Water-Resistant to 3 Feet. Battery Included	54.02	Wireless
0-913	Simon 3 Line Carrier Transformer: Provides Primary Power to the Panel. Required for X10 Capability, UL Listed	19.83	Wireless
0-913-CN	Simon 3 Line Carrier Transformer (Canada). Provides Primary Power to the Panel. Required for X10 Capability, CSA Listed	19.83	Wireless
0-914	6VDC, 1.2AH 24-Hour Rechargeable Backup Battery. Included w/All Simon 3 and Simon XT Panels. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC Power is Out	13.47	Wireless
0-915 0-924-3-01	Simon 3 Braille Set: Braille overlay for the Simon 3 Panel Dialog QS1500 TouchTalk Interactive Touchpad. Allows user to arm/disarm, activate panic alarms, check sys status, control lights and hear voice feedback. 2 operating modes: key (compatible w/ Simon 3 ver 3.3) & chime (compatible w/ Simon 3 ver 4.1)	14.13 107.00	Wireless Wireless
0-924-3-XT	Simon XT Two-Way Talking Touchpad	97.50	Wireless
0-925	Allegro Panel Backup Battery. Included w/Allegro Control Panel	14.99	Wireless
0-927	Accessory Box, Cellular Backup for Use w/Cellular Backup Modules, White	32.57	Wireless
0-928	Multi-Purpose Housing: Rugged Plastic Enclosure Designed to Hold a Variety of Circuit Boards. It Can Be Adapted for Many Different Installation Situations	25.00	Wireless
:0-930-95R	Apartment Manager Keychain Touchpad. This touchpad is designed for use by apartment managers or service people to disarm any Allegro system within a complex. Battery included	54.02	Wireless
60-938	Ethernet Interface Module. Provides the ability to control and monitor a Simon system (vers 4.0 or later) using premisesconnect.com. Module connects to DSL/cable modern & reports events to premisesconnect.com. Ethernet cable not included	221.38	Wireless
60-960-95	Concord Ultra Panel. Includes 96 wireless/8 hardwire zones, power line carrier & phone line monitor cards, phone interface module, phone cord, lock set. Compatible w/ crystal sensors & requires SB2000 peripherals. Battery	456.95	Wireless
60-961	Power Supply Replacement Kit: Includes a CareGard Transformer w/Molded-In Power Cord and Attached Connectors for Easy Installation. Enables Dealers to Repair a CareGard w/a Damaged Power Cord or Transformer	15.07	Wireless

George G	60-968	Help Button Accessory Kit: Includes Plastic Adaptors, Fittings and Wristbands for the Crystal or SAW Micro Wristwatch Panic Buttons, Part Number 60-906-95	7.55	Wireless
a website. Wireless date brancher in 2019 wireless paging princher. Kerr Putcher, Company Line C	50-971	·	297 18	Wireless
Line Carrier (7.10) Prover Supply Replacement Kt. Includes Coregorate Line Carrier Transformer whotoped in Power Court Entroller Addition of No Modes That Plant Language During Medication 10.00		a website. Wireless data transceiver on the module provides the link from the Simon to the website		
Devices, Providing a Simple Solition to Line Secure Module: The Unorgabber Module Early Attaches to Existing Temporary Devices, Providing a Simple Solition to Line Secure Module: In Human Provider Solition Devices (March 1997) Allorous but of an arrival LEDs. & Inchested Station Devices (March 1997) Allorous but of annihilation, Cheese of the Provider Remote Station Devices (March 1997) Allorous but of annihilation, Cheese & March 1997, & Inchested Station Station Cheese and Confederation (March 1997) Allorous but of annihilation Cheese & March 1997, & Inchested Station Annihilation (March 1997) Biological Cheese & March 1997, & Inchested Station Cheese and Application Control and Application Communicate with 2004 Current Long Convention: Lang 2014 (Line Line 2014) Biological Cheese & March 1997, & Inchested Station Cheese and Application Communicate with 2004 Current Long Convention: Lang 2014 (Line Line 2014) Biological Cheese & March 1997, & Inchested Station Communicate with 2004 Current Long Convention: Lang 2014 (Line Line 2014) Biological Cheese & March 1997, & Inchested Station Communicate with 2004 Current Long Convention (Line 2014) Biological Cheese & March 1997, & Inchested Station Communicate with 2004 Current Long Confederation (Line 2014) Biological Cheese & March 1997, & Inchested Station (Line 2014) Biological Cheese & March 2014 (Line 2014) Biological Cheese &	60-972	Line Carrier (X10) Power Supply Replacement Kit: Includes Caregard Line Carrier Transformer w/Molded-In Power Cord. Enables Addition of X10 Modules That Flash Lamps During Medication	30.04	Wireless
Allege Dailog Remote Staton. Designet to provide remote system control & natural chasting. Allege Dailog Remote Staton. Designet to provide remote system control & natural chasting. Allege Dailog Remote Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Allege Dailog Remote Person Pith Motor Staton. Calor Staton. Calor Staton. Calor Staton. Calor Staton. Calor Staton.	60-978	Linegrabber Line Seizure Module: The Linegrabber Module Easily Attaches to Existing Telephone Devices, Providing a Simple Solution to Line Seizure Needs in Homes w/More Than One	19.50	Wireless
Allows user to ammidistam, chack system saturus & activate parine alarma. Features and LCD display, armed & receipt (EDS, & Includes & Dollith siller). ATP1002 Alphanument Transchape Liapy 2x16 Liquid Chystal Display with Alphanument CD 102.14 ATP1002 Alphanument CDD Touchand Sille Installer Programming. Sille Installer Programming. Siller Staller				140
APF 1000 Alphanumenter Touchgast. Large 2X16 Luquid Crystall Display wide,seasable Contrast and Bigithress. Swing-Down, Removable Double Policy in an Auraliany Best Dations. Albows of Crim. Self-Installan Programming. 100 966 Current Loop Converter. Lett. Touchgad. Loop Device Loop Device 100 P. NA Power Adaptive, 17VAC in 12VAC Dut. 110 NA - Power Adaptive, 17VAC in 12VAC Dut. 110 NA - Power Adaptive, 17VAC in 12VAC Dut. 110 NA - Power Adaptive, 17VAC Dut. 110 NA - Po	60-982-95R	Allows user to arm/disarm, check system status & activate panic alarms. Features an LCD display,	114.10	Wireless
Current Lopo Coverter. Lets an Asyndronous R5232 Device Communicate wis 20MA Current Lop Coverter. Lop Device Apple 1, 107, 107, 107, 107, 107, 107, 107, 1	60-983	ATP1000 Alphanumeric Touchpad: Large 2X16 Liquid Crystal Display w/Adjustable Contrast and Brightness. Swing-Down, Removable Door. Police, Fire and Auxiliary Panic Buttons. Allows for On-Site Installer Programming	102.14	Wireless
Loop Device NA. Power Adapter, 117/AC In, 12/AC Out				
1819 NN Power Adapter, 117VAC In, 12VAC Out 37.38 NN Power Adapter, 110VAC In, 12VAC Out 37.38 NN Power Adapter, 1002-04VAC In, 13.5VD CO. 1 1819 NN Power Adapter, 1002-04VAC In, 13.5VD CO. 27A Out 37.38 PN Power Adapter, 1002-04VAC In, 13.5VD CO. 27A Out 37.38 PN Power Adapter, 1002-04VAC In, 13.5VD CO. 27A Out 37.38 PN Power Adapter, 1002-04VAC In, 13.5VD CO. 27A Out 1970 PN Power Adapter, 1002-04VAC In, 13.5VD CO. 27A Out 1970 PN Power Adapter, 1002-05VAC IN, 13.5VD CO. 27A Out 1970 PN Power Adapter, 1002-05VAC IN, 1207 PN Power PN	60-990		223.86	Wireless
1319 NN Power Adapter, 100 - 240 VAC In. 1, 35 VPC Cut 527 Aug. 77.81 78.81 78.81 78.82 78.	2400		40.05	Fib O-ti- Tii
SIAPLY				
ShapsShooter Freinen PIR Motion Sensor, Listohing LED, LED Stays Li After Alam, Unail Reset 1766CT-N ShapsShooter Freinen PIR Motion Sensor, Closed Loop form A. Cold Temp, Mirus 40°F to Plus 170°F Temperature Range 170°F N ShapsShooter Freinen PIR Motion Sensor form C relay 170°F N ShapsShooter Freinen PIR Motion Sensor form C relay 170°F N Adjustment Freiner 12°F and N ADDD, 20°D Tand Cold Temperature, Mirus 40°F to Plus 120°F Temperature Range 170°F N Adjustment Freiner 12°F and N ADDD, 20°D Tand Cold Temperature, Mirus 40°F to Plus 120°F Temperature Range 170°F N Intrinsically Sate PIR System 170°F Range 170°F Range Commander v2 2 base for Rad Hut Lum Vinformix 170°F Range 170°F Range Commander v2 2 base for Rad Hut Lum Vinformix 170°F Range 170°F Range Commander v2 2 base for Rad Hut Lum Vinformix 170°F Range Temperature Range 170°F Range Temperature Range on System 170°F Range Processed Option System 170°F Range Processed Optio				
StarpShooter Freenel PIR Motion Sensor, Closed Loop form A, Cold Temp, Minus 40° F to Plus 120° F Temperature Range StarpShooter Freenel PIR Motion Sensor, Clased Loop form A StarpShooter Freenel PIR Motion Sensor, Clased Loop form A StarpShooter Freenel PIR Motion Sensor, Clased Loop form A StarpShooter Freenel PIR Motion Sensor, Extended Temperature, Normally Closed 73.88 Sensors & Detectors StarpShooter, Freenel PIR Motion Sensor Sp T and Cold Temperature, Minus 40° F to Plus 120° F 7.88 Sensors & Detectors Temperature Range StarpShooter Freenel PIR Motion Sensor Sp T and Cold Temperature, Minus 40° F to Plus 120° F 7.86 Sensors & Detectors Temperature Range Starp Shooter Freenel PIR Motion Sensor form C Relay 5.87 Sensors & Detectors StarpShooter Freenel PIR Motion Sensor form C Relay 5.87 Sensors & Detectors Industrial Clotdors ShappShooter, Discussati Industrial Clotdors ShappShooter, Discussati Industrial Motion Sensor, White 1817 Shapp Sh				
120° F Temperature Range				
SharpShooter, Freane PIR Quark Motion Sensor, Extended Temperature, Normaly Closed SharpShooter Freane PIR Quark Motion Sensor SPDT and Cold Temperature, Minus 40° F to Plus 120° F Temperature Range Sinty A. SharpShooter Freane PIR Motion Sensor SPDT and Cold Temperature, Minus 40° F to Plus 120° F Temperature Range Sinty A. SharpShooter Freane PIR Motion Sensor form C Relay Includes att, Long Range, and Vertical Barrier Issu. White Includes att, Long Range, and Vertical Barrier Issu. White Intrinsically Safe PIR System				
SharpShooter Fresnel PIR Motion Sensor SPDT and Cold Temperature, Minus 40° F to Plus 120° F Temperature Range SharpShooter Fresnel PIR Motion Sensor form C Relay SharpShooter Fresnel PIR Motion Sensor form C Relay SharpShooter Fresnel PIR Motion Sensor form C Relay Adjustable Timer, 12 or 244, ACDC, SPDT. Adjustable 0-90 Seconds Industrial Control Color of Sensor Sharp Shorter Description of the Industrial Color of Sensor Sharp Shorter Description of the Industrial Color of Sensor Sharp Shorter Description of the Industrial Color of Sensor Sharp Shorter Description of Industrial Color of Sensor Sharp Shorter Industrial Color of Sensor Sharp Shorter Industrial Color of Sensor Sharp Shorter Industrial Color of Sensor Sharp				
Temperature Range SharpNotote Freezier PIR Motion Sensor form C Relay 56.9.7 SharpShotote Freezier PIR Motion Sensor form C Relay 103.47 Sensors & Detectors 1870-TM Adjustable Timer, 12 or 24V, ACIDC, SPDT. Adjustable 0-90 Seconds 103.47 Sensors & Detectors 1870-TM 1870-T	3155XT-N	SharpShooter, Fresnel PIR Quad Motion Sensor, Extended Temperature, Normally Closed	73.88	Sensors & Detectors
Shapshooter Fresnel PIR Motion Sensor form C Relay 59.97 Sensors & Detectors Adjustable Timer, 12 e-27 4/A.CDC. SPIT Adjustable O-90 Seconds 187CTX-N Industrial/Outdoor Sharpshooter. Discust aluminum housing w gasket for rugged installations in indoor/outdoor application. Valet-resistant. Minsu 46° to plan 120-145′ s. 90° stid coverage. Includes sat, Long Range, and Vertical Barrier lens. White 2949.83 Sensors & Detectors 1974 Internsciency Safe PIR Systems White 2949.83 Sensors & Detectors 1974 Internsciency Safe PIR Systems White 2949.83 Sensors & Detectors 1974 Non-Incardiory PIR Motion Sensor (SO) Server, SOI. Server Ready 1265.58 Sensors & Detectors 1974 Non-Incardiory PIR Motion Sensor (SO) Server, SOI. Server Ready 1265.58 Sensors & Detectors 1974 Sensors 1974 S	8157CT-N		87.02	Sensors & Detectors
Majustable Timer, 12 or 24V, ACIDC. SPDT. Adjustable 0-90 Seconds 103.47 Sensors & Detectors Indoor/outloor applications. Water-resistant. Minus 40° to plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Indudes std, Long Range, and Vertical Barriel Insurance of the plus 120°F. 45′ x 90° std coverage. Insurance of the plus 120°F. 45′ x 90	S157-N		58 97	Sensors & Detectors
Industrial/Outfoor SharpShooter, Die-cast aluminum housing wi gasket for rugoged insallations in indoor/outdoor applications, Water-resistant, Minus 46t p byte 120F. 45' x 90" add coverage. Includes std, Long Range, and Vertical Barrier lens. White 1917-1917-1917-1917-1917-1917-1917-1917				
1917-N		Industrial/Outdoor SharpShooter. Die-cast aluminum housing w/ gasket for rugged installations in indoor/outdoor applications. Water-resistant. Minus 40F to plus 120F. 45' x 90° std coverage.		
1939-N Non-Incendive PIR Motion Sensor, White 1265.38 Sensors & Detectors 230050002 Facility Commander Base for Windows 2000 Perdessional with MSDE 8331.25 Picture Perfect 230050002 Facility Commander Pase for Windows 2000 Perdessional with MSDE 8331.25 Picture Perfect 230050002 Facility Commander V-2 2 base for AlX windomix 12796.88 Picture Perfect 230050002 Facility Commander Senver Upgrade for Windows, per Single Server licensed system. Additional 3412.50 Vindows OS is required. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on same PO. Facility Commander Senver Upgrade for Windows SSA. SSA coverage going forward is required and must be purchased on same PO. Facility Commander Senver Upgrade for Windows. No charge if customer has FC Protection 2132.82 Picture Perfect Picture Perfec				
Facility Commander Base for Windows 2000 Server, SQL Server Ready 831 25 Ficture Perfect 23053002 Facility Commander V 2.2 base for Red Hat Linux Winformix 12796.88 Picture Perfect 23053002 Facility Commander V 2.2 base for Red Hat Linux Winformix 12796.88 Picture Perfect 12796.89 Picture Perfect 12796.89 Picture Perfect 12796.80 Picture Perfect Pict				
Facility Commander V.2. Dase for Red Hat Linux Winformix 12796.88 Picture Perfect 23055002 Facility Commander V.2. Dase for AIX Winformix 12796.88 Picture Perfect 23055002 Facility Commander V.2. Dase for AIX Winformix 12796.88 Picture Perfect 23055002 Facility Commander Server Lipprade for Windows, per Single Server licensed system. Additional 411.250 Picture Perfect 23055002 Facility Commander Server Lipprade for Windows, per Single Server licensed system. Additional 411.250 Picture Perfect 23055002 Facility Commander Server Lipprade for Windows. As As As Coverage going forward is required and must be purchased on same PO. Facility Commander 2. 10 s. 1. Upgrade for Windows. No charge if customer has FC Protection Pian. 23071002 Facility Commander 2. 10 s. 1. Upgrade for Windows. No charge if Customer Currently has an Active Facility Commander V.2. 0 or V.2.1 Upgrade for Windows. No charge if Customer Currently has an Active Facility Commander V.2. 0 or V.2.1 Upgrade for Mix No Charge if Customer Currently has an Active Facility Commander V.2. 0 or V.2.1 Upgrade for Mix No Charge if Customer Currently has an Active Facility Commander V.2. 0 or V.2.1 Upgrade for Mix No Charge if Customer Currently has an Active Facility Commander V.2. 1 or V.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 3199.22 Picture Perfect Upgrade Facility Commander V.2.1 To V.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix 3199.22 Picture Perfect Upgrade Facility Commander V.2.1 To V.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix 3199.22 Picture Perfect Upgrade Facility Commander V.2.1 To V.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix 3199.22 Picture Perfect Upgrade Facility Commander V.2.1 To V.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix 3199.22 Picture Perfect Upgrade Facility Commander V.2.1 To V.2.2 Purchaseable Upgrade For Aix. Requires Purchase				
Facility Commander V.2 Dase for Red Hat Linux winformix 12796.88 Picture Perfect				
Facility Commander V2.2 base for AIX wInformix 12796.88 Picture Perfect 23058002 Facility Commander Server Upgrade for Windows, per Single Server licensed system. Additional 3412.50 Picture Perfect Vindows OS is required and must be purchased on same PO. 23058002 Facility Commander Server Upgrade for Windows SSA. SSA coverage going forward is required and must be purchased on same PO. 23058002 Facility Commander Server Upgrade for LINUX. Por Single Server licensed system. Additional LINUX OS is required. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on same PO. 23070002 Facility Commander 2.0 to 2.1 Upgrade for Windows. No charge if customer has FC Protection Plan. 23071002 Facility Commander V.0 or v.2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander V.0 or v.2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander V.0 or v.2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander V.0 or v.2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander V.0 or v.2.1 Upgrade for Linux. Requires Purchase Of Informix 23073002 Facility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Facility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Facility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Pacility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Pacility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Pacility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Pacility Commander V.1 or v.2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix 230974002 Pacility Purchaseable Upgrade F				
Facility Commander Server Upgrade for Windows, per Single Server licensed system. Additional windows Os is required and must be purchased on same PO.				
Windows OS is required. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on same PO. Facility Commander Server Upgrade for UNIUX, per Single Server licensed system. Additional LINUX OS is required. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on same PO. Facility Commander 2.0 to 2.1 Upgrade for VINIUX, per Single Server licensed system. Additional required and must be purchased on same PO. Facility Commander 2.0 to 2.1 Upgrade for Viniux. No Charge if customer has FC Protection Plan. Facility Commander 2.0 to 2.1 Upgrade for Uniux. No Charge if Customer Currently has an Active Facility Commander V.2.0 or v.2.1 Upgrade for Linux. Ro Charge if Customer Currently has an Active Facility Commander V.2.0 or v.2.1 Upgrade For Linux. Requires Purchase Of Informix Upgrade. Facility Commander V.2.1 or v.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade Facility Commander V.2.1 to v.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade For Linux Provided V.2.1 or v.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade SureShot Flush Mount Freinerl PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed. 30' x 90' Range Vargence For Provider or Flush Mount Locations, Normally Closed. 30' x 90' Range Vargence For Provider or Flush Mount Locations, SPDT. 30' Sensors & Detectors X 90' Range, Tamper SureShot Plank Mount Freinerl PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' Sensors & Detectors X 90' Range, Tamper Vargence For Provider or Flush Mount Locations, SPDT. 30' Sensors & Detectors X 90' Range, Tamper Vargence For Provider or Flush Mount Locations, SPDT. 30' Sensors & Detectors X 90' Range, Tamper Vargence For Provider or Flush Mount Locations, SPDT. 30' Sensors & Detectors Vargence For Vargence For Provider or Flush Mount Locations, SPDT. 30' Sensors & Detectors Vargence For Vargence For Vargence For Provider Order For For				
LINUX OS is required. No Warrainy. Does not include SSA. SSA coverage going forward is required and must be purchased on same PO. 23070002 Facility Commander 2.0 to 2.1 Upgrade for Windows. No charge if customer has FC Protection Plan. 23071002 Facility Commander v2.0 or v2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander Support Agreement (SSA) in Place 23072002 Facility Commander Support Agreement (SSA) in Place 23073002 Facility Commander SSA in Place 23073002 Facility Commander SSA in Place 23073002 Facility Commander V2.1 or v2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix Upgrade 23074002 Upgrade 23074002 Facility Commander V2.1 to v2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade 23074002 Upgrade 230574002 Facility Commander V2.1 to v2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade 23057400 Upgrade 23057400 SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally 23255-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally 23257FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 23257FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 23351-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2351-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2351-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2351-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2361-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2361-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 2361-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locat	323058002	Windows OS is required. No Warranty. Does not include SSA. SSA coverage going forward is	3412.50	Picture Perfect
Facility Commander 2.0 to 2.1 Upgrade for Windows. No charge if customer has FC Protection Plan. Facility Commander v2.0 or v2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander v2.0 or v2.1 Upgrade for Linux. No Charge if Customer Currently has an Active Facility Commander v2.0 or v2.1 Upgrade for AIX. No Charge if Customer Currently has an Active Facility Commander v2.0 or v2.1 Upgrade for AIX. No Charge if Customer Currently has an Active Facility Commander v2.1 or v2.2 Upgrade for AIX. No Charge if Customer Currently has an Active Facility Commander v2.1 To 2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix Upgrade Facility Commander v2.1 To v2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix Upgrade Facility Commander v2.1 To v2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Upgrade SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Upgrade SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30 Sensors & Detectors va 90° Range, Tamper SureShot Fresnel PIR Motion Sensor, 30° x 90° Standard Coverage. Includes Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Battery & AH, 6 Volt Wegand, horizontal, White, matter/matte 9.0.1 Credentials Credentials Prox. Lender Prox. Lite logo, matter/matte 6.83 Credentials Credentials Prox. Lite Card, Prox. Lite logo, matter/matte 5.5.5 Credentials Credentials Custom Wingland, horizontal, white, matter/matte 6.83 Credentials Credentials Custom Wingland, horizontal, white, matter/matte 6.83 Credentials Credentials Custom Prox. Lite, patoto image surface both sides, Motion Sensor of Prox. Lite and Credentials Credentials Custom Prox. Lite, patoto image surface both sides, high coercivity magstripe 7.84 Credentials Credentials Custom Prox. Lite, patoto image surface both sides, high coercivity mag	623059002	LINUX OS is required. No Warranty. Does not include SSA. SSA coverage going forward is	5118.75	Picture Perfect
Facility Commander Software Support Agreement (SSA) in Place Facility Commander v.2.0 or v.2.1 Upgrade for AIX. No Charge if Customer Currently has an Active Facility Commander v.2.0 or v.2.1 Upgrade for AIX. No Charge if Customer Currently has an Active Facility Commander V.2.1 To 2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix Upgrade E23074002 Facility Commander V.2.1 To v.2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade Upgrade S255FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed. 30' x 90' Range S255FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed. 30' x 90' Range, S257FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' x 90' Range, Tamper S257FM-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' x 90' Range, Tamper DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90' Standard Coverage. Includes S361-W DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90' Standard Coverage. Includes S48A Battery 8 AH, 6 Volt S48A Battery 8 AH, 6 Volt S49CA S59CA S49CA S59CA S49CA S59CA S	523070002	Facility Commander 2.0 to 2.1 Upgrade for Windows. No charge if customer has FC Protection	2132.82	Picture Perfect
Facility Commander SSA in Place Facility Commander V2.1 To 2.2 Purchaseable Upgrade For Linux. Requires Purchase Of Informix Juggrade Facility Commander V2.1 To V2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Juggrade Facility Commander V2.1 To V2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Juggrade SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed. 30' x 90' Range SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Substitution of Substitution Substitu		Facility Commander Software Support Agreement (SSA) in Place		
Upgrade Siz0374002 Facility Commander V2.1 To V2.2 Purchaseable Upgrade For Aix. Requires Purchase Of Informix Upgrade Siz0374002 SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed. 30 x 90° Range Siz055-W SureShot Fresnel PIR Motion Sensor, 30′ x 90° Range, Normally Closed Siz055-W SureShot Fresnel PIR Motion Sensor, 30′ x 90° Range, Normally Closed Siz055-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30′ 82.39 Sensors & Detectors x 90° Range, Tamper x 90° Range, Tamper x 90° Range, Tamper x 90° Standard Coverage. Includes Siz051-W DesignLine SharpShooter Fresnel PIR Motion Sensor, 35′ x 90° Standard Coverage. Includes Siz051-W Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Siz0525-W Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Siz0525-W Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Siz0625-W Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Siz0625-W Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Siz0625-W Siz0625-W Wiegand, horizontal, white, matte/matte Siz0625-W Wiegand, horizontal, white, photo image surface/matte Siz0625-W Wiegand, vertical, white, photo image surface both sides Siz0625-W Siz0625-W Wiegand, vertical, white, matte/matte Siz0625-W Siz062		Facility Commander SSA in Place		
Upgrade SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, Normally Closed, 30' x 90' Range SuzeShot V SureShot Fresnel PIR Motion Sensor, 30' x 90' Range, Normally Closed 49.23 Sensors & Detectors x 90' Range, Tamper SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' x 90' Range, Tamper SureShot Flush Mount Fresnel PIR Motion Sensor, 35' x 90' Standard Coverage. Includes Sushary SharpShooter Fresnel PIR Motion Sensor, 35' x 90' Standard Coverage. Includes Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Sushard Coustom Viegand, horizontal, white, matte/matte Sushard Lens, Prox. Lite Lens and Lens Lens Lens And Lens Lens Lens Lens Lens Lens Lens Lens		Upgrade		
Closed. 30' x 90° Range SureShot Fresnel PIR Motion Sensor, 30' x 90° Range, Normally Closed S255-W SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' x 90° Range, Tamper DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90° Standard Coverage. Includes S351-W DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90° Standard Coverage. Includes Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White 39.00 Fire Wiegand, horizontal, GE Security logo/white, matte/matte 9.01 Credentials Coustom Wiegand, horizontal, white, matte/matte 9.01 Credentials Coustom Prox.Lite card, Prox.Lite logo, matte/matte 9.01 Credentials Coustom Prox.Lite card, Prox.Lite logo, photo image surface/matte 9.02 Credentials Coustom Prox.Lite, photo image surface both sides 00060003 Custom Prox.Lite, photo image surface both sides, magstripe not encoded 0006001 Custom Wiegand, writical, white, matte/matte 0006503 Print test card for .037° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .035° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card, white, photo image surface both		Upgrade		
SureShot Flush Mount Fresnel PIR Motion Sensor for Prewire or Flush Mount Locations, SPDT. 30' x 90° Sange, Tamper DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90° Standard Coverage. Includes Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White NVBA Battery 8 AH, 6 Volt Wiegand, horizontal, GE Security logo/white, matte/matte O000201 Wiegand, horizontal, white, matte/matte O00501 ProxLite card, ProxLite logo, matte/matte O0054001 ProxLite card, ProxLite logo, photo image surface/matte O0065001 ProxLite card, ProxLite logo, photo image surface/matte O0060003 Custom ProxLite, matte/matte O0060003 Custom ProxLite, photo image surface/matte O0060004 Custom ProxLite, photo image surface both sides O0061101 Custom Wiegand, vertical, white, matte/matte O0060003 Custom ProxLite, photo image surface both sides O006101 Custom Wiegand, vertical, white, matte/matte O0063001 Magstripe Card, white/white, photo image surface both sides, magstripe not encoded Magstripe Card, white/white, photo image surface both sides, 100/lot. O006503 Print test card for .037* thick style badge, white gloss both sides, 100/lot. O006503 Print test card for .053* thick style badge, white gloss both sides Custom Wiegand, horizontal, white, photo image surface both sides O006503 Print test card for .053* thick style badge, white gloss both sides O006503 Print test card for .053* thick style badge, white gloss both sides O006503 Print test card for .053* thick style badge, white gloss both sides O006503 Print test card for .053* thick style badge, white gloss both sides O006503 Print test card for .053* thick style badge, white gloss both sides O006503 Print test card, white, photo image surface both sides O006504 Custom Wiegand, horizontal, white, photo image surface both sides O006505 Print test card, white, photo image surface both sides O006506 Custom Sio ProxLite card, white, photo image surface both sides, no magstripe O006506 O006507 Print test card, white, photo image surface both s		Closed. 30' x 90° Range		
x 90° Range, Tamper DesignLine SharpShooter Fresnel PIR Motion Sensor, 35' x 90° Standard Coverage. Includes Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Was Battery 8 AH, 6 Volt Wiegand, horizontal, GE Security logo/white, matte/matte 00002001 Wiegand, horizontal, GE Security logo, matte/matte 00002101 Custom Wiegand, horizontal, white, matte/matte 00054001 ProxLite card, ProxLite logo, matte/matte 00054001 ProxLite card, ProxLite logo, photo image surface/matte 00055001 ProxLite card, ProxLite logo, photo image surface/matte 00060003 Custom ProxLite, matte/matte 00060003 Custom ProxLite, photo image surface/matte 0006004 Custom ProxLite, photo image surface both sides 0006004 Custom ProxLite, photo image surface both sides 0006101 Custom Wiegand, vertical, white, matte/matte 00065037 Print test card for .037° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .035° thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006503 Print test card for .053° thick style badge, white gloss both sides 0006504 Print test card for .053° thick style badge, white gloss both				
Standard Lens, Pet Alley Lens and Vertical Barrier Lens. Form A, White Battery 8 AH, 6 Volt Wiegand, horizontal, GE Security logo/white, matte/matte 9.01 Credentials 00002101 Custom Wiegand, horizontal, white, matte/matte 6.83 Credentials 00054001 ProxLite card, ProxLite logo, matte/matte 00055001 ProxLite card, ProxLite logo, photo image surface/matte 1.72 Credentials 00065001 Custom ProxLite, matte/matte 1.94 Credentials 00060003 Custom ProxLite, photo image surface/matte 1.95 Credentials 00060004 Custom ProxLite, photo image surface both sides 0006101 Custom Wiegand, vertical, white, matte/matte 00063001 Magstripe Card, white/white, photo image surface both sides, magstripe not encoded 1.92 Credentials 00063001 Magstripe Card, white/white, photo image surface both sides, normal print test card for .037" thick style badge, white gloss both sides, 100/lot. 00065037 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 0006503 Print test card fo		x 90° Range, Tamper	02.39	Sensors & Detectors
Wiegand, horizontal, GE Security logo/white, matte/matte 00002101 Custom Wiegand, horizontal, white, matte/matte 6.83 Credentials 0005201 ProxLite card, ProxLite logo, matte/matte 00055001 ProxLite card, ProxLite logo, photo image surface/matte 5.72 Credentials 00060001 Custom ProxLite, matte/matte 4.91 Credentials 00060003 Custom ProxLite, photo image surface/matte 5.95 Credentials 00060004 Custom ProxLite, photo image surface both sides 0006101 Custom Wiegand, vertical, white, matte/matte 6.83 Credentials 0006101 Custom Wiegand, vertical, white, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00065037 Print test card for .037* thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00065039 Print test card for .053* thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 000650301 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 00065001 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 00065001 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 000100001 Custom Wiegand, vertical, white, photo image surface both sides 10.47 Credentials 00145001 Custom Wiegand, vertical, white, photo image surface both sides 11.78 Credentials 00145001 Custom SO ProxLite card, white, photo image surface both sides, high coercivity magstripe 7.84 Credentials 00147001 ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00147001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00147001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00147001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00147001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00147001 Custom ISO ProxLite card, w	351-W		38.77	Sensors & Detectors
Custom Wiegand, horizontal, white, matte/matte Custom Wiegand, horizontal, white, matte/matte Credentials ProxLite card, ProxLite logo, matte/matte Credentials Douck Douck Developed Developed Developed Douck Dou				
ProxLite card, ProxLite logo, matte/matte 4.91 Credentials				
ProxLite card, ProxLite logo, photo image surface/matte 5.72 Credentials				
00060001 Custom ProxLite, matte/matte 4.91 Credentials 00060003 Custom ProxLite, photo image surface/matte 5.95 Credentials 00060004 Custom ProxLite, photo image surface both sides 7.02 Credentials 00061011 Custom Wiegand, vertical, white, matte/matte 6.83 Credentials 00063001 Magstripe Card, white/white, photo image surface both sides, magstripe not encoded 1.92 Credentials 00065037 Print test card for .037* thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00065053 Print test card for .053* thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00087001 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 00093001 ISO ProxLite card, white, photo image surface both sides, high coercively magstripe 8.44 Credentials 00145001 Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials 00147001 ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00149001 Entrée Proximity card with GE Security logo, vertical slot punch, external ID number 2.34 Credentials 00175001 Custom ISO ProxLite card, white, photo image surface both sides, no magst				
Custom ProxLite, photo image surface/matte Custom ProxLite, photo image surface both sides Custom ProxLite, photo image surface both sides Custom Wiegand, vertical, white, matte/matte Custom Wiegand, vertical, white, matte/matte Custom Wiegand, vertical, white, photo image surface both sides, magstripe not encoded 1.92 Credentials				
Custom ProxLite, photo image surface both sides Custom Wiegand, vertical, white, matter/matte Custom Wiegand, vertical, white, matter/matte Custom Wiegand, vertical, white, matter/matte Custom Wiegand, vertical, white, photo image surface both sides, magstripe not encoded 1.92 Credentials Credentials Credentials Custom Wiegand, white white, photo image surface both sides, 100/lot. Print test card for .037" thick style badge, white gloss both sides, 100/lot. Print test card for .053" thick style badge, white gloss both sides, 100/lot. Print test card for .053" thick style badge, white gloss both sides, 100/lot. Print test card for .053" thick style badge, white gloss both sides, 100/lot. Print test card for .053" thick style badge, white gloss both sides, 100/lot. Print test card white, photo image surface both sides Iso ProxLite card, white, photo image surface both sides Custom Wiegand, vertical, white, photo image surface both sides Custom Iso ProxLite card, white, photo image surface both sides, high coercivity magstripe Iso ProxLite card, white, photo image surface both sides, high coercivity magstripe Iso ProxLite card, white, photo image surface both sides, no magstripe Iso ProxLite card, white, photo image surface both sides, no magstripe Iso ProxLite card, white, photo image surface both sides, no magstripe Take Credentials Credentials Custom Iso ProxLite card, white, photo image surface both sides, no magstripe Custom Iso ProxLite card, white, photo image surface both sides, no magstripe Custom Iso ProxLite card, white, photo image surface both sides, no magstripe Custom Iso ProxLite card, white, photo image surface both sides, no magstripe Custom Iso ProxLite card, white, photo image surface both sides, no no magstripe Custom Iso ProxLite card, white, photo image surface both sides, no no pastripe Custom Iso ProxLite card, white, photo image surface both sides, no no pastripe Custom Iso ProxLite card, white, photo image surface both sides, no no pastripe Custom Iso Prox				
Custom Wiegand, vertical, white, matte/matte 00063001 Magstripe Card, white/white, photo image surface both sides, 100/lot. Print test card for .037" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment Print test card for .053" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials Custom Wiegand, vertical, white, photo image surface both sides 10.49 Credentials Custom Wiegand, vertical, white, photo image surface both sides 10.40 Credentials Custom Wiegand, vertical, white, photo image surface both sides 10.45 Credentials Custom ISO ProxLite card, white, photo image surface both sides 11.78 Credentials Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials 00147001 ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00149001 Entrée Proximity card with GE Security logo, vertical slot punch, external ID number Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Credentials Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
Magstripe Card, white/white, photo image surface both sides, magstripe not encoded 1.92 Credentials Print test card for .037* thick style badge, white gloss both sides, 100/lot. Print test card for .053* thick style badge, white gloss both sides, 100/lot. Print test card for .053* thick style badge, white gloss both sides, 100/lot. Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 10.47 Credentials 10093001 ISO ProxLite card, white, photo image surface both sides, high coercively magstripe 8.44 Credentials 001045001 Custom Wiegand, vertical, white, photo image surface both sides 11.78 Credentials 00145001 Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials 00147001 ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 7.84 Credentials 00149001 Entrée Proximity card with GE Security logo, vertical slot punch, external ID number 00175001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00178001 Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
Print test card for .037" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00065053 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00065053 Print test card for .053" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment 00087011 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 10.47 Credentials 10.48 Credentials 10.49 Credentials 10.49 Credentials 11.78 Credentials 11.78 Credentials 11.78 Credentials 11.78 Credentials 11.78 Credentials 11.78 Credentials 11.79 Credentials 11.70 Credentials				
Print test card for .053" thick style badge, white gloss both sides, 100/lot. 95.55 Photo ID Equipment				
00087001 Custom Wiegand, horizontal, white, photo image surface both sides 10.47 Credentials 00093001 ISO ProxLite card, white, photo image surface both sides, high coercively magstripe 8.44 Credentials 00100001 Custom Wiegand, vertical, white, photo image surface both sides 11.78 Credentials 00145001 Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials 00147001 ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00149001 Entrée Proximity card with GE Security logo, vertical slot punch, external ID number 2.34 Credentials 00175001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 00178001 Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
ISO ProxLite card, white, photo image surface both sides, high coercively magstripe 8.44 Credentials				
Custom Wiegand, vertical, white, photo image surface both sides Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
Custom ISO ProxLite card, white, photo image surface both sides, high coercivity magstripe 8.44 Credentials 1SO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 1SO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 1SO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 1SO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials 7.85 Credentials 7.86 Credentials 7.87 Credentials				
Entrée Proximity card with GE Security logo, vertical slot punch, external ID number 2.34 Credentials				
Entrée Proximity card with GE Security logo, vertical slot punch, external ID number 2.34 Credentials	00147001	ISO ProxLite card, white, photo image surface both sides, no magstripe	7.84	Credentials
700175001 Custom ISO ProxLite card, white, photo image surface both sides, no magstripe 7.84 Credentials Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
700178001 Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch 7.93 Credentials				
Contactless smart card. Mifage, along front, along back with magneting, no out ID, no clot punch.	700178001	Contactless smart card, Mifare, gloss front/gloss back, no ext ID, no slot punch		
Contactions smart card, winare, gloss norti, gloss back with magnifipe, no ext ID, no slot punch 8.40 Credentials	700179001	Contactless smart card, Mifare, gloss front, gloss back with magstripe, no ext ID, no slot punch	8.45	Credentials

700180001	ISOProxLite/Mifare access card,12-digit prox format and contactless smart card, gloss front/gloss	16.90	Credentials
	back, matching ext ID, no slot punch		
700181001	Contactless smart card, Mifare, gloss front/gloss back, sequential ext ID, no slot punch	7.25	Credentials
700182001		5.46	Credentials
	ProxLite card, std logo front/white gloss back, no ext ID, no slot		1
700183001	ISO ProxLite card, no magstripe, white gloss both sides, no ext ID, no slot	4.82	Credentials
700184001	ISO ProxLite card, with magstripe, white gloss both sides, no ext ID, no slot	5.14	Credentials
700185001	Magnetic Stripe card, white gloss both sides, no ext ID, no slot	1.92	Credentials
700189001	ProxLite, photo image surface both sides, no ext. ID, no slot	5.53	Credentials
700192001	Contactless (ISO 15693) smart card, white gloss front/back, serial number encoding, SLI-2, no ext	3.38	Credentials
700192202	ID, no slot punch Card, ISO15693,GE-Corp, DOD, DOE, Employee-FN, PMS 485 Red, Background PMS 485 @ 40	5.12	Credentials
700195001	Pct Screen, No Slot, No External ID Contactless (ISO 15693) key fob, black front/back, serial number encoding, SLI-2, no ext. ID, slot	7.66	Credentials
700201001	punch ProxLite key tag, molded blue, no external ID	4.52	Credentials
700202001	ProxLite card, std logo, mate/matte, no external ID, no slot punch (not compatible with dye-sub	4.91	Credentials
700211001	print) ProxLite tag, white front / adhesive back, std 40-bit 125khz ProxLite BID, .98in (25mm) x .74in	4.58	Credentials
700215001	(19mm) x .04in (1mm) Card, Transition Reader communication configuration	NC	Readers
700215019	Configuration Card For T-5Xx-Piv Readers To Change Reader Output To 200 Fasc-N Bits	NC	Readers
700215020	Configuration Card For T-5Xx-Piv Readers To Change Reader Output To 75 Bits	NC	Readers
700220001	Visitor Central Paper Badges, for 2-sided print, 2.25" x 3.5", Avery 2943, 500 per box	119.44	Visitor System
700221001	Visitor paper badge, portrait, fold & clip, 2.25" x 3.5", Avery 2948, 500 per box	110.90	Visitor System
700222001	Visitor paper badge, landscape, fold & clip, 2.25" x 3.5", Avery 2949, 500 per box	110.90	Visitor System
700223001	Visitor paper page, one-sided print, 3" x 4", Avery 2945, 500 per box	127.97	Visitor System
		127.97	
700224001	Visitor badge, self-expiring color changing time token, Avery 2970, 500 per box		Visitor System
700300001	Mifare 1K, ISO Thickness, Composite, Gloss/Gloss, CR-80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	7.09	Credentials
700300002	Mifare 1K, ISO Thickness, Composite, Gloss/Gloss, CR-80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	7.09	Credentials
700300003	Mifare 4K, ISO Composite, Gloss/Gloss, CR-80, No Ext ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	9.46	Credentials
700300004	Mifare 4K, ISO Thickness, Composite, Gloss/Gloss, CR-80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	9.46	Credentials
700300005	MY-D 10K Bits, ISO Thickness, Composite, Gloss/Gloss, CR-80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	8.72	Credentials
700300006	MY-D 10K Bits, ISO Thickness, Composite, Gloss/Gloss, CR-80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	8.72	Credentials
701U	6" Mounting Base for 711U and 711UT, 6" Base, 3 Terminals	9.15	Fire
701U-10PKG	6" Mounting Base for 711U and 711UT, 10-Pack	84.28	Fire
702E-10PKG	4" Universal Mounting Base 700 Series w/6 Terminals for All Heads, 10-Pack	100.41	Fire
702RE	4" Mounting Base for 731U, 4" Base, 6 Terminals for Use w/Heads and Relays Only	10.95	Fire
702RU	6" Mounting Base for 731U, 6" Base, 6 Terminals for All Heads for Use w/heads and Relays Only	11.86	Fire
702U	6" Universal Mounting Base, 700 Series, 6 Terminals for All Heads	11.86	Fire
706U1A	Remote LED Indicator, DC Operation, Operates w/721U/UT, 741U/UT, KS-21 and KS-23 Smoke Detectors	19.23	Fire
706U2A	Remote LED Indicator w/Keyed Remote Test, DC Operation, Operates w/721U/UT, 741U/UT, KS- 21 and KS-23 Smoke Detectors	34.97	Fire
706U3A	Remote LED Indicator w/Keyed Remote Test and Reset, DC Operation, Operates w/721U/UT, 741U/UT, KS-21 and KS-23 Smoke Detectors	44.58	Fire
711U	2-Wire Photoelectric Smoke Detector, 12/24VDC. S10A Compatible	47.93	Fire
711U-10PKG	2-Wire Photoelectric Smoke Detector, 1 Set of Literature Per Box, Not Individually Packaged. S10A Compatible, 10-Pack	464.95	Fire
711UT	2-Wire Fast Response Photoelectric Smoke Detector, w/Heat Sensors, 12/24VDC. Fast Response Photoelectric Smoke/heat Algorithms. Not Listed FM. S10A Compatible	52.95	Fire
721U	2-Wire Fast Response Photoelectric Smoke Detector, w/Remote Alarm/Trouble LED. 12/24VDC,	53.11	Fire
721U-10PKG	S10A Compatible 2-Wire Fast Response Photoelectric Smoke Detector w/Remote Alarm/Trouble LED, 1 Set of	521.37	Fire
721UT	Literature Per Box, Not Individually Packaged. S10A Compatible, 10-Pack 2-Wire Fast Response Photoelectric Smoke Detector, w/Remote Alarm/Trouble LED, and Heat Sensors, 12/24VDC. Fast Response Photoelectric Smoke/Heat Algorithms. Remote Alarm/Trouble	55.69	Fire
731U	LED. S10A Compatible	60.76	Fire
731U-10PKG	2-Wire Photoelectric Smoke Detector w/Auxiliary Relay, 12/24VDC. Form C Auxiliary Relay. S11A Compatible 2-Wire Photoelectric Smoke Detector w/Auxiliary Relay, 1 Set of Literature Per Box, Not Individually	62.76 579.66	Fire
741U	Packaged, 10-Pack 4-Wire Photoelectric Detector w/Remote Alarm/Trouble LED, Not Listed FM, 12/24VDC	58.92	Fire
741UT	4-Wire Protoelectric Detector wikemote Alarmy Trouble LED, Not Listed FM, 12/24/DC 4-Wire Fast Response Photoelectric Smoke Detector and Heat Sensors, 12/24/DC. Fast Response Photoelectric Smoke/Heat Algorithms. Not Listed FM. Remote Alarm and Trouble LED	62.32	Fire
770-METER 770-RP	LED Alignment Meter Reflective Prism	82.07 58.76	Fire Fire
771-KIT	770 Series Projected Beam Smoke Detector, Best Examples of aApplications Include Vaulted Ceilings, Gymnasiums and Warehouses	854.48	Fire
80-006-10-20PKG	Shock/Freeze Spacer, Grey, 20-Pack	39.42	Wireless
800-266-4	Concord 4 Starter Package H11 w/FTP 1000 Touchpad	171.82	Wireless
80-043	1251e Single Door Firmware Upgrade Kit	72.31	Wireless
80-045	1251e Dual Door Firmware Upgrade Kit	72.31	Wireless
80-048	115/230V 1251e Power Supply Option: 115/230Vs Direct to the Panel. Most Secure Supply of Power Available	70.40	Wireless
80-049 80-088	16V 1251e Power Supply Option: Requires 16VAC, 50VA Transformer Rechargeable NICAD Battery Pack for RF Commander and Hardwire Commander, 280 mAh	48.00 21.65	Wireless Wireless
80-089-10	Slim Line Sensor Case, White, 5-Pack	11.87	Wireless
		. 7.07	1

00 000 44	Olive Line Connect Control Device 5 Device	44.07	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
80-089-11	Slim Line Sensor Case, Brown, 5-Pack	11.87	Wireless
800-951-4	Concord 4 KIT w/FTP 1000 Touchpad	152.85	Wireless
800-952-4	Concord 4 Hardwire Package F11 w/FTP 1000 Touchpad	156.12	Wireless
800-963-4	Concord 4 Hardwire Package F12 w/FTP 1000 Touchpad	192.24	Wireless
800-964-4-CN	Concord 4: Kit w/FTP 1000 Fixed English Touchpad	152.85	Wireless
800-965-4	Concord 4 Wireless Kit w/FTP 1000 Touchpad	304.98	Wireless
800-972-4	Concord 4 kit w/Keychain Touchpad, FTP 1000 Touchpad	171.65	Wireless
800-973-4-CN	Canadian Concord 4 Hardwire Package F11 w/FTP 1000 Touchpad	159.84	Wireless
800-975-4	Concord 4 Wireless Crystal Package G2 w/FTP 1000 Touchpad	330.99	Wireless
800-976-4	Concord 4 Wireless Crystal Package G4 w/FTP 1000 Touchpad	330.99	Wireless
800-985-4	Concord 4 Wireless Crystal Package G3 w/FTP 1000 Touchpad	330.99	Wireless
800-993-4	Concord 4 W/Atp1000 Tp, 3H/W Contacts, Kctp, Batt & Xformer	292.50	Wireless
80-116	Wall-Mount Bracket for Water-Resistant Pendant Panic Sensor, 5-Pack	10.30	Wireless
8016	Quik Bridge Supervised 8-Channel Loop Receiver Enables the Use of Up to 16 Wireless Sensors (2)	97.41	NetworX
0016	Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	97.41	Network
80-213-3	Simon 3 Demonstration Kit. Includes Panel, line carrier transformer, phone cord, (2) SAW D/W Sensors, (1) PIR motion (inactive), (1) X10 Lamp Module, (1) X10 Siren, (1) SAW 4-Button Keyfob, Battery, Owner's Manual, and carrying case	382.20	Wireless
80-213-3-XT	Simon XT Demonstration Kit: Battery, Transformer, Phone Cord, Owner's Guide, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad	451.10	Wireless
80-249-3N	Simon 3 SAW Package A4 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	284.65	Wireless
80-249-3N-SPN	Simon 3 Spanish SAW Package A4 w/o X10: Includes Simon 3 Spanish Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW	284.65	Wireless
80-249-3X	Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor Simon 3 SAW Package A4: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors	300.13	Wireless
80-265	and (1) SAW Pet Immune PIR Motion Sensor Concord Hybrid Starter Package H12: Includes Concord Hybrid 8-Zone Hardwire Panel, 2x16 LCD	195.59	Wireless
80-265-4	Touchpad, Phone Cord, RJ31X Jack and Lock Set Concord 4: Hybrid Control, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set	170.70	Wireless
80-265-4-SEC	Security Pro Concord 4 Starter H12: Hybrid Control, 2x16 Security Pro Labeled, LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	182.48	Security Pro
80-265-SEC	Security Pro 6000 Hybrid Starter Package H12: Includes Pro 6000 Hybrid 8-Zone Hardwire Panel, Pro-Labeled 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	216.61	Security Pro
80-266	Concord Hybrid Starter Package H11: Includes Concord Hybrid 8-Zone Hardwire Panel, Fixed Display Touchpad, Phone Cord, Jack and Lock Set	154.58	Wireless
80-266-4	Concord 4: Hybrid Control, SB2000 Fixed English LCD Touchpad, RJ31X, Lock and Key Set for Enclosure	171.82	Wireless
80-267	Concord RF16 Integrated Starter Package H13: Includes Concord RF16 Integrated 16-Zone Panel, Fixed Display Touchpad, Phone Cord, RJ31X Jack and Lock Set	204.45	Wireless
80-267-4	Concord 4: RF16 Control, SB2000 Fixed English Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set	171.82	Wireless
80-268	Concord RF16 Integrated Starter Package H14: Includes Concord RF16 Integrated 16-Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	216.58	Wireless
80-269	Concord RF32 Integrated Starter Package H15: Includes Concord RF32 Integrated 32-Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	245.54	Wireless
80-269-SEC	Security Pro 6000 RF 32 Integrated Starter Package H15: Includes Security Pro 6000 Integrated 32 Zone Panel, Security Pro-Labeled 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	301.60	Security Pro
80-276-3N	Simon 3 Crystal Package C4 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) Crystal Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	297.02	Wireless
80-276-3X	Simon 3 Crystal Package C4: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) 60-362N-10-319.5 Crystal Door/Window Sensors and (1) 60-807-95R SAW Pet Immune PIR Motion Sensor	312.51	Wireless
80-276-3X-SPN	Simon 3 Crystal Package (Spanish). Includes Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) crystal D/W Sensors and (1) SAW Pet PIR motion	312.51	Wireless
80-283-3N	Simon 3 SAW Package A7 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (3) SAW Door/Window Sensors	235.14	Wireless
80-284-3X	Simon 3 Crystal Package C7: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (3) Crystal Door/Window Sensors	261.46	Wireless
80-305-3N	Simon 3 SAW Package A3 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	284.65	Wireless
80-305-3N-CN	Simon 3 Canada SAW Package without X10. Includes Panel, CSA-listed transformer, phone cord, 24-hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) SAW D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob	284.65	Wireless
80-305-3X	Simon 3 SAW Package A3: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	300.13	Wireless
80-305-3X-CN	Simon 3 Canada SAW Package. Includes Panel, CSA-listed line carrier transformer, phone cord, 24 hr rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) SAW D/W Sensors, (1) SAW Pet Motion, (1) 4-Button SAW Keyfob	300.13	Wireless
80-307-3N	Simon 3 SAW Package A2 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	261.46	Wireless

80-307-3N-SPN	Simon 3 Spanish SAW Package A2 w/o X10: Includes Simon 3 Spanish Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	261.46	Wireless
80-307-3X	Simon 3 SAW Package A2: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	276.91	Wireless
80-332	Concord Demonstration Kit. Includes Panel, transformer, 2x16 LCD touchpad, Phone Interface/Voice Module, Line Carrier card, Interrogator, (1)SAW D/W sensor, (1)PIR motion inactive, (1)Pendant Panic inactive (1)4-button SAW Keyfob & carrying case	735.14	Wireless
80-357	Express Starter Package F02: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery and Lock Set	128.58	Wireless
80-358	Express Starter Package F03: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) 2-Button SAW Keychain Touchpad, Battery, Lock Set and Owner's Video Sold Separately	153.09	Wireless
80-359	Express Starter Package F04: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (2) 2-Button SAW Keychain Touchpads, Battery, Lock Set and Owner's Video Sold Separately	179.82	Wireless
80-360	Express Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (3) recessed hardwire magnetic contacts, (1) hardwire siren, (1) hardwire Pet PIR motion.	141.27	Wireless
80-360-CN	Express Canada Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, CSA-listed transformer, phone cord, RJ31X jack, (3) recessed hardwire contacts, (1) hardwire siren, (1) hardwire Pet PIR motion.	141.27	Wireless
80-361	Express Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (3) recessed hardwire contacts, (1) hardwire siren, (1) hardwire Pet PIR motion, (1) 2-Button SAW Keyfob.	173.68	Wireless
80-361-CN	Express Canada Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, CSA-listed transformer, phone cord, RJ31X jack, (3)recessed contacts, (1)hardwire siren, (1)hardwire Pet PIR motion, (1)2-Button Keyfob.	173.68	Wireless
80-362	Express Hardwire Package. Includes Panel wirntegrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (3)recessed hardwire contacts, (1)hardwire siren, (1) hardwire Pet PIR motion, (2)2-Button SAW Keyfobs.	198.76	Wireless
80-369	Express Hardwire Package w/Battery F11B: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR	180.97	Wireless
80-444	Express Wireless SAW Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1)hardwire siren, (2)SAW D/W Sensors, (1)SAW Pet PIR. Battery & lock set sold separately	274.57	Wireless
80-450-3X	Simon 3 SAW Package A7: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (3) SAW Door/Window Sensors	327.43	Wireless
80-460-3N	Simon 3 SAW Package A8 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (5) SAW Door/Window Sensors	276.91	Wireless
80-460-3X	Simon 3 SAW Package A8: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (5) SAW Door/Window Sensors	292.40	Wireless
80-517-3N	Simon 3 SAW Package A5 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	310.96	Wireless
80-517-3N-XT	Simon XT SAW Package A5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	374.40	Wireless
80-517-3X	Simon 3 SAW Package A5: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	326.42	Wireless
80-518	Express Starter Package F01: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, 2x16 LCD Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery and Lock Set	163.24	Wireless
80-518-SEC	Security Pro 500 Starter Package F01: Includes Security Pro 500 Panel w/Integrated 16-Zone Wireless Receiver, Security Pro-Labeled 2x16 LCD Touchpad, Transformer, Battery, Phone Cord, RJ31X Jack, Owner's Video Sold Separately and Lock Set	180.78	Security Pro
80-555-3X	Simon 3 Crystal Package C22: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) Crystal Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	392.91	Wireless
80-562-3N	Simon 3 SAW Package D5 w/o X10: Includes Simon 3 Panel, Transformer, RJ31X Jack, Owner's Video, (3) 60-670-95R SAW Door/Window Sensors, (1) 60-807-95R SAW Pet Immune PIR Motion Sensor and (1) 60-659-95R 4-Button SAW Keychain Touchpad	370.19	Wireless
80-562-3X	Simon 3 SAW Package D5: Includes Simon 3 Panel, Line Carrier Transformer, RJ31X Jack, Owner's Video, (3) 60-670-95R SAW Door/Window Sensors, (1) 60-807-95R SAW Pet Immune PIR Motion Sensor and (1) 60-659-95R 4-Button SAW Keychain Touchpad	411.32	Wireless
80-622	Concord Express Mini Demonstration Kit. Includes Carrying case, SB2000 Touchpad/Panel demo unit, (1)2-Button Keyfob, (1) D/W sensor, (1)PIR motion (inactive), Beyond Security brochure, Panel spec sheet, batteries, transformer & wire	222.77	Wireless
80-632-3N	Simon 3 Starter Package A1 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack and Owner's Video	205.13	Wireless
80-632-3N-XT 80-632-3N-XT-TT	Simon XT Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video Simon XT Tabletop Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video	234.00 300.30	Wireless Wireless
80-632-3X 80-634	Simon 3 Starter Package A1: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack and Owner's Video Express Wireless SAW Package. Includes Panel, Fixed Display Touchpad, transformer, phone	220.58 304.56	Wireless Wireless
	cord, RJ31X jack, (1) hardwire siren, (2) SAW D/W Sensors, (1) SAW Pet PIR, (1) SAW 2-Button Keyfob. Battery & lock set sold separately	50-1.50	

80-635	Express Wireless SAW Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (3) SAW D/W Sensors, (1) SAW Pet PIR Motion. Battery and lock set sold separately.	304.56	Wireless
80-636	Express Wireless Crystal Package G2: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	282.46	Wireless
80-637	Express Wireless Crystal Package G3: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	312.43	Wireless
80-638	Express Wireless Crystal Package G4: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	312.43	Wireless
80-648-3X	Simon 3 Crystal Pkg. Includes panel, line carrier transformer, phone cord, 24-hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) Crystal D/W Sensors, (1) Crystal PIR Motion Sensor, (1) 4-Button SAW Keyfob	318.70	Wireless
80-649-3D-XT-GSM	Simon XT GSM-DesignLine Kit: Panel, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) TX-1010-01-1 (1) 60-807-95R, (1) TX-4014-01-2 and (1) 600-1048-XT	532.47	Wireless
80-649-3N	Simon 3 Crystal Package without X10. Includes Panel, transformer, phone cord, 24-hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (3) Crystal D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob	321.78	Wireless
80-649-3N-XT	Simon XT Crystal Package C5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	383.50	Wireless
80-649-3X	Simon 3 Crystal Package. Includes Panel, line carrier transformer, phone cord, 24-hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (3) Crystal D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob	337.26	Wireless
80-650-3X	Simon 3 Crystal Package C8: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (5) Crystal Door/Window Sensors	309.40	Wireless
80-653-ITI	Express Wireless SAW Package. Includes Panel, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (3) SAW D/W Sensors, (1) SAW Pet PIR, (1) SAW 2-button Keyfob. Battery, lock set and Owner's Video sold separately	331.38	Wireless
80-658-ITI	Express Wireless Crystal Package G5: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	342.42	Wireless
80-660-ITI	Express Wireless Crystal Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (5) Crystal D/W Sensors. Battery, lock set and Owner's Video sold separately	317.19	Wireless
80-669	Express Wireless Crystal Package. Includes Panel Wintegrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (3) Crystal D/W Sensors. Battery, lock set and Owner's Video sold separately	244.60	Wireless
80-685	Express Wireless SAW Package. Includes Control w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (5) SAW D/W Sensors. Battery, lock set and Owner's Video sold separately	299.82	Wireless
80-697	Allegro Panel and DTIM Package: Includes (1) 60-874-95R Allegro Panel, (1) 60-879-95R Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord, Owner's Manual and Installation Instructions	201.34	Wireless
80-697-CN	Allegro Canadian Panel and DTIM Package: Includes Allegro Panel, Dialog Telephone Interface Module, Class II CSA Listed Transformer, Rechargeable Panel Battery, RJ31X Jack and Phone Cord. Includes Owner's Manual and Installation Instructions	201.34	Wireless
80-698	Security Pro Door/Decal Pack: Includes (10) Security Security Pro-Labeled Doors for the Fixed Display Touchpad and (10) Security Security Pro Panel Decals	NC	Security Pro
80-702	Allegro Demo Kit: Includes Panel, (1) SAW Door/Window Sensor, (1) 2-Button SAW Keychain Touchpad, (1) PIR Motion Sensor (Inactive - Plastic Only), (1) DTIM (Inactive - Plastic Only), (1) 9V Alkaline Battery, Soft-Sided Demo Case	398.20	Wireless
80-706-4	Concord 4: SB2000 2x16 LCD Alpha Touchpad, RJ31X, Phone Cord, MPI-35 Speaker, AP750W PIR, 4-Button Keyfob, (2) Learn Mode Door/Window Sensor-White, Lock and Key Set	304.45	Wireless
80-709	Advent Commercial Fire 132-Zone Package: Includes 132-Zone Panel, 2x20 VFD Fire Touchpad and Fire Radio Transceiver Module. Battery and Transformer Sold Separately	1583.40	Wireless
80-710	Advent Commercial Fire 132-Zone Package w/Dual Phone Line: Includes 132-Zone Panel, 2x20 VFD Fire Touchpad and SuperBus 2000 Dual Phone Line Module. Battery and Transformer Sold Separately	1222.00	Wireless
80-711	Advent Commercial Fire 250-Zone Package: Includes 250-Zone Panel, 2x20 VFD Fire Touchpad and Fire Radio Transceiver Module. Battery and Transformer Sold Separately	2035.80	Wireless
80-724	Security Pro Concord Express Wireless Crystal Package w/Crystal PIR. Includes: Control, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, Owner's Manual, (1) hardwire siren, (3) Crystal D/W Sensors and (1) DS924I PIR Motion	418.03	Security Pro
80-736-3N	Simon 3 Crystal Package without X10. Includes Panel, transformer, phone cord, 24-hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) Crystal D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob	303.21	Wireless
80-742	Upsell Kit: Designed to Provide Upselling Strategies, Tips and Techniques, the Upsell Kit Provides an Array of Tools that Are Ready for Use. The Upsell Kit Includes a Black, Soft-Sided Case, Foam Inserts for Component Kits (Below) and a Literature Pack	72.29	Wireless
80-746-3X	Security Pro Simon 3 Crystal Package w/X10 C23: Control, Line Carrier Transformer, Phone Cord, RJ31X Jack, Owner's Manual, Video, (2) 60-362N-10-319.5 Crystal Door/Window Sensors and (1) 60-511-01-95 Crystal PIR	373.75	Security Pro
80-755-3N	Simon 3 SAW Package A9 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (8) SAW Door/Window Sensors	338.79	Wireless
80-772	Advent Commercial Fire 250-Zone Package: Includes 250-Zone Panel, 2x20 VFD Fire Touchpad and Fire Radio Transceiver Module w/Altronix Power Supply. Battery Sold Separately	1697.80	Wireless

80-784	Simon 3 Crystal Package w/DS924l: Includes Simon 3 Panel, Line Carrier Transformer, RJ31X Jack, Owner's Video and (2) 60-362N-10-319.5 Crystal Door/Window Sensors and (1) 60-511-02-	300.30	Wireless
80-795	95 DS924I Pet Immune Crystal PIR Motion Sensor Allegro SAW Package A2: Includes Allegro Panel, Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	266.70	Wireless
80-796	Allegro SAW Package. Includes Panel, Dialog Telephone Interface Module, Class II transformer, rechargeable panel battery, RJ31X telco jack, phone cord, (2) SAW D/W Sensors, (1) SAW Pet PIR Motion, (1) 2-Button Keyfob	282.46	Wireless
80-797	Allegro SAW Package. Includes Panel, Dialog Telephone Interface Module, Class II transformer, rechargeable panel battery, RJ31X telco jack, phone cord, (3) SAW D/W Sensors, (1)SAW Pet PIR Motion, (1)2-Button Keyfob	309.28	Wireless
80-798	Allegro SAW Package A7: Includes Allegro Panel, Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord and (3) SAW Door/Window Sensors	231.96	Wireless
80-803	Concord Ultra LCD Starter Package: Includes Concord Ultra Panel, 24VAC 50VA Line Carrier Transformer, 2x20 LCD Alphanumeric Touchpad and RJ31X Jack	584.78	Wireless
80-803-SEC	Security Pro 7000 LCD Starter Package: Includes Security Pro 7000 Panel, 24 VAC 50VA Line Carrier Transformer, Security Pro-Labeled 2x20 LCD Alphanumeric Touchpad and RJ31X Jack	551.92	Security Pro
80-806	Simon 3 Spanish Starter Package w/o X10: Includes Simon 3 Spanish Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack and Owner's Video	205.13	Wireless
80-814	Toll Brothers Concord Express Package 1: 24-Zone Control Panel, Class II Transformer, Phone Cord, RJ31X Jack, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (1) 60-746-01 2x16 LCD Touchpad	120.37	Toll Brothers
80-814-4	Toll Brothers Concord 4 Package 1: Control Panel, Transformer, Phone Cord, RJ31X Jack, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (1) 60-746-01 2x16 LCD Touchpad	129.92	Toll Brothers
80-815	Toll Brothers Concord Express Package. Includes Panel (Configured with 6 Hardwire & 16 wireless zones), class II transformer, RJ31X jack, phone cord, hardwire siren, hardwire PIR motion, 12 VDC 4 AH backup battery, and (1)Alpha 2x16 LCD touchpad	122.79	Toll Brothers
80-815-4	Toll Brothers Concord 4 Package 1 w/Battery: Control Panel, Transformer, Battery, Phone Cord, RJ31X Jack, Owner's Manual, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (1) 60-746-01 2x16 LCD Touchpad	129.94	Toll Brothers
80-816	Toll Brothers Concord Express Package 2: 24-Zone Control Panel, Class II Transformer, Phone Cord, RJ31X Jack, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (2) 60-746-01 2x16 LCD Touchpads	173.36	Toll Brothers
80-816-4	Toll Brothers Concord 4 Package 2: Control Panel, Transformer, Phone Cord, RJ31X Jack, (1) 13- 469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (2) 60- 746-01 2x16 LCD Touchpads	180.39	Toll Brothers
80-817	Toll Brothers Concord Express Package. Includes Panel (Configured with 6 Hardwire & 16 wireless zones), class II transformer, RJ31X jack, phone cord, hardwire siren, hardwire PIR motion, 12 VDC 4 AH backup battery, and (2) Alpha 2x16 LCD touchpads	177.39	Toll Brothers
80-817-4	Toll Brothers Concord 4 Package 2 w/Battery: Control Panel, Transformer, Battery, Phone Cord, RJ31X Jack, Owner's Manual, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor and (2) 60-746-01 2x16 LCD Touchpads	181.94	Toll Brothers
80-818	Toll Brothers Concord Express Package. Includes Panel (Configured with 6 Hardwire and 16 wireless zones), class II transformer, RJ31X jack, phone cord, (1) hardwire siren, (1) hardwire PIR motion sensor, (2) Alpha 2 x 16 LCD Touchpads, and (3) Smokes	285.77	Toll Brothers
80-818-4	Toll Brothers Concord 4 Package 3: Control Panel, Transformer, Phone Cord, RJ31X Jack, (1) 13-469 Hardwire Wall Mount Siren, (1) Pl6000 Hardwire Pet Immune PIR Motion Sensor, (1) 521BXT 2 Wire Smoke Detector and (2) 60-746-01 2x16 LCD Touchpads	287.46	Toll Brothers
80-819-4	Toll Brothers Concord 4 Package w/Battery. Includes Panel, class II transformer, RJ31X jack, phone cord, 12 VDC 4.5 AH backup battery. (1) hardwire siren, (1)hardwire PIR Motion, (3)521BXT Smoke, and (2) Alpha 2 x 16 LCD touchpads	279.44	Toll Brothers
80-820	Toll Brothers Concord 4 Package 4: 96-Zone Control Panel, Class II Transformer, Phone Cord, RJ31X Jack, (1) MPI-35 Hardwire Interior Speaker, (1) AP100PI Hardwire PIR Motion Sensor and (2) 60-746-01 2x16 LCD Touchpads	259.29	Toll Brothers
80-837	Concord Wireless SAW Package. Includes 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)SAW D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob, (1)hardwire speaker. Battery and transformer sold separately	341.43	Wireless
80-840	Concord RF16 Integrated ATP1000 Starter Package: Includes Concord RF16 Integrated 16-Zone Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	216.58	Wireless
80-842	Express ATP1000 Starter Package: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery, Lock Set and Owner's Video Sold Separately	163.24	Wireless
80-843	Concord ATP1000 Hybrid Starter Package: Includes Concord Hybrid 8-Zone Hardwire Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, Jack and Lock Set	195.59	Wireless
80-843-4	Concord 4: ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set for Enclosure	175.02	Wireless
80-847-4	Concord 4: ATP1000 Alpha Touchpad, Interrogator 200 AVM, RJ31X Jack, 16.5V 40VA	267.32	Wireless
80-860-4	Transformer, Lock and Key Set Concord 4: ATP1000 Alpha Touchpad, RJ31X Jack, Phone Cord, (3) Learn Mode Door/Window	241.24	Wireless
80-863	Sensors, PIR Crystal, Lock and Key Set Security Pro 6000 RF16 Flip-top Touchpad Starter Package: Includes Security Pro 6000 Integrated 16-Zone Panel, ATP2600 Flip-Top 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	276.00	Security Pro
80-864	Security Pro 500 Flip-Top Starter Package: Includes Security Pro 500 Panel w/Integrated 16-Zone Wireless Receiver, ATP2600 Flip-Top 2x16 LCD Touchpad, Transformer, Battery, Phone Cord, RJ31X Jack, Owner's Video Sold Separately and Lock Set	189.31	Security Pro
80-870	Concord Hardwire Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3) recessed hardwire magnetic contacts, (1) hardwire Pet PIR motion, (1) hardwire speaker. Battery and transformer sold separately	260.08	Wireless
80-871	Concord Wireless Crystal Package. Includes Control with 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)Crystal D/W Sensors, (1)Crystal PIR Motion, (1) hardwire speaker. Battery, transformer & Owner's Video sold separately	331.38	Wireless
80-871-4	Concord 4: SB2000 2x16 LCD Alpha Touchpad, Phone Cord, RJ31X Jack, Learn Mode Door Window Sensor, PIR Crystal, MPI-35 Speaker, Lock and Key Set	348.26	Wireless

80-872	Concord Wireless Crystal Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2) Crystal D/W Sensors, (1) Crystal PIR Motion Sensor, (1) 4-Button SAW Keyfob, (1) bardwire species. Patton and temperature cold sensorably.	358.12	Wireless
80-872-4	hardwire speaker. Battery and transformer sold separately Concord 4: SB2000 2x16 LCD Alpha Touchpad, RJ31X, Phone Cord, 4-Button Keyfob, Learn	384.71	Wireless
80-873	Mode Door/Window Sensor, Crystal PIR, MPI-35 Speaker, Lock and Key Set Concord Wireless Crystal Package. Includes Control with 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3)Crystal D/W Sensors, (1)Crystal Motion, (1)hardwire speaker. Battery, transformer and Owner's Video sold separately	434.81	Wireless
80-874	Concord Wireless Crystal Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3) Crystal D/W Sensors, (1) hardwire speaker. Battery, transformer and Owner's Video sold separately	354.12	Wireless
80-874-4	Concord 4: SB2000 2x16 LCD Touchpad, RJ31X, Phone Cord, Learn Mode Door/Window Sensor, MPI-35 Speaker, Lock and Key Set	338.90	Wireless
80-874-SEC	Security Pro 6000 Wireless Crystal Package. Includes Panel, Pro-labeled 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3) Crystal D/W Sensors, (1) hardwire speaker. Battery, transformer and Owner's Video sold separately	336.48	Security Pro
80-908	Concord RF16 Hardwire Package. Includes Panel, Fixed Display Touchpad, Class II transformer, phone cord, RJ31X jack, lock set, (3) recessed hardwire contacts, (1) hardwire Pet PIR motion, (1) interior speaker. Battery & Owner's Video sold separately	274.21	Wireless
80-909	Concord RF32 Hardwire Package. Includes Panel, 2x16 LCD Touchpad, 30 VA Class II transformer, phone cord, RJ31X jack, lock set, (3) recessed hardwire contacts, hardwire Pet PIR motion, interior speaker. Battery and Owner's Video sold separately	351.56	Wireless
80-916-3N	Simon 3 SAW Package A10 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (10) SAW Door/Window Sensors	385.22	Wireless
80-918-4	Concord 4: ATP1000 Alpha Touchpad, Transformer, Phone Cord and RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) MPI-35 Speaker, (1) PI6000 PIR, Lock and Key Set	218.57	Wireless
80-919	Express Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, ATP1000 2x16 Alpha Touchpad, transformer, phone cord, RJ31X jack, (3)recessed hardwire contacts, (1)hardwire siren, (1) hardwire Pet PIR motion, (1)2-Button SAW Keyfob.	203.65	Wireless
80-920	Express Hardwire Package with ATP1000. Includes Panel w/integrated 16-zone wireless receiver, ATP1000 2x16 Alpha Touchpad, transformer, phone cord, RJ31X jack, (3)recessed hardwire contacts, (1)hardwire siren, (1)hardwire Pet PIR motion.	171.28	Wireless
80-922-1	Repeater Kit 319.5, with Crystal Transmitter	220.86	Wireless
80-936	SuperBus Transceiver w/Enclosure	116.94	Wireless
80-951-4 80-952-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord and RJ31X Jack Concord 4 Panel: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	152.85 156.12	Wireless Wireless
80-953-4	Concord 4 Panel: SB2000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack	181.81	Wireless
80-963-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2-Button SAW Keychain Touchpad	192.24	Wireless
80-965-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, Siren, 4-Button Keyfob, Door/Window Sensor and Pet Immune PIR	304.98	Wireless
80-966-4 80-968-4	Concord 4: ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack Concord 4: ATP1000 2x16 Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	181.81 189.84	Wireless Wireless
80-969-4	Concord 4: Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector, 12V, 4AH Battery, Lock Set and Owner's Video Sold Separately	198.54	Wireless
80-970-4-SEC	Security Pro Concord 4 Starter Package F01: 2x16 Alphanumeric Touchpad, Transformer, Phone Cord and RJ31X Jack	197.85	Security Pro
80-972-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack and (1) 2-Button SAW Keychain Touchpad	171.65	Wireless
80-973-4-CN	Concord 4: Fixed Display Touchpad, CSA Listed Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	159.84	Wireless
80-975-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	330.99	Wireless
80-976-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	330.99	Wireless
80-977-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (2) 2-Button SAW Keychain Touchpads	217.32	Wireless
80-978-4	Concord 4: ATP1000 2x16 Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2-Button SAW Keychain Touchpad	222.21	Wireless
80-979-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless SAW Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	293.14	Wireless
80-982-4-CN	Concord 4: Fixed Display Touchpad, CSA Listed Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2-Button SAW Keychain Touchpad.	192.24	Wireless
80-983-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	323.13	Wireless
80-984-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless SAW Door/Window Sensors, (1) Wireless SAW Pet Immune PIR Motion Sensor and (1) 2-Button SAW Keychain Touchpad	323.13	Wireless
80-985-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR Motion Sensor and (1) SAW 2-Button Keychain Touchpad	330.99	Wireless

80-986-4	Concord 4: SB2000 Fixed English Touchpad, Transformer, Phone Cord, (1) RCR-PET PIR, Battery, RJ31X Jack and (1) Hardwire Siren	258.77	Wireless
80-987-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, (1) Hardwire Siren and RJ31X Jack	162.45	Wireless
30-991-4	Concord 4: ATP2100 Alpha Touchpad, RJ31X Jack, Transformer and Phone Cord	195.03	Wireless
378DEX-N5	Horn, Fire Alarm, Hazardous Location, 24VDC, Gray	828.19	Fire
379DEX-G1	Horn, Fire Alarm, Hazardous Location, 24VDC	1095.64	Fire
84D-N5	Horn, Fire Alarm, Hazardous Location, 120VAC, Red	110.93	Fire
86D-N5	Horn, Fire Alarm, Hazardous Location, 120VAC, Red	145.60	Fire
88D-N5	Fire Alarm Horn, Explosion-Proof, 120VAC	837.20	Fire
89D-AW			
	Fire Alarm Horn, Explosion-Proof, 24VDC	1108.47	Fire
97B-009	Surf. Red Strobe Back Box	17.68	Fire
97B-108 97B-109	Weatherproof Back Box for Strobe, Beige - Fire Alarm Bell Box	26.35	Fire
	Strobe - Beige Surface Box - Handy Box	17.68	Fire
70077001	Access Vision Imaging License. (For all versions of Picture Perfect). License only, no media or documentation included. Picture Perfect host required.	6093.75	Picture Perfect
70078001	Access Vision Terminal License. (For all versions of Picture Perfect). License only, no media or documentation included.	1706.25	Picture Perfect
70110001	SP Enterprise and SP Global Enterprise Regional Edition Reader Capacity Increase - 32 to 64 reader license	2559.38	Secure Perfect
70110002	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity Increase - 32 to 64 reader license	2559.38	Secure Perfect
70111001	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity Increase - 32 to 128 reader license	4777.50	Secure Perfect
70111002	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity Increase - 64 to 128 reader license	2218.13	Secure Perfect
70112001	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity Increase - 32 to 256 reader license	9384.38	Secure Perfect
970112002	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity Increase - 128 to 256 reader license	4606.88	Secure Perfect
70113001	Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	18598.13	Secure Perfect
70113002	Increase - 32 to 512 reader license Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	9213.75	Secure Perfect
70114001	Increase - 256 to 512 reader license Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	30712.50	Secure Perfect
70114002	Increase - 32 to 1,024 reader license Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	12114.38	Secure Perfect
70115001	Increase - 512 to 1,024 reader license Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	37537.50	Secure Perfect
70115002	Increase - 32 to 4,096 reader license Secure Perfect Enterprise Secure Perfect Global Enterprise Regional Edition Reader Capacity	6825.00	Secure Perfect
970116001	Increase - 1024 to 4,096 reader license Additional Single Secure Perfect Client Workstation License for Secure Perfect Enterprise, Secure	853.13	Secure Perfect
970117001	Perfect Enterprise Regional, Secure Perfect Global Server. Single Photo ID Imaging Option License to be added to any Secure Perfect Client Workstation	1279.69	Secure Perfect
70118001	From Secure Perfect2.1 to Secure Perfect6.1 Imaging License upgrade per Client	307.13	Secure Perfect
70119001	Secure Perfect Terminal Services License. One license per server, enables an unlimited number of thin clients (Microsoft Terminal Services or Citrix MetaFrame license purchased separately).	8531.25	Secure Perfect
970130001	Digital Video Surveillance Option License - Enables operation on all Secure Perfect system workstations. Includes connection license for one (1) DVR. ConnectionI license required for each additional DVR; see part number 970131001.	853.13	Secure Perfect
970131001	Additional DVR Connection License (Maximum supported capacities on Secure Perfect eZ Kits =8, Secure Perfect Professional = 16, Secure Perfect Enterprise = 64)	426.57	Secure Perfect
70135001	License, Picture Perfect External Interface (EIF). No charge if customer has FC Protection Plan.	6825.00	Picture Perfect
70135001-UPG	UPGRADE, Picture Perfect External Interface (EIF). No charge if customer has FC Protection Plan. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2730.00	Picture Perfect
970136001	Redundant Client Communications Option License - Enables network device communications failover to secondary client communications server(s). Supports network deployed Micros and DVMRs.	8531.25	Secure Perfect
70149001	API Connectivity License for Secure Perfect 6.X (per/ application instance)	853.13	Secure Perfect
70165001	Visitor Central Client License	1706.25	Visitor System
70600001 70600001-UPG	License, Digital Video Interface UPGRADE, Digital Video Interface. No Warranty. Does not include SSA. SSA coverage going	853.13 341.25	Picture Perfect Picture Perfect
70601001	forward is required and must be purchased on the same PO. License, Camera Capacity (32 cameras per unit)	1706.25	Picture Perfect
70601001-UPG	UPGRADE, Camera Capacity (32 cameras per unit). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	682.50	Picture Perfect
70602001	License, Camera Capacity (512 cameras per unit)	17062.50	Picture Perfect
70602001 70602001-UPG	UPGRADE, Camera Capacity (512 cameras per unit). No Warranty. Does not include SSA. SSA	6825.00	Picture Perfect
70603001	coverage going forward is required and must be purchased on the same PO. Facility Commander Access Control System Interface License	NC	Picture Perfect
	· ·		
170606001 170606001-UPG	Facility Commander Web Client License, (5 concurrent seats) Facility Commander UPGRADE Web Client License, (5 concurrent seats). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1706.25 682.50	Picture Perfect Picture Perfect
970607001	Facility Commander Command and Control Client License (single seat)	1706.25	Picture Perfect
970607001-UPG	Facility Commander UPGRADE Command and Control Client License (single seat). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the	682.50	Picture Perfect
970608001	same PO. License, Facility Commander Driver for Picture Perfect 1.7 or higher. No charge if customer has PP Protection Plan.	NC	Picture Perfect
			· ·

970610001-UPG	UPGRADE, Facility Commander Remote Media Server for Windows 2000. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2047.50	Picture Perfect
970611001	License, Facility Commander Remote Media Server for Linux	5118.75	Picture Perfect
970611001-UPG	UPGRADE, Facility Commander Remote Media Server for Linux. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2047.50	Picture Perfect
970613001	License, GE Video Driver	NC	Picture Perfect
970614001-UPG	UPGRADE, Panasonic Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	341.25	Picture Perfect
970619001	License, Analog CCTV Switcher Interface	853.13	Picture Perfect
970619001-UPG	UPGRADE, Analog CCTV Switcher Interface. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	341.25	Picture Perfect
970620001	License, Intercom System Interface	853.13	Picture Perfect
970620001-UPG	UPGRADE, Intercom System Interface. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	341.25	Picture Perfect
970621002 970621002-UPG	License, Zenitel AlphaCom Driver UPGRADE, Zenitel AlphaCom Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2559.38 1023.75	Picture Perfect Picture Perfect
970622001	License, Intrusion System Interface	853.13	Picture Perfect
970622001-UPG	UPGRADE, Intrusion System Interface. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	341.25	Picture Perfect
970623001	License, GE Alliance/ATS (AL-4017) Intrusion Panel Driver	426.57	Picture Perfect
970623001-UPG	UPGRADE, GE Alliance/ATS (AL-4017) Intrusion Panel Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	170.63	Picture Perfect
970624001	License, Analog CCTV Switcher Capacity (32 switchers per unit)	1706.25	Picture Perfect
970624001-UPG	UPGRADE, Analog CCTV Switcher Capacity (32 switchers per unit). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	682.50	Picture Perfect
970625001	License, Intercom Station Capacity (32 stations per unit)	1706.25	Picture Perfect
970625001-UPG	UPGRADE, Intercom Station Capacity (32 stations per unit). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	682.50	Picture Perfect
970626001	License, Intrusion Panel Capacity (32 panels per unit)	1706.25	Picture Perfect
970626001-UPG	UPGRADE, Intrusion Panel Capacity (32 panels per unit). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	682.50	Picture Perfect
970628001	Guard Tour Option License for Secure Perfect 6.X	853.13	Secure Perfect
970629001	License, Integral DVXi and DSXpress Driver - CD 441579002 required.	2559.38	Picture Perfect
970629001-UPG	UPGRADE, Integral DVXi and DSXpress Driver - CD 441579002 required. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1023.75	Picture Perfect
970630001	License, American Dynamics Intellex	2559.38	Picture Perfect
970630001-UPG	UPGRADE, American Dynamics Intellex 3.1. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1023.75	Picture Perfect
970631001 970631001-UPG	License, NiceVision Pro and Harmony Driver UPGRADE, NiceVision Pro and Harmony Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2559.38 1023.75	Picture Perfect Picture Perfect
970632001 970632001-UPG	License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going	2559.38 1023.75	Picture Perfect Picture Perfect
00001/4 D D	forward is required and must be purchased on the same PO.	0400.44	F1 0 : T
9902V1-R-R	SM - 2-CH Video, Rx, Rack	2108.44	Fiber Optic Transmission
9902V1-T-R 9902VMPD1-R-R	SM - 2-CH Video, Tx, Rack SM - 2-CH Video, 2-Way MPD, Rx, Rack	2027.19 3375.94	Fiber Optic Transmission Fiber Optic Transmission
9904V1-R-R	SM - 4-CH Video, Rx, Rack	2514.69	Fiber Optic Transmission
9904V1-T-R	SM - 4-CH Video, Tx, Rack	2352.19	Fiber Optic Transmission
9904VMPD1-R-R	SM - 4-CH Video, 2-Way MPD, Rx, Rack	3863.44	Fiber Optic Transmission
9904VMPD1-T-R	SM - 4-CH Video, 2-Way MPD, Tx, Rack	2920.94	Fiber Optic Transmission
9904VMPD2-R-R	SM - 4-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	2839.69	Fiber Optic Transmission
9904VMPD2-T-R	SM - 4-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	2758.44	Fiber Optic Transmission
9906V1-R-R	SM - 6-CH Video, Rx, Rack	2920.94	Fiber Optic Transmission
9906V1-T-R	SM - 6-CH Video, Tx, Rack	3327.19	Fiber Optic Transmission
9906VMPD1-R-R	SM - 6-CH Video, 2-Way MPD, Rx, Rack	4350.94	Fiber Optic Transmission
9906VMPD1-T-R	SM - 6-CH Video, 2-Way MPD, Tx, Rack	3895.94	Fiber Optic Transmission
9906VMPD2-R-R	SM - 6-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	3245.94	Fiber Optic Transmission
9906VMPD2-T-R	SM - 6-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	3245.94	Fiber Optic Transmission
9908V1-R-R	SM - 8-CH Video Rx, Rack	3327.19	Fiber Optic Transmission
9908V1-T-R	SM - 8-CH Video Tx, Rack	3733.44	Fiber Optic Transmission
9908VMPD1-R-R	SM - 8-CH Video, 2-Way MPD, Rx, Rack	4838.44	Fiber Optic Transmission
9908VMPD1-T-R	SM - 8-CH Video, 2-Way MPD, Tx, Rack	4383.44	Fiber Optic Transmission
9908VMPD2-R-R	SM - 8-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	3652.19	Fiber Optic Transmission
9908VMPD2-T-R 991000006	SM - 8-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber Badge Encode Format, 2801	3733.44 NC	Fiber Optic Transmission Credentials
991000007	Badge Encode Format, 2802	NC	Credentials
991000008	Badge Encode Format, 2804	NC	Credentials
991000009	Badge Encode Format, 2601	NC	Credentials
991000038	Slot punch, none	NC	Credentials
991000039 991000040	Slot punch, vertical top center External ID, none	0.26 NC	Credentials Credentials
991000074	Magstripe Encode, none	NC	Credentials
991000075	Magstripe Encode, sequential, start number	0.47	Credentials

991000089	Front GE Security logo	NC NC	Credentials
991000091	Slot punch, horizontal top center	0.26	Credentials
991000096	External ID Location, none	NC	Credentials
00100000	External B Escator, note		o.odomiaio
991000097	External ID Location, back, top right	NC	Credentials
991000107	Front plain white	NC	Credentials
004000400	Frank system 4. selec	0.69	0
991000108	Front custom 1 - color	1.08	Credentials Credentials
991000109 991000110	Front custom 2 - color	1.57	Credentials
991000111	Front custom 3 - color Front custom 4 - color	2.09	Credentials
		2.60	Credentials
991000112 991000113	Front custom 5 - color	3.11	Credentials
991000114	Front custom 6 - color Back plain white	NC	Credentials
391000114	васк раш write	INC	Credentials
991000115	Back custom 1 - color	0.69	Credentials
991000116	Back custom 2 - color	1.08	Credentials
991000117	Back custom 3 - color	1.57	Credentials
991000118	Back custom 4 - color	2.09	Credentials
991000119	Back custom 5 - color	2.60	Credentials
991000120	Back custom 6 - color	3.11	Credentials
991000121	Plate charge per color, per side. Required for both customer supplied and custom artwork.	341.25	Credentials
991000122	Customer supplied artwork preparation charge - artwork must be camera ready	767.82	Credentials
991000122	External ID Location, front, specify	NC	Credentials
	External ID Location, back, specify		
991000148	External ID Location, back, specify	NC	Credentials
991000157	Slot Punch, special, specify	0.86	Credentials
991000176	Magstripe Encode, standard, match Prox encode	0.73	Credentials
991000179	Magstripe Encode, IBM, match encode	0.73	Credentials
991000191	Badge Encode Format, specify	0.38	Credentials
991000194	External ID, sequential, not to match encode, start number	0.69	Credentials
991000195	External ID, match encode	0.73	Credentials
9910V1-R-R	SM - 10-CH Video, Rx, Rack	3733.44	Fiber Optic Transmission
9910V1-T-R	SM - 10-CH Video, Tx, Rack	4220.94	Fiber Optic Transmission
9910VMPD1-R-R	SM - 10-CH Video, 2-Way MPD, Rx, Rack	5325.94	Fiber Optic Transmission
9910VMPD1-T-R	SM - 10-CH Video, 2-Way MPD, Tx, Rack	4870.94	Fiber Optic Transmission
9910VMPD2L-R-R	SM - 10-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	5114.69	Fiber Optic Transmission
9910VMPD2L-T-R	SM - 10-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	4952.19	Fiber Optic Transmission
9910VMPD2-R-R	SM - 10-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	4058.44	Fiber Optic Transmission
9910VMPD2-T-R	SM - 10-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	4220.94	Fiber Optic Transmission
9912VMPD1-R-R	SM - 12-CH Video, 2-Way MPD, Rx, Rack	10635.63	Fiber Optic Transmission
9912VMPD1-T-R	SM - 12-CH Video, 2-Way MPD, Tx, Rack	11935.63	Fiber Optic Transmission
9914VMPD1-R-R	SM - 14-CH Video, 2-Way MPD, Rx, Rack	11041.88	Fiber Optic Transmission
9914VMPD1-T-R	SM - 14-CH Video, 2-Way MPD, Tx, Rack	12260.63	Fiber Optic Transmission
9916VMPD1-R-R	SM - 16-CH Video, 2-Way MPD, Rx, Rack	11448.13	Fiber Optic Transmission
9916VMPD1-T-R	SM - 16-CH Video, 2-Way MPD, Tx, Rack	13235.63	Fiber Optic Transmission
9918VMPD1-R-R	SM - 18-CH Video, 2-Way MPD, Rx, Rack	11854.38	Fiber Optic Transmission
9918VMPD1-T-R	SM - 18-CH Video, 2-Way MPD, Tx, Rack	13641.88	Fiber Optic Transmission
9922VMPD1-R-R	SM - 22-CH Video, 2-Way MPD, Rx, Rack	15181.57	Fiber Optic Transmission
9922VMPD1-T-R	SM - 22-CH Video, 2-Way MPD, Tx, Rack	18187.82	Fiber Optic Transmission
9926VMPD1-R-R	SM - 26-CH Video, 2-Way MPD, Rx, Rack	15994.07	Fiber Optic Transmission
9926VMPD1-T-R	SM - 26-CH Video, 2-Way MPD, Tx, Rack	19487.82	Fiber Optic Transmission
9928VMPD1-R-R			
	SM - 28-CH Video, 2-Way MPD, Rx, Rack	16400.32	Fiber Optic Transmission
9928VMPD1-T-R	SM - 28-CH Video, 2-Way MPD, Tx, Rack	19894.07	Fiber Optic Transmission
9932VMPD1-R-R	SM - 32-CH Video, 2-Way MPD, Rx, Rack	20133.75	Fiber Optic Transmission
9932VMPD1-T-R	SM - 32-CH Video, 2-Way MPD, Tx, Rack	24846.25	Fiber Optic Transmission
9934VMPD1-R-R	SM - 34-CH Video, 2-Way MPD, Rx, Rack	20540.00	Fiber Optic Transmission
9934VMPD1-T-R	SM - 34-CH Video, 2-Way MPD, Tx, Rack	25171.25	Fiber Optic Transmission
9936VMPD1-R-R	SM - 36-CH Video, 2-Way MPD, Rx, Rack	20946.25	Fiber Optic Transmission
9936VMPD1-T-R	SM - 36-CH Video, 2-Way MPD, Tx, Rack	26146.25	Fiber Optic Transmission
9938VMPD1-R-R	SM - 38-CH Video, 2-Way MPD, Rx, Rack	21352.50	Fiber Optic Transmission
9938VMPD1-T-R	SM - 38-CH Video, 2-Way MPD, Tx, Rack	26552.50	Fiber Optic Transmission
99X1VAD	Analog-to-Digital Encoder, Tx	650.00	Fiber Optic Transmission
99X1VDA	Digital-to-Analog Decoder, Rx	650.00	Fiber Optic Transmission
A8911ETH	Phoenix 10/100, 3-Port Ethernet Module	1036.75	Fiber Optic Transmission
A8920A	Phoenix Duplex audio module (4) channels	1036.75	Fiber Optic Transmission
A8957RP1	Phoenix Rear filler panel 1 individual/1 slot	48.75	Fiber Optic Transmission
A8957RP4	Phoenix Rear filler panel 1 group/4 slots	65.00	Fiber Optic Transmission
A8974FLC	Phoenix Fiber module (2) Tx & (2) Rx	4546.75	Fiber Optic Transmission
AB450	Clear Top Mount Strobe for AS395	45.15	Fire
AB451	Amber Top Mount Strobe for AS395	39.26	Fire
AB452	Blue Top Mount Strobe for AS395	45.15	Fire
AB453	Red Top Mount Strobe for AS395	45.15	Fire
ACU-24TFR	Plug-in wall mounted transformer 24V@40VA for RS series ACU	22.18	Controllers
ACU2-MODEM	Modem, 9.6Kb dial-up, ACU2 & ACU-R2-R4 panels (RS-485)	469.22	Controllers
ACU-5APwr	5 Amp 24VDC, 110/220VAC, UPS ready power supply for ACUXL panels	298.60	Controllers
ACU-8APwr	8 Amp 24VDC, 110/220VAC UPS ready power supply for ACUXL panels	575.86	Controllers
ACU-BAT01	Two batteries, 12V / 1.3Ah for ACU RS without BBU power supply. Only used with ACU-24TFR Plug-in Transformer	25.60	Controllers
ACU-BAT07	Two batteries, 12V / 7Ah for ACU RS & XL. Only used with BBU power supply	38.40	Controllers
ACU-BATMR	Battery Mounting Bracket Assembly with hardware for ACUXL panels only (Supports 2 batteries)	21.33	Controllers
	, , G , ,		
	Back plate for remote interface modules (RRE,RIM,RRM)	17.07	Controllers
ACU-BPLRM ACU-BPLXL ACU-DSTNS	Back plate for remote interface modules (RRE,RIM,RRM) Back plate for ACU-XL & RS controllers Door strike noise suppresser	17.07 25.60 17.07	Controllers Controllers Controllers

ACU-ENC-NEMA12 ACU-ENCRM	20 v 16 NEMA 12 rated analogues for BC and VI, parion ACII	202.00	
IACH-ENCRM	20 x 16 NEMA 12 rated enclosure for RS and XL series ACU	383.90	Controllers
100 LITORINI	12 x 12 NEMA 1 rated enclosure for RRE, RIM, RRM modules	63.99	Controllers
ACU-ENCRX	20 x 16 NEMA 1 rated enclosure for RS and XL series ACU	191.96	Controllers
ACU-EOLAL	Alarm device end-of-line terminator (Box of 16)	162.10	Controllers
ACU-EOLRS	RS485 End-of-line terminator (for RIM & RRM application)	17.07	Controllers
ACU-HEATK	ACU Heater Kit, 120 VAC / 110W	127.97	Controllers
ACU-KLOCK	Key lock for enclosures	22.18	Controllers
ACU-MODEM	Modem, 9.6Kb dial-up, plug-in daughter board for RS and XL series ACU	413.78	Controllers
ACU-NCEX4	RS485 Hub, Expands 1 ACU Port to 4 Ports	452.15	Controllers
ACU-NCEX8	RS485 Hub, Expands 1 ACU Port to 8 Ports	670.55	Controllers
ACU-NCEXBO-P	ACU-NCEX RS485 Hub primary board only. 4 Ports	371.11	Controllers
		235.47	
ACU-NCEXBO-S	ACU-NCEX RS485 Hub secondary board only. For second 4 Ports.		Controllers
ACU-NCEXD	RS485 Hub, Expands 2 ACU Ports each to 4 Ports (two NCEX4 in enclosure)	895.78	Controllers
ACU-NCEXRC	ACU-NCEX primary-to-secondary ribbon cable.	22.18	Controllers
ACU-RIMBO	RIM16 processor board only	362.58	Controllers
ACU-RIMRC	RIM16 Proc to Term ribbon cable	22.18	Controllers
ACU-RIMTB	RIM16 termination board only	106.65	Controllers
ACU-RRE1B	RRE1 processor board only	383.90	Controllers
ACU-RRE2P	RRE2 processor board only	576.72	Controllers
ACU-RRE2T	RRE2 termination board only	106.65	Controllers
ACU-RRE4P	RRE4 processor board only	746.49	Controllers
ACU-RRE4T	RRE4 termination board only	106.65	Controllers
ACU-RRERC	RRE2/4 Proc to Term ribbon cable	22.18	Controllers
ACU-RRMBO	RRM16 processor board only	494.82	Controllers
ACU-RS02B	ACURS2 board only	1023.75	Controllers
ACURS02-E0000A	ACURS2 - 2 reader panel, serial & LAN, with back plate, no enclosure, no power supply	1109.07	Controllers
ACURS02-E0005A	ACURS2 - 2 reader panel, serial & LAN, with back plate, no enclosure, 5A BBU power supply	1535.63	Controllers
,		1000.00	- Controllers
	(batteries optional)		
ACURS02-E1L00A	ACURS2 - 2 reader panel, serial & LAN, with key locked enclosure, no power supply	1279.69	Controllers
ACURS02-E1L05A	ACURS2 - 2 reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries	1706.25	Controllers
		1700.20	
	optional)		
ACU-RS04B	ACURS4 board only	1365.00	Controllers
ACURS04-E0000A	ACURS4 - 4 reader panel, serial & LAN, with back plate, no enclosure, no power supply	1450.32	Controllers
ACURS04-E0005A	ACURS4 - 4 reader panel, serial & LAN, with back plate, no enclosure, 5A BBU power supply	1791.57	Controllers
	(batteries optional)		
ACURS04-E1L00A	ACURS4 - 4 reader panel, serial & LAN, with key locked enclosure, no power supply	1620.94	Controllers
ACURS04-E1L05A	ACURS4 - 4 reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries	1962.19	Controllers
	optional)		
A CLIDC4		27.54	O4II
ACURS4	ACU, replacement connectors	37.54	Controllers
ACURT2	Two-Reader Control Panel w/16MB RAM, LAN port	1003.28	Topaz
ACURT2-EX-MU	Two-Reader Control Panel w/Two TPZ-RPP2-50 (Mullion) Readers	1433.25	Topaz
ACURT2-EX-MU-GE	Two-Reader Control Panel w/Two T-500 Readers, Mini-Mullion, Black	1361.75	Topaz
ACURT2-EX-PP	Two-Reader Control Panel w/Two TPZ-RPP2-60 Readers	1261.26	Topaz
ACURT2-EX-PP-GE	Two-Reader Control Panel w/Two T-100 Readers, Mini-Mullion, Black	1197.95	Topaz
ACURT4	Four-Reader Control Panel w/16MB RAN, LAN port	1362.27	Topaz
ACURT4-EX-MU	Four-Reader Control Panel w/four TPZ-RPP2-50 (Mullion) Readers	2239.97	Topaz
ACURT4-EX-MU-GE	Four-Reader Control Panel w/Four T-500 Readers, Mini-Mullion, Black	2128.10	Topaz
ACURT4-EX-PP	Four-Reader Control Panel w/four TPZ-RPP2-60 Readers	1882.34	Topaz
			-
ACURT4-EX-PP-GE	Four-Reader Control Panel w/Four T-100 Readers, Mini-Mullion, Black	1788.15	Topaz
ACU-TAMSW	Cabinet tamper switch for NEMA enclosures	22.18	Controllers
ACU-XL16B	ACUXL16 board only	1535.63	Controllers
			Controllers
ACUXL16-E0000A	ACUXL16 - 16 remote reader panel, serial & LAN, with back plate, no enclosure, no power supply	1535.63	Controllers
ACUXL16-E0005A	ACUXL16 -16 remote reader panel, serial & LAN, with back plate, no enclosure, 5A BBU power	1962.19	Controllers
	supply (batteries optional)		
ACUXL16-E0008A	ACUXL16 -16 remote reader panel, serial & LAN, with back plate, no enclosure, 8A BBU power	2303.44	Controllers
ACUXL16-E0008A	ACUXL16 -16 remote reader panel, serial & LAN, with back plate, no enclosure, 8A BBU power supply (batteries optional)	2303.44	Controllers
	supply (batteries optional)		
ACUXL16-E0008A ACUXL16-E1L00A		2303.44 1706.25	Controllers
ACUXL16-E1L00A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply	1706.25	Controllers
	supply (batteries optional)		
ACUXL16-E1L00A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply	1706.25	Controllers
ACUXL16-E1L00A ACUXL16-E1L05A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional)	1706.25 2132.82	Controllers Controllers
ACUXL16-E1L00A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply	1706.25	Controllers
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional)	1706.25 2132.82 2474.07	Controllers Controllers Controllers
ACUXL16-E1L00A ACUXL16-E1L05A	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply	1706.25 2132.82	Controllers Controllers
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC	1706.25 2132.82 2474.07 47.13	Controllers Controllers Controllers Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC	1706.25 2132.82 2474.07 47.13 47.13	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC	1706.25 2132.82 2474.07 47.13 47.13 68.25	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC	1706.25 2132.82 2474.07 47.13 47.13 68.25	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-SC	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13	Controllers Controllers Controllers Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13	Controllers Controllers Controllers Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-SC	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13	Controllers Controllers Controllers Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC ADP/SM/ST/FC	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25	Controllers Controllers Controllers Fiber Optic Transmission
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25 201.50	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/SC AL-1108 AL-1111	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 2-Line	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/ST ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-11108 AL-1111 AL-1116	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25 201.50 120.90 201.50	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/ST ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-11108 AL-1111 AL-1116	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 2-Line	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1116 AL-11150	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Indoor	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1116 AL-1150 AL-1151	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Indoor Keypad, Outdoor, 3 LEDs	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/SC AL-1108 AL-1116 AL-1150 AL-1151 AL-1156	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line LCD Keypad, 4-Line Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1116 AL-1150 AL-1151	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Indoor Keypad, Outdoor, 3 LEDs	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-1150 AL-1156 AL-1170	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20	Controllers Controllers Controllers Fiber Optic Transmission Alliance Alliance Alliance Alliance Alliance Alliance Alliance Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1150 AL-1151 AL-1156 AL-1170 AL-1191	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-11150 AL-1151 AL-1156 AL-1170 AL-1170 AL-1191	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, Indoor Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1150 AL-1151 AL-1156 AL-1170 AL-1191	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-1150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 1-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC AL-1108 AL-1111 AL-1150 AL-1151 AL-1156 AL-1116 AL-1191 AL-1191 AL-1193 AL-1193 AL-1197 AL-1205	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40	Controllers Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-1150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 1-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-1150 AL-1151 AL-1156 AL-1170 AL-1170 AL-1191 AL-1193 AL-1193 AL-1205	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50	Controllers Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1150 AL-1150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197 AL-1205 AL-1206 AL-1206	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP, No Enclosure	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC ADP/SM/ST/FC AL-1108 AL-1116 AL-1150 AL-1151 AL-1156 AL-1191 AL-1191 AL-1193 AL-1193 AL-1205 AL-1206 AL-1206 AL-1210	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Indoor Keypad, Outdoor, 3 LEDs Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP with Metal Enclosure, Small	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10	Controllers Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/FT/FC ADP/SM/ST/FC AL-1108 AL-1111 AL-1150 AL-1156 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197 AL-1205 AL-1206 AL-1206	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-SC LCD Keypad, 2-Line with Wiegand Interface LCD Keypad, 4-Line LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP, No Enclosure	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/ST ADP/SM/ST/FC AL-1108 AL-1111 AL-1116 AL-1150 AL-1150 AL-1151 AL-1156 AL-1170 AL-1193 AL-1193 AL-1197 AL-1205 AL-1206 AL-1210 AL-1211 AL-1211	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, -Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Input DGP No Enclosure 8-Input DGP With Plastic Enclosure Wireless DGP with Plastic Enclosure	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10 158.60	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC AL-1116 AL-1116 AL-11150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197 AL-1205 AL-1206 AL-1210 AL-1211 AL-1211 AL-1211 AL-1256	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC LCD Keypad, -Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP with Plastic Enclosure 8-Input DGP with Plastic Enclosure 4-Door Controller DGP, 3A, No Enclosure, 1MB	1706.25 2132.82 2474.07 47.13 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 122.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10 158.60 1092.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC AL-1116 AL-1116 AL-11150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197 AL-1205 AL-1206 AL-1210 AL-1211 AL-1211 AL-1211 AL-1256	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, -Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Input DGP No Enclosure 8-Input DGP With Plastic Enclosure Wireless DGP with Plastic Enclosure	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10 158.60	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC AL-1116 AL-1150 AL-1151 AL-1156 AL-1156 AL-1193 AL-1193 AL-1193 AL-1206 AL-1206 AL-1210 AL-1210 AL-1256 AL-1258	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC LCD Keypad, -Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Viegand Interface LCD Keypad, 4-Line with Nagstripe Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP with Plastic Enclosure 4-Door Controller DGP, 3A, No Enclosure 4-Door Controller DGP, 3A, No Enclosure, 1MB FW Upgrade Kit for AL-125x panels	1706.25 2132.82 2474.07 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 152.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10 158.60 1092.00 NC	Controllers Controllers Controllers Fiber Optic Transmission Alliance
ACUXL16-E1L00A ACUXL16-E1L05A ACUXL16-E1L08A ACUXL16-E1L08A ADP/MM/ST/FC ADP/MM/ST/SC ADP/SM/FC/SC ADP/SM/FC/SC ADP/SM/ST/FC ADP/SM/ST/FC AL-1116 AL-1116 AL-11150 AL-1156 AL-1170 AL-1191 AL-1193 AL-1197 AL-1205 AL-1206 AL-1210 AL-1211 AL-1211 AL-1211 AL-1256	supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, no power supply ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 5A BBU power supply (batteries optional) ACUXL16 -16 remote reader panel, serial & LAN, with key locked enclosure, 8A BBU power supply (batteries optional) MM - Adapter, Male-Female, ST-FC MM - Adapter, Male-Female, ST-SC SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, FC-ST SM - Adapter, Male-Female, ST-FC SM - Adapter, Male-Female, ST-FC LCD Keypad, -Line with Wiegand Interface LCD Keypad, 4-Line with Wiegand Interface LCD Keypad, 4-Line with Integrated Smart Reader Keypad, Outdoor, 3 LEDs Keypad, Outdoor, 3 LEDs Keypad, Outdoor with Magstripe Wiegand Interface Module Smart Reader, Indoor Smart Reader, Indoor Smart Reader, Heavy Duty Exterior Pinpad with Integrated Smart Card Reader 8-Input DGP with Power, No Enclosure 8-Zone Plug-In Expansion Module 8-Input DGP with Plastic Enclosure 8-Input DGP with Plastic Enclosure 4-Door Controller DGP, 3A, No Enclosure, 1MB	1706.25 2132.82 2474.07 47.13 47.13 47.13 68.25 47.13 47.13 68.25 201.50 120.90 201.50 122.10 289.90 404.30 239.20 169.00 184.60 273.00 205.40 71.50 143.00 178.10 158.60 1092.00	Controllers Controllers Controllers Fiber Optic Transmission Alliance

AL-1330 AL-1410			
AL-1410	Data/Power Distribution Module	81.90	Alliance
	Magstripe Reader	162.50	Alliance
AL-1420	HID ProxPoint Reader	136.50	Alliance
AL-1421	Miniprox readers 5" read range (HID-MP5363)	223.60	Alliance
AL-1422	Proxpro readers, 9" read range (HID-PR5355G)	269.10	Alliance
AL-1423	Proxpro readers, 9" read range with keypad (HID-PK5355G)	440.70	Alliance
AL-1424	Maxiprox long range reader, 24" read range (HID-MX5373)	842.40	Alliance
AL-1425	Reader, Thinline II	198.90	Alliance
AL-1450-50PKG	Smart Card, Clam Shell Design, 50-Pack	140.40	Alliance
AL-1470	Smart Card, Slimline, Printable	6.50	Alliance
AL-1470-50PKG	Smart Card, Slimline, Printable - 50 pack	325.00	Alliance
AL-1472	Smart Card, with Magstripe	6.50	Alliance
AL-1472-50PKG	Smart Card, with Magstripe - 50 pack	325.00	Alliance
AL-1473	Smart Tag	6.50	Alliance
AL-1480	Default Card for Smart Card Programmer	18.20	Alliance
AL-1623	Smart Card Programmer	188.50	Alliance
AL-1630	Control Panel J18 RS-232 Interface Cable	63.70	Alliance
AL-1631	Relay/Input Connection Cable, 20 inch	33.80	Alliance
AL-1632	PC Interface Cable, 16 ft.	26.00	Alliance
AL-1633	PC Interface Cable, 49 ft.	45.50	Alliance
AL-1635	Relay/Input Connection Cable, 5 1/2 inch	16.90	Alliance
AL-1645	Plastic Enclosure, Small	14.30	Alliance
AL-1660	Card Reader Cover, White (10 pieces)	27.30	Alliance
AL-1663	Card Reader Cover, Beige (10 pieces)	27.30	Alliance
AL-1664	Card Reader Cover, Black (10 pieces)	27.30	Alliance
AL-1665	Card Reader Cover, Light Gray (10 pieces)	27.30	Alliance
AL-1668	Card Reader Cover, Rectangular, White (1 piece)	5.20	Alliance
AL-1672	Transformer, 18V, 100VA Class I	106.60	Alliance
AL-1680	Metal Enclosure, Large, UL (Safe and Vault)	171.60	Alliance
AL-1681	Metal Universal Mounting Plate, Medium, UL	19.50	Alliance
AL-1682	Metal Enclosure, Large, UL	120.90	Alliance
AL-1683	Metal Universal Mounting Plate, Large, UL	63.70	Alliance
AL-1684	Metal Enclosure, Medium, UL	89.70	Alliance
AL-1685	Metal Enclosure, Small, UL	40.30	Alliance
AL-1686	Metal Battery Box, UL	156.00	Alliance
AL-1688	UL 24V, 2.5 Battery Backup, Power Supply	369.20	Alliance
AL-1690	Transformer 24V, 100VA Class I	68.90	Alliance
AL-1691	Transformer 24V, 50VA Class II	50.70	Alliance
AL-1692	Transformer 16.5V, 50VA Class II	32.50	Alliance
AL-1693	Battery Harness, Dual, 36 inch, for 17.2Ah, Control Panel or DGP Series	24.70	Alliance
AL-1697	Battery Harness, Dual, 36 inch, for 17.2Ah, AL-1256 or AL-1265 Series	9.10	Alliance
AL-1698	Battery Harness, Dual, 36 inch, for 12Ah, Control Panel or DGP Series	23.40	Alliance
AL-1699	Battery Harness, Dual, 36 inch, for 12Ah, AL-1256 or AL-1265 Series	10.40	Alliance
AL-1740	System Bus Isolator/Repeater	124.80	Alliance
AL-1741	RS232 to RS485 Interface	118.30	Alliance
AL-1743	Fiber Optic Interface	360.10	Alliance
AL-1801	RS232 Computer/Printer Interface	215.80	Alliance
AL-1806	TCP/IP Network Interface Card	222.30	Alliance
AL-1810	4-Relay Expansion Module	81.90	Alliance
AL-1812	4-Relay Pack for Smart Readers	81.90	Alliance
AL-1813	8-Relay Expansion Module	171.60	Alliance
AL-1830	1MB Memory Expansion Chip	63.70	Alliance
AL-1831 AL-1832	4MB IUM	232.70	Alliance
	8MB IUM	321.10	Alliance Alliance
AL-3017	System Control Panel, 8 Areas, 16 RAS Readers, 64 Inputs, 1A, No Enclosure, 1MB System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 1A, No Enclosure, 1MB	273.00	
AL-4017		430.30	Alliance
AL-4617	System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 3A, No Enclosure, 1MB	600.60 20.80	Alliance Alliance
AL-CLEANER-1 AL-CLEANER-2	Cleaning Kit for PRINTER-1	66.30	Alliance
AL-DEMO	Cleaning Kit for PRINTER-2 Alliance Demo Kit (includes travel case, Al-4017, AL-1191, AL-1193, AL-1116, AL-PROF software,	3776.50	Alliance
AL-DEMO		3776.50	Alliance
AL-DOCS	& vertical overlays Alliance CD of Manuals and Other Support Documentation	NC	Alliance
7.E 5000	Annuarios OD or Mariuais and Other Support Documentation	140	, sinci loc
AL-ENTR-MULTI	Alliance Enterprise Software, 1/4 Server/Client, 64 System Control Panels, 16 DVR's	1075.10	Alliance
AL-ENTR-PHOTO	Alliance Enterprise Photo ID Badging License	644.80	Alliance
AL-ENTR-SINGLE	Alliance Enterprise Prioto ID Badging License Alliance Enterprise Software, 1 PC License for Server/Client (Server functions as Client), 8 System	340.60	Alliance
AL LIVIN-SINGLE	Control Panels, 4 DVR's	340.00	, sinci loc
AL-PRINTER-1	Hand Fed ID MagiCard Tempo Printer	2184.00	Alliance
AL-PRINTER-2	Hopper Fed ID MagiCard Avalon Printer	3276.00	Alliance
AL-PROF	Alliance Professional Software	214.50	Alliance
AL-REFILL-1	Refill Ribbon for PRINTER-1	171.60	Alliance
AL-REFILL-2	Refill Ribbon for PRINTER-2	171.60	Alliance
AL-SLOT	043 LSP slot punch	211.90	Alliance
AL-SYS-A	AL-4017 Kit, - (1) AL-4017 System Control Panel, 16 Areas, 16 Readers, 256 Inputs, 1A, No	717.60	Alliance
	Enclosure, 1MB, - (1) AL-1682 Metal Enclosure, Large, UL, - (1) AL-1690 Transformer 24V,		
	100VA Class I, - (1) AL-1111 LCD Keypad, 4-Line		
AL-SYS-B	Door Control Kit, - (2) AL-1170 Wiegand Interface, - (2) AL-1645 Plastic Enclosure, Small	491.40	Alliance
1	, (=) , (=) (E)		
AL-SYS-C	DGP Zone Expansion Kit, - (1) AL-1205 8-Input DGP with Aux Power, - (1) AL-1206 8-Zone Plug-	382.20	Alliance
	In Expansion Module, - (1) AL-1684 Metal Enclosure, Medium UL, - (1) AL-1692 Transformer	302.20	
	16.5V, 50VA Plug in XMFR		
AL-SYS-D	AL-4617 Kit, - (1) AL-4617 System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 3A, No	921.70	Alliance
	Enclosure, 1MB, - (1) AL-1682 Metal Enclosure, Large, UL, - (1) AL-1672 Transformer, 18V,		
	TOUVA Class I (1) AL-TITT LCD Revbau, 4-Line		
	100VA Class I, - (1) AL-1111 LCD Keypad, 4-Line AL-3017 Kit (1) AL-3017 System Control Panel. 8 Areas. 16 RAS Readers. 64 Inputs. 1A. No	518.70	Alliance
AL-SYS-E	AL-3017 Kit, - (1) AL-3017 System Control Panel, 8 Areas, 16 RAS Readers, 64 Inputs, 1A, No	518.70	Alliance
	AL-3017 Kit, - (1) AL-3017 System Control Panel, 8 Areas, 16 RAS Readers, 64 Inputs, 1A, No Enclosure, 1MB, - (1) AL-1684 Metal Enclosure, Medium, UL, - (1) AL-1691 Transformer 24V,	518.70	Alliance
	AL-3017 Kit, - (1) AL-3017 System Control Panel, 8 Areas, 16 RAS Readers, 64 Inputs, 1A, No	518.70 1270.10	Alliance

AMB1-10PKG			Alliance
WIDT TOTALE	Angle Mounting Brackets for Mounting Barrier Bar on Shallow or Slanted Window Frames, 10-Pack	52.00	Sensors & Detectors
ANS100A	Audio Evacuation Accessory, 100W Expander Module	1399.67	Fire
ANS100A ANS100AM	Audio Evacuation Accessory, 100W Expander Module w/Mic	1473.33	Fire
ANS100AMD	Audio Evacuation Accessory, 100W Expander Module W/Mic		Fire
	, and the second	2062.67	
NS100MDG	Audio Evacuation Panel, 100W w/Mic, Gray	2210.00	Fire
NS100MDR	Audio Evacuation Panel, 100W w/Mic, Red	2210.00	Fire
NS100XG	Audio Evacuation Expansion Panel, 100W, Gray	1547.00	Fire
NS100XR	Audio Evacuation Expansion Panel, 100W, Red	1547.00	Fire
NS25A	Audio Evacuation Accessory, 25W Expander Module	736.67	Fire
NS25AM	Audio Evacuation Accessory, 25W Expander Module w/Mic	810.33	Fire
NS25AMD	Audio Evacuation Accessory, 25W	1399.67	Fire
NS25MDG	Audio Evacuation Panel, 25W, Gray		Fire
		1780.82	
NS25MDR	Audio Evacuation Panel, 25W, Red	1780.82	Fire
NS25XG	Audio Evacuation Expansion Panel, 25W, Gray	884.00	Fire
NS25XR	Audio Evacuation Expansion Panel, 25W, Red	884.00	Fire
NS50A	Audio Evacuation Accessory, 50W Expander Module	1105.00	Fire
NS50AM	Audio Evacuation Accessory, 50W Expander Module w/Mic	1178.67	Fire
NS50AMD	Audio Evacuation Accessory, 50W	1768.00	Fire
NS50MDG	Audio Evacuation Expansion Panel, 50W, Gray	1841.67	Fire
NS50MDR	Audio Evacuation Expansion Panel, 50W, Red	1841.67	Fire
NS50XG	Audio Notify Exp PNL, 50W, Gry	1252.33	Fire
NS50XR	Audio Evacuation Expansion Panel, 50W, Red	1252.33	Fire
NSAUX	Audio Evacuation Accessory, Audio Matching Curcuit	147.33	Fire
NSBKUP	Audio Evacuation Accessory, Audio Matching Curcuit Audio Evacuation Accessory, Backup Amplifier Module	147.33	Fire
NSBKUPA	Audio Evacuation Accessory, Backup Amplifier Switching Module, A	147.33	Fire
NSDMRALT	Audio Evacuation Accessory, Alter Pre-Recorded DMR Message	73.67	Fire
NSDMRCUSTOM	Audio Evacuation Accessory, Custom Recorded Message Prom	162.07	Fire
NSMIKE	Audio Evacuation Accessory, Microphone	73.67	Fire
NSREMG	Audio Evacuation Accessory, Remote Microphone Cabinet, Gray	368.33	Fire
	Audio Evacuation Accessory, Remote Microphone Cabinet, Gray Audio Evacuation Accessory, Remote Microphone Cabinet, Red	368.33	Fire
NSREMR			
NSREMSUP	Audio Evacuation Accessory, Super Card, Remote Microphone	73.67	Fire
NST28180	Audio Evacuation Accessory, Power Transformer 50/100W Systems	73.67	Fire
NST2885	Audio Evacuation Accessory, Power Transformer, 25W Systems	50.09	Fire
NSZC2B	Audio Evacuation Accessory, Zone Adapter	73.67	Fire
NSZS2A	Audio Evacuation Accessory, Zone Splitter, 2 Class A Zone	368.33	Fire
NSZS4B	Audio Evacuation Accessory, Zone Splitter, 4 Class B Zone	368.33	Fire
NSZSC4A	Audio Evacuation Accessory, Class A Converter	221.00	Fire
NSZSR	Audio Evacuation Accessory, Relay Card	36.83	Fire
P100PI	Mirror Optic PIR w/Pet Immunity, Pet Immunity Up to 44 lbs. 33' x 90° Range. 6-10' Mounting	16.67	Sensors & Detectors
	Height form A, White. UL, ULC Listed		
P450	Mirror Optic PIR form C w/Tamper, 9 Curtains, 50' Range. UL, ULC Listed	32.90	Sensors & Detectors
P450A	Mirror Optic PIR form A, 9 Curtains, 50' Range. UL, ULC Listed	30.03	Sensors & Detectors
P475	Mirror Optic PIR: Single Curtain 75' Long Range, Unique Single Curtain Coverage Pattern	77.61	Sensors & Detectors
17475		77.01	Sensors & Detectors
	Extending Out to 75'. Form C Relay w/Tamper, White. UL, ULC Listed		
.P633	Mirror Optic PIR: 12 Coverage Patterns, Including 200' Long Range, Canadian ULC Listed Version	155.30	Sensors & Detectors
	of AP633A		
P633A	Mirror Optic PIR: 12 Coverage Patterns, Including 200' Long Range, 200' Long Range; 80' Wide	155.30	Sensors & Detectors
	Angle; 40' Coverage. Form C w/Tamper, White. UL, ULC Listed		
P669	Mirror Optic PIR, Ceiling Mount, Two 180 Mirror Segments, Two Pyres and Two ASICs for Superior	124.22	Sensors & Detectors
000	Detection. 18 Full Curtains. 60' Diameter Range; 360° Degree Coverage. 12 or 24V. Form C,	124.22	Ochsors & Detectors
	Tamper, White. UL, ULC Listed		
P669BP	AP669 Base Plate	9.78	Sensors & Detectors
P669RK	AP669 Recessed Mounting Kit for Semi-Recessed Ceiling Mounting	26.21	Sensors & Detectors
P750-ID	Addressable AP750W PIR Motion Sensor Features Adaptive Signal Processing that Analyzes Size,	64.48	Sensors & Detectors
		04.40	Ochsors & Detectors
1 730-ID	Speed Shape and Adaptive Alarm Threshold Broyides 4 Separate Curtain Coverage Batterns		
1 730-10	Speed, Shape and Adaptive Alarm Threshold. Provides 4 Separate Curtain Coverage Patterns		
	w/50' Range. Flat Wall or Corner Mounting		
P950AM		139.61	Sensors & Detectors
	w/50' Range. Flat Wall or Corner Mounting	139.61	Sensors & Detectors
P950AM	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed		
P950AM	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard	139.61 35.76	Sensors & Detectors Sensors & Detectors
.P950AM .P950PI	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed	35.76	Sensors & Detectors
P950AM P950PI P-P	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White	35.76 5.89	Sensors & Detectors Fire
P950AM P950PI P-P	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-	35.76	Sensors & Detectors
P950AM P950PI P-P	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3' Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off' circuit	35.76 5.89	Sensors & Detectors Fire
P950AM P950PI P-P	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-	35.76 5.89	Sensors & Detectors Fire
P950AM P950PI P-P S395	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White	35.76 5.89 168.04	Sensors & Detectors Fire Fire
P950AM P950PI P-P S395	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery	35.76 5.89 168.04	Sensors & Detectors Fire Fire NetworX
P950AM P950PI P-P S395 -1245 701VER-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack	35.76 5.89 168.04 20.12 385.94	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3' Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can	35.76 5.89 168.04 20.12 385.94 337.19	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission Fiber Optic Transmission
P950AM P950PI P-P \$395 -1245 701VER-RST 701VET-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 337.19	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 703VR-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can	35.76 5.89 168.04 20.12 385.94 337.19 966.88	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 703VR-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 337.19	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 703VR-EST 703VR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 703VR-EST 703VT-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can MM - S-Video, Rx, Rack MM - S-Video, Rx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 337.19 366.88 966.88	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 703VR-EST 703VT-EST 703VT-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Can MM - S-Video, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-RST 703VR-EST 703VR-RST 703VT-RST 703VT-RST 706VR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3' Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off' circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Rack MM - S-Video, Tx, Can MM - S-Video, Tx, Rack MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 966.88 966.88	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-RST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 706VT-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VET-RST 701VET-EST 703VR-EST 703VR-RST 703VT-RST 706VT-RST 720AR-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88 926.25 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 706VR-RST 720AR-EST 720AR-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 926.25 928.74 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-RST 703VR-EST 703VR-EST 703VT-EST 706VT-RST 706VT-RST 720AR-EST 720AR-EST 720AT-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Can	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88 926.25 926.25 328.74 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 -701VER-RST -701VET-EST -701VET-RST -703VR-EST -703VT-EST -703VT-RST -706VR-RST -706VR-RST -706VR-RST -720AR-EST -720AR-EST -720AR-EST -720AR-EST -720AR-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Can	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88 926.25 328.74 328.74 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 706VR-RST 720AR-EST 720AR-EST 720AR-EST 720AT-EST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion- resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Can	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88 926.25 926.25 328.74 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VET-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-EST 703VT-RST 706VT-RST 706VT-RST 720AR-RST 720AR-RST 720AR-RST 720AR-RST 720AR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Can	35.76 5.89 168.04 20.12 385.94 337.19 366.88 966.88 966.88 926.25 328.74 328.74 328.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-RST 703VR-EST 703VR-EST 703VT-EST 706VR-RST 706VR-RST 720AR-EST 720AR-EST 720AT-EST 720AT-EST 720AT-EST 721AR-RSTL 721AR-RSTL	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Rx, Rack MM - S-Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Wideband - 35 MHz, Tx, Rack MM - S-Video, Rx, Can MM - S-Video, Tx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 926.25 926.25 328.74 328.74 328.74 328.74 328.74 3646.75	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 706VR-RST 720AR-EST 720AR-RST 720AT-RST 720AT-RST 721AT-RST 721AT-RSTL 721AT-RSTL 721AT-RSTL	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL, ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Rack MM - S-Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Rack MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - 2-CH Audio, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 328.74 328.74 328.74 328.74 328.74 337.75 338.74 348.74 348.74 348.74 348.74 348.74 348.74 348.74 348.74 348.74	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VET-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-RST 703VT-RST 706VT-RST 720AR-EST 720AR-EST 720AR-EST 720AT-EST 720AT-RST 720AT-RST 721AR-RSTL 721AR-RSTL 721AR-RSTL 721AR-RSTL 722AR-RSTL	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - 2-CH Audio, Hi-Performance, Digitally Processed, Rx, Rack MM - 2-CH Audio, Hi-Performance, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 328.74 328.74 328.74 328.74 328.74 328.74 328.74 329.74 32	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 720AR-RST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Rack MM - 2-CH Audio, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 926.25 926.25 328.74 328.74 328.74 328.74 31.74 328.74 329	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VER-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-EST 703VT-RST 706VR-RST 720AR-RST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-EST 720AR-RST 720AR-RST 720AR-RST 720AR-RST	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Can MM - S-Video, Rx, Can MM - S-Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Tx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Rx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - Audio, Digitally Processed, Tx, Rack MM - 2-CH Audio, Hi-Performance, Digitally Processed, Rx, Rack MM - 2-CH Audio, Hi-Performance, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 328.74 328.74 328.74 328.74 328.74 328.74 328.74 329.74 32	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission
P950AM P950PI P-P S395 -1245 701VET-RST 701VET-EST 701VET-EST 703VR-EST 703VR-EST 703VT-RST 703VT-RST 706VT-RST 720AR-EST 720AR-EST 720AR-EST 720AT-EST 720AT-RST 720AT-RST 721AR-RSTL 721AR-RSTL 721AR-RSTL 721AR-RSTL 722AR-RSTL	w/50' Range. Flat Wall or Corner Mounting Mirror Optic High-Security PIR w/Anti-Masking, 9 Curtains at 50' Each. Form C, White. UL., ULC Listed Mirror Optic 2-in-1 High-Security PIR w/Pet Immunity, 35' Mirror w/80 lb Pet Immunity. 50' Standard Mirror Included. UL, ULC Listed Fire Alarm System Accessory, Adaptor Plate 302 Series to 3" Box, White Corrosion-Resistant Outdoor ATM Siren. 10-14.5 VDC. 1.9A current draw. 112dB output. Corrosion-resistant polycarbonate housing. Protected against foam injection & tampering. "Hold-off" circuit activates siren if external wiring is cut. White 12V, 4AMP Backup Battery MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Rx, Rack MM - Video, Wideband - 35 MHz, Tx, Can MM - S-Video, Rx, Rack MM - Two-Way Video, Tx, Rack MM - Two-Way Video, Rx, Rack MM - Audio, Digitally Processed, Rx, Can MM - Audio, Digitally Processed, Tx, Can MM - Audio, Digitally Processed, Tx, Rack MM - 2-CH Audio, Digitally Processed, Tx, Rack	35.76 5.89 168.04 20.12 385.94 337.19 966.88 966.88 966.88 926.25 926.25 926.25 328.74 328.74 328.74 328.74 31.74 328.74 329	Sensors & Detectors Fire Fire NetworX Fiber Optic Transmission

IDTOSAT FOTA	AMA OW A E BUILD I TO	745.00	les ou t
B725AT-EST1	MM - 2-Way Audio, Digitally Processed, Tx, Can	715.00	Fiber Optic Transmission
B725AT-RST1	MM - 2-Way Audio, Digitally Processed, Tx, Rack	715.00	Fiber Optic Transmission
B726AR-RST1	MM - 2-Way 2-CH Audio, Digitally Processed, Rx, Rack	1361.75	Fiber Optic Transmission
B726AT-RST1	MM - 2-Way 2-CH Audio, Digitally Processed, Tx, Rack	1361.75	Fiber Optic Transmission
B727AR-RSTL	MM - 2-Way 4-CH Audio, Digitally Processed, Rx, Rack	4322.50	Fiber Optic Transmission
B727AT-RSTL	MM - 2-Way 4-CH Audio, Digitally Processed, Tx, Rack	4322.50	Fiber Optic Transmission
B740AVR-ESTL	MM - Video & Audio, Digitally Processed, Rx, Can	659.75	Fiber Optic Transmission
B740AVR-RSTL	MM - Video & Audio, Digitally Processed, Rx, Rack	659.75	Fiber Optic Transmission
B740AVT-ESTL	MM - Video & Audio, Digitally Processed, Tx, Can	659.75	Fiber Optic Transmission
B740AVT-RSTL	MM - Video & Audio, Digitally Processed, Tx, Rack	659.75	Fiber Optic Transmission
B741AVR-RSTL	MM - Video & Audio, Digitally Processed, Rx, Rack	881.57	Fiber Optic Transmission
B741AVT-RSTL	MM - Video & Audio, Digitally Processed, Tx, Rack	881.57	Fiber Optic Transmission
B742AVR-RSTL	MM - Video & 2-CH Audio, Digitally Processed, Rx, Rack	1586.82	Fiber Optic Transmission
B742AVT-RSTL	MM - Video & 2-CH Audio, Digitally Processed, Tx, Rack	1586.82	Fiber Optic Transmission
B743AVR-RSTL	MM - Video & 4-CH Audio, Digitally Processed, Rx, Rack	2041.82	Fiber Optic Transmission
B743AVT-RSTL	MM - Video & 4-CH Audio, Digitally Processed, Tx, Rack	2041.82	Fiber Optic Transmission
B744AVR-RSTL	MM - 2-CH Video & 8-CH Audio, Digitally Processed, Rx, Rack	4089.32	Fiber Optic Transmission
B744AVT-RSTL	MM - 2-CH Video & 8-CH Audio, Digitally Processed, Tx, Rack	4089.32	Fiber Optic Transmission
B745AVR-RSTL	MM - 4-CH Video & 8-CH Audio, Digitally Processed, Rx, Rack	7843.07	Fiber Optic Transmission
B745AVT-RSTL	MM - 4-CH Video & 8-CH Audio, Digitally Processed, Tx, Rack	7843.07	Fiber Optic Transmission
B746AVR-EST1	MM - Video & 2-Way Audio, Digitally Processed, Rx, Can	698.75	Fiber Optic Transmission
B746AVR-EST2	MM - Video & 2-Way Audio, Digitally Processed, Rx, Can, 2-Fiber	544.38	Fiber Optic Transmission
B746AVR-RST1	MM - Video & 2-Way Audio, Rx, Digitally Processed, Rack	698.75	Fiber Optic Transmission
B746AVR-RST2	MM - Video & 2-Way Audio, Digitally Processed, Rx, Rack, 2-Fiber	544.38	Fiber Optic Transmission
B746AVT-EST1	MM - Video & 2-Way Audio, Digitally Processed, Tx, Can	698.75	Fiber Optic Transmission
B746AVT-EST2	MM - Video & 2-Way Audio, Digitally Processed, Tx, Can, 2-Fiber	544.38	Fiber Optic Transmission
B746AVT-RST1	MM - Video & 2-Way Audio, Digitally Processed, Tx, Rack	698.75	Fiber Optic Transmission
B746AVT-RST2	MM - Video & 2-Way Audio, Digitally Processed, Tx, Rack, 2-Fiber	544.38	Fiber Optic Transmission
B748AVR-RST1	MM - 2-Way Video & 2-Way 2-CH Audio, Rx, Rack	1023.75	Fiber Optic Transmission
B748AVT-RST1	MM - 2-Way Video & 2-Way 2-CH Audio, Tx, Rack	1023.75	Fiber Optic Transmission
B7703VR-EST	SM - S-Video, Rx, Can	1421.88	Fiber Optic Transmission
B7703VR-RFC	SM - S-Video, Rx, Rack	1421.88	Fiber Optic Transmission
B7703VR-RST	SM - S-Video, Rx, Rack	1421.88	Fiber Optic Transmission
B7703VT-EST	SM - S-Video, Tx, Rack	1421.88	Fiber Optic Transmission
B7703VT-RFC	SM - S-Video, Tx, Gan	1421.88	Fiber Optic Transmission
B7703VT-RST	SM - S-Video, Tx, Rack	1421.88	Fiber Optic Transmission
B7720AR-EST	SM - Audio, Digitally Processed, Rx, Can	773.50	Fiber Optic Transmission
B7720AR-RFC	SM - Audio, Digitally Processed, Rx, Rack	773.50	Fiber Optic Transmission
B7720AR-RST	SM - Audio, Digitally Processed, Rx, Rack	773.50	Fiber Optic Transmission
B7720AT-EFC	SM - Audio, Digitally Processed, Tx, Rauk	773.50	Fiber Optic Transmission
B7720AT-EFC B7720AT-EST	SM - Audio, Digitally Processed, Tx, Can	773.50	Fiber Optic Transmission
	SM - Audio, Digitally Processed, Tx, Call	773.50	
B7720AT-RFC			Fiber Optic Transmission
B7720AT-RST	SM - Audio, Digitally Processed, Tx, Rack	773.50	Fiber Optic Transmission
B7721AR-RFC	SM - 2-CH Audio, Digitally Processed, Rx, Rack	841.75	Fiber Optic Transmission
B7721AR-RST	SM - 2-CH Audio, Digitally Processed, Rx, Rack	841.75	Fiber Optic Transmission
B7721AT-RFC	SM - 2-CH Audio, Digitally Processed, Tx, Rack	841.75	Fiber Optic Transmission
B7721AT-RST	SM - 2-CH Audio, Digitally Processed, Tx, Rack	841.75	Fiber Optic Transmission
B7722AR-RST	SM - 2-CH Audio, Hi-Performance, Digitally Processed, Rx, Rack	1620.94	Fiber Optic Transmission
B7722AT-RST	SM - 2-CH Audio, Hi-Performance, Digitally Processed, Tx, Rack	1620.94	Fiber Optic Transmission
B7723AR-RFC	SM - 4-CH Audio, Digitally Processed, Rx, Rack	1814.32	Fiber Optic Transmission
B7723AR-RST	SM - 4-CH Audio, Digitally Processed, Rx, Rack	1814.32	Fiber Optic Transmission
B7723AT-RFC	SM - 4-CH Audio, Digitally Processed, Tx, Rack	1814.32	Fiber Optic Transmission
B7723AT-RST	SM - 4-CH Audio, Digitally Processed, Tx, Rack	1814.32	Fiber Optic Transmission
B7725AR-EFC1	SM - 2-Way Audio, Digitally Processed, Rx, Can	1040.00	Fiber Optic Transmission
B7725AR-EST1	SM - 2-Way Audio, Digitally Processed, Rx, Can	1040.00	Fiber Optic Transmission
B7725AR-RFC1	SM - 2-Way Audio, Digitally Processed, Rx, Rack	1040.00	Fiber Optic Transmission
B7725AR-RST1	SM - 2-Way Audio, Digitally Processed, Rx, Rack	1040.00	Fiber Optic Transmission
B7725AT-EFC1	SM - 2-Way Audio, Digitally Processed, Tx, Can	1040.00	Fiber Optic Transmission
B7725AT-EST1	SM - 2-Way Audio, Digitally Processed, Tx, Can	1040.00	Fiber Optic Transmission
B7725AT-RFC1	SM - 2-Way Audio, Digitally Processed, Tx, Rack	1040.00	Fiber Optic Transmission
B7725AT-RST1	SM - 2-Way Audio, Digitally Processed, Tx, Rack	1040.00	Fiber Optic Transmission
B7726AR-RST1	SM - 2-Way 2-CH Audio, Digitally Processed, Rx, Rack	1686.75	Fiber Optic Transmission
B7726AT-RST1	SM - 2-Way 2-CH Audio, Digitally Processed, Tx, Rack	1686.75	Fiber Optic Transmission
B7727AR-RST	SM - 2-Way 4-CH Audio, Digitally Processed, Rx, Rack	4322.50	Fiber Optic Transmission
B7727AT-RST	SM - 2-Way 4-CH Audio, Digitally Processed, Tx, Rack	4322.50	Fiber Optic Transmission
B7740AVR-EFC	SM - Video & Audio, Digitally Processed, Rx, Can	1274.00	Fiber Optic Transmission
B7740AVR-EST	SM - Video & Audio, Digitally Processed, Rx, Can	1274.00	Fiber Optic Transmission
B7740AVR-RFC	SM - Video & Audio, Digitally Processed, Rx, Rack	1274.00	Fiber Optic Transmission
B7740AVR-RST	SM - Video & Audio, Digitally Processed, Rx, Rack	1274.00	Fiber Optic Transmission
B7740AVT-EFC	SM - Video & Audio, Digitally Processed, Tx, Can	1274.00	Fiber Optic Transmission
B7740AVT-EST	SM - Video & Audio, Digitally Processed, Tx, Can	1274.00	Fiber Optic Transmission
B7740AVT-RFC	SM - Video & Audio, Digitally Processed, Tx, Rack	1274.00	Fiber Optic Transmission
B7740AVT-RST	SM - Video & Audio, Digitally Processed, Tx, Rack	1274.00	Fiber Optic Transmission
B7741AVR-RFC	SM - Video & Audio, Digitally Processed, Rx, Rack	1222.82	Fiber Optic Transmission
B7741AVR-RST	SM - Video & Audio, Digitally Processed, Rx, Rack	1222.82	Fiber Optic Transmission
B7741AVT-RFC	SM - Video & Audio, Digitally Processed, Tx, Rack	1222.82	Fiber Optic Transmission
B7741AVT-RST	SM - Video & Audio, Digitally Processed, Tx, Rack	1222.82	Fiber Optic Transmission
B7742AVR-RFC	SM - Video & 2-CH Audio, Digitally Processed, Rx, Rack	2041.82	Fiber Optic Transmission
B7742AVR-RST	SM - Video & 2-CH Audio, Digitally Processed, Rx, Rack	2041.82	Fiber Optic Transmission
B7742AVT-RFC	SM - Video & 2-CH Addio, Digitally Processed, Tx, Rack	2041.82	Fiber Optic Transmission
	SM - Video & 2-CH Addio, Digitally Processed, TX, Rack	2041.82	Fiber Optic Transmission
R77424\/T-RST		5221.13	Fiber Optic Transmission
B7742AVT-RST	SM - Video & 4-CH Audio Digitally Processed Ry Rack	0441.13	ווטסו טעווט וומווסווווססוטוו
B7743AVR-RFC	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack		
B7743AVR-RFC B7743AVR-RST	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack	2610.57	Fiber Optic Transmission
B7743AVR-RFC B7743AVR-RST B7743AVT-RFC	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack	2610.57 2610.57	Fiber Optic Transmission Fiber Optic Transmission
B7743AVR-RFC B7743AVR-RST B7743AVT-RFC B7743AVT-RST	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack	2610.57 2610.57 2610.57	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
B7743AVR-RFC B7743AVR-RST B7743AVT-RFC B7743AVT-RST B7744AVR-RFC	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack SM - 2-CH Video & 8-CH Audio, Digitally Processed, Rx, Rack	2610.57 2610.57 2610.57 5795.57	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
B7743AVR-RFC B7743AVR-RST B7743AVT-RFC B7743AVT-RST	SM - Video & 4-CH Audio, Digitally Processed, Rx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack SM - Video & 4-CH Audio, Digitally Processed, Tx, Rack	2610.57 2610.57 2610.57	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission

B7745AVR-RFC B7745AVR-RST		0540.22	
	SM - 4-CH Video & 8-CH Audio, Digitally Processed, Rx, Rack	9549.32	Fiber Optic Transmission
	SM - 4-CH Video & 8-CH Audio, Digitally Processed, Rx, Rack	9549.32	Fiber Optic Transmission
B7745AVT-RFC	SM - 4-CH Video & 8-CH Audio, Digitally Processed, Tx, Rack	9549.32	Fiber Optic Transmission
B7745AVT-RST	SM - 4-CH Video & 8-CH Audio, Digitally Processed, Tx, Rack	9549.32	Fiber Optic Transmission
B7746AVR-EST1	SM - Video & 2-Way Audio, Rx, Digitally Processed, Can	1852.50	Fiber Optic Transmission
B7746AVR-EST2	SM - Video & 2-Way Audio, Digitally Processed, Rx, Can, 2-Fiber	1608.75	Fiber Optic Transmission
B7746AVR-RST1	SM - Video & 2-Way Audio, Digitally Processed, Rx, Rack	1852.50	Fiber Optic Transmission
B7746AVR-RST2	SM - Video & 2-Way Audio, Digitally Processed, Rx, Rack, 2-Fiber	1608.75	Fiber Optic Transmission
B7746AVT-EST1	SM - Video & 2-Way Audio, Digitally Processed, Tx, Can	1852.50	Fiber Optic Transmission
B7746AVT-EST2	SM - Video & 2-Way Audio, Digitally Processed, Tx, Can, 2-Fiber	1608.75	Fiber Optic Transmission
B7746AVT-RST1	SM - Video & 2-Way Audio, Digitally Processed, Tx, Rack	1852.50	Fiber Optic Transmission
B7746AVT-RST2	SM - Video & 2-Way Audio, Digitally Processed, Tx, Rack, 2-Fiber	1608.75	Fiber Optic Transmission
B7748AVR-RFC1	SM - 2-Way Video & 2-Way 2-CH Audio, Rx, Rack	2128.75	Fiber Optic Transmission
B7748AVR-RFC2	SM - 2-Way Video & 2-Way 2-CH Audio, Rx, Rack, 2-Fiber	1478.75	Fiber Optic Transmission
B7748AVR-RST1	SM - 2-Way Video & 2-Way 2-CH Audio, Rx, Rack	2128.75	Fiber Optic Transmission
B7748AVR-RST2			Fiber Optic Transmission
	SM - 2-Way Video & 2-Way 2-CH Audio, Rx, Rack, 2-Fiber	1478.75	
B7748AVT-RFC1	SM - 2-Way Video & 2-Way 2-CH Audio, Tx, Rack	2128.75	Fiber Optic Transmission
B7748AVT-RFC2	SM - 2-Way Video & 2-Way 2-CH Audio, Tx, Rack, 2-Fiber	1478.75	Fiber Optic Transmission
B7748AVT-RST1	SM - 2-Way Video & 2-Way 2-CH Audio, Tx, Rack	2128.75	Fiber Optic Transmission
B7748AVT-RST2	SM - 2-Way Video & 2-Way 2-CH Audio, Tx, Rack, 2-Fiber	1478.75	Fiber Optic Transmission
B7780AGR-RST4	SM - RGB High Resolution Video with Audio, Rx, Rack, 4-Fiber	3701.75	Fiber Optic Transmission
B7780GR-RFC3	SM - RGB High Resolution Component Video, Rx, Rack, 3-Fiber	2496.82	Fiber Optic Transmission
B7780GR-RST3	SM - RGB High Resolution Component Video, Rx, Rack, 3-Fiber	2496.82	Fiber Optic Transmission
B7780GT-RFC3	SM - RGB High Resolution Component Video, Tx, Rack, 3-Fiber	2496.82	Fiber Optic Transmission
B7780GT-RST3	SM - RGB High Resolution Component Video, Tx, Rack, 3-Fiber	2496.82	Fiber Optic Transmission
B780AGR-RST4	MM - RGB Component Video with Audio, Rx, Rack, 4-Fiber	2921.75	Fiber Optic Transmission
B780AGT-RST4	MM - RGB Component Video with Audio, Tx, Rack, 4-Fiber	2921.75	Fiber Optic Transmission
B780GR-RST3	MM - RGB High Resolution Component Video, Rx, Rack, 3-Fiber	1928.07	Fiber Optic Transmission
B780GT-RST3	MM - RGB High Resolution Component Video, Tx, Rack, 3-Fiber	1928.07	Fiber Optic Transmission
BB-1GS	Barrier Bar Perimeter Alarm Switch. Fits Windows 12" to 40", Plastic Bar	29.97	Sensors & Detectors
BB-2	Barrier Bar Mercury Tilt Switch. Fits Windows 12" to 40". For Use w/Tilt-Style Windows Often Found	65.00	Sensors & Detectors
	in Basements, Plastic Bar	,	
DB 3VL 30DKC		2750.00	Concern & Date -t
BB-2XL-20PKG	Barrier Bar Mercury Tilt Switch, Reinforced. Fits Windows 12" to 40". For Use w/Tilt-Style Windows	2756.00	Sensors & Detectors
	Often Found in Basements, Metal Reinforced Bar, 20-Pack		
BC-1	Battery Cabinet for Up to 40Ah Max	192.50	Fire
BC-1R	Battery Cabinet for Up to 40Ah Max, Red	192.50	Fire
BC-300	NetworX Series Demo Kit. Basic kit includes Travel case, a panel (choice of NX-4, NX-6, NX-8 or	300.99	NetworX
DC-300	NX-8E), trigger switches on the front of display and a transformer. Additional-cost items available	300.33	Network
	include Keypad, Sensors, or Wireless Receiver.		
BR601	AP633 Ceiling/Wall Mount Swivel Bracket	23.23	Sensors & Detectors
CAR30UP-PP4G512	Upgrade CARMA v2.X (greater than 512-reader version) to CARMA v3.0 (greater than 512-reader	2388.75	Picture Perfect
	version). Red Hat Linux Enterprise (ES) v3.0 required. Active Software Protection Plan required.		131212 1 211221
	version). Ned that Elitax Enterprise (ES) vs.0 required. Active Software Frotestion Frantierumed.		
CAR30UP-PP4L512	Upgrade CARMA v2.X (512-reader version) to CARMA v3.0 (512-reader version). Red Hat Linux	1749.31	Picture Perfect
CAR30UP-PP4L512	Upgrade CARMA v2.X (512-reader version) to CARMA v3.0 (512-reader version). Red Hat Linux Enterprise (ES) v3.0 required. Active Software Protection Plan required.	1749.31	Picture Perfect
	Enterprise (ES) v3.0 required. Active Software Protection Plan required.		
CAR30UP-PP4L512 CAR40UP-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than	1749.31 NC	Picture Perfect Picture Perfect
	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is		
CAR40UP-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade	NC	Picture Perfect
CAR40UP-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red		
CAR40UP-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade	NC	Picture Perfect
CAR40UP-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red	NC	Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade	NC NC	Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than	NC	Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with	NC NC	Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0	NC NC 5971.88	Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with	NC NC	Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512	NC NC 5971.88	Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0	NC NC 5971.88	Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0	NC NC 5971.88 4373.25	Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater	NC NC 5971.88	Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate	NC NC 5971.88 4373.25	Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 bundled with 1 Year	NC NC 5971.88 4373.25	Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate	NC NC 5971.88 4373.25	Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 pdate 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512	NC NC 5971.88 4373.25 5971.88	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS	NC NC 5971.88 4373.25 5971.88	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4	NC NC 5971.88 4373.25 5971.88	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys	NC NC 5971.88 4373.25 5971.88 4373.25	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control System Control
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA40-PP4L512 CAT30KEY CBR-KB3 CBR-KB3-J CBR-PB2-KA2	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Kalatel PTZ Units ProBridge for Panasonic Domes	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording Digital Recording
CAR40UP-PP4G512 CARMA30-PP4G512 CARMA30-PP4G512 CARMA40-PP4G512 CARMA40-PP4G512 CARMA40-PP4L512	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard ProBridge for Panasonic Domes ProBridge for Panasonic Domes	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 401.70 401.70 401.70	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control System Control Digital Recording Digital Recording Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA4	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.Dydate 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for Panasonic Domes ProBridge for PELCO Domes ProBridge for PELCO Domes	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70	Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect Picture Perfect NetworX System Control System Control Digital Recording Digital Recording Digital Recording Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CAT30KEY CBR-KB3 CBR-KB3-J CBR-PB2-PA CBR-PB2-PA CBR-PB2-PH CBR-PB2-PH CBR-PB2-PTZ	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasel PTZ Units ProBridge for Palasel PTZ Ones ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Politips Domes ProBridge for Politips Domes ProBridge for Politips Domes	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CBR-PB2-PE-BB-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasonic Domes ProBridge for Philips Domes ProBridge for Philips Domes ProBridge for Philips Comes ProBridge for Possormatic Domes ProBridge for Sensormatic Domes	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CBR-PB2-PE-BB-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasel PTZ Units ProBridge for Palasel PTZ Ones ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Politips Domes ProBridge for Politips Domes ProBridge for Politips Domes	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CBR-B3 CBR-KB3 CBR-KB3 CBR-B2-FB2 CBR-PB2-PA CBR-PB2-PE CBR-PB2-PTZ CBR-PB2-PTZ CBR-PB3-SEN CBR-PB3-ATM	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasonic Domes ProBridge for Philips Domes ProBridge for Philips Domes ProBridge for Philips Comes ProBridge for Possormatic Domes ProBridge for Sensormatic Domes	NC NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARB-KB3 CBR-KB3 CBR-KB3 CBR-RB3-J CBR-PB2-PA CBR-PB2-PA CBR-PB2-PA CBR-PB2-PT CBR-PB2-PT CBR-PB2-PT CBR-PB3-ATM CBR-PB3-PBE	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard wivariable-Speed PTZ Control ProBridge for Palasonic Domes ProBridge for Palasonic Domes ProBridge for PELCO Domes ProBridge for PTZ over Ethernet ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge Ethernet ATM	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 5044.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CBR-RB3-PB2-PB2-PB-CBR-PB2-PB-CBR-PB3-PB-CBR-PB3-PBE-CBR-PB3-PBE-CBR-PB3-PDE-CBR-PB3-PDS-GW	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Dard Remote Keyboard Remote Keyboard w.Variable-Speed PTZ Control ProBridge for Pallips Domes ProBridge for Philips Domes ProBridge for Philips Domes ProBridge for Philips Domes ProBridge for Passonic Domes ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge for Gateway	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4G512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-RB3-PB2-PA CBR-PB2-PA CBR-PB2-PA CBR-PB2-PB CBR-PB3-PA CBR-PB3-SEN CBR-PB3-ATM CBR-PB3-PDS-GW CBR-PB3-POS-GW CBR-PB3-POS-RP	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Ralatel PTZ Units ProBridge for Panasonic Domes ProBridge for PTLCO Domes ProBridge for PTLCO Domes ProBridge for PTLCO Domes ProBridge for PTLCO Domes ProBridge for PTI over Ethernet ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single	NC NC S971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-PB3-PB3-PB3-PB3-PB3-PD3-RPB3-PB3-PD3-RPBCBR-PB3-PD3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard wivariable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for Panasonic Domes ProBridge for Policy Domes ProBridge for Policy Domes ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge For Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge For Panasonic Domes Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-PB3-PB3-PB3-PB3-PB3-PD3-RPB3-PB3-PD3-RPBCBR-PB3-PD3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB3-RPB	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard m/Variable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for PELCO Domes ProBridge for Formasonic Domes ProBridge fo	NC NC S971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARP-BB-PB-CBR-PB3-PB-CBR-PB3-PB-CBR-PB3-PBE-CBR-PB3-PBE-CBR-PB3-POS-SCG-CBR-PB3-POS-SCG-CBR-PB3-POS-WN	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard wivariable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for Panasonic Domes ProBridge for Policy Domes ProBridge for Policy Domes ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge For Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMS ProBridge For Panasonic Domes Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-RB3-PB2-PA CBR-RB3-PB2-PA CBR-PB2-PA CBR-PB2-PA CBR-PB2-PT CBR-PB2-PT CBR-PB3-PT CBR-PB3-PT CBR-PB3-PT CBR-PB3-POS-GW CBR-PB3-POS-CG CBR-PB3-POS-CW CBR-PB3-POS-WN CBR-RS-POS-WN	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AlX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4. Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AlX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard w.Variable-Speed PTZ Control ProBridge for Pallips Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Pollips Domes ProBridge for Pollips Domes ProBridge for Pollips Domes ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMs ProBridge for Dased G-Site, POS ProBridge Interface BroBridge for Wayne Nucleus Rack-Mount Kit for StoreSafe, StoreSafe Pro and StoreSafe Pro II	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CBR-B3-USBR-WB3-USBR-WB3-USBR-PB3-PAS-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PDS-SCG CBR-PB3-POS-WN CBR-PB3-POS-WN CBR-RS-G CBR-RK5-G CBR-RK5-G CBR-RK5-Fro	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4. Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for Panasonic Domes ProBridge for PELCO Domes ProBridge for PECO Domes ProBridge for Poseroserate Single/Multiple ATMS ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface ProBridge for Wayne Nucleus Rack-Mount Kit for StoreSafe, StoreSafe Pro and StoreSafe Pro II	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-RB3-DCBR-RB3-DCBR-PB3-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasonic Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Fender Perfect Single/Multiple ATMS ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface ProBridge for Wayne Nucleus Rack-mount kit for DVMRe ProSeries, all HDD sizes Rack-mount kit for DVMRe ProSeries, all HDD sizes	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-RB3-DCBR-RB3-DCBR-PB3-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB2-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4. Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for Panasonic Domes ProBridge for PELCO Domes ProBridge for PECO Domes ProBridge for Poseroserate Single/Multiple ATMS ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface ProBridge for Wayne Nucleus Rack-Mount Kit for StoreSafe, StoreSafe Pro and StoreSafe Pro II	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-RB3-CBR-RB3-DCBR-PB3-PB-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4.0 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Palasonic Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Fender Perfect Single/Multiple ATMS ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface ProBridge for Wayne Nucleus Rack-mount kit for DVMRe ProSeries, all HDD sizes Rack-mount kit for DVMRe ProSeries, all HDD sizes	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CBR-PB3-PCS-RB3 CBR-RB3-PCB-PC CBR-PB3-PDS-SCB CBR-PB3-POS-SCG CBR-PB3-POS-SCG CBR-RK5-G CBR-RK5-G CBR-RK5-G CBR-RK6-PTO CBR-RK6	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Panasonic Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for PTZ over Ethernet ProBridge for Fosensormatic Domes ProBridge for Gateway Receipt printer, POS ProBridge Interface, Single Gilbarco PC based G-Site, POS ProBridge Interface ProBridge for Wayne Nucleus Rack-mount kit for DVMRe Pro Series, all HDD sizes Wireless Access Point 802.11G: Air Plus Xtreme G Wireless 802.11G D-Link Access Point	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30	Picture Perfect NetworX System Control System Control Digital Recording
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA4	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4 Update 4 Replacement Keys Remote Keyboard Rem	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 191.09 93.15	Picture Perfect NetworX System Control System Control Digital Recording ConnectionCenter ConnectionCenter
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA4	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Kalatel PTZ Units ProBridge for Fell-CO Domes ProBridge for Politips Domes ProBridge for Politips Domes ProBridge for Ell-CO Domes ProBridge for Ell-CO Domes ProBridge for Domes ProBridge Interface - Single/Multiple ATMS ProBridge for Domes ProBridge Interface - Single/Multiple ATMS ProBridge for Domes ProBridge Interface - Single Interface ProBridge for State ProBridge Interface - Single Interface ProBridge for State ProBridge Interface - Single Interface ProBridge for State ProBridge Interface - Single Inte	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30 191.09	Picture Perfect NetworX System Control System Control Digital Recording ConnectionCenter
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CARMA40-PP4L512 CAT30KEY CBR-KB3 CBR-KB3-J CBR-PB2-PA CBR-PB2-PA CBR-PB2-PA CBR-PB2-PT CBR-PB2-PT CBR-PB3-ATM CBR-PB3-POS-GW CBR-PB3-POS-GW CBR-PB3-POS-GW CBR-PB3-POS-WN CBR-RS6-G CBR-RK5-G CBR-RK5-Fro CBR-RK6 CC-AP2000 CC-AS6500 CC-AS6500 CC-BB0020	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4. Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Kalatel PTZ Units ProBridge for Falatel PTZ Units ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Pelco Domes ProBridge for Forest Ethernet ProBridge for Bensormatic Domes ProBridge for Poet Series, all HDD sizes Rack-Mount Kit for StoreSafe, StoreSafe Pro and StoreSafe Pro II Rack-mount kit for	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30 53.30 191.09 93.15 92.74	Picture Perfect NetworX System Control System Control Digital Recording ConnectionCenter ConnectionCenter
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4G512 CARMA40-PP4L512 CBR-RB3- UBR-RB3- UBR-RB3-PB-RB2-PB-RB2-PB-RB2-PB-RB2-PB-RB3-PB3-PBB-RB3-PB3-PBB-RB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-PB3-P	Enterprise (ES) V3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard Remote Keyboard Remote Keyboard Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Panasonic Domes Receipt printer, POS ProBridge Interface - Single/Multiple ATMs ProBridge for Benerit ATM ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single/Multiple ATMs ProBridge for Benerit ATM ProBridge for Sensormatic Lomes Generic ATM ProBridge Interface - Single Interface ProBridge for Sensormatic Domes Generic ATM ProBridge Interface - Single Interface ProB	NC NC 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 191.09 93.15	Picture Perfect NetworX System Control System Control Digital Recording ConnectionCenter ConnectionCenter
CAR40UP-PP4G512 CAR40UP-PP4L512 CARMA30-PP4L512 CARMA30-PP4L512 CARMA40-PP4L512 CARMA4	Enterprise (ES) v3.0 required. Active Software Protection Plan required. Free Upgrade from CARMA v2.x (Greater than 512-Reader Version) to CARMA v4.0 (Greater than 512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade Free Upgrade from CARMA v2.x (512-Reader Version) to CARMA v4.0 (512-Reader Version). Red Hat Linux Enterprise (ES) v4.0 Update 4 Required. An Active SSA is Required for this Free Upgrade CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed greater than 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed up to 512 reader capacity. Bundled with 1 year of support and requires purchase of separate server with OS Red Hat Enterprise (ES) v3.0 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed Greater than 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) v4. Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 CARMA 4.0 Report Server Software for Picture Perfect LINUX or AIX Systems Licensed up to 512 Reader Capacity, bundled with 1 Year of Support and requires purchase of separate server with OS Red Hat Enterprise (ES) V4 Update 4 Replacement Keys Remote Keyboard w/Variable-Speed PTZ Control ProBridge for Kalatel PTZ Units ProBridge for Falatel PTZ Units ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for PELCO Domes ProBridge for Pelco Domes ProBridge for Forest Ethernet ProBridge for Bensormatic Domes ProBridge for Poet Series, all HDD sizes Rack-Mount Kit for StoreSafe, StoreSafe Pro and StoreSafe Pro II Rack-mount kit for	NC NC 5971.88 4373.25 5971.88 4373.25 5971.88 4373.25 2.52 553.80 928.20 401.70 401.70 401.70 401.70 401.70 401.70 401.70 401.70 53.30 53.30 53.30 53.30 191.09 93.15 92.74	Picture Perfect NetworX System Control System Control Digital Recording ConnectionCenter ConnectionCenter

CC-BL0000-A	Blank Inserts Used w/Either Connection Plates or Decorator Connection Plates, Almond, 5-Pack	1.87	ConnectionCenter
CC-BL0000-I	Blank Inserts Used w/Either Connection Plates or Decorator Connection Plates, Ivory, 5-Pack	1.87	ConnectionCenter
CC-BL0000-W	Blank Inserts Used w/Either Connection Plates or Decorator Connection Plates, White, 5-Pack	1.87	ConnectionCenter
CC-BP0020	Builder Package 20" Trim Kit, White. Includes: (1) CC-DK0020-W, (1) CC-MT0005, (1) CC-MS1000, (1) CC-TF0008, (1) CC-VS1008, and (1) CC-BF0005.	109.59	ConnectionCenter
CC-BP0020-C	20° Champagne Builder Package: CC-DK0020-C (1) 20° Champagne Door Kit, (1) CC-MT0005 5-Module Tray, (1) CC-VS1800 1x8 Video Splitter, (2) CC-MS1000 Metal Shelves, (5) CC-BF0005 5-Pack of Blank Faceplates and (1) CC-TF0008 1x8 Telephone Interface Module.	109.59	ConnectionCenter
CC-BP0020-W	Builder Package 20" Trim Kit, White. Includes: (1) CC-DK0020-W, (1) CC-MT0005, (1) CC-MS1000, (1) CC-TF0008, (1) CC-VS1008, (1) CC-EA0000, and (1) CC-BF0005.	109.59	ConnectionCenter
CC-BP0037	Builder Package 37" Trim Kit, White. Includes: (1) CC-DK0037-W, (1) CC-MT0005, (2) CC-MS1000, (1) CC-TF0008, (1) CC-VS1008, and (5) CC-BF0005.	206.57	ConnectionCenter
CC-BP0037-C	37" Champagne Builder Package: (1) CC-DK0037-C 37" Champagne Door Kit, (1) CC-MT0005 5-Module Tray, (1) CC-VS1008 1x8 Video Splitter, (2) CC-MS1000 Metal Shelves, (5) CC-BF0005 5-Pack of Blank Faceplates and (1) CC-TF0008 1x8 Telephone Interface Module.	206.57	ConnectionCenter
CC-BP0440	Smart ConnectionCenter Bronze Package. Includes: (1) CC-RK0020X, (1) CC-EA0000, (1) CC-DK0020-W, (1) CC-MT0005, (1) CC-VS1008, (1) CC-MS1000, (1) CC-BF0005, and (1) CC-TD0009	128.70	Toll Brothers
CC-BP0440-S	Toll Brothers Smart ConnectionCenter Bronze Package w/20" Rough-In Kit. Includes: (1) CC-RK0020X, (1) CC-EA0000, (1) CC-DK0020-W, (1) CC-MT0005, (1) CC-VS1008, (1) CC-MS1000, (1) CC-BF0005, (1) CC-CS1000, and (1) CC-TD0009	128.70	Toll Brothers
CC-BP0441	Smart ConnectionCenter Silver Package. Includes: (1) CC-RK0037X, (1) CC-EA0000, (1) CC-DK0037-W, (2) CC-MT0005, (1) CC-VA8822, (1) CC-MS1000, (1) CC-BF0005, (1) CC-TD0009, (1) CC-TF0008, and (1) CC-PS1300	345.15	Toll Brothers
CC-BP0441-S	Smart ConnectionCenter Silver Package. Includes: (1) CC-RK0037X, (2) CC-EA0000, (1) CC-DK0037-W, (2) CC-MT0005, (1) CC-VA8822, (1) CC-MS1000, (1) CC-BF0005, (1) CC-TD0009, (1) CC-CS1000, (1) CC-TF0008, and (1) CC-PS1300	345.15	Toll Brothers
CC-BP0442	Smart ConnectionCenter Gold Package. Includes: (1) CC-RK0037X, (2) CC-EA0000, (1) CC-DK0037-W, (2) CC-MT0005, (1) CC-VA8008, (1) CC-MS1000, (1) CC-BF0005, (1) CC-TD0009, (1) CC-TF0008, (1) CC-PS1300, (1) CC-PD1000, (1) CC-GW0604, and (1) CC-ES5000	519.48	Toll Brothers
CC-BP0442-S	Smart ConnectionCenter Gold Package. Includes: (1) CC-RK0037X, (2) CC-EA0000, (1) CC-CS1000, (1) CC-VA8822, (1) CC-TD0009, (1) CC-TF0008, (1) CC-MS1000, (1) CC-PS1300, (1) CC-PD1000, (1) CC-DK0037-W, (2) CC-MT0005, (1) CC-GW0604, and (1) CC-ES5000	519.48	Toll Brothers
CC-BP0805	Builder Package 800 37" Trim Kit, White. Includes: (1) CC-DK0037-W, (2) CC-MT0005, (1) CC-MS1000, (1) CC-TD0009, (1) CC-TF0008, (1) CC-VA8822, (1) CC-PS1300, and (1) CC-BF0005	375.17	ConnectionCenter
CC-BP0855	37" White Builder Package 850: (1) CC-DK0037-W 37" White Door Kit, (1) CC-PS1300 1.3 Amp Power Supply, (2) CC-MT0005 5-Module Trays, (1) CC-VA8822 8x8 High Performance Amplifier w/Satellite Pass Through, (2) CC-MS1000 Metal Shelves, (5) CC-BF0005 5-Pack	763.00	ConnectionCenter
CC-BS0805	Basic Series 800 Silver 37" Trim Kit, White. Includes: (1) CC-EC0037, (1) CC-MT0005, (2) CC-MS1000, (1) CC-TF0008, (1) CC-TD0007, (1) CC-VA1800, (1) CC-EA0000, (1) CC-PS1300, and (5) CC-BF0005	262.20	ConnectionCenter
CC-BS1605	Basic Series 1600 Silver 37" Trim Kit, White. Contains (1) CC-EC0037, (1) CC-MT0005, (2) CC-MS1000, (2) CC-TD0009, (1) CC-TF0008, (1) CC-VA1160, (1) CC-PS1300, (1) CC-EA0000, and (1) CC-BF0005	297.61	ConnectionCenter
CC-CE0010-A	Cat 5e Jack Used w/Either Connection Plates or Decorator Connection Plates, Almond	3.73	ConnectionCenter
CC-CESNBK CC-CM0010	Concord Express Snap Card Bracket Cable Manager: (1) CC-MP006 6-Module Panel and (1) CC-MP0012 12-Module Panel.	5.46 11.18	ConnectionCenter ConnectionCenter
	Replacement Part for Premium Series Module Panels Coax Jack Used w/Either Connection Plates or Decorator Connection Plates. White w/Blue Round		
CC-CX0010-WW	Pins	2.16	ConnectionCenter
CC-DK0020-W	20" White Door Kit. Premium Series Door Kit (Trim Ring and Door) for 20" Smart ConnectionCenter w/Powder-Coat Finish	81.69	ConnectionCenter
CC-DK0037-C	37" Champagne Door Kit. Premium Series Door Kit (Trim Ring and Door) for 37" Smart ConnectionCenter w/Powder-Coat Finish	120.39	ConnectionCenter
CC-DK0037-W	37" White Door Kit. Premium Series Door Kit (Trim Ring and Door) for 37" Smart ConnectionCenter w/Powder-Coat Finish	120.39	ConnectionCenter
CC-EA0000	Power Assembly to Smart ConnectionCenter, 120VAC	21.50	ConnectionCenter
CC-EA0002 CC-EC0020	Power Assembly to Smart ConnectionCenter, No Pigtail, 120VAC 20" White Embossed Cover. Basic Series Cover for 20" Smart ConnectionCenter w/Powder-Coat	14.56 27.01	ConnectionCenter ConnectionCenter
CC-EC0037	Finish 37* White Embossed Cover. Basic Series Cover for 37* Smart ConnectionCenter w/Powder-Coat Finish	48.56	ConnectionCenter
CC-ES5000	5-Port, 10/100 Ethernet Switch	128.97	ConnectionCenter
CC-ES8000	8-Port, 10/100 Ethernet Switch	186.30	ConnectionCenter
CC-FC0015	15" Flat Cover for Value Express Series	13.59	ConnectionCenter
CC-FC0020	20" Flat Cover	8.18	ConnectionCenter
CC-FG0004	10" Flexible Grommets to Cover Edges in Any Shape Knock-Out, 4-Pack	3.73	ConnectionCenter
CC-GW0604	4-Port Gateway Router: 4-Port Router, Manufactured by D-Link. Mounts on Shelf	78.83	ConnectionCenter
CC-KL1000	Key Lock for ConnectionCenter	7.16	ConnectionCenter
CC-LTSPWR	Power Injector to Add Power to Ethernet Cat 5 Cable	28.60	ConnectionCenter
CC-MF1000 CC-MS0304	Mounting Frame for Value Express Modules Horizontal 3x4 Multiswitch (Rear Wall Mount): Satellite Multiswitch w/3 Inputs and 4 Outputs. Distributes Satellite Signal to Multiple Receivers in Different Locations in a Home	0.99 61.63	ConnectionCenter ConnectionCenter
CC-MS1000	Metal Shelf for Use in Basic and Premium Series Smart ConnectionCenter, 2 each	4.45	ConnectionCenter
CC-MT0005	5-Module Tray for Use in Basic and Premium Series Smart ConnectionCenter	15.05	ConnectionCenter
CC-NXCASSY	NetworX NX-587E Keypad Adapter	13.00	ConnectionCenter
	Power Cord to Connect Between Power Distribution Module and Powered Modules	1.43	ConnectionCenter
CC-PC0024 CC-PD1000	Power Cord to Connect Between Power Distribution Module and Powered Modules	1.43	ConnectionCenter

CC-PS0020	Premium Series Silver 20" Trim Kit, White. Includes: (1) CC-DK0020-W, (1) CC-MT0005, (1) CC-MS1000, (1) CC-TF0008, (1) CC-VA882, (1) CC-MP0006, (1) CC-PS1300, and (2) CC-BF0005	330.50	ConnectionCenter
CC-PS0220	Power Supply for Use w/Smart ConnectionCenter Video Distribution Amplifiers, CC-EH5000 Ethernet Hub, CC-ES5000/CC-ES8000 Ethernet Switches, CC-PD1000 Power Distribution Module and Audio Distribution Hubs, 220V	35.41	ConnectionCenter
CC-PS1300	Power Supply for Use w/Smart ConnectionCenter Video Distribution Amplifiers, CC-EH5000 Ethernet Hub, CC-ES5000/CC-ES8000 Ethernet Switches, CC-PD1000 Power Distribution Module and Audio Distribution Hubs, 110V/1.3Amp	35.41	ConnectionCenter
CC-PS2435	Power Supply for Use w/CC-SCAMP4 SmartCom Audio Amplifier and CC-SCAMPX SmartCom Expansion Audio Amplifier, 110V/24V/3.5Amp	47.78	ConnectionCenter
CC-RC0015	15" Rough-In Kit and Cover: (1) CC-RK0015 15" Rough-In Kit, (1) CC-FC0015 Flat Metal Cover, (1) 15" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	27.30	ConnectionCenter
CC-RK0015	15" Rough-In Kit w/Power Assembly: (1) CC-RK0015X 15" Rough-In Kit, (1) CC-EA0000 Power Assembly, (1) 15" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	44.20	ConnectionCenter
CC-RK0020	20" Rough-In Kit w/Power Assembly: (1) CC-RK0020X 20" Rough-In Kit, (1) CC-EA0000 Power Assembly, (1) 20" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	57.33	ConnectionCenter
CC-RK0020X	20" Rough-In Kit w/No Power Assembly: (1) CC-RK0020X 20" Rough-In Kit, (1) 20" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	43.00	ConnectionCenter
CC-RK0037	37" Rough-In Kit w/Power Assembly: (1) CC-RK0037X 37" Rough-In Kit, (1) CC-EA0000 Power Assembly, (1) 37" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	71.67	ConnectionCenter
CC-RK0037X	37" Rough-In Kit w/No Power Assembly: (1) CC-RK0037X 37" Rough-In Kit, (1) 37" Connection Box, (1) Dust Cover and (4) Flexible Grommets. To be Used w/Either the Basic or Premium Series Smart ConnectionCenter	57.33	ConnectionCenter
CC-RM0001 CC-SB1000	RF Modulator Universal Mounting Bracket for Use w/Any Size PCB Board in ConnectionBox. Can Hold Any Security Panel Board	98.89 4.97	ConnectionCenter ConnectionCenter
CC-SCKIT4	4 Room Kit w/Audio and Intercom	1068.72	ConnectionCenter
CC-SCKIT4-A	4 Room Kit w/Audio and Intercom, Light Almond	2080.00	ConnectionCenter
CC-SCKIT4-B	4 Room Kit w/Audio and Intercom, Black	2080.00	ConnectionCenter
CC-SCLTS4	Inline Quad Power Injector. Powers Four Touchscreens	141.70	ConnectionCenter
CC-SCRS-DEMO	SmartCom Room Station Demo Model	546.00	ConnectionCenter
CC-SCUBRAC	Universal Mounting Bracket	20.80	ConnectionCenter
CC-SD0002	Satellite Diplexer: Satellite Diplexer for CC-HD4480	14.34	ConnectionCenter
CC-SD1000	Satellite DeStacker: Satellite DeStacker for CC-VA8850 and CC-VA1650	115.87	ConnectionCenter
CC-SK1000	Kit: Brings Together Telephone, Data and Cable Surge Modules	198.97	ConnectionCenter
CC-SP1000	Server Panel for Use w/Home Servers in Premium Series Smart ConnectionCenter Only	60.92	ConnectionCenter
CC-TD0009	1x9 Telephone Distribution Module. Provides 1 Telephone Input and 9 Regular Telephone Outputs	46.59	ConnectionCenter
CC-TF0008 CC-TJ0010-A	1x8 Telephone Interface Module. Provides 1 Telephone Input, 1 RJ31X Output and 8 Regular Telephone Outputs RJ14 Jacks to be Used w/Either Connection Plates or Decorator Connection Plates, Almond	46.59 3.17	ConnectionCenter ConnectionCenter
CC-TJ0010-I	RJ14 Jacks to be Used w/Either Connection Plates or Decorator Connection Plates, Ivory	3.17	ConnectionCenter
CC-TJ0010-W	RJ14 Jacks to be Used w/Either Connection Plates or Decorator Connection Plates, White	3.17	ConnectionCenter
CC-TP0110	1x10 Telephone Punch-Down Board. 4-Line, 10-Output Telephone Punch-Down Module for Value Express Series	22.02	ConnectionCenter
CC-TP1045	1x10 Telephone RJ45 Board. 4-Line, 10-Output Telephone RJ45 Tel Module for Value Express Series	22.02	ConnectionCenter
CC-TP1445	1x14 Telephone RJ45 Board	32.50	ConnectionCenter
CC-TS0004 CC-VA1450	Telephone Surge Module: Telephone Surge Suppression Module, Which Protects Equipment from Surges on the Telephone Wiring 1x4 High Performance Video Amplifier (w/Faceplate): 1x4 High Performance Video Amplifier Used	79.46 64.49	ConnectionCenter ConnectionCenter
	in Premium Series Packages w/360° Coax Connectors for Higher Quality and Better Connection		
CC-VA1622 CC-VA8822	8x16 High Performance Amplifier w/Satellite Pass Through: 1 CATV Input, 6 Combined Inputs, 1 Modem Output, 16 Amplified Video Outputs and Cual LNB Pass-Through 8x8 High Performance Amplifier w/Satellite Pass Through: 1 CATV Input, 6 Combined Video	180.05 149.79	ConnectionCenter ConnectionCenter
	Inputs, 1 High-Pass AUX Input, 1 Modem Output, 8 Amplified Video Outputs and Dual LNB Pass- Through		
CC-VC4001	4x1 High Performance Video Combiner Module: 4x1 High Performance Video Combiner Module Used in Premium Series Smart ConnectionCenter	20.07	ConnectionCenter
CC-VE0001	Value Express Package w/Punch-Down: (1) CC-VS1800 1x8 Video Splitter and (1) CC-TP0110 1x10 Telephone Punch-Down Board	40.13	ConnectionCenter
CC-VE0002	Value Express Package w/RJ45: (1) CC-VS1800 1x8 Video Splitter and (1) CC-TP1045 1x10 Telephone RJ45 Board	40.13	ConnectionCenter
CC-VK0020	20" Value Express Package w/Video Splitter: (1) CC-RK0020X 20" Rough-In Kit, (1) CC-EA0000 Power Assembly, (1) CC-VS1800 1x8 Video Splitter, (1) CC-TP0110 1x10 Telephone Punch-Down Board and (1) CC-FC0020 20" Flat Cover	92.74	ConnectionCenter
CC-VK0020-LV	20" Value Express Package w/o Video Splitter: (1) CC-RK0020X 20" Rough-In Kit, (1) CC-EA0000 Power Assembly, (1) CC-TP0110 1x10 Telephone Punch-Down Board and (1) CC-FC0020 20" Flat Cover	24.88	ConnectionCenter
CC-VP1120	20" Value Premium Package w/Punch-Down: (1) CC-DK0020-W 20" White Door Kit, (1) CC-VS1800 1x8 Video Splitter, (1) CC-TP0110 1x10 Telephone Punch-Down Board and (4) Mechanical Standoffs	91.81	ConnectionCenter
CC-VP1137	37" Value Premium Package w/Punch-Down: (1) CC-DK0037-W 37" White Door Kit, (1) CC-VS1800 1x8 Video Splitter, (1) CC-TP0110 1x10 Telephone Punch-Down Board and (4) Mechanical Standoffs	159.95	ConnectionCenter
CC-VP1520	20" Value Premium Package w/RJ45: (1) CC-DK0020-W 20" White Door Kit, (1) CC-VS1800 1x8 Video Splitter, (1) CC-TP1045 1x10 Telephone RJ45 Board and (4) Mechanical Standoffs	91.81	ConnectionCenter

CC-VP1537	37" Value Premium Package w/RJ45: (1) CC-DK0037-W 37" White Door Kit, (1) CC-VS1800 1x8 Video Splitter, (1) CC-TP1045 1x10 Telephone RJ45 Board and (4) Mechanical Standoffs	159.95	ConnectionCenter
CC-VP8137	37" Value Package w/Punch-Down and F-Connector Plate: (1) CC-DK0037-W 37" White Door Package, (1) CC-TP0110 1x10 Telephone Punch-Down Board, (1) CC-FC8008 F-Connector Cross-Connection Plate and (1) CC-MS1000 Metal Shelf	159.95	ConnectionCenter
CC-VS1004	1x4 High Performance Video Splitter: 1x4 High Performance Video Splitter Used in Basic Series Bronze Smart ConnectionCenter, Shelf Mount	12.55	ConnectionCenter
CC-VS1800	1x8 Video Splitter, No Shelf Required: 8-Way Video Distribution Splitter for Value Express Series. No shelf Required for Mounting	21.07	ConnectionCenter
CC-WP0002-A	Single-Gang Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0002-A	Single-Gang Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0002-W	Single-Gang Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0003-A	Single-Gang Connection Plate w/3 Ports	1.87	ConnectionCenter
CC-WP0003-I	Single-Gang Connection Plate w/3 Ports	1.87	ConnectionCenter
CC-WP0003-W	Single-Gang Connection Plate w/3 Ports	1.87	ConnectionCenter
			ConnectionCenter
CC-WP0004-A	Single-Gang Connection Plate w/4 Ports	1.87	
CC-WP0004-I	Single-Gang Connection Plate w/4 Ports	1.87	ConnectionCenter
CC-WP0004-W	Single-Gang Connection Plate w/4 Ports	1.87	ConnectionCenter
CC-WP0012-A	Single-Gang Decorator Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0012-I	Single-Gang Decorator Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0012-W	Single-Gang Decorator Connection Plate w/2 Ports	1.87	ConnectionCenter
CC-WP0014-A	Single-Gang Decorator Connection Plate w/4 Ports	1.87	ConnectionCenter
CC-WP0014-I	Single-Gang Decorator Connection Plate w/4 Ports	1.87	ConnectionCenter
CC-WP0014-W	Single-Gang Decorator Connection Plate w/4 Ports	1.87	ConnectionCenter
CF135-2	Heat Detector, 135F Fixed Temperature	48.00	Fire
CF200-2	Heat Detector, 200F Fixed Temperature	48.00	Fire
CH12A	Power Supply, Board Only. Use to Power Systems Requiring an External 12VDC Power Source w/Loads Not Exceeding 1.75AMPs. Board Only, 6 or 12V	25.35	Sensors & Detectors
CH12AC	Power Supply. Use to Power Systems Requiring an External 12VDC Power Source w/Loads Not Exceeding 1.75AMPs. Complete Power Supply. 12V, 1.25A. Comes w/Battery (12V, 7AH) and Transformer (16.5VAC, 35VA)	63.80	Sensors & Detectors
CONVSP2	SP 1.X-2.X to SP SP 6.X database conversion, 1 yr. archived history. Includes DB validation, conversion, diagnostic log output, overnight return, telephone assistance, relicense SP. (Badge designs excluded)	1024.40	Service
CONVSPCUR	SP 3.X to SP 6.X database conversion, 1 yr archived history. Includes DB validation, conversion, diagnostic log output, overnight return, 2-hours telephone support, relicense SP. Note: SP (all) to SP-EE DB conversion on quote basis.	682.50	Service
CONVSPEP	Entry Perfect database to SP 6.X database, 1 yr archived history - not all EP data will be converted - call Customer Service for details.	2389.40	Service
CONVSPGE	Data merge, multiple SP 6.X DB to SP Global Edition, for up to 3 SP DB. Additional quantities can be merged on a quote basis	6825.00	Service
CR135-2	Heat Detector, 135F ROR/Fixed Temperature	48.00	Fire
CR200-2	Heat Detector, 200F ROR/Fixed Temperature	48.00	Fire
CS2595-5	Door Holder Accessory, Catch Plate Kit Short	35.19	Fire
CS2598-5	Door Holder Accessory, Catch Plate Kit Long	39.00	Fire
CS405-7A-T	Notification Appliance, Weather-Proof, Strobe Only, Requires 449 Back Box	58.50	Fire
CS405-8A-T	Strobe w/TB EST	60.00	Fire
CSBU-3	Detector Base w/ Resistor	6.41	Fire
C-TRIM	Surface Trim Ring for Covering 4" Square Box When Mounting Smoke/Heat Detectors	4.17	Fire
CYB-2102	CyberDome II Flush Housing Clear Acrylic Dome	130.00	PTZ Cameras
CYB-2103	CyberDome II Flush Housing Smoke Acrylic Dome	130.00	PTZ Cameras
CYB-2122	CyberDome II Flush Housing Clear Polycarbonate Dome	162.50	PTZ Cameras
CYB-2123	CyberDome II Flush Housing Smoke Polycarbonate Dome	162.50	PTZ Cameras
CYB-2202	CyberDome II Pendant Housing Clear Acrylic Dome	130.00	PTZ Cameras
CYB-2203	CyberDome II Pendant Housing Smoke Acrylic Dome	130.00	PTZ Cameras
CYB-2204	CyberDome II Pendant Housing Chrome Acrylic Dome		PTZ Cameras
		312.00	
CYB-2305	CyberDome II Plenum Rated Housing Gold Acrylic Dome	377.00	PTZ Cameras
CYB-2402	CyberDome II Rugged Housing Clear Acrylic Dome	156.00	PTZ Cameras
CYB-2403	CyberDome II Rugged Housing Smoke Acrylic Dome	156.00	PTZ Cameras
CYB-2404	CyberDome II Rugged Housing Chrome Acrylic Dome	338.00	PTZ Cameras
CYB-2405	0.000	403.00	DEE 0
	CyperDome II Rugged Housing Gold Acrylic Dome		
CYB-2422	CyberDome II Rugged Housing Gold Acrylic Dome CyberDome II Rugged Housing Clear Polycarbonate Dome		PTZ Cameras
	CyberDome II Rugged Housing Clear Polycarbonate Dome	188.50	PTZ Cameras
CYB-2422 CYB-2423	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome	188.50 188.50	PTZ Cameras PTZ Cameras
CYB-2423 CYB-2502	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome	188.50 188.50 188.50	PTZ Cameras PTZ Cameras PTZ Cameras
CYB-2423	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome	188.50 188.50	PTZ Cameras PTZ Cameras
CYB-2423 CYB-2502 CYB-2522	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome	188.50 188.50 188.50 221.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome	188.50 188.50 188.50 221.00 221.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, PTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, PTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 184 CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 2678.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 2678.00 3003.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-03-022N CYB-03-022P CYB-03-018N CYB-03-018P CYB-03-023N CYB-03-023N CYB-03-023N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 2678.00 3003.00 3003.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-03-C22N CYB-03-C22P CYB-03-D18N CYB-03-D18P CYB-03-D23N CYB-03-D23N CYB-03-D23N CYB-03-D26N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2078.00 2678.00 2678.00 3003.00 3003.00 2938.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-03-022N CYB-03-022P CYB-03-018N CYB-03-018P CYB-03-023N CYB-03-023N CYB-03-023N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 2678.00 3003.00 3003.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26N CYB-C3-D26N CYB-C3-D26N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 2028.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-263-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23N CYB-C3-D26P CYB-C3-D26P CYB-C3-D36N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 3016.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D28P CYB-C3-D28P CYB-C3-D28P CYB-C3-D308P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 3016.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26N CYB-C3-D26N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C3-D36P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 2938.00 2938.00 3016.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26N CYB-C3-D26N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C3-D36P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 3016.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26N CYB-C3-D26N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C3-D36P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D23P CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C3-D36P CYB-C4-C22N CYB-C4-C22P CYB-C4-D18N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 12X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2028.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-2523 CYB-03-022N CYB-03-022P CYB-03-018N CYB-03-018P CYB-03-023N CYB-03-023N CYB-03-026N CYB-03-036N CYB-03-036N CYB-03-036N CYB-03-036P CYB-04-022P CYB-04-022P CYB-04-018N CYB-04-018N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 2028.00 2028.00 2028.00 2028.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23N CYB-C3-D26N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C4-D21	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II. Heavy Duty Housing Clear Polycarbonate Dome CyberDome II. 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II. 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II. 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II. 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II. 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II. 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2028.00 2028.00 2078.00 2078.00 303.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26N CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36N CYB-C4-C22N CYB-C4-D18N CYB-C4-D18N CYB-C4-D23N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 2028.00 2028.00 2028.00 2028.00 2028.00 2028.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-2523 CYB-C3-C22N CYB-C3-C22N CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C4-C22N CYB-C4-C22N CYB-C4-D21N CYB-C4-D23N CYB-C4-D23N CYB-C4-D23N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2028.00 2028.00 2078.00 2078.00 303.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D28P CYB-C3-D28P CYB-C3-D28P CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C4-C22N CYB-C4-C22P CYB-C4-D18N CYB-C4-D18P CYB-C4-D18P CYB-C4-D23N CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D29P CYB-C4-D26N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Polycarbonate Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, WRR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, WRR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 24X Day/Night, WRR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 3003.00 2938.00 2938.00 2028.00 2028.00 2028.00 2078.00 3003.00 3016.00 3016.00 3016.00 3016.00 2028.00 2078.00 2078.00 2078.00 2078.00 2078.00 2078.00 2078.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D25N CYB-C3-D26N CYB-C3-D30N CYB-C3-D26N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C4-D18N CYB-C4-C22P CYB-C4-D18N CYB-C4-D23P CYB-C4-D23P CYB-C4-D25N CYB-C4-D26N CYB-C4-D26N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 25X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 25X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 25X Day/Night Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 25X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 3016.00 3016.00 2028.00 2678.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00 303.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23P CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C4-D25N CYB-C4-C22P CYB-C4-D18N CYB-C4-D18N CYB-C4-D25N CYB-C4-D25N CYB-C4-D26N CYB-C4-D26N CYB-C4-D26N CYB-C4-D26P CYB-C4-D26P CYB-C4-D26P CYB-C4-D26P CYB-C4-D26N	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D28P CYB-C3-D28P CYB-C3-D28P CYB-C3-D26P CYB-C3-D36N CYB-C3-D36P CYB-C3-D36P CYB-C4-C22N CYB-C4-C22P CYB-C4-D18N CYB-C4-D18P CYB-C4-D28P CYB-C4-D28P CYB-C4-D28P CYB-C4-D28P CYB-C4-D28P CYB-C4-D26P CYB-C4-D36P CYB-C4-D36P CYB-C4-D36P CYB-C4-D36P CYB-C4-D36P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 25X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housi	188.50 188.50 188.50 221.00 221.00 2028.00 2678.00 2678.00 3003.00 2938.00 3016.00 2028.00 2678.00 3016.00 2028.00 2678.00 2678.00 3016.00 2028.00 3003.00 3016.00 3016.00 3016.00 3016.00 3016.00 3016.00 3016.00	PTZ Cameras
CYB-2423 CYB-2502 CYB-2522 CYB-2522 CYB-2523 CYB-C3-C22N CYB-C3-C22P CYB-C3-D18N CYB-C3-D18P CYB-C3-D23N CYB-C3-D23N CYB-C3-D26N CYB-C3-D26N CYB-C3-D26P CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C3-D36N CYB-C4-C22N CYB-C4-C22N CYB-C4-C22P CYB-C4-D18N CYB-C4-D18P CYB-C4-D25N CYB-C4-D26N CYB-C4-D26N CYB-C4-D26N CYB-C4-D26N CYB-C4-D26P CYB-C4-D26P CYB-C4-D26P CYB-C4-D26P	CyberDome II Rugged Housing Clear Polycarbonate Dome CyberDome II Rugged Housing Smoke Polycarbonate Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II Heavy Duty Housing Clear Acrylic Dome CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall	188.50 188.50 188.50 221.00 221.00 2028.00 2028.00 2678.00 3003.00 3003.00 2938.00 3016.00 3016.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 2678.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00 3003.00	PTZ Cameras

PR. C. 6228	CYB-C6-D18N	CyberDome II, 18X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2860.00	PTZ Cameras
CoacUTP	CYB-C6-D18P	CyberDome II, 18X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2860.00	PTZ Cameras
CYBC DE DEZIP Open Dumber II. 20X Days Might. Wild. Navart Housing, Chrome Mirrored Arryle, NTSC, CoasuLTP 3180.00 PTZ Cameras YYB CE DESIM Open Dumber II. 20X Days Might. Wild Mourt Housing, Chrome Mirrored Arryle, NTSC, CoasuLTP 3190.00 PTZ Cameras YYB CE DESIM Open Dumber II. 20X Days Might. Wild Mourt Housing, Chrome Mirrored Arryle, NTSC, CoasuLTP 3190.00 PTZ Cameras YYB CE DESIM Open Dumber III. 20X Days Might. Wild Mourt Housing, Chrome Mirrored Arryle, PAL CoasuLTP 272.00 PTZ Cameras YYB CE DESIM Open Dumber III. 20X Days Might. Wild Mourt Housing, Chrome Mirrored Arryle, PAL CoasuLTP 272.00 PTZ Cameras YYB CE CEZIP Open Dumber III. 20X Days Might. Wild Mourt Housing, Cold Mirrored Arryle, PAL CoasuLTP 272.00 PTZ Cameras YYB CE DESIM Open Dumber III. 18X Days Might. Wild Mourt Housing, Cold Mirrored Arryle, PAL CoasuLTP 202.00 PTZ Cameras YYB CE DESIM Open Dumber III. 20X Days Might. Wild Mourt Housing, Cold Mirrored Arryle, PAL CoasuLTP 305.00 PTZ Cameras YYB CE DESIM Open Dumber III. 20X Days Might. Wild Mourt Housing, Cold Mirrored Arryle, PAL CoasuLTP 305.00 PTZ Cameras YYB CE DESIM Open Dumber III. 20X Days Might. Wild Mourt Housing, Cold Mirrored Arryle, PAL CoasuLTP 305.00	CYB-C6-D23N		3185.00	PTZ Cameras
Yeb Co Display	CYB-C6-D23P		3185.00	PTZ Cameras
CyberDome II, 385 DayNigt, Wall Mount Housing, Chrome Mirrord Acrylic, NTSC, CoaxUTP 3198.00 PTZ Carneras	CYB-C6-D26N	CyberDome II, 26X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3120.00	PTZ Cameras
CyberDome 1, 2000 Dayshight, Wall Mourt Housing, Chrome Mirrord Actyle, Pal, CoasUTP 275.00 PTZ Cameras	CYB-C6-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3120.00	PTZ Cameras
Cyber Corne 1, 22X Color, Wall Mourn Housing, Gold Mirrord Anylic, NTSC, CoaxUTP	CYB-C6-D36N	CyberDome II, 36X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3198.00	PTZ Cameras
PYE-C7-228	CYB-C6-D36P	CyberDome II, 36X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3198.00	PTZ Cameras
CyberDome II, 1982 (SepWhjolt, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 2055 DPT (Zamess) CyberDome II, 1982 (SepWhjolt, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3255.00 PTZ Camess CyberDome II, 23X (DepWhjolt WOR, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3250.00 PTZ Camess CyberDome II, 23X (DepWhjolt Wolf, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3165.00 PTZ Camess CyberDome II, 23X (DepWhjolt Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3165.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3165.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3165.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Gold Minrorad Anyle, NTSC, CoaxUTP 3285.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Horifan, Clear Anyle, NTSC, CoaxUTP 2236.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Horifan, Clear Anyle, NTSC, CoaxUTP 2286.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Horifan, Clear Anyle, NTSC, CoaxUTP 3214.00 PTZ Camess CyberDome II, 23X (DepWhjolt, Wall Mount Housing, Horifan, Clear Anyle, NTSC, CoaxUTP 3214.00 <td>CYB-C7-C22N</td> <td></td> <td>2275.00</td> <td>PTZ Cameras</td>	CYB-C7-C22N		2275.00	PTZ Cameras
YPB-C7-D18P	CYB-C7-C22P CYB-C7-D18N			
CyberCD28H CyberCorne II, 23X DayNight WDR, Wall Mount Housing, Gold Mirrored Acrylic, Pist, CoavUTP 355,000 PTZ Cameras CyberCorne II, 23X DayNight, Wall Mount Housing, Gold Mirrored Acrylic, Pist, CoavUTP 356,000 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Gold Mirrored Acrylic, Pist, CoavUTP 318,500 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Gold Mirrored Acrylic, Pist, CoavUTP 318,500 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Gold Mirrored Acrylic, Pist, CoavUTP 328,300 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, FTSC, CoavUTP 328,300 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, FTSC, CoavUTP 228,600 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, FTSC, CoavUTP 228,600 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, Ptst, CoavUTP 321,100 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, Ptst, CoavUTP 321,100 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Housing, Hoff-Fan, Clear Acrylic, Ptst, CoavUTP 321,100 PTZ Cameras CyberCorne II, 28X DayNight, Wall Mount Hou				
CyberCome II. 26K DayNight, Wall Mount Housing, Gold Mirrored Acryle, NTSC, Coax/UTP	CYB-C7-D18P CYB-C7-D23N			
CYB-C7-D28P CyberDorne II. 26X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pall, Coax/UTP 3185.00 PTZ Cameras CYB-C7-D28P CyberDorne II. 38X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP 3283.00 PTZ Cameras CYB-C7-D28P CyberDorne II. 28X Color, Wall Mount Housing, Buff-Fan, Clear Acrylic, NTSC, Coax/UTP 228.00 PTZ Cameras CYB-C58-CZN CyberDorne II. 28X Color, Wall Mount Housing, Huff-Fan, Clear Acrylic, NTSC, Coax/UTP 228.00 PTZ Cameras CYB-C58-D18N CyberDorne II. 18X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, NTSC, Coax/UTP 228.00 PTZ Cameras CYB-C58-D18P CyberDorne II. 28X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, NTSC, Coax/UTP 228.00 PTZ Cameras CYB-C58-D28P CyberDorne II. 28X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, NTSC, Coax/UTP 3211.00 PTZ Cameras CYB-C58-D28P CyberDorne II. 28X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-C58-D28P CyberDorne II. 28X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, Pall, Coax/UTP 3146.00 PTZ Cameras CYB-C58-D38P CyberDorne II. 38X Day/Night, Wall Mount Housing, Huff-Fan, Clear Acrylic, Pall, Coax/UTP 3224.00	CYB-C7-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3250.00	PTZ Cameras
CYB-C7-D38N CyberDome II, 38X Day/Night, Wall Mount Housing, Gold Mirrord Acrylic, NTSC, CoaxUTP 388.00 PTZ Cameras CYB-C7-D38P CyberDome II, 2XX Color, Vall Mount Housing, Hirff-an, Clear Acrylic, PtsI, CoaxUTP 3283.00 PTZ Cameras CYB-C6-S-022P CyberDome II, 2XX Color, Vall Mount Housing, Hirff-an, Clear Acrylic, PtsI, CoaxUTP 228.00 PTZ Cameras CYB-C6-S-022P CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, PtsI, CoaxUTP 288.00 PTZ Cameras CYB-C6-S-012P CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, PtsI, CoaxUTP 288.00 PTZ Cameras CYB-C6-S-012P CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, NTSC, CoaxUTP 288.00 PTZ Cameras CYB-C6-S-02SP CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, NTSC, CoaxUTP 3140.00 PTZ Cameras CYB-C6-S-02SP CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, PsI, CoaxUTP 3146.00 PTZ Cameras CYB-C6-S-02SP CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, PsI, CoaxUTP 3146.00 PTZ Cameras CYB-C6-S-02SP CyberDome II, 2XX Day/Night, Wall Mount Housing, Hirff-an, Clear Acrylic, PsI, CoaxUTP 3224.00 PTZ	CYB-C7-D26N	CyberDome II, 26X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3185.00	PTZ Cameras
CyberDome II, 38X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, CoaxUTP 3283.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, CoaxUTP 3283.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 2283.00 PTZ Cameries CyberDome II, 18X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 2886.00 PTZ Cameries CyberDome II, 18X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 2886.00 PTZ Cameries CyberDome II, 23X Day/Night Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 2211.00 PTZ Cameries CyberDome II, 23X Day/Night Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 3211.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 3146.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, NTSC, CoaxUTP 3146.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, Pal, CoaxUTP 3240.00 PTZ Cameries CyberDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, Pal, CoaxUTP 2280.00 PTZ Cameries CyBerDome II, 28X Day/Night, Wall Mount Housing, Hurfan, Clear Acrylic, Pal, CoaxU	CYB-C7-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3185.00	PTZ Cameras
CyberDome II, 12X Color, Wall Mount Housing, HirFan, Clear Arcylic, NTSC, CoaxUTP	CYB-C7-D36N			PTZ Cameras
CyberDome II, 1282 X Color, Wall Mount Housing, HtmFan, Clear Acrylic, PRI, CoawUTP 2886.00 PTZ Cameras	CYB-C7-D36P			
CYB-CE3-D1BN CyberDome II, 18X DayNight, Wall Mount Housing, HirFan, Clear Acrylic, Pal, CoavUTP 2886.00 PTZ Cameras CYB-CE3-D1BP CyberDome II, 18X DayNight, Wolf, Wall Mount Housing, HirFan, Clear Acrylic, Pal, CoavUTP 2811.00 PTZ Cameras CYB-CE3-D23P CyberDome II, 28X DayNight WDR, Wall Mount Housing, HirFan, Clear Acrylic, NTSC, CoavUTP 3211.00 PTZ Cameras CYB-CE3-D23P CyberDome II, 28X DayNight, Wall Mount Housing, HirFan, Clear Acrylic, NTSC, CoavUTP 3211.00 PTZ Cameras CYB-CE3-D28P CyberDome II, 26X DayNight, Wall Mount Housing, HirFan, Clear Acrylic, NTSC, CoavUTP 3146.00 PTZ Cameras CYB-CE3-D36P CyberDome II, 26X DayNight, Wall Mount Housing, HirFan, Clear Acrylic, NTSC, CoavUTP 3224.00 PTZ Cameras CYB-CE3-D36P CyberDome II, 38X DayNight, Wall Mount Housing, HirFan, Smoke Acrylic, Pal, CoavUTP 3224.00 PTZ Cameras CYB-CE3-D38P CyberDome II, 38X DayNight, Wall Mount Housing, HirFan, Smoke Acrylic, Pal, CoavUTP 3224.00 PTZ Cameras CYB-CE4-D18N CyberDome II, 38X DayNight, Wall Mount Housing, HirFan, Smoke Acrylic, Pal, CoavUTP 3224.00 PTZ Cameras CYB-CE4-D28N CyberDome II, 38X DayNight, Wall Mount Housing, HirFan, Smoke Acrylic, Pal, CoavUTP 3286.00 PTZ Cameras	CYB-CE3-C22N CYB-CE3-C22P			
CYB-CE3-023N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-026N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-026P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2280.00 PTZ Cameras CYB-CE4-018N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 2288.00 PTZ Cameras CYB-CE4-018N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 2888.00 PTZ Cameras CYB-CE4-028N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-028N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00	CYB-CE3-D18N			
CYB-CE3-023N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE3-026N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-026N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-026P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2280.00 PTZ Cameras CYB-CE4-018N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 2288.00 PTZ Cameras CYB-CE4-018N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 2888.00 PTZ Cameras CYB-CE4-028N CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-028N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00	CVD CE2 D10D	CuberDome II 19Y Day/Night Wall Mount Housing Htr/Can Clear Applie Bal Coay/LITP	2006 00	DT7 Comoros
CYBerCB-D26N CyberDome II, 2eX Day/Night, Wall Mount Housing, Huffan, Clear Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYBe-CB-D26P CyberDome II, 2eX Day/Night, Wall Mount Housing, Huffan, Clear Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CB-D36N CyberDome II, 3eX Day/Night, Wall Mount Housing, Huffan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CB-D36P CyberDome II, 3eX Day/Night, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE4-C22P CyberDome II, 12X Color, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 2286.00 PTZ Cameras CYB-CE4-D18P CyberDome II, 12X Day/Night, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 12X Day/Night, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X Day/Night, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 28X Day/Night, Wall Mount Housing, Huffan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras </td <td>CYB-CE3-D23N</td> <td></td> <td></td> <td></td>	CYB-CE3-D23N			
CYB-CE3-D26P CyberDome II, 26X DayNight, Wall Mount Housing, Httr/Fan, Clear Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE3-D36N CyberDome II, 36X DayNight, Wall Mount Housing, Httr/Fan, Clear Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-D36P CyberDome II, 26X DayNight, Wall Mount Housing, Httr/Fan, Clear Acrylic, Pal, Coax/UTP 228.00 PTZ Cameras CYB-CE4-C22P CyberDome II, 22X Color, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 228.00 PTZ Cameras CYB-CE4-L02P CyberDome II, 18X DayNight, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 228.00 PTZ Cameras CYB-CE4-D18P CyberDome II, 18X DayNight, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 288.00 PTZ Cameras CYB-CE4-D23N CyberDome II, 23X DayNight WDR, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X DayNight, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X DayNight, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X DayNight, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 P	CYB-CE3-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3211.00	PTZ Cameras
CYB-CE3-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE3-D36P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 228.00 PTZ Cameras CYB-CE4-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 228.00 PTZ Cameras CYB-CE4-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 228.00 PTZ Cameras CYB-CE4-D18P CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 288.00 PTZ Cameras CYB-CE4-D23N CyberDome II, 13X Day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 288.00 PTZ Cameras CYB-CE4-D23P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Ca	CYB-CE3-D26N	CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3146.00	PTZ Cameras
278-CE3-D36P	CYB-CE3-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3146.00	PTZ Cameras
CYB-CE4-C22N CyberDome II, 22X Color, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2286.00 PTZ Cameras CYB-CE4-C22P CyberDome II, 18X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2286.00 PTZ Cameras CYB-CE4-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYB-CE4-D18P CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYB-CE4-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D23P CyberDome II, 28X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 28X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D36N CyberDome II, 38X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 38X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYB-CE6-D38P CyberDome II, 38X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP <	CYB-CE3-D36N	CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3224.00	PTZ Cameras
CYB-CE4-C22P CyberDome II, 122X Color, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 2286.00 PTZ Cameras CYB-CE4-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYB-CE4-D23N CyberDome II, 23X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D28N CyberDome II, 28X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D28N CyberDome II, 26X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Httr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 2418.00 PTZ Cameras CYB-CE6-C22P CyberDome II, 28X Day/Night, Wall Mount Housing, Httr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	CYB-CE3-D36P			
CYBE-CE4-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYBE-CE4-D18P CyberDome II, 18X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2886.00 PTZ Cameras CYBE-CE4-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3211.00 PTZ Cameras CYBE-CE4-D23P CyberDome II, 23X Day/Night WBR, Wall Mount Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYBE-CE4-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYBE-CE4-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYBE-CE4-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Httr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYBE-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Httr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYBE-CE6-D23N CyberDome II, 22X Color, Wall Mount Housing, Httr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 2418.00 PTZ Cameras CYBE-CE6-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Httr/Fan, Chrome Mirrored Acrylic, N				
CYB-CE4-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CYB-CE6-D36P CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 2418.00 PTZ Cameras CYB-CE6-C22P CyberDome II, 1, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP 2418.00 PTZ Cameras CYB-CE6-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP 3068.00 PTZ Cameras CYB-CE6-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, P	CYB-CE4-D18N			
Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3211.00 PTZ Cameras CYB-CE4-D28P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CYB-CE4-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 324.00 PTZ Cameras CYB-CE4-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 324.00 PTZ Cameras CYB-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Cax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Cax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, 3393.00 PTZ Cameras Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, 3328.00 PTZ Cameras Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, 3406.00 PTZ Cameras CyB-CE6-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, 3406.00 PTZ Cameras CyB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP PTZ Cameras CyB-CE7-D38N CyberDome II, 18X Day/Night, Wall Mount Hous	CYB-CE4-D18P			
CyB-CE4-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CyB-CE4-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3146.00 PTZ Cameras CyB-CE4-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CyB-CE6-C22N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CyB-CE6-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D28N CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount	CYB-CE4-D23N		3211.00	PTZ Cameras
CYB-CE4-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3146.00 PTZ Cameras CyB-CE4-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3224.00 PTZ Cameras CyB-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CyB-CE6-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X C	CYB-CE4-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3211.00	PTZ Cameras
CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 2324.00 PTZ Cameras CyberCet-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2418.00 PTZ Cameras Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP 2418.00 PTZ Cameras CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 28X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 28X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 28X Color, Wall	CYB-CE4-D26N	CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3146.00	PTZ Cameras
CYB-CE4-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3224.00 PTZ Cameras CYB-CE6-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, COax/UTP 2418.00 PTZ Cameras CYB-CE6-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP 2418.00 PTZ Cameras CYB-CE6-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, COax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, COax/UTP CYB-CE6-D18P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, COax/UTP CYB-CE6-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, COax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 38X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDo	CYB-CE4-D26P			
CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/	CYB-CE4-D36N	CyberDome II, 36X Day/Night, Wall Mount Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/OTP	3224.00	P12 Cameras
COAX/UTP CYB-CE6-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CYB-CE6-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D36N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE7-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyB-CE7-C22P CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mou	CYB-CE4-D36P			
CYB-CE6-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold M		Coax/UTP	2418.00	
CYB-CE6-D18P CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 23X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP		, , , , , , , , , , , , , , , , , , ,		
CÓAX/UTP CYBe-CE6-D23N CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYBe-CE6-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D36P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CYB-CE6-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP		Coax/UTP		
CYB-CE6-D23P CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CYB-CE6-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, 3328.00 CyberDome II, 26X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, 3328.00 CyberDome II, 36X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, NTSC, 3406.00 CyberDome II, 36X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, 3406.00 CyberDome II, 36X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, 3406.00 CyberDome II, 36X Day/Night, Wall Mount Housing, Htt/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htt/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htt/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htt/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htt/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htt/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 Coax/UTP	CYB-CE6-D18P	Coax/UTP		
CYB-CE6-D26N CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D26P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyB-CE6-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE7-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CyB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 PTZ Cameras Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 PTZ Cameras CyB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 PTZ Cameras	CYB-CE6-D23N	Coax/UTP		
COax/UTP CYB-CE6-D26P CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CYB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CYB-CE7-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CYB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	CYB-CE6-D23P	Coax/UTP		
CYB-CE6-D36N CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyB-CE6-D36P CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, 3406.00 PTZ Cameras CYB-CE7-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 PTZ Cameras Coax/UTP	CYB-CE6-D26N	Coax/UTP		
COax/UTP CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP CYB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP 3133.00 PTZ Cameras CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	CYB-CE6-D26P	Coax/UTP		
CYB-CE7-C22N CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, 3133.00 PTZ Cameras Coax/UTP	CYB-CE6-D36N	Coax/UTP		
CYB-CE7-C22P CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP 2483.00 PTZ Cameras CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP 3133.00 PTZ Cameras	CYB-CE6-D36P	Coax/UTP		
CYB-CE7-D18N CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	CYB-CE7-C22N			
Coax/UTP	CYB-CE7-C22P	· · · · · · · · · · · · · · · · · · ·		
CYB-CE7-D18P CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP 3133.00 PTZ Cameras	CYB-CE7-D18N	Coax/UTP		
	CYB-CE7-D18P	CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3133.00	P1Z Cameras

CYB-CE7-D23N	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3458.00	PTZ Cameras
CYB-CE7-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal,	3458.00	PTZ Cameras
CYB-CE7-D26N	Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC,	3393.00	PTZ Cameras
CYB-CE7-D26P	Coax/UTP CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3393.00	PTZ Cameras
CYB-CE7-D36N	CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3471.00	PTZ Cameras
CYB-CE7-D36P	CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3471.00	PTZ Cameras
CYB-D8-C22N	CyberDome II, 22X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	2385.50	PTZ Cameras
CYB-D8-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	2385.50	PTZ Cameras
CYB-D8-D18N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3035.50	PTZ Cameras
CYB-D8-D18P CYB-D8-D23N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3035.50 3360.50	PTZ Cameras PTZ Cameras
CYB-D8-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3360.50	PTZ Cameras
CYB-D8-D26N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3295.50	PTZ Cameras
CYB-D8-D26P	CyberDome II, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3295.50	PTZ Cameras
CYB-D8-D36N	CyberDome II, 36X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3373.50	PTZ Cameras
CYB-D8-D36P	CyberDome II, 36X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3373.50	PTZ Cameras
CYB-D9-C22N	CyberDome II, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2385.50	PTZ Cameras
CYB-D9-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	2385.50	PTZ Cameras
CYB-D9-D18N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3035.50	PTZ Cameras
CYB-D9-D18P CYB-D9-D23N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3035.50	PTZ Cameras PTZ Cameras
		3360.50	
CYB-D9-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	3360.50	PTZ Cameras
CYB-D9-D26N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3295.50	PTZ Cameras
CYB-D9-D26P CYB-D9-D36N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 36X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3295.50 3373.50	PTZ Cameras PTZ Cameras
C1B-D9-D30IN	CyberDonie II, 30X Day/Night, Fleavy Duty Flousing, Smoke Polycarbonate, N130, Coax/OTF	3373.30	F12 Callieras
CYB-D9-D36P	CyberDome II, 36X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	3373.50	PTZ Cameras
CYB-DE8-C22N	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	2593.50	PTZ Cameras
CYB-DE8-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2593.50	PTZ Cameras
CYB-DE8-D18N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3243.50	PTZ Cameras
CYB-DE8-D18P	CyberDome II, 18X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3243.50	PTZ Cameras
CYB-DE8-D23N	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3568.50	PTZ Cameras
CYB-DE8-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3568.50	PTZ Cameras
CYB-DE8-D26N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3503.50	PTZ Cameras
CYB-DE8-D26P	CyberDome II, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3503.50	PTZ Cameras
CYB-DE8-D36N	CyberDome II, 36X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3581.50	PTZ Cameras
CYB-DE8-D36P	CyberDome II, 36X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3581.50	PTZ Cameras
CYB-DE9-C22N	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	2593.50	PTZ Cameras
CYB-DE9-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	2593.50	PTZ Cameras
CYB-DE9-D18N	CyberDome II, 18X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3243.50	PTZ Cameras
CYB-DE9-D18P	CyberDome II, 18X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3243.50	PTZ Cameras
CYB-DE9-D23N	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3568.50	PTZ Cameras
CYB-DE9-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3568.50	PTZ Cameras
CYB-DE9-D26N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3503.50	PTZ Cameras
CYB-DE9-D26P CYB-DE9-D36N	CyberDome II, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3503.50	PTZ Cameras
	CyberDome II, 36X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 36X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC,	3581.50	PTZ Cameras
CYB-DE9-D36P	CyberDome II, 36X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3581.50	PTZ Cameras
CYB-F3-C22N	CyberDome II, 22X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	1911.00	PTZ Cameras
CYB-F3-C22P CYB-F3-D18N	CyberDome II, 22X Color, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	1911.00 2561.00	PTZ Cameras PTZ Cameras
CYB-F3-D18N CYB-F3-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Acrylic, N1SC, Coax/U1P CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Coax/U1P	2561.00	PTZ Cameras PTZ Cameras
CYB-F3-D18P CYB-F3-D23N	CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Acrylic, Pai, Coax/01P CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2886.00	PTZ Cameras PTZ Cameras
CYB-F3-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Clear Acrylic, N13C, Coax/UTP	2886.00	PTZ Cameras
CYB-F3-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Clear Acrylic, 1 al, Coax/UTP	2821.00	PTZ Cameras
	12,22.20.110 iii, 207. 20,77 iigirii, 1 iiddi iiriddiii 1 iddiiing, Olodi 7019110, 14100, Oddi/O11	2021.00	

	1		I
CYB-F3-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2821.00	PTZ Cameras
CYB-F3-D36N	CyberDome II, 36X Day/Night, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2899.00	PTZ Cameras
CYB-F3-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2899.00	PTZ Cameras
CYB-F4-C22N	CyberDome II, 22X Color, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	1911.00	PTZ Cameras
		1911.00	
CYB-F4-C22P	CyberDome II, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP		PTZ Cameras
CYB-F4-D18N	CyberDome II, 18X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2561.00	PTZ Cameras
CYB-F4-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2561.00	PTZ Cameras
CYB-F4-D23N	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2886.00	PTZ Cameras
L			
CYB-F4-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2886.00	PTZ Cameras
CYB-F4-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2821.00	PTZ Cameras
CYB-F4-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2821.00	PTZ Cameras
CYB-F4-D36N	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2899.00	PTZ Cameras
CYB-F4-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2899.00	PTZ Cameras
CYB-F6-C22N	CyberDome II, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2093.00	PTZ Cameras
CYB-F6-C22P	CyberDome II, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2093.00	PTZ Cameras
CYB-F6-D18N	CyberDome II, 18X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2743.00	PTZ Cameras
0)/0 50 0400		0740.00	DT7.0
CYB-F6-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2743.00	PTZ Cameras
CYB-F6-D23N	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC,	3068.00	PTZ Cameras
C1B-1 0-D25IN	Coax/UTP	3000.00	1 12 Gameras
CYB-F6-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	3068.00	PTZ Cameras
	Coax/UTP		
CYB-F6-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3003.00	PTZ Cameras
CVP F6 D00D	CuberDome II 26V Dou/Night Fluck Marret Harris Charact Att. 14 P. D. L.C. 1977	2000.00	DT7 Comor
CYB-F6-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3003.00	PTZ Cameras
CYB-F6-D36N	CyberDome II, 36X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3081.00	PTZ Cameras
CYB-F6-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3081.00	PTZ Cameras
CYB-F7-C22N	CyberDome II, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2158.00	PTZ Cameras
CYB-F7-C22P	CyberDome II, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2158.00	PTZ Cameras
CYB-F7-D18N	CyberDome II, 18X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2808.00	PTZ Cameras
i			
CYB-F7-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2808.00	PTZ Cameras
CYB-F7-D23N	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3133.00	PTZ Cameras
OTBT / BZON	by Sold Sille II, 25% Bay/Night WBN, Flash Would Flousing, Gold Milliolog Flory III, 14155, Godw 611	0100.00	1 12 Gameras
CYB-F7-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3133.00	PTZ Cameras
CYB-F7-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3068.00	PTZ Cameras
CYB-F7-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3068.00	PTZ Cameras
CYB-F7-D36N	CyberDome II, 36X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3146.00	PTZ Cameras
İ			
CYB-F7-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3146.00	PTZ Cameras
CYB-F8-C22N	CyberDome II, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	1943.50	PTZ Cameras
CYB-F8-C22P	CyberDome II, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1943.50	PTZ Cameras
CYB-F8-D18N	CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2593.50	PTZ Cameras
CYB-F8-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2593.50	PTZ Cameras
		2918.50	PTZ Cameras
CYB-F8-D23N	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2916.50	P12 Cameras
CYB-F8-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2918.50	PTZ Cameras
0.2.0220.	Cybolbonia ii, 2011 Bayringiii 11 Bri, 1 Iabri iinbaiii 11 Babaring, Cibali 1 Bybailboniaib, 1 ai, Coalifo 11	2010.00	. 12 Gameras
CYB-F8-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2853.50	PTZ Cameras
0.45 = 2 = 2 = 2			
CYB-F8-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2853.50	PTZ Cameras
CYB-F8-D36N	CyberDome II, 36X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2931.50	PTZ Cameras
CYB-F8-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2931.50	PTZ Cameras
	CyberDome II, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP		
CYB-F9-C22N		1943.50	PTZ Cameras
CYB-F9-C22P	CyberDome II, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	1943.50	PTZ Cameras
CYB-F9-D18N	CyberDome II, 18X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2593.50	PTZ Cameras
CYB-F9-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2593.50	PTZ Cameras
015-13-5101	Cybor Donie II, 107 Day/riigiti, i iusii iviount i iousiily, Silioke Folycalbonate, Fai, Coax/OTP	2000.00	i i Cameras
CYB-F9-D23N	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, NTSC,	2918.50	PTZ Cameras
CVP E0 Doop	Coax/UTP Orbor Domo II 23 Y Dov/Night W/DP. Fluch Mount Housing, Smake Religenthenate, Rel. Coax/UTP	2010 50	PT7 Comorce
CYB-F9-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2918.50	PTZ Cameras
CYB-F9-D26N	CyberDome II, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2853.50	PTZ Cameras
CVP E0 Doep	CyberDome II, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2052 50	PTZ Cameras
CYB-F9-D26P	Cyberdonie II, 26A day/nigiti, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2853.50	r iz Cameras
4	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2931.50	PTZ Cameras
CYB-F9-D36N			1
	CyberDome II. 36X Day/Night, Flush Mount Housing, Smoke Polycarhonate, Pal. Coax/LITP	2931 50	PTZ Cameras
CYB-F9-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2931.50	PTZ Cameras
	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2931.50 1937.00	PTZ Cameras PTZ Cameras
CYB-F9-D36P			
CYB-F9-D36P CYB-FP3-C22N CYB-FP3-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	1937.00 1937.00	PTZ Cameras PTZ Cameras
CYB-F9-D36P CYB-FP3-C22N	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	1937.00	PTZ Cameras
CYB-F9-D36P CYB-FP3-C22N CYB-FP3-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC,	1937.00 1937.00	PTZ Cameras PTZ Cameras

CYB-FP3-D23N	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2912.00	PTZ Cameras
CYB-FP3-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2912.00	PTZ Cameras
CYB-FP3-D26N	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2847.00	PTZ Cameras
CYB-FP3-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2847.00	PTZ Cameras
CYB-FP3-D36N	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2925.00	PTZ Cameras
CYB-FP3-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2925.00	PTZ Cameras
CYB-FP4-C22N	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	1937.00	PTZ Cameras
CYB-FP4-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1937.00	PTZ Cameras
CYB-FP4-D18N	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2587.00	PTZ Cameras
CYB-FP4-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2587.00	PTZ Cameras
CYB-FP4-D23N	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2912.00	PTZ Cameras
CYB-FP4-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2912.00	PTZ Cameras
CYB-FP4-D26N	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2847.00	PTZ Cameras
CYB-FP4-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2847.00	PTZ Cameras
CYB-FP4-D36N	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC,	2925.00	PTZ Cameras
CYB-FP4-D36P	Coax/UTP CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2925.00	PTZ Cameras
CYB-FP6-C22N	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, NTSC,	2119.00	PTZ Cameras
CYB-FP6-C22P	Coax/UTP CoperDome II, 22X Color, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	2119.00	PTZ Cameras
CYB-FP6-D18N	Coax/UTP	2769.00	PTZ Cameras
CYB-FP6-D18P	NTSC, Coax/UTP CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	2769.00	PTZ Cameras
CYB-FP6-D23N	Coax/UTP CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic,	3094.00	PTZ Cameras
CYB-FP6-D23P	NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic,	3094.00	PTZ Cameras
CYB-FP6-D26N	Pal, Coax/UTP CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic,	3029.00	PTZ Cameras
CYB-FP6-D26P	NTSC, Coax/UTP CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	3029.00	PTZ Cameras
CYB-FP6-D36N	Coax/UTP CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic,	3107.00	PTZ Cameras
CYB-FP6-D36P	NTSC, Coax/UTP CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	3107.00	PTZ Cameras
CYB-FP7-C22N	Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	2184.00	PTZ Cameras
CYB-FP7-C22P	Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal,	2184.00	PTZ Cameras
CYB-FP7-D18N	Coax/UTP CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	2834.00	PTZ Cameras
CYB-FP7-D18P	Coax/UTP	2834.00	PTZ Cameras
CYB-FP7-D23N	Coax/UTP CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic,	3159.00	PTZ Cameras
CYB-FP7-D23P	NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic,	3159.00	PTZ Cameras
CYB-FP7-D26N	Pal, Coax/UTP CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	3094.00	PTZ Cameras
CYB-FP7-D26P	Coax/UTP	3094.00	PTZ Cameras
CYB-FP7-D36N	Coax/UTP CoperDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	3172.00	PTZ Cameras
CYB-FP7-D36P	Coax/UTP	3172.00	PTZ Cameras
CYB-FP8-C22N	Coax/UTP	1969.50	PTZ Cameras
CYB-FP8-C22P	Coax/UTP	1969.50	PTZ Cameras
CYB-FP8-D18N	Coax/UTP	2619.50	PTZ Cameras
CYB-FP8-D18P	Coax/UTP	2619.50	PTZ Cameras
CYB-FP8-D23N	Coax/UTP	2944.50	PTZ Cameras
CYB-FP8-D23P	NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic,	2944.50	PTZ Cameras
CYB-FP8-D26N	Pal, Coax/UTP CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	2879.50	PTZ Cameras
CYB-FP8-D26P	Coax/UTP CoperDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal,	2879.50	PTZ Cameras
	Coax/UTP		

CYB-FP8-D36N	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, NTSC,	2957.50	PTZ Cameras
CYB-FP8-D36P	Coax/UTP CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal,	2957.50	PTZ Cameras
CYB-FP9-C22N	Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC,	1969.50	PTZ Cameras
CYB-FP9-C22P	Coax/UTP CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal,	1969.50	PTZ Cameras
CYB-FP9-D18N	Coax/UTP CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC,	2619.50	PTZ Cameras
CYB-FP9-D18P	Coax/UTP		PTZ Cameras
	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2619.50	
CYB-FP9-D23N	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2944.50	PTZ Cameras
CYB-FP9-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2944.50	PTZ Cameras
CYB-FP9-D26N	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	2879.50	PTZ Cameras
CYB-FP9-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2879.50	PTZ Cameras
CYB-FP9-D36N	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC,	2957.50	PTZ Cameras
CYB-FP9-D36P	Coax/UTP CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal,	2957.50	PTZ Cameras
CYB-H3-C22N	Coax/UTP CyberDome II, 22X Color, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	1911.00	PTZ Cameras
CYB-H3-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	1911.00	PTZ Cameras
CYB-H3-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2561.00	PTZ Cameras
CYB-H3-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	2561.00	PTZ Cameras
CYB-H3-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2886.00	PTZ Cameras
CYB-H3-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	2886.00	PTZ Cameras
CYB-H3-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2821.00	PTZ Cameras
CYB-H3-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	2821.00	PTZ Cameras
CYB-H3-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Clear Acrylic, Pai, Coax/UTP	2899.00	PTZ Cameras
CYB-H3-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Clear Acrylic, N13C, Coax/UTP CyberDome II, 36X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	2899.00	PTZ Cameras
CYB-H4-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	1911.00	PTZ Cameras
CYB-H4-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1911.00	PTZ Cameras
CYB-H4-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2561.00	PTZ Cameras
CYB-H4-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2561.00	PTZ Cameras
CYB-H4-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2886.00	PTZ Cameras
CYB-H4-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2886.00	PTZ Cameras
CYB-H4-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2821.00	PTZ Cameras
CYB-H4-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2821.00	PTZ Cameras
CYB-H4-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2899.00	PTZ Cameras
CYB-H4-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2899.00	PTZ Cameras
CYB-H6-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2093.00	PTZ Cameras
CYB-H6-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2093.00	PTZ Cameras
CYB-H6-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2743.00	PTZ Cameras
CYB-H6-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2743.00	PTZ Cameras
CYB-H6-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3068.00	PTZ Cameras
CYB-H6-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3068.00	PTZ Cameras
CYB-H6-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3003.00	PTZ Cameras
CYB-H6-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3003.00	PTZ Cameras
CYB-H6-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3081.00	PTZ Cameras
CYB-H6-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3081.00	PTZ Cameras
CYB-H7-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2158.00	PTZ Cameras
CYB-H7-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2158.00	PTZ Cameras
CYB-H7-D18N	CyberDonie II, 18X Day/Night, Pendant Mount Housing, Gold Mirrored Actylic, Par, Coax/UTP	2808.00	PTZ Cameras
CYB-H7-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2808.00	PTZ Cameras
CYB-H7-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3133.00	PTZ Cameras
CYB-H7-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3133.00	PTZ Cameras
CYB-H7-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3068.00	PTZ Cameras
CYB-H7-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3068.00	PTZ Cameras
CYB-H7-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3146.00	PTZ Cameras
CYB-H7-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3146.00	PTZ Cameras
CYB-HE3-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2119.00	PTZ Cameras
CYB-HE3-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2119.00	PTZ Cameras
	CyberDome II 22V Color Dendont Mount Housing Htr/Fon Clear Aprilio Pol Cooy/LITD	2119 00	PTZ Cameras

CYB-HE3-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2769.00	PTZ Cameras
CYB-HE3-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2769.00	PTZ Cameras
CYB-HE3-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3094.00	PTZ Cameras
CYB-HE3-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3094.00	PTZ Cameras
CYB-HE3-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htt/Fan, Clear Acrylic, NTSC, Coax/UTP	3029.00	PTZ Cameras
CYB-HE3-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3029.00	PTZ Cameras
CYB-HE3-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3107.00	PTZ Cameras
CYB-HE3-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3107.00	PTZ Cameras
CYB-HE4-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2119.00	PTZ Cameras
CYB-HE4-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2119.00	PTZ Cameras
CYB-HE4-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2769.00	PTZ Cameras
CYB-HE4-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2769.00	PTZ Cameras
CYB-HE4-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3094.00	PTZ Cameras
CYB-HE4-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3094.00	PTZ Cameras
CYB-HE4-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3029.00	PTZ Cameras
CYB-HE4-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3029.00	PTZ Cameras
CYB-HE4-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3107.00	PTZ Cameras
CYB-HE4-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3107.00	PTZ Cameras
CYB-HE6-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2301.00	PTZ Cameras
CYB-HE6-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2301.00	PTZ Cameras
CYB-HE6-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2951.00	PTZ Cameras
CYB-HE6-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2951.00	PTZ Cameras
CYB-HE6-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3276.00	PTZ Cameras
CYB-HE6-D23P	CyberDome III, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	3276.00	PTZ Cameras
CYB-HE6-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3211.00	PTZ Cameras
CYB-HE6-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	3211.00	PTZ Cameras
CYB-HE6-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3289.00	PTZ Cameras
CYB-HE6-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	3289.00	PTZ Cameras
CYB-HE7-C22N	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2366.00	PTZ Cameras
CYB-HE7-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2366.00	PTZ Cameras
CYB-HE7-D18N	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3016.00	PTZ Cameras
CYB-HE7-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3016.00	PTZ Cameras
CYB-HE7-D23N	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3341.00	PTZ Cameras
CYB-HE7-D23P	NTSC, COBX/01P CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3341.00	PTZ Cameras
CYB-HE7-D26N	CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3276.00	PTZ Cameras
CYB-HE7-D26P	Coax/UTP CyberDome II, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3276.00	PTZ Cameras
CYB-HE7-D36N	CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3354.00	PTZ Cameras
CYB-HE7-D36P	Coax/UTP CyberDome II, 36X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3354.00	PTZ Cameras
CYB-P2-C22N	CyberDome II, 22x Color, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, NTSC,	3344.90	PTZ Cameras
CYB-P2-C22P	Coax/UTP/Alarm CyberDome II, 22x Color, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, Pal,	3344.90	PTZ Cameras
CYB-P2-D18N	Coax/UTP/Alarm CyberDome II, 18x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, NTSC,	3994.90	PTZ Cameras
CYB-P2-D18P	Coax/UTP/Alarm CyberDome II, 18x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, Pal,	3994.90	PTZ Cameras
CYB-P2-D23N	Coax/UTP/Alarm CyberDome II, 23x Day/Night WDR, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic,	4319.90	PTZ Cameras
CYB-P2-D23P	NTSC, Coax/UTP/Alarm CyberDome II, Sou/Night WDR, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic,	4319.90	PTZ Cameras
CYB-P2-D26N	Pal, Coax/UTP/Alarm CyberDome II, 26x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, NTSC,	4254.90	PTZ Cameras
	Coax/UTP/Alarm		<u> </u>

CYB-P2-D26P	CyberDome II, 26x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, Pal,	4254.90	PTZ Cameras
CYB-P2-D36N	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, NTSC,	4332.90	PTZ Cameras
CYB-P2-D36P	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Bronze Acrylic, Pal,	4332.90	PTZ Cameras
CYB-P3-C22N	Coax/UTP/Alarm CyberDome II, 22x Color, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, NTSC,	3344.90	PTZ Cameras
CYB-P3-C22P	Coax/UTP/Alarm		PTZ Cameras
	CyberDome II, 22x Color, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	3344.90	
CYB-P3-D18N	CyberDome II, 18x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	3994.90	PTZ Cameras
CYB-P3-D18P	CyberDome II, 18x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	3994.90	PTZ Cameras
CYB-P3-D23N	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	4319.90	PTZ Cameras
CYB-P3-D23P	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	4319.90	PTZ Cameras
CYB-P3-D26N	CyberDome II, 26x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, NTSC,	4254.90	PTZ Cameras
CYB-P3-D26P	Coax/UTP/Alarm CyberDome II, 26x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, Pal,	4254.90	PTZ Cameras
CYB-P3-D36N	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, NTSC,	4332.90	PTZ Cameras
CYB-P3-D36P	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Wall Mount, Htr/Fan, Clear Acrylic, Pal,	4332.90	PTZ Cameras
CYB-PE2-C22N	Coax/UTP/Alarm CyberDome II, 22x Color, PressurDome Housing, Htr/Fan, Bronze Acrylic, NTSC, Coax/UTP/Alarm	3166.80	PTZ Cameras
CYB-PE2-C22P	CyberDome II, 22x Color, PressurDome Housing, Httr/Fan, Bronze Acrylic, Pal, Coax/UTP/Alarm	3166.80	PTZ Cameras
	The state of the s		PTZ Cameras
CYB-PE2-D18N	CyberDome II, 18x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, NTSC, Coax/UTP/Alarm	3816.80	
CYB-PE2-D18P	CyberDome II, 18x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, Pal, Coax/UTP/Alarm	3816.80	PTZ Cameras
CYB-PE2-D23N	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Htr/Fan, Bronze Acrylic, NTSC, Coax/UTP/Alarm	4141.80	PTZ Cameras
CYB-PE2-D23P	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Htr/Fan, Bronze Acrylic, Pal, Coax/UTP/Alarm	4141.80	PTZ Cameras
CYB-PE2-D26N	CyberDome II, 26x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, NTSC, Coax/UTP/Alarm	4076.80	PTZ Cameras
CYB-PE2-D26P	CyberDome II, 26x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, Pal,	4076.80	PTZ Cameras
CYB-PE2-D36N	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, NTSC,	4154.80	PTZ Cameras
CYB-PE2-D36P	Coax/UTP/Alarm CyberDome II, 36x Day/Night, PressurDome Housing, Htr/Fan, Bronze Acrylic, Pal,	4154.80	PTZ Cameras
CYB-PE3-C22N	Coax/UTP/Alarm CyberDome II, 22x Color, PressurDome Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	3166.80	PTZ Cameras
CYB-PE3-C22P	CyberDome II, 22x Color, PressurDome Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	3166.80	PTZ Cameras
CYB-PE3-D18N	CyberDome II, 18x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, NTSC,	3816.80	PTZ Cameras
CYB-PE3-D18P	Coax/UTP/Alarm		
	CyberDome II, 18x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	3816.80	PTZ Cameras
CYB-PE3-D23N	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	4141.80	PTZ Cameras
CYB-PE3-D23P	CyberDome II, 23x Day/Night WDR, PressurDome Housing, Htr/Fan, Clear Acrylic,Pal, Coax/UTP/Alarm	4141.80	PTZ Cameras
CYB-PE3-D26N	CyberDome II, 26x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	4076.80	PTZ Cameras
CYB-PE3-D26P	CyberDome II, 26x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	4076.80	PTZ Cameras
CYB-PE3-D36N	CyberDome II, 36x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP/Alarm	4154.80	PTZ Cameras
CYB-PE3-D36P	CyberDome II, 36x Day/Night, PressurDome Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP/Alarm	4154.80	PTZ Cameras
CYB-R3-C22N	CyberDome II, 22X Color, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	2223.00	PTZ Cameras
CYB-R3-C22P	CyberDome II, 22X Color, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	2223.00	PTZ Cameras
CYB-R3-D18N CYB-R3-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	2873.00 2873.00	PTZ Cameras PTZ Cameras
CYB-R3-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Clear Acrylic, Pai, Coax/UTP	3198.00	PTZ Cameras
CYB-R3-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Clear Acrylic, N13C, Coax/01F	3198.00	PTZ Cameras
CYB-R3-D26N	CyberDome II, 26X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	3133.00	PTZ Cameras
CYB-R3-D26P	CyberDome II, 26X Day/Night, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	3133.00	PTZ Cameras
CYB-R3-D36N	CyberDome II, 36X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	3211.00	PTZ Cameras
CYB-R3-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	3211.00	PTZ Cameras
CYB-R4-C22N	CyberDome II, 22X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	2223.00	PTZ Cameras
CYB-R4-C22P	CyberDome II, 22X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	2223.00	PTZ Cameras
CYB-R4-D18N	CyberDome II, 18X Day/Night, Rugged Housing, Smoke Acrylic, Pai, Coax/UTP	2873.00	PTZ Cameras
CYB-R4-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	2873.00	PTZ Cameras
CYB-R4-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	3198.00	PTZ Cameras
CYB-R4-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	3198.00	PTZ Cameras
CYB-R4-D26N	CyberDome II, 26X Day/Night, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	3133.00	PTZ Cameras
CYB-R4-D26P	CyberDome II, 26X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	3133.00	PTZ Cameras
CYB-R4-D36N	CyberDome II, 36X Day/Night, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	3211.00	PTZ Cameras
CYB-R4-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	3211.00	PTZ Cameras
CYB-R8-C22N	CyberDome II, 22X Color, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	2255.50	PTZ Cameras
CYB-R8-C22P	CyberDome II, 22X Color, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	2255.50	PTZ Cameras
CYB-R8-D18N	CyberDome II, 18X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	2905.50	PTZ Cameras
	, , , , , , , , , , , , , , , , , , , ,		

Chief Bird Diagno	_			
CYB-R-B-D2DP CyberDame II. 20th DayNigh WDR, Rugged Housers, Clear Polyactionate, Pal. CoaxUTP 518.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Rough Housers, Clear Polyactionate, Pal. CoaxUTP 518.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Clear Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 528.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Sender Polyactionate, Pal. CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Hell-Fax, Clear Anylic, Ptz, CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP CyberDame II. 20th DayNigh Roughed Housers, Hell-Fax, Clear Anylic, Ptz, CoaxUTP 538.5.00 PTZ Cameras CYB-R-B-D2DP C	CYB-R8-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	2905.50	PTZ Cameras
COR-RE-DOM Optier Dome II, 2005. Depuly III, Buspool Housing, Clear Projections III, NISC, CoanVITP OPP 88 DOME Optier Dome II, 2005. Depuly III, Ruspool Housing, Clear Projections III, NISC, CoanVITP Optier Dome II, 2005. Depuly III, Ruspool Housing, Clear Projections III, NISC, CoanVITP Optier Dome III, 2005. Depuly III, Ruspool Housing, Clear Projections III, NISC, CoanVITP Optier Dome III, 2005. Depuly III, Ruspool Housing, Clear Projections III, III, CoanVITP Optier Dome III, 1000. Depuly III, Ruspool Housing, Sinche Polyprotensies, Projections III, 1000. Depuly III, CoanVITP Optier Dome II, 1000. Depuly III, Ruspool Housing, Bridge Polyprotensies, Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, Clear Projections III, 1000. Depuly III, 1000. De	CYB-R8-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	3230.50	PTZ Cameras
CVB-R6-DEM Cyte-Dame II, 28X DeyNight, Rapped Housing, Clear Phytosophorate, NTSC, Coast/TP CVB-R6-DBM Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, NTSC, Coast/TP CVB-R6-DBM Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Stagged Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame I				
CVB-R6-DEM Cyte-Dame II, 28X DeyNight, Rapped Housing, Clear Phytosophorate, NTSC, Coast/TP CVB-R6-DBM Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, NTSC, Coast/TP CVB-R6-DBM Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Rapped Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 38X DeyNight, Stagged Housing, Clear Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 18X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosophorate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Staffe Phytosoborate, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame II, 28X DeyNight, Rapped Housing, Hirffien, Clear Argie, Ph. (2004) Cyte-Dame I	CYB-R8-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	3230.50	PTZ Cameras
COR-86 DEAP Oct-Process II, 20X Day-Night, Rugged Houring, Cleer Pulsysaborate, R. L. Coad/UTP 24-25.00 PTZ Cameras CVR-86-DC271 OcyterDome II, 20X Day-Night, Rugged Houring, Cleer Pulsysaborate, R. P. Coad/UTP 24-25.00 PTZ Cameras CVR-86-DC271 OcyterDome II, 22X Coler, Rugged Houring, Gene Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D181 OcyterDome II, 22X Coler, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D181 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D181 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D181 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D182 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D229 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Reyearborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D281 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Polycarborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D281 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Polycarborate, R. P. Coad/UTP 27-25.00 PTZ Cameras CVR-86-D281 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Polycarborate, R. P. Coad/UTP 245-D0 PTZ Cameras CVR-86-D282 OcyterDome II, 22X Day-Night, Rugged Houring, Sende Polycarborate, R. P. Coad/UTP 245-D0 PTZ Cameras CVR-86-D283 OcyterDome II, 22X Day-Night, Rugged Houring, Tenfor, Clear Article, PtZ Coad/UTP 245-D0 PTZ Cameras CVR-86-D283 OcyterDome II, 22X Day-Night, Rugged Houring, Hirff-Do. Clear Article, PtZ Coad/UTP 245-D0 PTZ Cameras CVR-86-D293 OcyterDome II, 22X Day-Night, WDR, Rugged Houring, Hirff-Do. Clear Article, PtZ Coad/UTP 245-D0 PTZ Cameras CVR-86-D293 OcyterDome II, 22X Day-Night, WDR, Rugged Houring, Hirff-Do. Clear Article, PtZ Coad/UTP 245-D0 PTZ Cameras CVR-86-D293 OcyterDome II, 22X Day-Night, WDR, Rugged Houring, Hirff-Do. Clear Article, PtZ Coad/UTP		-,,,,,,,,,,		
Content	CVP Do DOEN	CyberDome II 26V Day/Night Bugged Housing Clear Polycorbonate NTSC Coay/LTD	2165 50	PT7 Camaras
COR-RECORD CyterCores 1,20X Copyling Regist Houring Case Physicationate, PM, CoastUTP 232-13.09 PTZ Cameros CyterCores 1,20X Copyling Regist Houring Case Physicationate, PM, CoastUTP 232-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Case Physicationate, PM, CoastUTP 232-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Case Physicationate, PM, CoastUTP 232-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,30X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,30X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,30X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Street Physicationate, PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Register Houring Register PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Register Houring Register PM, CoastUTP 230-55.09 PTZ Cameros CyterCores 1,20X Copyling Register Houring Reg				
CREARD C)-plentDurm II 38T Conjung (Supple Princing Case Polycamborates), PSE CONUTT				
CREATED CytenDorne II 207 Color. Roggest Hossiand, Smole Physiciathorate, Pal. Coloration 2005-250 PT. Comment Coloration 207 Color. Roggest Hossiand, Smole Physiciathorate, Pal. Coloration PT. Comment Coloration 207 Color Roggest Hossiand, Smole Physiciathorate, Pal. Coloration 2005-250 PT. Comment Coloration 207 Colo				
CORREGIZEDE				
Cyte-Both Cyte-Dome 1,120 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 200.550 PTZ Commens CYTE-R4-BODB Cyte-Both 1,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 320.550 PTZ Commens CYTE-R4-BODB Cyte-Both 1,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 320.550 PTZ Commens CYTE-R4-BODB Cyte-Both 2,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 320.550 PTZ Commens CYTE-R4-BODB Cyte-Both 2,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 3165.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Stroke Polyandrome, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 3455.50 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 360.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 360.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 360.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 360.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, NTSC, CoawUTP 360.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20 Daylogh Regaged Housing, Heritary, Clear Arylon, Red, CawaUTP 341.00 PTZ Commens CYTE-R4-BODB Cyte-Both 3,20	CYB-R9-C22N		2255.50	PTZ Cameras
CYB-RE-D2IP	CYB-R9-C22P	CyberDome II, 22X Color, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	2255.50	PTZ Cameras
COR-RE-002PB	CYB-R9-D18N	CyberDome II, 18X Day/Night, Rugged Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2905.50	PTZ Cameras
COR-BEDORN OpenDorne III. 20X Dayshight WDR, Ruggeet Housing, Smoke Polycarbonate, NTSC, CoauUTP 3300.50 PTZ Cameras CVB-RR-DUZBP OpenDorne III. 20X Dayshight WDR, Ruggeet Housing, Smoke Polycarbonate, NTSC, CoauUTP 3165.50 PTZ Cameras CVB-RR-DUZBP OpenDorne II. 20X Dayshight, Ruggeet Housing, Smoke Polycarbonate, NTSC, CoauUTP 3165.50 PTZ Cameras CVB-RR-DUZBP OpenDorne II. 20X Dayshight, Ruggeet Housing, Smoke Polycarbonate, NTSC, CoauUTP 3165.50 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Dayshight, Ruggeet Housing, HerFan, Clear Article, RLO CoauUTP 2431.00 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Color, Ruggeet Housing, HerFan, Clear Article, RLO CoauUTP 2431.00 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Dayshight VDR, Ruggeet Housing, HerFan, Clear Article, NTSC, CoauUTP 3405.00 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Dayshight VDR, Ruggeet Housing, HerFan, Clear Artylic, Ptl. CoauUTP 3406.00 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Dayshight Ruggeet Housing, HerFan, Clear Artylic, Ptl. CoauUTP 3406.00 PTZ Cameras CVB-RR-SC-2CXP OpenDorne II. 20X Dayshight VDR, Ruggeet Housing, HerFan, Clear Artylic, Ptl. CoauUTP 3401.00 PTZ Cameras				
CYB-R6-2029 OyberCome II, 20X DisyNhght WDR, Ruggeel Housing, Smoke Polycarbonate, Pal, CoxWTP 320.55 PTZ Camerias CYB-R6-2029N OyberCome II, 20X DisyNhght, Ruggeel Housing, Smoke Polycarbonate, NTSC, CoxWTP 136.55 DPTZ Camerias CYB-R6-2039N OyberCome II, 20X DisyNhght, Ruggeel Housing, Smoke Polycarbonate, NTSC, CoxWTP 136.55 DPTZ Camerias CYB-R6-2039N OyberCome II, 20X DisyNhght, Ruggeel Housing, Smoke Polycarbonate, NTSC, CoxWTP 236.55 DPTZ Camerias CYB-R6-2039N OyberCome II, 20X DisyNhght, Ruggeel Housing, Smoke Polycarbonate, NTSC, CoxWTP 236.55 DPTZ Camerias CYB-R6-202P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 236.55 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.10 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, Pal, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, NTSC, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Archite, NTSC, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Smoke Archite, NTSC, CoxWTP 306.00 DPTZ Camerias CYB-R6-2039P OyberCome II, 20X DisyNhght, Ruggeel Housing, Hirfan, Clear Pol				
CYB-RE-D28P	01B 1(0 B20)(Cyberbonia ii, 25% bay/Mgiit WbN, Nagged Hodoling, Chlore i dycarbonate, N100, Godwell	0200.00	1 12 Gameras
CYB-RE-D28P	CVP DO DOOD	Coban Darra II COV Day Minha WDD Durrand Haveing Corolla Debugging and Del Coroll ITD	2020 50	DT7 0
CORP-BE-020P Cyte-Dome II, 282 Dayly-Right, Ragged Hosting, TrisS, CosouTP 3245.50 FTZ Cameries CYR-BE-280N Cyte-Dome II, 382 Dayly-Right, Ragged Hosting, TrisS, CosouTP 3245.50 FTZ Cameries CYR-BE-280N Cyte-Dome II, 382 Dayly-Right, Ragged Hosting, Hirth-Right CosouTP 3245.50 FTZ Cameries CYR-BE-280N Cyte-Dome II, 382 Dayly-Right, Ragged Hosting, Hirth-Right, CosouTP 3245.50 FTZ Cameries CYR-BE-280N Cyte-Dome II, 382 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, EM, CosouTP 3241.00 FTZ Cameries CYR-BE-280N Cyte-Dome II, 182 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, EM, CosouTP 3241.00 FTZ Cameries CYR-BE-280N Cyte-Dome II, 182 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3241.00 FTZ Cameries CYR-BE-280N Cyte-Dome II, 182 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3441.00 FTZ Cameries CYR-BE-280N Cyte-Dome III, 282 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-280N Cyte-Dome III, 282 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-380N Cyte-Dome III, 282 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-380N Cyte-Dome III, 282 Dayly-Right, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-380N Cyte-Dome III, 282 Code, Ragged Hosting, Hirth-Right, Clear Artific, MTSC, CosouTP 2441.00 FTZ Cameries CYR-BE-4018P Cyte-Dome III, 282 Code, Ragged Hosting, Hirth-Right, Clear Artific, Ragged Hosting, Hirth-Right, Stroke, Artific, CosouTP 3341.00 FTZ Cameries CYR-BE-4018P Cyte-Dome III, 282 Code, Ragged Hosting, Hirth-Right, Stroke, Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-4028N Cyte-Dome III, 282 Code, Ragged Hosting, Hirth-Right, Stroke, Artific, MTSC, CosouTP 3341.00 FTZ Cameries CYR-BE-6028N Cyte-Dome III, 282 Code, Ragged Hos	C1B-R9-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/01P	3230.50	P12 Cameras
CORP-BE-DIGIP Option Line Sta Dayly May Rugged Housing, Smoke Polystamons N. PS. Coadul PP 3245.55 PT.Z. Camerias CPR-BE-DISM Option Line Sta Dayly May Rugged Housing, Smoke Polystamons N. PS. Coadul PP 3245.55 PT.Z. Camerias CPR-BE-DISM Option Line Sta Dayly May Rugged Housing, Smoke Polystamons N. PS. Coadul PP 3245.55 PT.Z. Camerias CPR-BE-DISM Option Line State Polystamons Coadul PP 3245.55 PT.Z. Camerias CPR-BE-DISM Option Line State Polystamons Coadul PP 3245.55 PT.Z. Camerias CPR-BE-DISM Option Line State Polystamons CPR-BE-DISM Option Line State Polystamons CPR-BE-DISM Option Line State Polystamons Line Polystamons CPR-BE-DISM Option Line State Polystamons Line Polystamons CPR-BE-DISM Option Line State Polystamons Line Pol				
CVB-BE-038N				
CR9-BR-9039P CyberDorne II. 20X Day-Night, Rugged Housing, Smoke Polycarborate, Pat. CoavUTP 2431.00 PTZ Camenas CYB-RES-222P CyberDorne II. 20X Colle, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 2431.00 PTZ Camenas CYB-RES-22P CyberDorne II. 20X Colle, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 2431.00 PTZ Camenas CYB-RES-12PS CyberDorne II. 20X Day-Night WDR, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 361.00 PTZ Camenas CYB-RES-12SN CyberDorne II. 20X Day-Night WDR, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 361.00 PTZ Camenas CYB-RES-12SN CyberDorne II. 20X Day-Night WDR, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 361.00 PTZ Camenas CYB-RES-12SN CyberDorne II. 20X Day-Night, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 341.00 PTZ Camenas CYB-RES-12SDB CyberDorne II. 20X Day-Night, Rugged Housing, Hirffan, Clear Actyle, Pat. CoavUTP 341.00 PTZ Camenas CYB-RES-12SDB CyberDorne II. 20X Day-Night, Rugged Housing, Hirffan, Smoke Actyle, NTSC, CoavUTP 3419.00 PTZ Camenas CYB-RES-12SDB CyberDorne II. 20X Day-Night, Rugged Housing, Hirffan, Smoke Actyle, NTSC, CoavUTP 3419.00 PTZ Camenas CY			3165.50	
CYB-RES-CZ2N	CYB-R9-D36N	CyberDome II, 36X Day/Night, Rugged Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3243.50	PTZ Cameras
CVB-RES-CZ2N	CYB-R9-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	3243.50	PTZ Cameras
CYB-RES-1028 CyberDome II, 12X Color, Rugged Housing, Hirffran, Clear Actylic, Pal, CasaUTP				
CVB-RE2-D18N CyberDorne II, 18X Days/Najirt. Rugged Housing, Hird Fan, Clear Artyle, NTSC, CoaxUTP 3081.00 PTZ Camenas CVB-RE3-D2SN CyberDorne II, 28X Days/Najirt WDR, Rugged Housing, Hirffan, Clear Artyle, PM, CoaxUTP 3081.00 PTZ Camenas CVB-RE3-D2SN CyberDorne II, 28X Days/Najirt WDR, Rugged Housing, Hirffan, Clear Artyle, PM, CoaxUTP 3408.00 PTZ Camenas CVB-RE3-D2SN CyberDorne II, 28X Days/Najirt. Rugged Housing, Hirffan, Clear Artyle, PM, CoaxUTP 341.00 PTZ Camenas CVB-RE3-D2SN CyberDorne II, 28X Days/Najirt. Rugged Housing, Hirffan, Clear Artyle, PM, CoaxUTP 341.00 PTZ Camena CVB-RE3-D2SP CyberDorne II, 38X Days/Najirt. Rugged Housing, Hirffan, Clear Artyle, PM, CoaxUTP 341.00 PTZ Camena CVB-RE3-D3SP CyberDorne II, 38X Days/Najirt. Rugged Housing, Hirffan, Smoka Artyle, NTSC, CoaxUTP 3419.00 PTZ Camena CVB-RE4-D3SP CyberDorne II, 28X Days/Najirt. Rugged Housing, Hirffan, Smoka Artyle, NTSC, CoaxUTP 3419.00 PTZ Camena CVB-RE4-D2SP CyberDorne II, 18X Days/Najirt. Rugged Housing, Hirffan, Smoka Artyle, NTSC, CoaxUTP 3410.00 PTZ Camena CVB-RE4-D2SP CyberDorne II, 28X Days/Najirt. Rugged Housing, Hirffan, Smoka Artyle, NTSC, CoaxUTP 3408.00 PTZ Camenas				
CVB-RES-D18P CyberDorne II, 12X Day-Night, Rugged Housing, HirFran, Clear Acrylic, Psl. CoaxUTP 3881.00 PTZ Cameras CVB-RES-D23P CyberDorne II, 23X Day-Night WOR, Rugged Housing, HirFran, Clear Acrylic, Pal, CoaxUTP 3466.00 PTZ Cameras CVB-RES-D23P CyberDorne II, 23X Day-Night, Rugged Housing, HirFran, Clear Acrylic, Pal, CoaxUTP 3416.00 PTZ Cameras CVB-RES-D26N CyberDorne II, 23X Day-Night, Rugged Housing, HirFran, Clear Acrylic, Pal, CoaxUTP 3416.00 PTZ Cameras CVB-RES-D26N CyberDorne II, 38X Day-Night, Rugged Housing, HirFran, Clear Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RES-D36N CyberDorne II, 38X Day-Night, Rugged Housing, HirFran, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE4-C32P CyberDorne II, 18X Day-Night, Rugged Housing, HirFran, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE4-D18P CyberDorne II, 18X Day-Night, Rugged Housing, HirFran, Smoke Acrylic, Pal, CoaxUTP 3481.00 PTZ Cameras CVB-RE4-D23P CyberDorne II, 23X Day-Night, Rugged Housing, HirFran, Smoke Acrylic, Pal, CoaxUTP 3480.00 PTZ Cameras CVB-RE4-D23P CyberDorne II, 23X Day-Night, Rugged Housing, HirFran, Smoke Acrylic, Pal, CoaxUTP 3480.00 PTZ Cameras				
CVB-RE-D23N CyberChome II, 23X Day/Night WDR, Rugged Housing, Huffan, Clear Acrylic, Pal, CoaxUTP 3406.00 PTZ Cameras CVB-RE-D23P CyberChome II, 23X Day/Night, Rugged Housing, Huffan, Clear Acrylic, Pal, CoaxUTP 3406.00 PTZ Cameras CVB-RE-D28P CyberChome II, 26X Day/Night, Rugged Housing, Huffan, Clear Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE-D38P CyberChome II, 38X Day/Night, Rugged Housing, Huffan, Clear Acrylic, Pal, CoaxUTP 3419.00 PTZ Cameras CVB-RE-D38P CyberChome II, 32X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, Pal, CoaxUTP 3419.00 PTZ Cameras CVB-RE-D38P CyberChome II, 25X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, Pal, CoaxUTP 3419.00 PTZ Cameras CVB-RE-CD2R CyberChome II, 25X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, Pal, CoaxUTP 2401.00 PTZ Cameras CVB-RE-D28P CyberChome II, 25X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CVB-RE-D28P CyberChome II, 25X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, NTSC, CoaxUTP 3410.00 PTZ Cameras CVB-RE-D28P CyberChome II, 25X Day/Night, Rugged Housing, Huffan, Smoke Acrylic, NTSC, CoaxUTP 3410.00 PTZ Cameras CVB-RE				
CYB-RE3-D23P CyberDome II, 23X DayNight WDR, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3406.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3411.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3419.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 22X Color, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 22X Color, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3410.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3410.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke Actylic, PTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke Actylic, PTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke	CYB-RE3-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3081.00	PTZ Cameras
CYB-RE3-D23P CyberDome II, 23X DayNight WDR, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3406.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3411.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Clear Actylic, Pal, CoawUTP 3419.00 PTZ Cameras CYB-RE3-D28H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 22X Color, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 22X Color, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3419.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3410.00 PTZ Cameras CYB-RE4-C22H CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3401.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 25X DayNight, Rugged Housing, HttrFan, Smoke Actylic, NTSC, CoawUTP 3410.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke Actylic, PTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE4-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke Actylic, PTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.00 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Clear Polycarbonate, NTSC, CoawUTP 3411.50 PTZ Cameras CYB-RE5-D28N CyberDome II, 26X DayNight, Rugged Housing, HttrFan, Smoke	CYB-RE3-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3406.00	PTZ Cameras
CYB-RE3-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Clear Acrylic, NTSC, CoaxUTP 3341.00 PTZ Cameras CYB-RE3-D2BP CyberDome II, 38X DayNight, Rugged Housing, HirrSan, Clear Acrylic, Ptz, CoaxUTP 3441.00 PTZ Cameras CYB-RE3-D2BP CyberDome II, 38X DayNight, Rugged Housing, HirrSan, Clear Acrylic, Ptz, CoaxUTP 3441.00 PTZ Cameras CYB-RE3-D2BN CyberDome II, 38X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 2451.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 2451.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, WDR, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, WDR, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Psi, CoaxUTP 3410.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Psi, CoaxUTP 3410.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Psi, CoaxUTP 3410.00 PTZ Cameras CYB-RE5-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, NTSC, CoaxUTP 3411.00 PTZ Cameras CYB-RE5-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, NTSC, CoaxUTP 3411.00 PTZ Cameras CYB-RE6-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, Psi, CoaxUTP 3411.00 PTZ Cameras CYB-RE6-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Cle	ĺ	3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3		
CYB-RE3-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Clear Acrylic, NTSC, CoaxUTP 3341.00 PTZ Cameras CYB-RE3-D2BP CyberDome II, 38X DayNight, Rugged Housing, HirrSan, Clear Acrylic, Ptd. CoaxUTP 3441.00 PTZ Cameras CYB-RE3-D2BP CyberDome II, 38X DayNight, Rugged Housing, HirrSan, Clear Acrylic, Ptd. CoaxUTP 3451.00 PTZ Cameras CYB-RE3-C2PN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 2451.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 2451.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, WDR, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, WDR, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, NTSC, CoaxUTP 3410.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Ptd. CoaxUTP 3410.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Ptd. CoaxUTP 3410.00 PTZ Cameras CYB-RE4-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Shoke Acrylic, Ptd. CoaxUTP 3410.00 PTZ Cameras CYB-RE5-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, NTSC, CoaxUTP 3411.00 PTZ Cameras CYB-RE5-D18N CyberDome II, 18X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, NTSC, CoaxUTP 3411.00 PTZ Cameras CYB-RE6-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Clear Polycarbonate, Ptd. CaaxUTP 3411.00 PTZ Cameras CYB-RE6-D2BN CyberDome II, 28X DayNight, Rugged Housing, HirrSan, Cle	CYB-RE3-D23P	CyberDome II 23X Day/Night WDR Rugged Housing Htr/Fan Clear Acrylic Pal Coay/LITD	3406.00	PTZ Cameras
CVB-RES-D28PD ÖjberDome II, 28X DayiNgirt, Rugged Housing, Hirffran, Clear Acrylic, FISE, CoaxUTP 3341.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 38X DayiNgirt, Rugged Housing, Hirffran, Clear Acrylic, RTSC, CoaxUTP 3419.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 2XX Color, Rugged Housing, Hirffran, Clear Acrylic, PEI, CoaxUTP 3419.00 PTZ Cameras CVB-RES-C22P OyberDome II, 2XX Color, Rugged Housing, Hirffran, Smoke Acrylic, PEI, CoaxUTP 2431.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 23X DayiNgirk, Brugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3400.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 23X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, CoaxUTP 3410.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, CoaxUTP 3431.00 PTZ Cameras CVB-RES-D22PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, Cameras PTZ Cameras CVB-RES-D28	5 . 5 NEO D201	5,555.55.55.55.5, 20% Dayrright FFDT, ragged Housing, Hill/I all, Oldar Acryllo, I al, OddX/OTF	0-00.00	Odmordo
CVB-RES-D28PD ÖjberDome II, 28X DayiNgirt, Rugged Housing, Hirffran, Clear Acrylic, FISE, CoaxUTP 3341.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 38X DayiNgirt, Rugged Housing, Hirffran, Clear Acrylic, RTSC, CoaxUTP 3419.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 2XX Color, Rugged Housing, Hirffran, Clear Acrylic, PEI, CoaxUTP 3419.00 PTZ Cameras CVB-RES-C22P OyberDome II, 2XX Color, Rugged Housing, Hirffran, Smoke Acrylic, PEI, CoaxUTP 2431.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 23X DayiNgirk, Brugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3400.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 23X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, NTSC, CoaxUTP 3406.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, CoaxUTP 3410.00 PTZ Cameras CVB-RES-D28PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, CoaxUTP 3431.00 PTZ Cameras CVB-RES-D22PD OyberDome II, 28X DayiNgirk, Rugged Housing, Hirffran, Smoke Acrylic, Pti, Cameras PTZ Cameras CVB-RES-D28	OVE DES DOCK	Octor Description of the Control of	0044.00	DTZ C
CVB-RES-D38N ÖjberDome II, 36X DayNight, Rugged Housing, Hirffan, Clear Acytic, R. 105. CoaxUTP 3419.00 PTZ Cameras CVB-RES-D38P CyberDome II, 32X DayNight, Rugged Housing, Hirffan, Smoke Acytic, R. 1753. CoaxUTP 2431.00 PTZ Cameras CVB-RE4-C22P CyberDome II, 2XX Color, Rugged Housing, Hirffan, Smoke Acytic, R. 1753. CoaxUTP 2431.00 PTZ Cameras CVB-RE4-D18P CyberDome II, 1XX DayNinght, Rugged Housing, Hirffan, Smoke Acytic, R. 105. CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D18P CyberDome II, 1XX DayNinght, Rugged Housing, Hirffan, Smoke Acytic, R. 105. CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 2XX DayNinght, Rugged Housing, Hirffan, Smoke Acytic, R. 105. CoaxUTP 3400.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 2XX DayNinght, Rugged Housing, Hirffan, Smoke Acytic, R. 105. CoaxUTP 341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 2XX DayNinght, Rugged Housing, Hirffan, Smoke Acytic, R. 105. CoaxUTP 341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 2XX DayNinght, Rugged Housing, Hirffan, Clear Polycarbonate, NTSC, CoaxUTP 3410.00 PTZ Cameras CVB-RE6-D28P CyberDome II, 2XX DayNinght, Rugged Housing, Hirffan, Clear Polycarbonate, NTSC, CoaxUTP 2465.50 PTZ Cameras				
GVB-RE-2038P ÖyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Clear Acrylic, Pal, CoaxUTP 3413.00 PTZ Cameras CVB-RE4-C22P OyberDome II, 22X Color, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 2431.00 PTZ Cameras CVB-RE4-D18N OyberDome II, 12X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D18P OyberDome II, 13X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D23P OyberDome II, 13X DayNight WDR, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3060.00 PTZ Cameras CVB-RE4-D23P CyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3406.00 PTZ Cameras CVB-RE4-D28P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE4-D38P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE8-D18P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Clear Polycarbonate, Pal, CoaxUTP 2463.50 PTZ Cameras CVB-RE8-D18P OyberDome II, 23X DayNight, Rugged Housing, Hirff-an, Clear Polycarbonate, Pal, CoaxUTP 3113.50 PTZ Cameras				
GVB-RE-2038P ÖyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Clear Acrylic, Pal, CoaxUTP 3413.00 PTZ Cameras CVB-RE4-C22P OyberDome II, 22X Color, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 2431.00 PTZ Cameras CVB-RE4-D18N OyberDome II, 12X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D18P OyberDome II, 13X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, TPSL, CoaxUTP 3081.00 PTZ Cameras CVB-RE4-D23P OyberDome II, 13X DayNight WDR, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3060.00 PTZ Cameras CVB-RE4-D23P CyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3406.00 PTZ Cameras CVB-RE4-D28P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE4-D38P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Smoke Acrylic, Pal, CoaxUTP 3410.00 PTZ Cameras CVB-RE8-D18P OyberDome II, 28X DayNight, Rugged Housing, Hirff-an, Clear Polycarbonate, Pal, CoaxUTP 2463.50 PTZ Cameras CVB-RE8-D18P OyberDome II, 23X DayNight, Rugged Housing, Hirff-an, Clear Polycarbonate, Pal, CoaxUTP 3113.50 PTZ Cameras	CYB-RE3-D36N	CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3419.00	PTZ Cameras
GYB-RE4-C22N ÖjberDome II, 22K Octor, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 2431.00 PTZ Cameras CVB-RE4-C12PD ÖyberDome II, 22K Octor, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 3081.00 PTZ Cameras CVB-RE4-D18P ÖyberDome II, 14X DayNight, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 3081.00 PTZ Cameras CVB-RE4-D23N ÖyberDome II, 23X DayNight WDR, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 3406.00 PTZ Cameras CVB-RE4-D23P ÖyberDome II, 23X DayNight WDR, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 3406.00 PTZ Cameras CVB-RE4-D28P ÖyberDome II, 28X DayNight, Rugged Housing, HirFan, Smoke Acrylic, R1SC, Coax/UTP 3410.00 PTZ Cameras CVB-RE4-D28P ÖyberDome II, 28X DayNight, Rugged Housing, HirFan, Smoke Acrylic, R1C, Coax/UTP 3410.00 PTZ Cameras CVB-RE4-D28P ÖyberDome II, 22X Color, Rugged Housing, HirFan, Smoke Acrylic, R1C, Coax/UTP 3410.00 PTZ Cameras CVB-RE6-D28P ÖyberDome II, 22X Color, Rugged Housing, HirFan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CVB-RE6-D28P ÖyberDome II, 38X DayNight, Rugged Housing, HirFan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras			3419.00	
GYB-RE4-C22P CyberDome II, 22X Color, Rugged Housing, Hirffan, Smoke Acrylic, Pal, CosavUTP 2431.00 PTZ Cameras CYB-RE4-D18P CyberDome II, 18X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, Pal, CosavUTP 3081.00 PTZ Cameras CYB-RE4-D23P CyberDome II, 23X DayNight WR, Rugged Housing, Hirffan, Smoke Acrylic, NTSC, CosavUTP 3406.00 PTZ Cameras CYB-RE4-D23P CyberDome II, 23X DayNight WDR, Rugged Housing, Hirffan, Smoke Acrylic, NTSC, CosavUTP 3406.00 PTZ Cameras CYB-RE4-D23P CyberDome II, 25X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, NTSC, CosavUTP 3440.00 PTZ Cameras CYB-RE4-D28P CyberDome II, 25X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, NTSC, CosavUTP 3441.00 PTZ Cameras CYB-RE4-D38P CyberDome II, 32X DayNight, Rugged Housing, Hirffan, Clear Polycarbonate, Pal, CosavUTP 3449.00 PTZ Cameras CYB-RE8-C22P CyberDome II, 22X Color, Rugged Housing, Hirffan, Clear Polycarbonate, NTSC, CosavUTP 2463.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X DayNight, Rugged Housing, Hirffan, Clear Polycarbonate, NTSC, CosavUTP 3113.50 PTZ Cameras CYB-RE8-D28N CyberDome II, 23X DayNight, Rugged Housing, Hirffan, Clear Polycarbonate, Pal, CosavUTP 3483.50 PTZ Cameras				
CVB-RE4-D18N CyberDome II, 18X DayNight, Rugged Housing, Hirffan, Smoke Acylic, NTSC, Coax/UTP 3081.00 PTZ Cameras CVB-RE4-D23N CyberDome III, 18X DayNight, Rugged Housing, Hirffan, Smoke Acylic, Coax/UTP 3406.00 PTZ Cameras CVB-RE4-D23N CyberDome III, 23X DayNight WDR, Rugged Housing, Hirffan, Smoke Acrylic, NTSC, Coax/UTP 3406.00 PTZ Cameras CVB-RE4-D23P CyberDome II, 23X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, PAI, Coax/UTP 3406.00 PTZ Cameras CYB-RE4-D23P CyberDome II, 28X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, PAI, Coax/UTP 3441.00 PTZ Cameras CYB-RE4-D28P CyberDome II, 28X DayNight, Rugged Housing, Hirffan, Smoke Acrylic, PAI, Coax/UTP 3441.00 PTZ Cameras CYB-RE8-D28P CyberDome II, 28X DayNight, Rugged Housing, Hirffan, Clear Polycathonate, NTSC, Coax/UTP 2463.30 PTZ Cameras CYB-RE8-D18P CyberDome II, 22X Color, Rugged Housing, Hirffan, Clear Polycathonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X DayNight, Rugged Housing, Hirffan, Clear Polycathonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X DayNight WDR, Rugged Housing, Hirffan, Clear Polycathonate, NTSC, Coax/UTP 3173.50 PTZ Cameras				
CYB-RE4-D18P CyberDome II, 18X DayNight W.R. Rugged Housing, HtrFan, Smoke Acrylic, Pal, CoavUTP 3081.00 PTZ Cameras CYB-RE4-D23P CyberDome II, 23X DayNight W.R. Rugged Housing, HtrFan, Smoke Acrylic, Pal, CoavUTP 3406.00 PTZ Cameras CYB-RE4-D28P CyberDome II, 28X DayNight, Rugged Housing, HtrFan, Smoke Acrylic, Pal, CoavUTP 3341.00 PTZ Cameras CYB-RE4-D28P CyberDome II, 26X DayNight, Rugged Housing, HtrFan, Smoke Acrylic, NTSC, CoavUTP 3341.00 PTZ Cameras CYB-RE4-D28P CyberDome II, 26X DayNight, Rugged Housing, HtrFan, Smoke Acrylic, Pal, CoaxUTP 3341.00 PTZ Cameras CYB-RE8-C22N CyberDome II, 22X Color, Rugged Housing, HtrFan, Clear Polycarbonate, NTSC, CoaxUTP 2463.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 18X DayNight, Rugged Housing, HtrFan, Clear Polycarbonate, Pal, CoaxUTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X DayNight, Rugged Housing, HtrFan, Clear Polycarbonate, Pal, CoaxUTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Color, Rugged Housing, HtrFan, Clear Polycarbonate, Pal, CoaxUTP 3113.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X DayNight WDR, Rugged Housing, HtrFan, Clear Polycarbonate, Pal, CoaxUTP 3373.50 PTZ Cameras <t< td=""><td></td><td></td><td></td><td></td></t<>				
CYB-RE4-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3406.00 PTZ Cameras CYB-RE4-D23P CyberDome III, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3406.00 PTZ Cameras CYB-RE4-D26P CyberDome III, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3341.00 PTZ Cameras CYB-RE4-D36P CyberDome III, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 341.00 PTZ Cameras CYB-RE4-D38P CyberDome III, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3465.50 PTZ Cameras CYB-RE8-C22P CyberDome III, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3415.50 PTZ Cameras CYB-RE8-D18N CyberDome III, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome III, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome III, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome III, 25X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 377.50	-			
CVB-RE4-D23P CyberDome II, 23X DayNight WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3406.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 26X DayNight, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 26X DayNight, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 341.00 PTZ Cameras CVB-RE4-D38P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3419.00 PTZ Cameras CVB-RE8-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-C22P CyberDome II, 32X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 34X DayNight, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 34X DayNight, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23D CyberDome II, 34X DayNight, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23D CyberDome II, 34X DayNight, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 377.50 PTZ Cameras		CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3081.00	PTZ Cameras
CVB-RE4-D28N CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 341.00 PTZ Cameras CVB-RE4-D36P CyberDome II, 28X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3419.00 PTZ Cameras CVB-RE8-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CVB-RE8-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 25X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D28P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 373.50 PTZ Cameras CYB-RE8-D28P CyberDome II, 25X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 375.50 PTZ	CYB-RE4-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3406.00	PTZ Cameras
CVB-RE4-D28N CyberOome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 341.00 PTZ Cameras CVB-RE4-D38P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3419.00 PTZ Cameras CVB-RE8-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CVB-RE8-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CVB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CVB-RE8-D3N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CVB-RE8-D23N CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CVB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 373.50 PTZ Cameras CVB-RE8-D28P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 375.50				
CVB-RE4-D28N CyberOome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3341.00 PTZ Cameras CVB-RE4-D28P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 341.00 PTZ Cameras CVB-RE4-D38P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3419.00 PTZ Cameras CVB-RE8-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CVB-RE8-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CVB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CVB-RE8-D3N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CVB-RE8-D23N CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CVB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 373.50 PTZ Cameras CVB-RE8-D28P CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 375.50	CYB-RE4-D23P	CyberDome II. 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3406.00	PTZ Cameras
CYB-RE4-D26P CyberDome II, 28X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 3341.00 PTZ Cameras CYB-RE4-D36P CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-C2ZP CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-C2ZP CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 28X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3773.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50		-,,,,,,		
CYB-RE4-D26P CyberDome II, 28X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 3341.00 PTZ Cameras CYB-RE4-D36P CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-C2ZP CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-C2ZP CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 28X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3773.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50	CVP DE4 D26N	CyberDomo II 26V Day/Might Bugged Housing Htr/Fan Smoke Aprilia NTSC Coay/LTD	2241.00	PT7 Camaras
CYB-REA-D38P CyberDome II, 38X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3419.00 PTZ Cameras CYB-REB-C22P CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-REB-C22P CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-REB-D18N CyberDome II, 18X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-REB-D18P CyberDome II, 18X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-REB-D23N CyberDome II, 23X DayNight WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-REB-D23P CyberDome II, 23X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-REB-D25P CyberDome II, 26X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-REB-D36N CyberDome II, 36X DayNight, Rugged Housing, Htt/Fan, Clear Polycarbonate, PRI, Coax/UTP 3451.50 PTZ Cameras CYB-REB-D36N CyberDome II, 36X DayNight, Rugged Housing, Htt/Fan, Smoke Polycarbonate, PRI, Coax/UTP 3451.50				
CYB-RE8-C22N CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 12X Color, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 25X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP				
CVB-RE8-C22P CyberDome II, 22X Color, Rugged Housing, Httr/Fan, Clear Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htrr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htrr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htrr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htrr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3478.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htrr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 36X Day/Night, Rugged Housing, Htrr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htrr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htrr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htrr/Fan, Smoke Polycarbonate, Pal, Coax/UTP				
CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 23X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP	CYB-RE8-C22N	CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	2463.50	PTZ Cameras
CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 23X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP				
CYB-RE8-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	CYB-RE8-C22P	CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2463.50	PTZ Cameras
CYB-RE8-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D28N CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 343	CYB-RE8-D18N			PTZ Cameras
CyB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D23P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D36P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II,		-,,,,,,		
CyB-RE8-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D23P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CYB-RE8-D36P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 28X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CyberDome II,	CVP DE0 D10D	CyberDome II 19V Day/Night Bugged Housing Htr/Fan Clear Polycorbonate Pol Copy/LITD	2112 50	PT7 Camaras
COAWUTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	CTB-KE0-DT0F	Cyberbonie II, Tox Day/Night, Rugged Housing, Hill/Pari, Clear Polycarbonate, Par, Coax/OTP	3113.30	F12 Cameras
COAWUTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	0./5 554 54411			DWR 0
CyberBome II, 23X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, CyberBome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CyberBome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 CyberBome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP Cyb-RE9-D26P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, 3438.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 373-35.0 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P Cyb	CYB-RE8-D23N		3438.50	P1Z Cameras
CyberBome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP CyberBome II, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 12X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Oax/UTP CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Oax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3737.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3737.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 377.00 PTZ Cameras CYB-RE9-D36P CyberDome II, Low Cost Housing, Pendant Mount, Hrr/Fan 37				
CYB-RE8-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 18X Day/Night WDR, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 313.50 PTZ Cameras CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D28P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, Sox Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, Low Cost Housing, Flush Mount	CYB-RE8-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal,	3438.50	PTZ Cameras
CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 12X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3773.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 186.00 PTZ Cameras		Coax/UTP		
CYB-RE8-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 12X Color, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3438.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3773.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htt/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 186.00 PTZ Cameras	CYB-RE8-D26N	CyberDome II. 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3373.50	PTZ Cameras
CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, 3438.50 PTZ Cameras Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 377.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Pendant Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount, Htr/Fan TYB-S201 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount TYB-S201 CyberDome II, Low Cost Housing, Flush Mount TYB-S201 CyberDome II	0.5.120.520.1	eyenzemen, zew zeymigin, megget metering, min an, chear eyenzemen, mee, ceare	00.000	i i z damerao
CYB-RE8-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, 3438.50 PTZ Cameras Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 377.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Pendant Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount, Htr/Fan TYB-S201 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Flush Mount TYB-S201 CyberDome II, Low Cost Housing, Flush Mount TYB-S201 CyberDome II	CVP DEG DOGD	CyberDomo II 26V Day/Night Bugged Housing Htr/Fan Clear Polycarhopate Pol Coay/LITD	2272 50	PT7 Comoros
CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, Sow Cost Housing, Plush Mount CYH-3201 CyberDome II, Low	CTB-RE0-D20F	CyberDonie II, 20X Day/Night, Rugged Housing, Hill/Pari, Clear Polycarbonate, Par, Coax/OTP	3373.30	F12 Cameras
CYB-RE8-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, Sow Cost Housing, Plush Mount CYH-3201 CyberDome II, Low	OVE DEC STOLL	O L D H GOV D AV L D	0	DT7.0
CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP Cyb-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Flush Mount 175.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras	CYB-RE8-D36N	CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3451.50	P1Z Cameras
CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP Cyb-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Flush Mount 175.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras				
CYB-RE9-C22N CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP Cyb-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Flush Mount 175.50 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan PTZ Cameras	CYB-RE8-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3451.50	PTZ Cameras
CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3202 CyberDome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated	ĺ			
CYB-RE9-C22P CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 2463.50 PTZ Cameras CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3202 CyberDome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated	CYB-RE9-C22N	CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/LITP	2463.50	PTZ Cameras
CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, 3438.50 CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras		1,22.2	2.30.00	040.40
CYB-RE9-D18N CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, 3438.50 CyberDome II, 23X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras CYH-3201 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan TS-5.50 PTZ Cameras	CVB-REG-C22P	CyberDome II 22Y Color Rugged Housing Htr/Ean Smake Deligarhands Rel Cooy/IITD	2/62 50	PT7 Cameros
CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Henum Rated 156.00 PTZ Cameras	O 1 D-INES-022F	Cyberbonie ii, 22A Color, Rugged Flousing, Fill/Fall, Silloke Polycalbonate, Fal, Coax/UTP	2403.30	1 12 Callielas
CYB-RE9-D18P CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3113.50 PTZ Cameras CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3202 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated				
CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras	CYB-RE9-D18N	CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3113.50	PTZ Cameras
CYB-RE9-D23N CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras				
COax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CyH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CyH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Henum Rated 156.00 PTZ Cameras	CYB-RE9-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3113.50	PTZ Cameras
COax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CyH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CyH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Henum Rated 156.00 PTZ Cameras				
COax/UTP CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Henum Rated 156.00 PTZ Cameras	CYB-RE9-D23N	CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC	3438 50	PTZ Cameras
CYB-RE9-D23P CyberDome II, 23X Day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3202 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 156.00 PTZ Cameras	OTB RES BESIV		0400.00	1 12 Gameras
COax/UTP CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CVP DEG DOOD		2420 50	DT7 Comoros
CYB-RE9-D26N CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Plush Mount, Plenum Rated 156.00 PTZ Cameras	C1D-KE9-D23P		3438.50	F 12 Cameras
CYB-RE9-D26P CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3373.50 PTZ Cameras CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Pendant Mount, Plenum Rated 156.00 PTZ Cameras				
CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CYB-RE9-D26N	CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3373.50	PTZ Cameras
CYB-RE9-D36N CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP 3451.50 PTZ Cameras CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras				
CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CYB-RE9-D26P	CyberDome II, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3373.50	PTZ Cameras
CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	ĺ			
CYB-RE9-D36P CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP 3451.50 PTZ Cameras CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CYB-RE9-D36N	CyberDome II 36X Day/Night Rugged Housing Htr/Fan Smoke Polycarbonate NTSC Coay/LITP	3451 50	PT7 Cameras
CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	O I D-INES-DOUN	Systematic ii, 30% Day/riight, Nugged Housing, Hill/Fall, Silloke Folycalbollate, NTSC, Coax/OTF	3-731.30	i i Z Gameras
CYH-3101 CyberDome II, Low Cost Housing, Flush Mount 143.00 PTZ Cameras CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	OVE DEC POSE	Out and Description of the Control o	0454 55	DTZ C
CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	C1B-RE9-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3451.50	P12 Cameras
CYH-3201 CyberDome II, Low Cost Housing, Pendant Mount 175.50 PTZ Cameras CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras				
CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CYH-3101	CyberDome II, Low Cost Housing, Flush Mount	143.00	PTZ Cameras
CYH-3202 CyberDome II, Low Cost Housing, Pendant Mount, Htr/Fan 377.00 PTZ Cameras CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras	CYH-3201	CyberDome II, Low Cost Housing, Pendant Mount	175.50	PTZ Cameras
CYH-3301 Cyberdome II, Low Cost Housing, Flush Mount, Plenum Rated 156.00 PTZ Cameras				
#CTT=5⊕CT CVDetDoffle II, Low Cost Flousifid, Rudded 240.50 P17 Cameras				
CYH-3402 CyberDome II, Low Cost Housing, Rugged, Htr/Fan 455.00 PTZ Cameras	CYH-3402	CyberDome II, Low Cost Housing, Rugged, Htr/Fan	455.00	P1Z Cameras

CYH-3501	las a militario de la compania del compania del compania de la compania del la compania del la compania de la compania de la compania del la compania de la compania del la compania del la compania del la compania del la compania del la compania del la compania		P== 0
	CyberDome II, Low Cost Housing, Heavy Duty, Wall Mount	448.50	PTZ Cameras
CYH-3502	CyberDome II, Low Cost Housing, Heavy Duty, Wall Mount, Htr/Fan	702.00	PTZ Cameras
CYH-4101	CyberDome II Select, Flush Mount Housing, Coax	292.50	PTZ Cameras
CYH-4201	CyberDome II Select, Pendant Mount Housing, Coax	292.50	PTZ Cameras
CYH-4202	CyberDome II Select, Pendant Mount Housing, Htr/Fan, Coax	500.50	PTZ Cameras
CYH-4301	CyberDome II Select, Plenum Rated Flush Mount Housing, Coax	305.50	PTZ Cameras
CYH-4401	CyberDome II Select, Rugged Housing, Coax	604.50	PTZ Cameras
CYH-4402	CyberDome II Select, Rugged Housing, Htr/Fan, Coax	812.50	PTZ Cameras
			PTZ Cameras
CYH-4501	CyberDome II Select, Heavy Duty Housing, Wall Mount, Coax	734.50	
CYH-4502	CyberDome II Select, Heavy Duty Housing, Wall Mount, Htr/Fan, Coax	942.50	PTZ Cameras
CYH-6101	CyberDome II, Flush Mount Housing, Alarm Inputs/Outputs, Coax/UTP	383.50	PTZ Cameras
CYH-6201	CyberDome II, Pendant Mount Housing, Alarm Inputs/Outputs, Coax/UTP	383.50	PTZ Cameras
CYH-6202	CyberDome II, Pendant Mount Housing, Alarm Inputs/Outputs, Htr/Fan, Coax/UTP	591.50	PTZ Cameras
CYH-6301	CyberDome II, Plenum Rated Flush Mount Housing, Alarm Inputs/Outputs, Coax/UTP	474.50	PTZ Cameras
CYH-6401	CyberDome II, Rugged Housing, Alarm Inputs/Outputs, Coax/UTP	695.50	PTZ Cameras
CYH-6402	CyberDome II, Rugged Housing, Htr/Fan, Alarm Inputs/Outputs, Coax/UTP	903.50	PTZ Cameras
CYH-6501			
	CyberDome II, Heavy Duty Housing, Wall Mount, Alarm Inputs/Outputs, Coax/UTP	825.50	PTZ Cameras
CYH-6502	CyberDome II, Heavy Duty Housing, Alarm Inputs/Outputs, Wall Mount, Htr/Fan, Coax/UTP	1033.50	PTZ Cameras
CYH-6602	Cyberdome II, Advanced Housing, Alarm Inputs/Relay Outputs, Pressurized, Pendant Mount,	1605.50	PTZ Cameras
	Htr/Fan, Coax/UTP		
CVD COON		1207 50	DT7 Comoros
CYP-C22N	CyberDome II, 22X Select Color PTZ Camera, NTSC	1397.50	PTZ Cameras
CYP-C22P	CyberDome II, 22X Select Color Camera, Pal	1397.50	PTZ Cameras
CYP-D18N	CyberDome II, 18X Day/Night PTZ Camera, NTSC	2047.50	PTZ Cameras
CYP-D18P	CyberDome II, 18X Day/Night PTZ Camera, Pal	2047.50	PTZ Cameras
CYP-D23N	CyberDome II, 23X Day/Night WDR PTZ Camera, NTSC	2307.50	PTZ Cameras
CYP-D23P	CyberDome II, 23X Day/Night WDR PTZ Camera, Pal	2307.50	PTZ Cameras
CYP-D26N	CyberDome II, 26X Day/Night PTZ Camera, NTSC	2372.50	PTZ Cameras
CYP-D26P	CyberDome II, 26X Day/Night PTZ Camera, Pal	2372.50	PTZ Cameras
CYP-D36N	CyberDome II, 36X Day/Night YDR PTZ Camera, NTSC	2385.50	PTZ Cameras
CYP-D36P	CyberDome II, 36X Day/Night WDR PTZ Camera, Pal	2385.50	PTZ Cameras
CYS-C3-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax	1937.00	PTZ Cameras
CYS-C3-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax	1937.00	PTZ Cameras
CYS-C4-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax	1937.00	PTZ Cameras
CYS-C4-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax	1937.00	PTZ Cameras
CYS-C6-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax	2119.00	PTZ Cameras
	1		
CVC CC COOD	Colored Desire II Colored COV Colore Well Manual Hausian Change Missand Aprilia Del Cons	0440.00	DT7 0
CYS-C6-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	2119.00	PTZ Cameras
CYS-C7-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Gold Mirrored Acrylic, NTSC, Coax	2184.00	PTZ Cameras
CYS-C7-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax	2184.00	PTZ Cameras
CYS-CE3-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax	2145.00	PTZ Cameras
CYS-CE3-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax	2145.00	PTZ Cameras
CYS-CE4-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax	2145.00	PTZ Cameras
CYS-CE4-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax	2145.00	PTZ Cameras
CYS-CE6-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC,	2327.00	PTZ Cameras
0.0000000000000000000000000000000000000	Coax	2027.00	i iz damorad
OVE OFC COOR		0007.00	DT7 0
CYS-CE6-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax	2327.00	PTZ Cameras
CYS-CE7-C22N	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax	2392.00	PTZ Cameras
	g, a.,, , ,		
0.40 0== 0.40			DTT 0
CYS-CE7-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax	2392.00	PTZ Cameras
CYS-D8-C22N	CyberDome II Select, 22X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax	2294.50	PTZ Cameras
CYS-D8-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax	2294.50	PTZ Cameras
CYS-D9-C22N	CyberDome II Select, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax	2294.50	PTZ Cameras
CYS-D9-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax	2294.50	PTZ Cameras
CYS-DE8-C22N	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax	2502.50	PTZ Cameras
	2,22.25	2502.00	000.00
0/0 050 000		0500	DT7.0
CYS-DE8-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax	2502.50	PTZ Cameras
CYS-DE9-C22N	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax	2502.50	PTZ Cameras
I	, , , , , , , , , , , , , , , , , , , ,		
CVE DEG COOP	CuberDema II Select 22V Celes Heaves Duty Herries 1 He/Fee Consists Delivers 1. D. L.C.	2502.50	DT7 Comoras
CYS-DE9-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax	2502.50	PTZ Cameras
CYS-F3-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax	1820.00	PTZ Cameras
	CyberDome II Select, 22X Color, Flush Mount Housing, Clear Acrylic, Pal, Coax	1820.00	PTZ Cameras
CYS-F3-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, NTSC, Coax	1820.00	PTZ Cameras
CYS-F3-C22P		1020.00	
CYS-F4-C22N		1000 00	
CYS-F4-C22N CYS-F4-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax	1820.00	PTZ Cameras
CYS-F4-C22N		1820.00 2002.00	PTZ Cameras
CYS-F4-C22N CYS-F4-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax		
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax	2002.00	PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	2002.00	PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F6-C22P CYS-F7-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax	2002.00 2002.00 2067.00	PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	2002.00	PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax	2002.00 2002.00 2067.00 2067.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F6-C22P CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22N CYS-F8-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22N CYS-F8-C22N CYS-F9-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F6-C22P CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22N CYS-F8-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22N CYS-F8-C22N CYS-F9-C22N	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F8-C22P CYS-F8-C22P CYS-F9-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F8-C22P CYS-F8-C22P CYS-F9-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22N CYS-F8-C22P CYS-F8-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Glear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22P CYS-F9-C22P CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22N CYS-F6-C22P CYS-F7-C22P CYS-F7-C22P CYS-F8-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-FP3-C22P CYS-FP3-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00 1846.00 1846.00 2028.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
CYS-F4-C22N CYS-F4-C22P CYS-F6-C22P CYS-F7-C22N CYS-F7-C22P CYS-F7-C22P CYS-F8-C22P CYS-F8-C22N CYS-F8-C22P CYS-F8-C22N CYS-F9-C22N CYS-F9-C22N CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax	2002.00 2002.00 2067.00 2067.00 1852.50 1852.50 1852.50 1852.50 1846.00 1846.00	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras

CYS-FP7-C22N	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic,	2093.00	PTZ Cameras
CYS-FP7-C22P	NTSC, Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal,	2093.00	PTZ Cameras
CYS-FP8-C22N	Coax CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic,	1878.50	PTZ Cameras
	NTSC, Coax		
CYS-FP8-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1878.50	PTZ Cameras
CYS-FP9-C22N	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, NTSC, Coax	1878.50	PTZ Cameras
CYS-FP9-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax	1878.50	PTZ Cameras
CYS-H3-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Clear Acrylic, NTSC, Coax	1820.00	PTZ Cameras
CYS-H3-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Clear Acrylic, Pal, Coax	1820.00	PTZ Cameras
CYS-H4-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax	1820.00	PTZ Cameras
CYS-H4-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Coax	1820.00	PTZ Cameras
CYS-H6-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, NTSC, Coax	2002.00	PTZ Cameras
CYS-H6-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	2002.00	PTZ Cameras
CYS-H7-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, NTSC, Coax	2067.00	PTZ Cameras
0)/0 117 0000		2227.00	DT7.0
CYS-H7-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax	2067.00	PTZ Cameras
CYS-HE3-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax	2028.00	PTZ Cameras
CYS-HE3-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax	2028.00	PTZ Cameras
CYS-HE4-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax	2028.00	PTZ Cameras
CYS-HE4-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax	2028.00	PTZ Cameras
CYS-HE6-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax	2210.00	PTZ Cameras
CYS-HE6-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax	2210.00	PTZ Cameras
CYS-HE7-C22N	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax	2275.00	PTZ Cameras
CYS-HE7-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax	2275.00	PTZ Cameras
CYS-R3-C22N	CyberDome II Select, 22X Color, Rugged Housing, Clear Acrylic, NTSC, Coax	2132.00	PTZ Cameras
CYS-R3-C22N CYS-R3-C22P	CyberDome II Select, 22X Color, Rugged Housing, Clear Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Rugged Housing, Clear Acrylic, Pal, Coax	2132.00	PTZ Cameras PTZ Cameras
CYS-R3-C22P CYS-R4-C22N	CyberDome II Select, 22X Color, Rugged Housing, Clear Acrylic, Pai, Coax CyberDome II Select, 22X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax	2132.00	PTZ Cameras PTZ Cameras
CYS-R4-C22P	CyberDome II Select, 22X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax CyberDome II Select, 22X Color, Rugged Housing, Smoke Acrylic, Pal, Coax	2132.00	PTZ Cameras
CYS-R8-C22N	CyberDome II Select, 22X Color, Rugged Housing, Shioke Actylic, Fai, Coax	2164.50	PTZ Cameras
CYS-R8-C22P	CyberDome II Select, 22X Color, Rugged Housing, Clear Polycarbonate, N13C, Coax	2164.50	PTZ Cameras
CYS-R9-C22N	CyberDome II Select, 22X Color, Rugged Housing, Clear Polycarbonate, Pai, Coax CyberDome II Select, 22X Color, Rugged Housing, Smoke Polycarbonate, NTSC, Coax	2164.50	PTZ Cameras
CYS-R9-C22P	CyberDome II Select, 22X Color, Rugged Housing, Smoke Polycarbonate, N1SC, Coax CyberDome II Select, 22X Color, Rugged Housing, Smoke Polycarbonate, Pal, Coax	2164.50	PTZ Cameras
CYS-RE3-C22N	CyberDome II Select, 22X Color, Rugged Housing, Shioke Polycarbonate, Par, Coax	2340.00	PTZ Cameras
CYS-RE3-C22P	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Clear Acrylic, N1SC, Coax CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax	2340.00	PTZ Cameras
CYS-RE4-C22N	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Par, Coax	2340.00	PTZ Cameras
CYS-RE4-C22P	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, N13C, Coax	2340.00	PTZ Cameras
CYS-RE8-C22N	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax	2372.50	PTZ Cameras
CYS-RE8-C22P	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax	2372.50	PTZ Cameras
CYS-RE9-C22N	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax	2372.50	PTZ Cameras
CYS-RE9-C22P	CyberDome II Select, 22X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax	2372.50	PTZ Cameras
D2-32RPAK-L1SSA	Diamond II Level 1 SSA 32 Reader pack Capacity license increase. No Warranty. Does not	170.63	Diamond II
DE SEIN AIN ETOOM	include SSA. SSA coverage going forward is required and must be purchased on the same PO.	170.00	Bidifford II
D2-32RPAK-LIC	Diamond II 32 Reader pack Capacity license increase	853.13	Diamond II
D2-32RPAK-UPG	Diamond II UPGRADE 32 Reader pack Capacity license increase	341.25	Diamond II
D2-APICON-L1SSA	Diamond II Level 1 SSA Api Connectivity License. No Warranty. Does not include SSA. SSA	853.13	Diamond II
	coverage going forward is required and must be purchased on the same PO.		
D2-APICON-LIC	Diamond II Api Connectivity License	4265.63	Diamond II
D2-APICON-UPG	Diamond II UPGRADE Api Connectivity License	1706.25	Diamond II
D2-APIDEV-L1SSA	Diamond II Level 1 SSA Api Development Site License. No Warranty. Does not include SSA. SSA	1706.25	Diamond II
DO ADIDEL	coverage going forward is required and must be purchased on the same PO.	0501	B: 111
D2-APIDEV-LIC	Diamond II Api Development Site License	8531.25	Diamond II
D2-APIDEV-UPG	Diamond II UPGRADE Api Development Site License	3412.50	Diamond II
D2-CLIWKS-L1SSA	Diamond II Level 1 SSA Client workstation license - additional single client workstation. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the cares PO.	255.94	Diamond II
D2-CLIWKS-LIC	on the same PO. Diamond II Client workstation license - additional single client workstation	1279.69	Diamond II
D2-CLIWKS-LIC D2-CLIWKS-UPG	Diamond II UPGRADE Client workstation license - additional single client workstation	511.88	Diamond II
D2-DES	DES III encryption option, Diamond II only	853.13	Diamond II
D2-DES-L1SSA	Diamond II Level 1 SSA DES III encryption option, Diamond II only. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	170.63	Diamond II
DE DEG ETOOM	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2		D: 111
	D: UUUDODADE DEGUU : : : : : : : :		Diamond II
D2-DES-UPG	Diamond II UPGRADE DES III encryption option, Diamond II only	341.25	
	Diamond II Level 1 SSA Enterprise Server Replication Option (Replicates data between 2	341.25 1023.75	Diamond II
D2-DES-UPG	Diamond II Level 1 SSA Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd Diamond II Enterprise Server software license @ 50% discount,		
D2-DES-UPG	Diamond II Level 1 SSA Enterprise Server Replication Option (Replicates data between 2		

D2-ENTREP-UPG	Diamond II UPGRADE Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd Diamond II Enterprise Server software license @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	2047.50	Diamond II
D2-ENTSVR-L1SSA	Diamond II Level 1 SSA Enterprise Server with Partitioned Regional Site Support (For hosting multiple Diamond II systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance). No Warranty. Does not include SSA. SSA coverage goi	4095.00	Diamond II
02-ENTSVR-UPG	Diamond II UPGRADE Enterprise Server with Partitioned Regional Site Support (For hosting multiple Diamond II systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	8190.00	Diamond II
D2-GTSOPT-L1SSA	Diamond II Level 1 SSA Guard Tour. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	204.75	Diamond II
2-GTSOPT-LIC	Guard Tour	1023.75	Diamond II
2-GTSOPT-UPG	Diamond II UPGRADE Guard Tour	409.50	Diamond II
02-HOSTUP-L1SSA	Diamond II Level 1 SSA Host Upload for Cardholder Database Import. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	204.75	Diamond II
2-HOSTUP-LIC	Host Upload for Cardholder Database Import	1023.75	Diamond II
2-HOSTUP-UPG	Diamond II UPGRADE Host Upload for Cardholder Database Import	409.50	Diamond II
02-HRSOPT-L1SSA	Diamond II Level 1 SSA Hot Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance). No Warranty.	853.13	Diamond II
D2-HRSOPT-LIC	Hot Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	4265.63	Diamond II
02-HRSOPT-UPG	Diamond II UPGRADE Hot Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	1706.25	Diamond II
02-INTOAS-L1SSA	Diamond II Level 1 SSA Interface - OASIS (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	255.94	Diamond II
2-INTOAS-UPG	Diamond II UPGRADE Interface - OASIS (Requires 1 serial port)	511.88	Diamond II
02-INTRAD-L1SSA	Diamond II Level 1 SSA Interface - Radionics D6500 Receiver (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	255.94	Diamond II
2-INTRAD-LIC	Interface - Radionics D6500 Receiver (Requires 1 serial port)	1279.69	Diamond II
2-INTRAD-UPG	Diamond II UPGRADE Interface - Radionics D6500 Receiver (Requires 1 serial port)	511.88	Diamond II
02-INTSTE-L1SSA	Diamond II Level 1 SSA Interface - Stentofon P9600 (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	255.94	Diamond II
2-INTSTE-LIC	Interface - Stentofon P9600 (Requires 1 serial port)	1279.69	Diamond II
2-INTSTE-UPG	Diamond II UPGRADE Interface - Stentofon P9600 (Requires 1 serial port)	511.88	Diamond II
02-INTVIS-L1SSA	Diamon II Level 1 SSA Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	255.94	Diamond II
02-INTVIS-LIC	Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit	1279.69	Diamond II
02-INTVIS-UPG	Diamond II UPGRADE Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit	511.88	Diamond II
02L2SSA-0256 02L2SSA-1024	Diamond II L2 Extended After Hours Support - up to 256 Reader/Camera capacity, requires active Level 1 SSA Diamond II L2 Extended After Hours Support - up to 1024 Reader/Camera capacity, requires	2437.50 4875.00	Diamond II Diamond II
02L2SSA-2048	active Level 1 SSA Diamond II L2 Extended After Hours Support - up to 2048 Reader/Camera capacity, requires	7312.50	Diamond II
02L2SSA-4096	active Level 1 SSA Diamond II L2 Extended After Hours Support - up to 4096 Reader/Camera capacity, requires	12187.50	Diamond II
02-MPVOPT-L1SSA	active Level 1 SSA Diamond II Level 1 SSA Monitor Point Walk Test Verification. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	204.75	Diamond II
02-MPVOPT-LIC	Monitor Point Walk Test Verification	1023.75	Diamond II
2-MPVOPT-UPG	Diamond II UPGRADE Monitor Point Walk Test Verification	409.50	Diamond II
02-MSOOPT-L1SSA	Diamond II Level 1 SSA Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistanc	426.57	Diamond II
02-MSOOPT-LIC	Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	2132.82	Diamond II
2-MSOOPT-UPG	Diamond II UPGRADE Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	853.13	Diamond II
2-PDBOPT-L1SSA	Diamond II Level 1 SSA Partitioned Database Server Operation. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	255.94	Diamond II
2-PDBOPT-LIC	Partitioned Database Server Operation	1279.69	Diamond II
02-PDBOPT-UPG 02-RDRMAX-L1SSA	Diamond II UPGRADE Partitioned Database Server Operation Diamond II Level 1 SSA 2048 Reader maximum capacity license increase. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	511.88 6142.50	Diamond II Diamond II
02-RDRMAX-LIC	Diamond II 2048 Reader maximum capacity license increase	30712.50	Diamond II
D2-RDRMAX-UPG	Diamond II UPGRADE 2048 Reader maximum capacity license increase	12285.00	Diamond II
D2SSA-CUC	D2 SSA - Certified User Call In - Requires L I or L II SSA in place additionally	12187.50	Diamond II
D2SSA-DSL D2-STDSVR-L1SSA	D2 SSA - Duplicate Server License coverage Requires L I or L II SSA in place additionally Diamond II Level 1 SSA Standard Server License - Server + 2 Client Workstations, 32 readers.	4062.50 1365.00	Diamond II
72-01D0VN=L100A	Diamond ii Level 1 33A Standard Server License - Server + 2 Cilent vyorkstations, 32 feaders.	1305.00	Diamond II
02-STDSVR-LIC	Diamond II Standard Server License - Server + 2 Client Workstations, 32 readers	6825.00	Diamond II

D2-STDSVR-UPG	Diamond II UPGRADE Standard Server License - Server + 2 Client Workstations, 32 readers. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2730.00	Diamond II
D2-SVSOPT-L1SSA	Diamond II Level 1 SSA System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION Support. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	162.10	Diamond II
D2-SVSOPT-LIC	System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION Support	810.47	Diamond II
D2-SVSOPT-UPG	Diamond II UPGRADE System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION	324.19	Diamond II
DATA	Support Bisture Perfect Pote Concrete: Request Pote Concrete: Requirement Cuide for presedure	400F 00	Service
DATA	Picture Perfect Data Generator. Request Data Generator Requirement Guide for procedure	4095.00	Service
DATACONVER	Service, convert sites existing Picture Perfect database to be compatible with the current Picture Perfect version	2730.00	Service
DD0FC	DirecDoor PoE based Controller, 2 Reader Supported, FC Wnx / Secure Perfect, w/o enclosure	1228.50	Controllers
DD0PP	DirecDoor PoE based Controller, 2 Reader Supported, Picture Perfect, w/o enclosure	1228.50	Controllers
DD1-2RDRKIT100B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T100 Readers Black Mini-Mullion Mount. Power Supply Options Sold Separately	1375.00	Controllers
DD1-2RDRKIT500B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T500SW Readers Black Mullion Mount, (2) Back Plates Black for Single-Width. Use Elect Box Mount. Power Supply Options Sold Separately	1458.33	Controllers
DD1-2RDRKIT520B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T520SW Readers Black Mid Range Single-Width. Use Elect Box Mount. Power Supply Options Sold Separately	1500.01	Controllers
DD1FC	DirecDoor PoE based Controller, 2 Reader Supported, FC Wnx / Secure Perfect	1310.40	Controllers
DD1PP	DirecDoor PoE based Controller, 2 Reader Supported, Picture Perfect	1310.40	Controllers
DD-DEMO	DirecDoor Demo Kit with FC Wnx Software	5250.00	Controllers
D-GES7600-EE-E	Managed Ethernet Switch, Electrical, Nine Port 10/100TX, 10/100/1000TX	1228.50	Fiber Optic Transmission
D-GES7600-EE-S	Managed Ethernet Switch, SM, Nine Port 10/100TX, 1000FX SM	1911.00	Fiber Optic Transmission
D-GES7600-EE-X	Managed Ethernet Switch, Electrical, Eight Port 10/100TX, No 1000 (MBPS) Port	1092.00	Fiber Optic Transmission
D-GES7600-MM-E	Managed Ethernet Switch, MM, Nine Port 10/100TX, 100FX MM, 10/100/1000TX	1501.50	Fiber Optic Transmission
D-GES7600-MM-S	Managed Ethernet Switch, SM/MM, Eight Port 10/100TX, 100FX MM, 100FX SM	2184.00	Fiber Optic Transmission
D-GES7600-MM-X	Managed Ethernet Switch, MM, Eight Port 10/100TX, 100FX MM, No 1000 (Mbps) Port	1365.00	Fiber Optic Transmission
D-GES7600-MS-E	Managed Ethernet Switch, SM/MM, Nine Port 10/100TX, 100FX MM, 100FX SM, 10/100/1000TX	1774.50	Fiber Optic Transmission
D-GES7600-MS-S	Managed Ethernet Switch, SM/MM, Nine Port 10/100TX, 100FX MM, 100FX SM, 1000FX SM	2502.50	Fiber Optic Transmission
D-GES7600-MS-X	Managed Ethernet Switch, SM/MM, Eight Port 10/100TX, 100FX MM, 100FX SM	1683.50	Fiber Optic Transmission
D-GES7600-RS	Managed Ethernet Switch, Rack-Mount, Single Bracket	22.75	Fiber Optic Transmission
D-GES7600-SS-E	Managed Ethernet Switch, SM, Nine Port 10/100TX, 100FX SM, 10/100/1000TX	2047.50	Fiber Optic Transmission
D-GES7600-SS-S	Managed Ethernet Switch, SM, Nine Port 10/100TX, 100FX SM, 1000FX	2730.00	Fiber Optic Transmission
D-GES7600-SS-X	Managed Ethernet Switch, SM, Eight Port 10/100TX, 100FX SM	1911.00	Fiber Optic Transmission
DH-ARMB	Replacement Cone, Extension Rod and Catchplate, Brass	31.07	Fire
DH-ARMC	Replacement Cone, Extension Rod and Catchplate, Chrome	22.71	Fire
DH-BPB	Back Plate, Brass	6.58	Fire
DH-BPC	Back Plate, Chrome	5.72	Fire
DH-ER1B	1" Extension Rod, Brass	5.72	Fire
DH-ER1C	1" Extension Rod, Chrome	4.89	Fire
DH-ER3B DH-ER3C	3" Extension Rod, Brass	8.18 7.35	Fire Fire
DHF-24120B	3" Extension Rod, Chrome Semi-Flush Mount Door Holder, Brass, 24 or 120VDC/AC	67.37	Fire
DHF-24120C	Semi-Flush Mount Door Holder, Brass, 24 or 120VDC/AC Semi-Flush Mount Door Holder, Chrome, 24 or 120VDC/AC	60.37	Fire
DHFM1-1224	Floor Mount Door Holder, Stainless Steel, Single Coil, 12 or 24VDC/AC	88.19	Fire
DHFM1-1224CAN	Floor Mount Door Holder, Stainless Steel, Single Coil, 12 or 24VDC/AC	88.19	Fire
DHFM1-24120	Floor Mount Door Holder, Stainless Steel, Single Coil, 24 or 120VDC/AC	88.19	Fire
DHFM1-24120CAN	Floor Mount Door Holder, Stainless Steel, Single Coil, 24 or 120VDC/AC	88.19	Fire
DHFM2-1224	Floor Mount Door Holder, Stainless Steel, Dual Coil, 12 or 24VDC/AC	141.78	Fire
DHFM2-1224CAN	Floor Mount Door Holder, Stainless Steel, Dual Coil, 12 or 24VDC/AC	141.78	Fire
DHFM2-24120	Floor Mount Door Holder, Stainless Steel, Dual Coil, 24 or 120VDC/AC	141.78	Fire
DHFM2-24120CAN	Floor Mount Door Holder, Stainless Steel, Dual Coil, 24 or 120VDC/AC	141.78	Fire
DHR-1224B	Recess Mount Door Holder, Brass, 12 or 24VDC/AC, Includes 3" Extension Rod	75.93	Fire
DHR-1224C	Recess Mount Door Holder, Chrome, 12 or 24VDC/AC, Includes 3" Extension Rod	66.87	Fire
DHR-24120B	Recess Mount Door Holder, Brass, 24 or 120 V DC/AC, Includes 3" Extension Rod	75.93	Fire
DHR-24120C	Recess Mount Door Holder, Chrome, 24 or 120VDC/AC, Includes 3" Extension Rod	66.87	Fire
DHS-1224B	Surface Mount Door Holder, Brass, 12 or 24VDC/AC	77.65	Fire
DHS-1224C	Surface Mount Door Holder, Chrome, 12 or 24VDC/AC	66.87	Fire
DHS-24120B	Surface Mount Door Holder, Brass, 24 or 120VDC/AC	77.65	Fire
DHS-24120C	Surface Mount Door Holder, Chrome, 24 or 120VDC/AC	66.87	Fire
OHW LIB KIT	Extension Rod Wrenches	2.57	Fire
DIAL UP KIT	Dial-Up Kit for ACU's Diala II. 4 ch MPEC-4 DVR 120/100 for 160 GR HDD. Remote Software	502.32	Topaz Digital Recording
DIGIA204-160 DIGIA204-320	Digia II, 4 ch MPEG-4 DVR, 120/100 fps, 160 GB HDD, Remote Software	903.50	Digital Recording
DIGIA204-320 DIGIA209-160	Digia II, 4 ch MPEG-4 DVR, 120/100 fps, 320 GB HDD, Remote Software Digia II, 9 ch MPEG-4 DVR, 120/100 fps, 160 GB HDD, Remote Software	1137.50 1495.00	Digital Recording
DIGIA209-160 DIGIA209-320	Digia II, 9 ch MPEG-4 DVR, 120/100 fps, 160 GB HDD, Remote Software	1722.50	Digital Recording
DIGIA209-320 DIGIA216-160	Digia II, 16 ch MPEG-4 DVR, 120/100 fps, 320 GB HDD, Remote Software	1787.50	Digital Recording
DIGIA216-320	Digia II, 16 ch MPEG-4 DVR, 120/100 fps, 160 GB HDD, Remote Software	1943.50	Digital Recording
DIGIA216-640	Digia II, 16 ch MPEG-4 DVR, 120/100 fps, 640 GB HDD, Remote Software	2333.50	Digital Recording
DIGIA2PS	Power Supply, 100VAC-240VAC, Output 19VDC for Digia II Products	39.00	Digital Recording
DIGIA2RK	Rack Mount Kit, Pair of Brackets for Digia II Products	33.80	Digital Recording
DL900	Download Software Package	NC	NetworX
DM-EP	Extendable Pendant-Mount for 5-inch Vari-View Dome, pipe not included	68.90	Analog Fixed Cameras
DR-BUBBLE	Replacement Bubble Dome for Rugged Domes	24.70	Analog Fixed Cameras
OR-EP	Extendable Pendant Mount for Rugged Dome (pipe not included)	68.90	Analog Fixed Cameras
DR-FM	Flush Mount for Rugged Dome	35.10	Analog Fixed Cameras
DR-PDM	Pendant Mount for Rugged Dome	62.40	Analog Fixed Cameras
DR-PM	Pendant Mount for Rugged Dome	68.90	Analog Fixed Cameras
DR-RWM	Wall Mount for Rugged Dome	68.90	Analog Fixed Cameras
DST-100	Tape, Double-Sided Foam, 1/2" X 1/2"	11.88	NetworX
DV1201A	Structural Vibration Sensor for Vaults and Safes	229.20	Sensors & Detectors
DV1202A	Mounting Plate for Surface Mounting On Concrete	14.34	Sensors & Detectors

DV1204A	Dama Posictant Mounting Poy Llos to Protect Songer from Vandalism or High Humidity	170.56	Sansars & Datastars
	Damp Resistant Mounting Box. Use to Protect Sensor from Vandalism or High Humidity		Sensors & Detectors
DV1208A	8-Point Remote Annunciator	270.28	Sensors & Detectors
DV1212A	Tack Plate. Use for Weld Mounts When Drilling in Steel is Prohibitive	26.94	Sensors & Detectors
DV1215A	Self-Contained Test Transmitter, Test Accessory	41.57	Sensors & Detectors
DV1216A	Plastic Cable Insert for Round Conduit	2.90	Sensors & Detectors
DV1218A	Plastic Cable Insert for Double Conduit, Double	2.90	Sensors & Detectors
DV1219A	Armored Cable Kit, 8 Wire, 6' Long	59.01	Sensors & Detectors
DV1221A	Structural Vibration Sensor for ATMs and Night Deposit Safes	229.20	Sensors & Detectors
DV1228A	Metal Junction Box w/Tamper, Steel Insert Protects from Drilling, Tamper to Protect from Opening	62.57	Sensors & Detectors
DV1230	Handheld Tester for Use When Testing Devices Mounted on Steel	114.53	Sensors & Detectors
DVMRe-10CTII-1200	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, NTSC/Pal	8736.00	Digital Recording
	To officially odd Theorem Manager Will Waveder, 12000 Fibb, Ediciner, Wood at	0700.00	Digital Necorality
DVMRe-10CTII-1200A	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal	8795.80	Digital Recording
DVMRe-10CTII-1200A-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	9383.40	Digital Recording
DVMRe-10CTII-1200-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	9323.60	Digital Recording
DVMRe-10CTII-160	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal	4139.20	Digital Recording
DVMRe-10CTII-160A	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio, NTSC/Pal	4199.00	Digital Recording
DVMRe-10CTII-160A-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	4786.60	Digital Recording
DVMRe-10CTII-160-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	4726.80	Digital Recording
DVMRe-10CTII-320	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal	4604.60	Digital Recording
DVMRe-10CTII-320A	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio, NTSC/Pal	4664.40	Digital Recording
DVMRe-10CTII-320A-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	5252.00	Digital Recording
DVMRe-10CTII-320-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	5192.20	Digital Recording
DVMRe-10CTII-600	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal	5915.00	Digital Recording
DVMRe-10CTII-600A	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, Audio, NTSC/Pal	5974.80	Digital Recording
DVMRe-10CTII-600A-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	6562.40	Digital Recording
DVMRe-10CTII-600-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	6502.60	Digital Recording
DVMRe-10CTII-80	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, NTSC/Pal	3348.80	Digital Recording
DVMRe-10CTII-80A	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, Audio, NTSC/Pal	3408.60	Digital Recording
DVMRe-10CTII-80-C	10-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	3936.40	Digital Recording
DVMRe-16CTII-1200	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, NTSC/Pal	9525.10	Digital Recording
DVMRe-16CTII-1200A	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal	9584.90	Digital Recording
DVMRe-16CTII-1200A-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	10172.50	Digital Recording
DVMRe-16CTII-1200-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	10112.70	Digital Recording
DVMRe-16CTII-160	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal	4604.60	Digital Recording
DVMRe-16CTII-160A	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio, NTSC/Pal	4664.40	Digital Recording
DVMRe-16CTII-160A-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio, NTSC/Pal w/kTD-405 Keypad	5252.00	Digital Recording
DVMRe-16CTII-160-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal w/kTD-405 Keypad	5192.20	Digital Recording
DVMRe-16CTII-320	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal	5788.90	Digital Recording
DVMRe-16CTII-320A	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio, NTSC/Pal	5848.70	Digital Recording
DVMRe-16CTII-320A-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio, NTSC/Pal w/kTD-405 Keypad	6436.30	Digital Recording
DVMRe-16CTII-320-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal w/kTD-405 Keyoad	6376.50	Digital Recording
DVMRe-16CTII-600	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal	6710.60	Digital Recording
DVMRe-16CTII-600A	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, Audio, NTSC/Pal	6770.40	Digital Recording
DVMRe-16CTII-600A-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, Audio, NTSC/Pal w/kTD-405 Keypad	7358.00	Digital Recording
DVMRe-16CTII-600-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	7298.20	Digital Recording
DVMRe-16CTII-80	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, NTSC/Pal	4139.20	Digital Recording
DVMRe-16CTII-80A	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, Audio, NTSC/Pal	4199.00	Digital Recording
DVMRe-16CTII-80A-C	16-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	4786.60	Digital Recording

DVMRe-4CTII-1200A	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal	8006.70	Digital Recording
DVMRe-4CTII-1200A-C	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 1200GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	8594.30	Digital Recording
DVMRe-4CTII-160	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal	3217.50	Digital Recording
DVMRe-4CTII-160A	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio,	3277.30	Digital Recording
DVMRe-4CTII-160A-C	NTSC/Pal 4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, Audio,	3864.90	Digital Recording
DVMRe-4CTII-160-C	NTSC/Pal w/KTD-405 Keypad 4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 160GB HDD, Ethernet, NTSC/Pal	3805.10	Digital Recording
DVMRe-4CTII-320	w/KTD-405 Keypad 4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal	4270.50	Digital Recording
DVMRe-4CTII-320A	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio,	4330.30	Digital Recording
DVMRe-4CTII-320A-C	NTSC/Pal 4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, Audio,	4917.90	Digital Recording
DVMRe-4CTII-320-C	NTSC/Pal w/KTD-405 Keypad		Digital Recording
	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 320GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	4858.10	0
DVMRe-4CTII-600	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal	5657.60	Digital Recording
DVMRe-4CTII-600A-C	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, Audio, NTSC/Pal w/KTD-405 Keypad	6305.00	Digital Recording
DVMRe-4CTII-600-C	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 600GB HDD, Ethernet, NTSC/Pal w/KTD-405 Keypad	6250.40	Digital Recording
DVMRe-4CTII-80	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, NTSC/Pal	2823.60	Digital Recording
DVMRe-4CTII-80A	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, Audio, NTSC/Pal	2883.40	Digital Recording
DVMRe-4CTII-80A-C	4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, Audio,	3471.00	Digital Recording
DVMRe-4CTII-80-C	NTSC/Pal w/KTD-405 Keypad 4-Channel Color Triplex Multiplexer/Recorder with WaveJet, 80GB HDD, Ethernet, NTSC/Pal	3411.20	Digital Recording
DVMRe-Pro10-160DVD	w/KTD-405 Keypad 10-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro	4559.10	Digital Recording
DVMRe-Pro10-160DVDC	10-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405 Keypad	5146.70	Digital Recording
DVMRe-Pro10-320DVD DVMRe-Pro10-320DVDC	10-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio, Pro 10-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	5112.90 5700.50	Digital Recording Digital Recording
DVMRe-Pro10-600DVD	Keypad 10-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro	6333.60	Digital Recording
DVMRe-Pro10-600DVDC	10-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	6921.20	Digital Recording
DVMRe-Pro10-80DVD	Keypad 10-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro	3747.90	Digital Recording
DVMRe-Pro10-80DVDC	10-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405 Keypad	4335.50	Digital Recording
DVMRe-Pro16-160DVD DVMRe-Pro16-160DVDC	16-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro 16-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	5112.90 5700.50	Digital Recording Digital Recording
DVMRe-Pro16-320DVD	Keypad 16-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio, Pro	6333.60	Digital Recording
DVMRe-Pro16-320DVDC	16-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405 Keypad	6921.20	Digital Recording
DVMRe-Pro16-600DVD DVMRe-Pro16-600DVDC	16-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro 16-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	7296.90	Digital Recording
	Keypad	7884.50	Digital Recording
DVMRe-Pro4-160DVD DVMRe-Pro4-160DVDC	4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro 4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	3611.40 4199.00	Digital Recording Digital Recording
DVMRe-Pro4-320DVD	Keypad 4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio. Pro	4695.60	Digital Recording
DVMRe-Pro4-320DVDC	4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, DVD, Ethernet, Audio. Pro w/KTD-405 Keypad	5283.20	Digital Recording
DVMRe-Pro4-600DVD DVMRe-Pro4-600DVDC	4-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro 4-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405	6204.90 6792.50	Digital Recording Digital Recording
DVMRe-Pro4-80DVD	Keypad 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro	3133.00	Digital Recording
DVMRe-Pro4-80DVDC	4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, DVD, Ethernet, Audio, Pro w/KTD-405 Keypad	3720.60	Digital Recording
DVSe	Digital Video Storage Chassis Only, 110/220 V, SCSI Cable Included	1766.70	Digital Recording
DVSe-2 DVSe-4	Digital Video Storage, 160GB HDD, 110/220 V, SCSI Cable Included Digital Video Storage, 320GB HDD, 110/220 V, SCSI Cable Included	3302.00 4838.60	Digital Recording Digital Recording
DVSe-6	Digital Video Storage, 480GB HDD, 110/220 V, SCSI Cable Included	6373.90	Digital Recording
DVSe-8	Digital Video Storage, 640GB HDD, 110/220 V, SCSI Cable Included	7909.20	Digital Recording
DVSe-8-1280	Digital Video Storage, 1280GB HDD, 110/220 V, SCSI Cable Included Digital Video Storage, 2000GB HDD, 110/220 V, SCSI Cable Included	11247.60	Digital Recording
DVSe-8-2T EC-100R	Digital video Storage, 2000GB HDD, 110/220 V, SCSI Cable Included Beam Smoke Detector, 100M	14991.60 1230.07	Digital Recording Fire
EC-100K EC-50R	Beam Smoke Detector, 100W	1051.84	Fire
EC-LED	Remote LED Indicator	20.50	Fire
EC-LLT	Beam Detector Accessory, Ground-Level Control for EC-100R/EC-50R, Remote Test	240.97	Fire
EG1-C EG1-CVM	Chime, Wall Mt., 24VDC, White Chime/Strobe, Wall Mt., 15-95 CD, 24VDC, White	43.51 70.37	Fire Fire
EG1F-C	Chime, Wall Mt., Marked "Fire", 24VDC, White	43.51	Fire
EG1F-CVM	Chime/Strobe, Wall Mt., 15-95 CD, Marked "Fire", 24VDC, White	70.37	Fire
EG1F-HD	Horn, Temporal, High/Low dB, Marked "Fire", 24VDC, White	26.87	Fire
EG1F-HDVM	Horn/Strobe/Wall Mt., 15-110 CD, Marked "Fire', 24VDC, White	49.40	Fire
EG1F-P EG1F-VM	Horn, Temporal, Marked "Fire", 24VDC, White Strobe, Wall Mt., 15-110 CD, Marked "Fire", 24VDC, White	14.39 39.78	Fire Fire
EG1-HD	Horn, Temporal, High/Low dB, 24VDC, White	25.57	Fire
EG1-HDVM	Horn/Strobe, Wall Mt., 15-110 CD, 24VDC, White	49.40	Fire
EG1M	Synchronization Module, GE Nac Appliances for any Mfr, FACP, Panel Mt.	29.12	Fire

EO4M DM	Construction Medials OF New Application for any Mr. FACD Description	40.04	[Fi
EG1M-RM	Synchronization Module, GE Nac Appliances for any Mfr, FACP, Remote Mt.	40.04	Fire
EG1-P	Horn, Temporal, 24VDC, White	14.39	Fire
EG1R-C	Chime, Wall Mt., 24VDC, Red	43.51	Fire
EG1R-CVM	Chime/Strobe, Wall Mt., 15-95 CD, 24VDC, Red	70.37	Fire
EG1RF-C	Chime, Wall Mt., Marked "Fire", 24VDC, Red	43.51	Fire
EG1RF-CVM	Chime/Strobe, Wall Mt., 15-95 CD, Marked "Fire", 24VDC, Red	70.37	Fire
EG1RF-HD	Horn, Temporal, High/Low dB, Marked "Fire", 24VDC, Red	26.87	Fire
EG1RF-HDVM	Horn/Strobe, Wall Mt., 15-110 CD, Marked "Fire", 24VDC, Red	49.40	Fire
EG1RF-P	Horn, Temporal, Marked "Fire", 24VDC, Red	14.39	Fire
EG1RF-VM	Strobe, Wall Mt., 15-110 CD, Marked "Fire", 24VDC, Red	39.78	Fire
EG1R-HD	Horn, Temporal, High/Low dB, 24VDC, Red	25.57	Fire
EG1R-HDVM	Horn/Strobe, Wall Mt., 15-110 CD, 24VDC, Red	49.40	Fire
EG1R-P	Horn, Temporal, 24VDC, Red	14.39	Fire
EG1RT	Trim Plate for Wall Mt., Horn/Strobes, 1-Gang to 4" Box, Red	NC	Fire
EG1RT-FIRE	Trim Plate for Wall Mt., Horn/Strobes, 1-Gang to 4" Box, Marked "Fire", White	NC	Fire
	1		
EG1R-VM	Strobe, Wall Mt., 15-110 CD, 24VDC, Red	39.78	Fire
EG1T	Trim Plate for Wall Mt., Horn/Strobes, 1-Gang to 4" Box, White	NC	Fire
EG1T-FIRE	Trim Plate for Wall Mt., Horn/Strobes, 1-Gang to 4" Box, Marked "Fire", White	NC	Fire
LOTTTIKE	Thin Flate for Wall Mit, Floring to 500, Marked Flie , White	140	1 110
EG1-VM	Stroke Well Mt. 45 440 CD 24VDC White	20.70	Fire
	Strobe, Wall Mt., 15-110 CD, 24VDC, White	39.78	Fire
EG4B	Surface Box for Speaker/Strobes, White	8.15	Fire
EG4F-S2	Speaker, Wall Mt., 25V RMS, Marked "Fire", 24VDC, White	23.23	Fire
EG4F-S2VM	Speaker/Strobe, Wall Mt., 15-90 CD, 25V RMS, Marked "Fire", 24VDC, White	61.88	Fire
EG4F-S7	Speaker, Wall Mt., 70V RMS, Marked "Fire", 24VDC, White	23.23	Fire
EG4F-S7VM	Speaker/Strobe, Wall Mt., 15-90 CD, 70V RMS, Marked "Fire", 24VDC, White	61.88	Fire
EG4RB	Surface Box for Speaker/Strobes, Red	8.15	Fire
EG4RF-S2	Speaker, Wall Mt., 24VRMS, Marked "Fire", 24VDC, Red	23.23	Fire
			Fire
EG4RF-S2VM	Speaker/Strobe, Wall Mt., 15-90 CD, 25V RMS, Marked "Fire", 24VDC, Red	61.88	
EG4RF-S7	Speaker, Wall Mt., 70V RMS, Marked "Fire", 24VDC, Red	23.23	Fire
EG4RF-S7VM	Speaker/Strobe, Wall Mt., 15-90 CD, 70V RMS, Marked "Fire", 24VDC, Red	61.88	Fire
EG4R-S2	Speaker, Wall Mt., 25V RMS, 24VDC, Red	23.23	Fire
EG4R-S2VM	Speaker/Strobe, Wall Mt., 15-90 CD, 25V RMS, 24VDC, Red	61.88	Fire
EG4R-S7	Speaker, Wall Mt., 70V RMS, 24VDC, Red	23.23	Fire
EG4R-S7VM	Speaker/Strobe, Wall Mt., 15-90 CD, 70V RMS, 24VDC, Red	61.88	Fire
EG4-S2	Speaker, Wall Mt., 25V FMS, 24VDC, White	23.23	Fire
EG4-S2VM	Speaker/Strobe, Wall Mt., 15-90 CD, 25V RMS, 24VDC, White	61.88	Fire
EG4-S7	Speaker, Wall Mt., 70V RMS, 24VDC, White	23.23	Fire
EG4-S7VM	Speaker/Strobe, Wall Mt., 15-90 CD, 70V RMS, 24VDC, White	61.88	Fire
EGCF-HDVM	Horn/Strobe, Ceiling Mt., 15-95 CD, Marked "Fire", 24VDC, White	68.99	Fire
EGCF-HDVMH	Horn/Strobe, Ceiling Mt., 95-177 CD, Marked "Fire", 24VDC, White	97.76	Fire
EGCF-S2VM	Speaker/Strobe, Ceiling Mt., 15-95 CD, 25V RMS, Marked "Fire", 24VDC, White	70.89	Fire
EGCF-S2VMH	Speaker/Strobe, Ceiling Mt., 95-177 CD, 25V RMS, Marked "Fire", 24VDC, White	83.55	Fire
EGCF-S7VM	Speaker/Strobe, Ceiling Mt., 15-95 CD, 70V RMS, Marked "Fire", 24VDC, White	70.89	Fire
EGCF-S7VMH	Speaker/Strobe, Ceiling Mt., 95-177 CD, 70V RMS, Marked "Fire", 24VDC, White	83.55	Fire
			1 -
EGCF-VM	Strobe, Ceiling Mt., 15-95 CD, Marked "Fire", 24VDC, White	51.83	Fire
EGCF-VMH	Strobe, Ceiling Mt., 95-177 CD, Marked "Fire", 24VDC, White	97.76	Fire
EGC-HDVM	Horn/Strobe, Ceiling Mt., 15-95 CD, 24VDC, White	68.99	Fire
EGC-HDVMH	Horn/Strobe, Ceiling Mt., 95-177 CD, 24VDC, White	97.76	Fire
EGC-S2VM	Speaker/Strobe, Ceiling Mt., 15-95 CD, 25V RMS, 24VDC, White	70.89	Fire
EGC-S2VMH	Speaker/Strobe, Ceiling Mt., 95-177 CD, 24V RMS, 24VDC, White	83.55	Fire
EGC-S7VM	Speaker/Strobe, Ceiling Mt., 15-95 CD, 70V RMS, 24VDC, White	70.89	Fire
EGC-S7VMH	Speaker/Strobe, Ceiling Mt., 95-177 CD, 70V RMS, 24VDC, White	83.55	Fire
EGC-VM	Strobe, Ceiling Mt., 15-95 CD, 24VDC, White	51.83	Fire
EGC-VMH	Strobe, Ceiling Mt., 95-177 CD, 24VDC, White	97.76	Fire
EPROX-25PACK	Entree Proximity 25-Pack. Clam Shell Card Design w/GE Security Logo, Vertical Slot Punch,	58.33	Credentials
	External ID		
FC2SSA-0256	FC L2 Extended After Hours Support - up to 256 Camera capacity, requires active Level 1 SSA	2437.50	Picture Perfect
FC2SSA-1024	FC L2 Extended After Hours Support - up to 1024 Camera capacity, requires active Level 1 SSA	4875.00	Picture Perfect
FC2SSA-1025	FCWnx L2 Extended After Hours Support - 1025 and above Camera capacity, requires active	7312.50	Picture Perfect
	Level 1 SSA		
FCCUPGSSA-AIX	FC Classic Aix No Charge UPGRADE for systems covered under an active System Support	NC	Picture Perfect
	Agreement (SSA). Informix upgrade included. Optional License for Windows Media Server or Linux		
	Media Server can be included at no charge due to change in architecture		
	ivioura dorver can be included at no charge due to change in architecture		
F0011D062 +	FOOL 11 NO UDCTTES		D: 4 D (:
FCCUPGSSA-LINUX	FC Classic Linux No Charge UPGRADE for systems covered under an active System Support	NC	Picture Perfect
	Agreement (SSA). Informix upgrade included. Optional License for Windows Media Server or Linux		
	Media Server can be included at no charge due to change in architecture		
FCL1SSA32CAM	System Support Agreement Camera Capacity (32 cameras per unit)	341.25	Picture Perfect
FCL1SSAADI	System Support Agreement, American Dynamics Intellex 3.1	511.88	Picture Perfect
FCL1SSAAIX	FC Level 1 SSA - Per server base license package. Additional options and capacity licenses must	2559.38	Picture Perfect
I OLIOOAAIA		2009.00	i locale i ellect
FOL400AALLIANG=	be purchased separately.	05.00	Distance Dest.
FCL1SSAALLIANCE	System Support Agreement, GE Alliance/ATS (AL-4017) Intrusion Panel Driver	85.32	Picture Perfect
FCL1SSAASC32	System Support Agreement, Analog CCTV Switcher Capacity (32 switchers per unit)	341.25	Picture Perfect
FCL1SSAASI	System Support Agreement, Analog CCTV Switcher Interface	170.63	Picture Perfect
FCL1SSACLNT	System Support Agreement Facility Commander Command and Control Client License (single seat)	341.25	Picture Perfect
FCL1SSADVI	System Support Agreement Digital Video Interface	170.63	Picture Perfect
FCL1SSADVX	System Support Agreement, Integral DVXi and DSXpress Driver - CD 441579002 required.	511.88	Picture Perfect
I OLIOUAD VA	System Support Agreement, integral DVAI and DSAPIESS DIIVEL - OD 441379002 required.	J11.00	i ioture i errett
FOL 400 ALVITOOL:			
FCL1SSAINTCOM	System Support Agreement, annual, Facility Commander intercom interfaces. Unlimited tel tech	170.63	Picture Perfect
	support, M/F, std hours. Upgrade not applicable.		
FCL1SSAINTCOM FCL1SSAINTRUS		170.63	Picture Perfect

FCL1SSAIPC32	System Support Agreement, Intrusion Panel Capacity (32 panels per unit)	341.25	Picture Perfect
FCL1SSAIS32	System Support Agreement, Intercom Station Capacity (32 stations per unit)	341.25	Picture Perfect
FCL1SSALINUX	FC Level 1 SSA - Per server base license package. Additional options and capacity licenses must be purchased separately.	2559.38	Picture Perfect
FCL1SSAMEDIA	System Support Agreement, annual, Facility Commander remote media server	1023.75	Picture Perfect
FCL1SSANICE	System Support Agreement, NiceVision Pro and Harmony Driver	511.88	Picture Perfect
	System Support Agreement, Nicevision 110 and Harmony Briver		Picture Perfect
FCL1SSAPAN		170.63	
FCL1SSAPELCO	System Support Agreement, Pelco DX8000 Driver	511.88	Picture Perfect
FCL1SSAPPEIF	System Support Agreement, Picture Perfect External Interface (EIF).	1365.00	Picture Perfect
FCL1SSAVISIO	System Support Agreement VisioWave LVP Driver for Facility Commander v2.1	16.90	Picture Perfect
FCL1SSAWEB	System Support Agreement Facility Commander Web Client License, (5 concurrent seats)	341.25	Picture Perfect
FCL1SSAWIN	FC Level 1 SSA - Per server base license package. Additional options and capacity licenses must	1706.25	Picture Perfect
	be purchased separately.		
FCL1SSAZEN	System Support Agreement, Zenitel AlphaCom Driver	511.88	Picture Perfect
FCLSSA-CUC	FC SSA - Certified User Call In - Requires L I or L II SSA in place	12187.50	Picture Perfect
FCLSSA-DSL	FC SSA - Duplicate Server License coverage Requires L I or L II SSA in place additionally	4062.50	Picture Perfect
FSAT1			
	Remote Annunciator Wall Plate, One Gang, White	8.84	Fire
FSAT2	Remote Annunciator Wall Plate, Two Gang, White	12.65	Fire
FSAT3	Remote Annunciator Wall Plate, Three Gang, White	16.47	Fire
FSAT4	Remote Annunciator Wall Plate, Four Gang, White	23.40	Fire
FSRRM	Fire Control Accessory, Remote Relay Module	84.41	Fire
FSRRM-S11	Fire Alarm Control Accessory, Snap-Track for Remote Relay Module, 11"	28.60	Fire
FSRSI	Remote Annunciator, LED, Alarm, Trouble, Supv, Ground Fault	50.61	Fire
FSRZI-A	Remote Annunciator, LED, Alarm by Zone	50.61	Fire
FSTRIM35G	Fire Alarm Control Accessory, Semi-Flush Trim Ring for FX-3 & FX-5 FACP'S, Red	33.80	Fire
FSTRIM35R	Fire Alarm Control Accessory, Semi-Flush Trim Ring for FX-3 & FX-5 FACP'S, Gray		
		33.80	Fire
GCFR-HDVM	Notification Appliance, Ceiling Mount, Horn/Strobe, 15-95CD, Hi/Lo dB, w/FIRE Marking, Red, 24VDC	62.53	Fire
GCFR-S7	Notification Appliance, Speaker, 70V, w/FIRE Marking, Red	27.69	Fire
GCFR-S7VM	Notification Appliance, Speaker/Strobe, 15-95CD, 70V, w/FIRE Marking, Red	70.10	Fire
GCFR-VM	Notification Appliance, Ceiling Mount, Strobe Only, 15-95CD, w/FIRE Marking, Red, 24VDC	46.71	Fire
GEA-102	Legend/CyberDome II Wall Mount, Cast Aluminum	109.20	PTZ Cameras
GEA-103	Legend/CyberDome II Wall Mount Goose Neck, Aluminum, Pressurized Housing Only	178.10	PTZ Cameras
GEA-104	Legend/CyberDome II Parapet Swing-Arm Mount	451.10	PTZ Cameras
GEA-105	Legend/CyberDome II Corner-Mount Adapter	68.90	PTZ Cameras
GEA-106	Legend/CyberDome II Pole-Mount Adapter	54.60	PTZ Cameras
GEA-107	Legend/CyberDome II Roof-Mount Adapter	171.60	PTZ Cameras
GEA-108	Legend/CyberDome II Parapet Cap, Corner, Narrow, 6-12-inch	819.00	PTZ Cameras
GEA-109	Legend/CyberDome II Parapet Cap, Corner, Wide, 12-17"	819.00	PTZ Cameras
GEA-110	Legend/CyberDome II Parapet Cap, Straight, Narrow, 6-12-inch	478.40	PTZ Cameras
GEA-111	Legend/CyberDome II Parapet Cap, Straight, Wide, 12-17"	478.40	PTZ Cameras
GEA-112	CyberDome II, Fixed Camera Bracket for CYH-3xxx Housings	234.00	PTZ Cameras
GEA-113	Legend/CyberDome II T-Bar Ceiling Panel	109.20	PTZ Cameras
GEA-114	Legend/CyberDome II T-Bar Panel Support Kit	54.60	PTZ Cameras
GEA-201	Ground Loop Isolator Cable	62.40	PTZ Cameras
GEA-C3-C18N	Legend Dome, 18X Color, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2486.90	PTZ Cameras
GEA-C3-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2844.40	PTZ Cameras
GEA-C3-C18P	Legend Dome, 18X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	2486.90	PTZ Cameras
GEA-C3-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2844.40	PTZ Cameras
GEA-C3-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	3153.80	PTZ Cameras
GEA-C3-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3511.30	PTZ Cameras
CEA C2 D26D	Legand Dome 26V Day/Night Well Mount Housing Class Assilia Ball Convil ITD	2452.00	DT7 Comoros
GEA-C3-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	3153.80	PTZ Cameras
GEA-C3-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3511.30	PTZ Cameras
GEA-C3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2828.80	PTZ Cameras
GEA-C3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Clear Acrylic, NTSC,	3186.30	PTZ Cameras
GEA-C3-D26SP	Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Clear Acrylic, Pal,	2828.80	PT7 Cameras
	Coax/UTP		PTZ Cameras
GEA-C3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3186.30	PTZ Cameras
GEA-C3-D36N	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Ethernet,	3305.90	PTZ Cameras
GEA-C3-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Ethernet,	3663.40	PTZ Cameras
	Coax/UTP		
GEA-C3-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	3305.90	PTZ Cameras
GEA-C3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3663.40	PTZ Cameras
OFA CA CARN'	Legand Dame 40V Color Well Mayork Univided Co. 1. A. F. ATTOC Co. (177)	0400.00	DT7 0
GEA-C4-C18N GEA-C4-C18N-IP	Legend Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2486.90 2844.40	PTZ Cameras PTZ Cameras
Ì			
GEA-C4-C18P	Legend Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2486.90	PTZ Cameras
GEA-C4-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/01P		
		2844.40	PTZ Cameras
GEA-C4-D26N GEA-C4-D26N-IP	Legend Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3153.80 3511.30	PTZ Cameras PTZ Cameras
GEA-C4-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	3153.80	PTZ Cameras
GEA-C4-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3511.30	PTZ Cameras
GEA-C4-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, NTSC,	2828.80	PTZ Cameras
	Coax/UTP		
GEA-C4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3186.30	PTZ Cameras
	T	2828.80	PTZ Cameras
GEA-C4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2020.00	1 12 Cameras

GEA-C4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3186.30	PTZ Cameras
GEA-C4-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	3305.90	PTZ Cameras
GEA-C4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3663.40	PTZ Cameras
GEA-C4-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	3305.90	PTZ Cameras
GEA-C4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3663.40	PTZ Cameras
GEA-C6-C18N	Legend Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	2705.30	PTZ Cameras
GEA-C6-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3062.80	PTZ Cameras
GEA-C6-C18P	Legend Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP	2705.30	PTZ Cameras
GEA-C6-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3062.80	PTZ Cameras
GEA-C6-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	3372.20	PTZ Cameras
GEA-C6-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3729.70	PTZ Cameras
GEA-C6-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3372.20	PTZ Cameras
GEA-C6-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3729.70	PTZ Cameras
GEA-C6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	3047.20	PTZ Cameras
GEA-C6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3404.70	PTZ Cameras
GEA-C6-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3047.20	PTZ Cameras
GEA-C6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3404.70	PTZ Cameras
GEA-C6-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	3524.30	PTZ Cameras
GEA-C6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet,	3881.80	PTZ Cameras
GEA-C6-D36P	Coax/UTP Legend Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3524.30	PTZ Cameras
GEA-C6-D36P-IP	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet,	3524.30	PTZ Cameras PTZ Cameras
027, 00 2001 11	Coax/UTP	0001.00	. TE Gameras
GEA-C7-C18N	Legend Dome, 18X Color, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP	2759.90	PTZ Cameras
GEA-C7-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3117.40	PTZ Cameras
GEA-C7-C18P	Legend Dome, 18X Color, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	2759.90	PTZ Cameras
GEA-C7-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3117.40	PTZ Cameras PTZ Cameras
GEA-C7-D26N GEA-C7-D26N-IP	Legend Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3426.80 3784.30	PTZ Cameras PTZ Cameras
GEA-C7-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	3426.80	PTZ Cameras
GEA-C7-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3784.30	PTZ Cameras
GEA-C7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP	3101.80	PTZ Cameras
GEA-C7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3459.30	PTZ Cameras
GEA-C7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	3101.80	PTZ Cameras
GEA-C7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3459.30	PTZ Cameras
GEA-C7-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP	3578.90	PTZ Cameras
GEA-C7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3936.40	PTZ Cameras
GEA-C7-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	3578.90	PTZ Cameras
GEA-C7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3936.40	PTZ Cameras
GEA-CE3-C18N	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2637.70	PTZ Cameras
GEA-CE3-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2995.20	PTZ Cameras
GEA-CE3-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2637.70	PTZ Cameras
GEA-CE3-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2995.20	PTZ Cameras
GEA-CE3-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3303.30	PTZ Cameras
GEA-CE3-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3662.10	PTZ Cameras
GEA-CE3-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3303.30	PTZ Cameras
GEA-CE3-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	3662.10	PTZ Cameras
GEA-CE3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2978.30	PTZ Cameras
GEA-CE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3337.10	PTZ Cameras
GEA-CE3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal,	2978.30	PTZ Cameras
GEA-CE3-D26SP-IP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic,	3337.10	PTZ Cameras
GEA-CE3-D36N	Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3455.40	PTZ Cameras
GEA-CE3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC,	3814.20	PTZ Cameras
GEA-CE3-D36P	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3455.40	PTZ Cameras
		50.10	

GEA-CE3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	3814.20	PTZ Cameras
GEA-CE4-C18N GEA-CE4-C18N-IP	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet,	2637.70 2995.20	PTZ Cameras PTZ Cameras
	Coax/UTP		
GEA-CE4-C18P GEA-CE4-C18P-IP	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2637.70 2995.20	PTZ Cameras PTZ Cameras
GEA-CE4-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3303.30	PTZ Cameras
GEA-CE4-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3662.10	PTZ Cameras
GEA-CE4-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3303.30	PTZ Cameras
GEA-CE4-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3662.10	PTZ Cameras
GEA-CE4-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2978.30	PTZ Cameras
GEA-CE4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3337.10	PTZ Cameras
GEA-CE4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2978.30	PTZ Cameras
GEA-CE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic,	3337.10	PTZ Cameras
GEA-CE4-D36N	Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC,	3455.40	PTZ Cameras
GEA-CE4-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC,	3814.20	PTZ Cameras
GEA-CE4-D36P	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3455.40	PTZ Cameras
GEA-CE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet,	3814.20	PTZ Cameras
GEA-CE6-C18N	Coax/UTP Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	2856.10	PTZ Cameras
GEA-CE6-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3213.60	PTZ Cameras
GEA-CE6-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	2856.10	PTZ Cameras
GEA-CE6-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3213.60	PTZ Cameras
GEA-CE6-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	3521.70	PTZ Cameras
GEA-CE6-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3880.50	PTZ Cameras
GEA-CE6-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	3521.70	PTZ Cameras
GEA-CE6-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3880.50	PTZ Cameras
GEA-CE6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	3196.70	PTZ Cameras
GEA-CE6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3555.50	PTZ Cameras
GEA-CE6-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	3196.70	PTZ Cameras
GEA-CE6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3555.50	PTZ Cameras
GEA-CE6-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	3673.80	PTZ Cameras
GEA-CE6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	4032.60	PTZ Cameras
GEA-CE6-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	3673.80	PTZ Cameras
GEA-CE6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Acrylic, Pal,	4032.60	PTZ Cameras
GEA-CE7-C18N	Ethernet, Coax/UTP Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2910.70	PTZ Cameras
GEA-CE7-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htt/Fan, Gold Actylic, NTSC, Ethernet, Coax/UTP	3268.20	PTZ Cameras
GEA-CE7-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2910.70	PTZ Cameras
GEA-CE7-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3268.20	PTZ Cameras
GEA-CE7-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	3576.30	PTZ Cameras
GEA-CE7-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3935.10	PTZ Cameras
GEA-CE7-D26P GEA-CE7-D26P-IP	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet,	3576.30 3935.10	PTZ Cameras PTZ Cameras
GEA-CE7-D26SN	Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Gold Acrylic,	3251.30	PTZ Cameras
GEA-CE7-D26SN-IP	NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htt/Fan, Gold Acrylic,	3610.10	PTZ Cameras
	NTSC, Ethernet, Coax/UTP		
GEA-CE7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	3251.30	PTZ Cameras
GEA-CE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3610.10	PTZ Cameras
GEA-CE7-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	3728.40	PTZ Cameras
GEA-CE7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	4087.20	PTZ Cameras
GEA-CE7-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	3728.40	PTZ Cameras

GEA-CE7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	4087.20	PTZ Cameras
GEA-D8-C18N	Legend Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	2732.60	PTZ Cameras
GEA-D8-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet,	3090.10	PTZ Cameras
GEA-D8-C18P	Coax/UTP Legend Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	2732.60	DT7.0
GEA-D8-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3090.10	PTZ Cameras PTZ Cameras
GEA-D8-D26N	Legend Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3399.50	PTZ Cameras
GEA-D8-D26N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet,	3757.00	PTZ Cameras
	Coax/UTP		
GEA-D8-D26P GEA-D8-D26P-IP	Legend Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet,	3399.50 3757.00	PTZ Cameras PTZ Cameras
GEA-Do-DZOP-IP	Coax/UTP	3/3/.00	P12 Cameras
GEA-D8-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3074.50	PTZ Cameras
GEA-D8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3432.00	PTZ Cameras
GEA-D8-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3074.50	PTZ Cameras
GEA-D8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3432.00	PTZ Cameras
GEA-D8-D36N	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	3551.60	PTZ Cameras
GEA-D8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet,	3909.10	PTZ Cameras
GEA-D8-D36P	Coax/UTP Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	3551.60	PTZ Cameras
GEA-D8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet,	3909.10	PTZ Cameras
OEA DO CAON	Coax/UTP	0700.00	DT7 0
GEA-D9-C18N GEA-D9-C18N-IP	Legend Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2732.60 3090.10	PTZ Cameras PTZ Cameras
GEA-D9-C18P	Legend Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	2732.60	PTZ Cameras
GEA-D9-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3090.10	PTZ Cameras
GEA-D9-D26N	Legend Dome, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3399.50	PTZ Cameras
GEA-D9-D26N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Ethernet,	3757.00	PTZ Cameras
GEA-D9-D26P	Coax/UTP Legend Dome, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	3399.50	PTZ Cameras
GEA-D9-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3757.00	PTZ Cameras
GEA-D9-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3074.50	PTZ Cameras
GEA-D9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3432.00	PTZ Cameras
GEA-D9-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	3074.50	PTZ Cameras
GEA-D9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3432.00	PTZ Cameras
GEA-D9-D36N	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	3551.60	PTZ Cameras
GEA-D9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3909.10	PTZ Cameras
GEA-D9-D36P	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	3551.60	PTZ Cameras
GEA-D9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3909.10	PTZ Cameras
GEA-DE8-C18N	Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	2904.20	PTZ Cameras
GEA-DE8-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3261.70	PTZ Cameras
GEA-DE8-C18P	Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2904.20	PTZ Cameras
GEA-DE8-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet,	3261.70	PTZ Cameras
GEA-DE8-D26N	Coax/UTP Legend Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC,	3569.80	PTZ Cameras
GEA-DE8-D26N-IP	Coax/UTP Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC,	3928.60	PTZ Cameras
GEA-DE8-D26P	Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3569.80	PTZ Cameras
GEA-DE8-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet,	3928.60	PTZ Cameras
GEA-DE8-D26SN	Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Clear	3244.80	PTZ Cameras
GEA-DE8-D26SN-IP	Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Heavy Duty Housing, Htr/Fan, Clear	3603.60	PTZ Cameras
GEA-DE8-D26SP	Polycarbonate, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Clear	3244.80	PTZ Cameras
GEA-DE8-D26SP-IP	Polycarbonate, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Clear	3603.60	PTZ Cameras
GEA-DE8-D36N	Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC,	3721.90	PTZ Cameras
GEA-DE8-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Httr/Fan, Clear Polycarbonate, NTSC,	4080.70	PTZ Cameras
OLA-DEO-DOUN-IP	Ethernet, Coax/UTP	4000.70	1 12 Cameras

GEA-DE8-D36P	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal,	3721.90	PTZ Cameras
GEA-DE8-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal,	4080.70	PTZ Cameras
GEA-DE9-C18N	Ethernet, Coax/UTP Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	2904.20	PTZ Cameras
GEA-DE9-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet,	3261.70	PTZ Cameras
GEA-DE9-C18P	Coax/UTP Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	2904.20	PTZ Cameras
GEA-DE9-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3261.70	PTZ Cameras
GEA-DE9-D26N	Legend Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3569.80	PTZ Cameras
GEA-DE9-D26N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3928.60	PTZ Cameras
GEA-DE9-D26P	Legend Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3569.80	PTZ Cameras
GEA-DE9-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal,	3928.60	PTZ Cameras
GEA-DE9-D26SN	Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke	3244.80	PTZ Cameras
GEA-DE9-D26SN-IP	Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke	3603.60	PTZ Cameras
GEA-DE9-D26SP	Polycarbonate, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke	3244.80	PTZ Cameras
GEA-DE9-D26SP-IP	Polycarbonate, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke	3603.60	PTZ Cameras
	Polycarbonate, Pal, Ethernet, Coax/UTP		
GEA-DE9-D36N	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3721.90	PTZ Cameras
GEA-DE9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	4080.70	PTZ Cameras
GEA-DE9-D36P	Legend Dome, 36X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3721.90	PTZ Cameras
GEA-DE9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	4080.70	PTZ Cameras
GEA-F3-C18N	Legend Dome, 18X Color, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	2323.10	PTZ Cameras
GEA-F3-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2680.60	PTZ Cameras
GEA-F3-C18P	Legend Dome, 18X Color, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2323.10	PTZ Cameras
GEA-F3-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2680.60	PTZ Cameras
GEA-F3-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	2990.00	PTZ Cameras
GEA-F3-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP,	3347.50	PTZ Cameras
GEA-F3-D26P	T-Bar Support Kit Legend Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP, T-Bar Support	2990.00	PTZ Cameras
GEA-F3-D26P-IP	Kit Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP, T-	3347.50	PTZ Cameras
GEA-F3-D26SN	Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, NTSC,	2665.00	PTZ Cameras
GEA-F3-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, NTSC,	3022.50	PTZ Cameras
	Ethernet, Coax/UTP, T-Bar Support Kit		
GEA-F3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2665.00	PTZ Cameras
GEA-F3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3022.50	PTZ Cameras
GEA-F3-D36N GEA-F3-D36N-IP	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet,	3142.10 3499.60	PTZ Cameras PTZ Cameras
	Coax/UTP, T-Bar Support Kit		
GEA-F3-D36P GEA-F3-D36P-IP	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, Pal, Ethernet,	3142.10 3499.60	PTZ Cameras PTZ Cameras
GEA-F4-C18N	Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP, T-Bar Support	2323.10	PTZ Cameras
GEA-F4-C18N-IP	Kit Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2680.60	PTZ Cameras
GEA-F4-C18P	Legend Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2323.10	PTZ Cameras
GEA-F4-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2680.60	PTZ Cameras
GEA-F4-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	2990.00	PTZ Cameras
GEA-F4-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3347.50	PTZ Cameras
GEA-F4-D26P	Legend Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2990.00	PTZ Cameras
GEA-F4-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-	3347.50	PTZ Cameras
GEA-F4-D26SN	Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, NTSC,	2665.00	PTZ Cameras
GEA-F4-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, NTSC,	3022.50	PTZ Cameras
GEA-F4-D26SP	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, Pal,	2665.00	PTZ Cameras
GEA-F4-D26SP-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, Pal,	3022.50	PTZ Cameras
52/17 D2001 1F	Ethernet, Coax/UTP, T-Bar Support Kit	5022.00	Cumoras

GEA-F4-D36N	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	3142.10	PTZ Cameras
GEA-F4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3499.60	PTZ Cameras
GEA-F4-D36P GEA-F4-D36P-IP	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet,	3142.10 3499.60	PTZ Cameras PTZ Cameras
GEA-F6-C18N	Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, NTSC, Coax/UTP, T-Bar Support	2541.50	PTZ Cameras
GEA-F6-C18N-IP	Kit Legend IP Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2899.00	PTZ Cameras
GEA-F6-C18P	Legend Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2541.50	PTZ Cameras
GEA-F6-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2899.00	PTZ Cameras
GEA-F6-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, NTSC, Coax/UTP, T-Bar	3208.40	PTZ Cameras
GEA-F6-D26N-IP	Support Kit Legend IP Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet,	3565.90	PTZ Cameras
GEA-F6-D26P	Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, Pal, Coax/UTP, T-Bar	3208.40	PTZ Cameras
GEA-F6-D26P-IP	Support Kit Legend IP Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP,	3565.90	PTZ Cameras
GEA-F6-D26SN	T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, NTSC,	2883.40	PTZ Cameras
GEA-F6-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, NTSC,	3240.90	PTZ Cameras
GEA-F6-D26SP	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, Pal,	2883.40	PTZ Cameras
GEA-F6-D26SP-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, Pal,	3240.90	PTZ Cameras
GEA-F6-D36N	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	3360.50	PTZ Cameras
GEA-F6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet,	3718.00	PTZ Cameras
GEA-F6-D36P	Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3360.50	PTZ Cameras
GEA-F6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3718.00	PTZ Cameras
GEA-F7-C18N	Legend Dome, 18X Color, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	2596.10	PTZ Cameras
GEA-F7-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2953.60	PTZ Cameras
GEA-F7-C18P	Legend Dome, 18X Color, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2596.10	PTZ Cameras
GEA-F7-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2953.60	PTZ Cameras
GEA-F7-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	3263.00	PTZ Cameras
GEA-F7-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3620.50	PTZ Cameras
GEA-F7-D26P	Legend Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP, T-Bar Support Kit	3263.00	PTZ Cameras
GEA-F7-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3620.50	PTZ Cameras
GEA-F7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP, T-Bar Support Kit	2938.00	PTZ Cameras
GEA-F7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3295.50	PTZ Cameras
GEA-F7-D26SP	Legend Dome, 26X Day/Might w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP, T-Bar Support Kit	2938.00	PTZ Cameras
GEA-F7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3295.50	PTZ Cameras
GEA-F7-D36N	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP	3415.10	PTZ Cameras
GEA-F7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3772.60	PTZ Cameras
GEA-F7-D36P GEA-F7-D36P-IP	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, Pal, Ethernet,	3415.10 3772.60	PTZ Cameras PTZ Cameras
	Coax/UTP, T-Bar Support Kit	3772.00	
GEA-F8-C18N GEA-F8-C18N-IP	Legend Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet,	2356.90 2714.40	PTZ Cameras PTZ Cameras
	Coax/UTP		
GEA-F8-C18P GEA-F8-C18P-IP	Legend Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP Legend IP Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2356.90 2714.40	PTZ Cameras PTZ Cameras
GEA-F8-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-	3023.80	PTZ Cameras
GEA-F8-D26N-IP	Bar Support Kit Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet,	3381.30	PTZ Cameras
GEA-F8-D26P	Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar	3023.80	PTZ Cameras
GEA-F8-D26P-IP	Support Kit Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet,	3381.30	PTZ Cameras
GEA-F8-D26SN	Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate,	2698.80	PTZ Cameras
GEA-F8-D26SN-IP	NTSC, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate,	3056.30	PTZ Cameras
GEA-F8-D26SP	NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate, Pal,	2698.80	PTZ Cameras
GEA-F8-D26SP-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate,	3056.30	PTZ Cameras
	Pal, Ethernet, Coax/UTP, T-Bar Support Kit		

GEA-F8-D36N	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	3175.90	PTZ Cameras
GEA-F8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3533.40	PTZ Cameras
GEA-F8-D36P	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	3175.90	PTZ Cameras
GEA-F8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3533.40	PTZ Cameras
GEA-F9-C18N	Legend Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2356.90	PTZ Cameras
GEA-F9-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coaxio Fr	2714.40	PTZ Cameras
GEA-F3-C10IV-IF	Coax/UTP	2714.40	F12 Cameras
GEA-F9-C18P	Legend Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2356.90	PTZ Cameras
GEA-F9-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2714.40	PTZ Cameras
GEA-F9-D26N	Legend Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	3023.80	PTZ Cameras
GEA-F9-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3381.30	PTZ Cameras
GEA-F9-D26P	Legend Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	3023.80	PTZ Cameras
GEA-F9-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3381.30	PTZ Cameras
GEA-F9-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	2698.80	PTZ Cameras
GEA-F9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Polycarbonate,	3056.30	PTZ Cameras
GEA-F9-D26SP	NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/lmage Stabilizer, Flush Mount Housing, Smoke Polycarbonate,	2698.80	PTZ Cameras
GEA-F9-D26SP-IP	Pal, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Polycarbonate,	3056.30	PTZ Cameras
GEA-F9-D36N	Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, NTSC,	3175.90	PTZ Cameras
GEA-F9-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, NTSC,	3533.40	PTZ Cameras
GEA-F9-D36P	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	3175.90	PTZ Cameras
GEA-F9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet,	3533.40	PTZ Cameras
GEA-FP3-C18N-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Clear Acrylic, NTSC, Ethernet,	2726.10	PTZ Cameras
GEA-FP3-C18P-IP	Coax/UTP Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2726.10	PTZ Cameras
GEA-FP3-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Clear Acrylic, NTSC, Ethernet,	3393.00	PTZ Cameras
GEA-FP3-D26P-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Clear Acrylic, Pal, Ethernet,	3393.00	PTZ Cameras
GEA-FP3-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Clear Acrylic,	3068.00	PTZ Cameras
GEA-FP3-D26SP-IP	NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Clear Acrylic,	3068.00	PTZ Cameras
GEA-FP3-D36N	Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Clear Acrylic, NTSC, Ethernet,	3187.60	PTZ Cameras
GEA-FP3-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Clear Acrylic, NTSC,	3545.10	PTZ Cameras
GEA-FP3-D36P	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Clear Acrylic, N130, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Clear Acrylic, Pal, Ethernet,	3187.60	PTZ Cameras
	Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Clear Acrylic, Pal, Ethernet,		PTZ Cameras
GEA-FP3-D36P-IP	Coax/UTP, T-Bar Support Kit	3545.10	
GEA-FP4-C18N-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2726.10	PTZ Cameras
GEA-FP4-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2726.10	PTZ Cameras
GEA-FP4-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3393.00	PTZ Cameras
GEA-FP4-D26P-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3393.00	PTZ Cameras
GEA-FP4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3068.00	PTZ Cameras
GEA-FP4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3068.00	PTZ Cameras
GEA-FP4-D36N	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3187.60	PTZ Cameras
GEA-FP4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3545.10	PTZ Cameras
GEA-FP4-D36P	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3187.60	PTZ Cameras
GEA-FP4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3545.10	PTZ Cameras
GEA-FP6-C18N-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2944.50	PTZ Cameras
GEA-FP6-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2944.50	PTZ Cameras
GEA-FP6-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3611.40	PTZ Cameras
GEA-FP6-D26P-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet,	3611.40	PTZ Cameras
GEA-FP6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Chrome Acrylic,	3286.40	PTZ Cameras
GEA-FP6-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3286.40	PTZ Cameras

GEA-FP6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3286.40	PTZ Cameras
GEA-FP6-D36N	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, NTSC,	3406.00	PTZ Cameras
GEA-FP6-D36N-IP	Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coavil, TR. T. Par Support Kit	3763.50	PTZ Cameras
GEA-FP6-D36P	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet,	3406.00	PTZ Cameras
GEA-FP6-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, Pal,	3763.50	PTZ Cameras
GEA-FP7-C18N-IP	Ethernet, Coax/UTP, T-Bar Support Kit Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet,	2999.10	PTZ Cameras
GEA-FP7-C18P-IP	Coax/UTP Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2999.10	PTZ Cameras
GEA-FP7-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet,	3666.00	PTZ Cameras
GEA-FP7-D26P-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet,	3666.00	PTZ Cameras
GEA-FP7-D26SN-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Gold Acrylic,	3341.00	PTZ Cameras
GEA-FP7-D26SP-IP	NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Gold Acrylic,	3341.00	PTZ Cameras
GEA-FP7-D36N	Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet,	3460.60	PTZ Cameras
GEA-FP7-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, NTSC,	3818.10	PTZ Cameras
GEA-FP7-D36P	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet,	3460.60	PTZ Cameras
GEA-FP7-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet,	3818.10	PTZ Cameras
GEA-FP8-C18N	Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-	2402.40	PTZ Cameras
GEA-FP8-C18N-IP	Bar Support Kit Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet,	2759.90	PTZ Cameras
GEA-FP8-C18P	Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Ultern Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar	2402.40	PTZ Cameras
GEA-FP8-C18P-IP	Support Kit		PTZ Cameras
	Legend IP Dome, 18X Color, Ultern Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2759.90	
GEA-FP8-D26N	Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	3069.30	PTZ Cameras
GEA-FP8-D26N-IP	Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3426.80	PTZ Cameras
GEA-FP8-D26P	Legend Dome, 26X Day/Night, Ultern Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	3069.30	PTZ Cameras
GEA-FP8-D26P-IP	Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3426.80	PTZ Cameras
GEA-FP8-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	2744.30	PTZ Cameras
GEA-FP8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3101.80	PTZ Cameras
GEA-FP8-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	2744.30	PTZ Cameras
GEA-FP8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3101.80	PTZ Cameras
GEA-FP8-D36N	Legend Dome, 36X day/Night WDR, Ultern Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3221.40	PTZ Cameras
GEA-FP8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3578.90	PTZ Cameras
GEA-FP8-D36P	Legend Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3221.40	PTZ Cameras
GEA-FP8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	3578.90	PTZ Cameras
GEA-FP9-C18N	Legend Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP, T- Bar Support Kit	2402.40	PTZ Cameras
GEA-FP9-C18N-IP	Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet,	2759.90	PTZ Cameras
GEA-FP9-C18P	Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP, T-	2402.40	PTZ Cameras
GEA-FP9-C18P-IP	Bar Support Kit Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet,	2759.90	PTZ Cameras
GEA-FP9-D26N	Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC,	3069.30	PTZ Cameras
GEA-FP9-D26N-IP	Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC,	3426.80	PTZ Cameras
GEA-FP9-D26P	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP,	3069.30	PTZ Cameras
GEA-FP9-D26P-IP	T-Bar Support Kit Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC,	3426.80	PTZ Cameras
GEA-FP9-D26SN	Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke	2744.30	PTZ Cameras
GEA-FP9-D26SN-IP	Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke	3101.80	PTZ Cameras
GEA-FP9-D26SP	Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night w/Image Stabilizer, Ultern Flush Mount Housing, Smoke	2744.30	PTZ Cameras
GEA-FP9-D26SP-IP	Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke	3101.80	PTZ Cameras
GEA-FP9-D36N	Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Ultern Flush Mount Housing, Smoke Polycarbonate, NTSC,	3221.40	PTZ Cameras
	Ethernet, Coax/UTP	5221.40	0a

GEA-FP9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3578.90	PTZ Cameras
GEA-FP9-D36P	Legend Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal,	3221.40	PTZ Cameras
GEA-FP9-D36P-IP	Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	3578.90	PTZ Cameras
GEA-H3-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2377.70	PTZ Cameras
GEA-H3-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2735.20	PTZ Cameras
GEA-H3-C18P GEA-H3-C18P-IP	Legend Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2377.70 2735.20	PTZ Cameras PTZ Cameras
GEA-H3-D26N	Legend Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	3044.60	PTZ Cameras
GEA-H3-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3402.10	PTZ Cameras
GEA-H3-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	3044.60	PTZ Cameras
GEA-H3-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3402.10	PTZ Cameras
GEA-H3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2719.60	PTZ Cameras
GEA-H3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3077.10	PTZ Cameras
GEA-H3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP	2719.60	PTZ Cameras
GEA-H3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3077.10	PTZ Cameras
GEA-H3-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	3196.70	PTZ Cameras
GEA-H3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3554.20	PTZ Cameras
GEA-H3-D36P	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet,	3196.70	PTZ Cameras
GEA-H3-D36P-IP	Coax/UTP	3554.20	PTZ Cameras
GEA-H4-C18N GEA-H4-C18N-IP	Legend Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2377.70 2735.20	PTZ Cameras PTZ Cameras
	· · · · · · · · · · · · · · · · · · ·	2377.70	
GEA-H4-C18P GEA-H4-C18P-IP	Legend Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2735.20	PTZ Cameras PTZ Cameras
	Logoria II Dollar, Fort Gold, Fortidant Hodalt Hodaling, Gilliato Fally III, Fall, Ethioliat, Golding, Fortidant Hodalt Hodaling, Gilliato Fally III, Fally Ethiology	2.00.20	. TE damerad
GEA-H4-D26N GEA-H4-D26N-IP	Legend Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet,	3044.60 3402.10	PTZ Cameras PTZ Cameras
GEA-114-DZ0IN-IF	Coax/UTP	3402.10	F12 Gaineras
GEA-H4-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	3044.60	PTZ Cameras
GEA-H4-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3402.10	PTZ Cameras
GEA-H4-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	2719.60	PTZ Cameras
GEA-H4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3077.10	PTZ Cameras
GEA-H4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2719.60	PTZ Cameras
GEA-H4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3077.10	PTZ Cameras
GEA-H4-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, NTSC, Coax/UTP	3196.70	PTZ Cameras
GEA-H4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3554.20	PTZ Cameras
GEA-H4-D36P	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	3196.70	PTZ Cameras
GEA-H4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3554.20	PTZ Cameras
GEA-H6-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	2596.10	PTZ Cameras
GEA-H6-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2953.60	PTZ Cameras
GEA-H6-C18P GEA-H6-C18P-IP	Legend Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2596.10 2953.60	PTZ Cameras PTZ Cameras
OF A LIC DOCK	Lawred Davis COV David Selet David and Marred Line Co. A. E. N. TOO. Co. 18 TO.	2002.22	DT7 0
GEA-H6-D26N GEA-H6-D26N-IP	Legend Dome, 26X Day/Night, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3263.00 3620.50	PTZ Cameras PTZ Cameras
GEA-H6-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3263.00	PTZ Cameras
GEA-H6-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3620.50	PTZ Cameras
1			DT7 O
GEA-H6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	2938.00	PTZ Cameras
GEA-H6-D26SN GEA-H6-D26SN-IP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic,	2938.00 3295.50	PTZ Cameras PTZ Cameras
	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal,		
GEA-H6-D26SN-IP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal,	3295.50	PTZ Cameras
GEA-H6-D26SN-IP GEA-H6-D26SP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP	3295.50 2938.00	PTZ Cameras PTZ Cameras
GEA-H6-D26SN-IP GEA-H6-D26SP GEA-H6-D26SP-IP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet,	3295.50 2938.00 3295.50	PTZ Cameras PTZ Cameras PTZ Cameras
GEA-H6-D26SN-IP GEA-H6-D26SP GEA-H6-D26SP-IP GEA-H6-D36N	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	3295.50 2938.00 3295.50 3415.10	PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras

GEA-H7-C18N GEA-H7-C18N-IP	Legend Dome, 18X Color, Pendant Mount Housing, Gold Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2650.70 3008.20	PTZ Cameras PTZ Cameras
GEA-H7-C18P GEA-H7-C18P-IP	Legend Dome, 18X Color, Pendant Mount Housing, Gold Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2650.70 3008.20	PTZ Cameras PTZ Cameras
GEA-H7-D26N GEA-H7-D26N-IP	Legend Dome, 26X Day/Night, Pendant Mount Housing, Gold Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3317.60 3675.10	PTZ Cameras PTZ Cameras
GEA-H7-D26P GEA-H7-D26P-IP	Legend Dome, 26X Day/Night, Pendant Mount Housing, Gold Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3317.60 3675.10	PTZ Cameras PTZ Cameras
GEA-H7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, NTSC, Coax/UTP	2992.60	PTZ Cameras
GEA-H7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3350.10	PTZ Cameras
GEA-H7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, Pal, Coax/UTP	2992.60	PTZ Cameras
GEA-H7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3350.10	PTZ Cameras
GEA-H7-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, NTSC, Coax/UTP	3469.70	PTZ Cameras
GEA-H7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3827.20	PTZ Cameras
GEA-H7-D36P GEA-H7-D36P-IP	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, Pal, Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3469.70 3827.20	PTZ Cameras PTZ Cameras
GEA-HE3-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2528.50	PTZ Cameras
GEA-HE3-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2886.00	PTZ Cameras
GEA-HE3-C18P GEA-HE3-C18P-IP	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2528.50 2886.00	PTZ Cameras PTZ Cameras
GEA-HE3-D26N	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3194.10	PTZ Cameras
GEA-HE3-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3552.90	PTZ Cameras
GEA-HE3-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3194.10	PTZ Cameras
GEA-HE3-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	3552.90	PTZ Cameras
GEA-HE3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2869.10	PTZ Cameras
GEA-HE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coav/UTP	3227.90	PTZ Cameras
GEA-HE3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2869.10	PTZ Cameras
GEA-HE3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	3227.90	PTZ Cameras
GEA-HE3-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	3346.20	PTZ Cameras
GEA-HE3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3705.00	PTZ Cameras
GEA-HE3-D36P	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	3346.20	PTZ Cameras
GEA-HE3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	3705.00	PTZ Cameras
GEA-HE4-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2528.50	PTZ Cameras
GEA-HE4-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2886.00	PTZ Cameras
GEA-HE4-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2528.50	PTZ Cameras
GEA-HE4-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2886.00	PTZ Cameras
GEA-HE4-D26N	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3194.10	PTZ Cameras
GEA-HE4-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3552.90	PTZ Cameras
GEA-HE4-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3194.10	PTZ Cameras
GEA-HE4-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3552.90	PTZ Cameras
GEA-HE4-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2869.10	PTZ Cameras
GEA-HE4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3227.90	PTZ Cameras
GEA-HE4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2869.10	PTZ Cameras
GEA-HE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3227.90	PTZ Cameras
GEA-HE4-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3346.20	PTZ Cameras
GEA-HE4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3705.00	PTZ Cameras
GEA-HE4-D36P	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3346.20	PTZ Cameras

GEA-HE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal,	3705.00	PTZ Cameras
GEA-HE6-C18N	Ethernet, Coax/UTP Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	2746.90	PTZ Cameras
GEA-HE6-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3104.40	PTZ Cameras
GEA-HE6-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	2746.90	PTZ Cameras
GEA-HE6-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3104.40	PTZ Cameras
GEA-HE6-D26N	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	3412.50	PTZ Cameras
GEA-HE6-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3771.30	PTZ Cameras
GEA-HE6-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	3412.50	PTZ Cameras
GEA-HE6-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3771.30	PTZ Cameras
GEA-HE6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	3087.50	PTZ Cameras
GEA-HE6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3446.30	PTZ Cameras
GEA-HE6-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome	3087.50	PTZ Cameras
GEA-HE6-D26SP-IP	Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome	3446.30	PTZ Cameras
GEA-HE6-D36N	Acrylic, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC,	3564.60	PTZ Cameras
GEA-HE6-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC,	3923.40	PTZ Cameras
GEA-HE6-D36P	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal,	3564.60	PTZ Cameras
GEA-HE6-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal,	3923.40	PTZ Cameras
GEA-HE7-C18N	Ethernet, Coax/UTP Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2801.50	PTZ Cameras
GEA-HE7-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htt/Fan, Gold Acrylic, NTSC, Ethernet,	3159.00	PTZ Cameras
GEA-HE7-C18P	Coax/UTP Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2801.50	PTZ Cameras
GEA-HE7-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htt/Fan, Gold Actylic, Pal, Ethernet, Coax/UTP	3159.00	PTZ Cameras
GEA-HE7-D26N	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	3467.10	PTZ Cameras
GEA-HE7-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3825.90	PTZ Cameras
GEA-HE7-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	3467.10	PTZ Cameras
GEA-HE7-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3825.90	PTZ Cameras
GEA-HE7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	3142.10	PTZ Cameras
GEA-HE7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3500.90	PTZ Cameras
GEA-HE7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal. Coax/UTP	3142.10	PTZ Cameras
GEA-HE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold	3500.90	PTZ Cameras
GEA-HE7-D36N	Acrylic, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC,	3619.20	PTZ Cameras
GEA-HE7-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC,	3978.00	PTZ Cameras
GEA-HE7-D36P	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	3619.20	PTZ Cameras
GEA-HE7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal,	3978.00	PTZ Cameras
CEA D2 C10N	Ethernet, Coax/UTP Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	2504.20	DT7 Comoros
GEA-R3-C18N GEA-R3-C18N-IP	Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2501.20 2858.70	PTZ Cameras PTZ Cameras
GEA-R3-C18P	Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, N13C, Ethernet, Coax/OTP Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	2501.20	PTZ Cameras
GEA-R3-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2858.70	PTZ Cameras
GEA-R3-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	3166.80	PTZ Cameras
GEA-R3-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3525.60	PTZ Cameras
GEA-R3-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	3166.80	PTZ Cameras
GEA-R3-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3525.60	PTZ Cameras
GEA-R3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, NTSC,	2841.80	PTZ Cameras
	Coax/UTP		
GEA-R3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	3200.60	PTZ Cameras
GEA-R3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	2841.80	PTZ Cameras
GEA-R3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3200.60	PTZ Cameras
GEA-R3-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	3318.90	PTZ Cameras
GEA-R3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, NTSC, Coax/01P	3677.70	PTZ Cameras
	======================================	55.7.76	
GEA-R3-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	3318.90	PTZ Cameras
GEA-R3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	3677.70	PTZ Cameras
CEA D4 C40N	Logand Domo, 10V Color, Bugged Hausing, Smales Applie, NTCC, Co/LTD	2504.00	DT7 Comorco
GEA-R4-C18N	Legend Dome, 18X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	2501.20	PTZ Cameras

_			
GEA-R4-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2858.70	PTZ Cameras
GEA-R4-C18P	Legend Dome, 18X Color, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	2501.20	PTZ Cameras
GEA-R4-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2858.70	PTZ Cameras
GEA-R4-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	3166.80	PTZ Cameras
GEA-R4-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3525.60	PTZ Cameras
OF 4 D 4 DOOD		0400.00	DTTO
GEA-R4-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	3166.80	PTZ Cameras
GEA-R4-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3525.60	PTZ Cameras
GEA-R4-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	2841.80	PTZ Cameras
GEA-R4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	3200.60	PTZ Cameras
GEA-R4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	2841.80	PTZ Cameras
GEA-R4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, Pal,	3200.60	PTZ Cameras
GEA-R4-D36N	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	3318.90	PTZ Cameras
GEA-R4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, NTSC, Ethernet,	3677.70	PTZ Cameras
OLA NA BOOM II	Coax/UTP	0011.10	1 12 Gameras
GEA-R4-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	3318.90	PTZ Cameras
GEA-R4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3677.70	PTZ Cameras
GEA-R6-C18N	Legend Dome, 18X Color, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2719.60	PTZ Cameras
GEA-R6-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3077.10	PTZ Cameras
SEAT NO STOREM	Logona ii Donio, Tox Color, Magged Hodoling, Ontoline Actyllo, N100, Ethernet, CoaxOTP	5577.10	2 Gamoras
GEA-R6-C18P	Legend Dome, 18X Color, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2719.60	PTZ Cameras
GEA-R6-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3077.10	PTZ Cameras
GEA-R6-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3385.20	PTZ Cameras
OF A DO DOON ID	L LIDD COVE AND A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR A DESIGN OF A PERIOD FOR	074400	DTTO
GEA-R6-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3744.00	PTZ Cameras
GEA-R6-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3385.20	PTZ Cameras
GEA-R6-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3744.00	PTZ Cameras
GEA-R6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3060.20	PTZ Cameras
GEA-R6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Acrylic, NTSC,	3419.00	PTZ Cameras
GEA-R6-D26SP	Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Mirrored Acrylic, Pal,	3060.20	PTZ Cameras
OF A DO DOCOD ID	Coax/UTP	0.110.00	DT7.0
GEA-R6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3419.00	PTZ Cameras
GEA-R6-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3537.30	PTZ Cameras
GEA-R6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Chrome Acrylic, NTSC, Ethernet,	3896.10	PTZ Cameras
OF A DC DOCD	Coax/UTP	2527.20	DT7.0
GEA-R6-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	3537.30	PTZ Cameras
GEA-R6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3896.10	PTZ Cameras
GEA-R7-C18N	Legend Dome, 18X Color, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2774.20	PTZ Cameras
GEA-R7-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3131.70	PTZ Cameras
GEA-R7-C18P	Legend Dome, 18X Color, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2774.20	PTZ Cameras
GEA-R7-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3131.70	PTZ Cameras
GEA-R7-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3439.80	PTZ Cameras
GEA-R7-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3798.60	PTZ Cameras
	3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		
GEA-R7-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3439.80	PTZ Cameras
GEA-R7-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3798.60	PTZ Cameras
GEA-R7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Mirrored Acrylic, NTSC,	3114.80	PTZ Cameras
GEA-R7-D26SN-IP	Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Acrylic, NTSC,	3473.60	PTZ Cameras
	Ethernet, Coax/UTP		
GEA-R7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3114.80	PTZ Cameras
GEA-R7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Acrylic, Pal, Ethernet,	3473.60	PTZ Cameras
GEA-R7-D36N	Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	3591.90	PTZ Cameras
GEA-R7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3950.70	PTZ Cameras
GEA-R7-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	3591.90	PTZ Cameras
GEA-R7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3950.70	PTZ Cameras
GEA-R8-C18N	Legend Dome, 18X Color, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	2535.00	PTZ Cameras
GEA-R8-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2892.50	PTZ Cameras
GEA-RO-C TOIN-IF		2525.00	DT7 Comoros
		2535.00	PTZ Cameras
GEA-R8-C18P	Legend Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP		
	Legend Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2892.50	PTZ Cameras
GEA-R8-C18P GEA-R8-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2892.50	
GEA-R8-C18P GEA-R8-C18P-IP GEA-R8-D26N	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	2892.50 3201.90	PTZ Cameras
GEA-R8-C18P GEA-R8-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet,	2892.50	
GEA-R8-C18P GEA-R8-C18P-IP GEA-R8-D26N	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2892.50 3201.90 3559.40	PTZ Cameras PTZ Cameras
GEA-R8-C18P GEA-R8-C18P-IP GEA-R8-D26N GEA-R8-D26N-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet,	2892.50 3201.90	PTZ Cameras

Ehrene, Cossol-UTP Legard Devis (S. May-Night) withings Stabilitier, Rogged Hearing, Glear Polycathorate, Pal. 2016-39 PTZ Cameras DE-Res 2028R-IP Legard Devis (S. May-Night) withings Stabilitier, Rogged Housing, Clear Polycathorate, Pal. 2016-39 Legard Devis (S. May-Night) withings Stabilitier, Rogged Housing, Clear Polycathorate, Pal. 2016-2028 Legard Devis (S. May-Night) withings Stabilitier, Rogged Housing, Clear Polycathorate, NTSC, Clearens EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Clear Polycathorate, Pal. CossUTP EL-Res 2028R-IP Legard Devis (S. May-Night) with R. Rogged Housing, Shake Polycathorate, Pal. Clearer, CossUTP El-Res 2028R-IP Legard Devis (S. May-Night) with Res 2028R-IP Legard Devis (S. May-Night) with	GEA-R8-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Polycarbonate, NTSC,	2876.90	PTZ Cameras
EX-Reb 2008P Logan Comm. 20X Daylykigk erimane Stabilizer. Rogade Housing, Clear Polycathorole, Pal. 2074-30 971 Cameras ESA-RE 2008P P Consol. 17 Canad UTP 3274-40 771 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Clear Polycathorole, Pict. Consol. 17P 3274-40 771 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Clear Polycathorole, Pict. Consol. 17P 3552.70 771 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Clear Polycathorole, Pict. Consol. 17P 3552.70 771 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Clear Polycathorole, Pict. Consol. 17P 2902.00 771 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Capylling Polycathorole, Pict. Consol. 17P 2902.00 772 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight VMCR. Rogade Housing, Capylling Polycathorole, Pict. Consol. 17P 2902.00 772 Cameras ESA-RE 2008P Logan Comm. 20X Capyllight Rogade Housing, Strake Polycathorole, Pict. Ethernol. Consol. 17P 2902.00 772 Cameras ESA-RE 2008D Logan Comm. 20X Capyllight, Rogade Housing, Strake Polycathorole, Pict. Ethernol. Consol. 17P 2902.00 772 Cameras ESA-RE 2008D Logan Comm. 20X Capyllight, Rogade Housing, Strake Polycathorole, Pict. 20X Capyllight VMCR. Rogade Housing, Strake Polycathorole, Pict. 20X Capyl	GEA-R8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Polycarbonate, NTSC,	3234.40	PTZ Cameras
ELA-RED DESIGN Legent Of Porter, 2010 Design from the properties of the Polyanthorate, Public 2014-06 PTZ Cameras	GEA-R8-D26SP		2876.90	PTZ Cameras
Emmet. CoseAUTP Commets Commet	GEA_R8_D26SP_IP		3234.40	PT7 Cameras
ESA-RS-DISSN-WP Legard IP Dome, 30X day-Night WIDR, Rugged Housing, Clear Polycarborate, NTSC, Ethernet, 2711.50 PTZ Cameras BEA-RS-DISSN Legard Dome, 30X day-Night WIDR, Rugged Housing, Clear Polycarborate, PM, Ethernet, 3352.70 PTZ Cameras BEA-RS-DISSN Legard Dome, 30X day-Night WIDR, Rugged Housing, Clear Polycarborate, PM, Ethernet, 3711.50 PTZ Cameras BEA-RS-DISSN-WP Legard Dome, 30X day-Night WIDR, Rugged Housing, Smoot Polycarborate, PM, Ethernet, 3352.70 PTZ Cameras BEA-RS-DISSN-WP Legard Dome, 18X Color, Rugged Housing, Smoot Polycarborate, NTSC, Ethernet, Casa/UTP 2805.00 BEA-RS-DISSN-WP Legard Dome, 18X Color, Rugged Housing, Smoot Polycarborate, NTSC, Ethernet, Casa/UTP 2805.00 BEA-RS-DISSN-WP Legard Dome, 18X Color, Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2805.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2805.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2805.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2807.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2807.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Ethernet, Casa/UTP 2807.00 BEA-RS-DISSN-WP Legard Dome, 20X Day-Night Rugged Housing, Smoot Polycarborate, PM, Legard Dome, 20X Day-Night Winger Bossibler, Rugged Housing, Smoot Polycarborate, PM, Legard Dome, 20X Day-Night winger Bossibler, Rugged Housing, Smoot Polycarborate, PM, 20X MP, 2		Ethernet, Coax/UTP		
ConsUTP Legard Dome, 30x day/Night WDR, Rugged Housing, Clear Polycarborate, Pal. CossUTP SEA-RS-D3DPIP Legard Dome, 30x day/Night WDR, Rugged Housing, Clear Polycarborate, Pal. CossUTP SEA-RS-C18N Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Effects Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Effects SEA-RS-C18N Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18N Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Coor, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night willings Sabilizer, Rugged Housing, Sende Polycarborate, Pal. Coor, UTP SEA-RS-C18P Legard Dome, 30x Dow/Night willings Sabilizer, Rugged Housing, Sende Polycarborate, Pal. 20x Sender Polycarborate, Pal. Sender Polycarborate, Pal. 20x Sender Pol			3352.70	
SEA-RB-DOSEP-IP Legard IP Dome, SIX day/Night WDR. Rugged Housing, Clear Polycarborate, Pd. Ethernet. SEA-RB-CHN Cannot Dome, 198 Cone, Rugged Housing, Clear Polycarborate, Pd. Ethernet, 2011;50 PTZ Cameras SEA-RB-CHN Legard IP Dome, 188 Color, Rugged Housing, Smoke Polycarborate, PM. Ethernet, ConvUTP 2825.00 PTZ Cameras SEA-RB-CHNP Legard IP Dome, 188 Color, Rugged Housing, Smoke Polycarborate, PM. ConvUTP Legard IP Dome, 188 Color, Rugged Housing, Smoke Polycarborate, PM. ConvUTP Legard IP Dome, 188 Color, Rugged Housing, Smoke Polycarborate, PM. ConvUTP 2825.00 PTZ Cameras SEA-RB-DOSEN Legard Dome, 280 DelyNight, Rugged Housing, Smoke Polycarborate, PM. ConvUTP SEA-RB-DOSEN Legard Dome, 280 DelyNight, Rugged Housing, Smoke Polycarborate, PM. ConvUTP SEA-RB-DOSEN Legard Dome, 280 DelyNight, Rugged Housing, Smoke Polycarborate, PM. Scale The Cameras SEA-RB-DOSEN Legard Dome, 280 DelyNight, Rugged Housing, Smoke Polycarborate, PM. Scale The Cameras SEA-RB-DOSEN Legard Dome, 280 DelyNight, Rugged Housing, Smoke Polycarborate, PM. Scale The Cameras SEA-RB-DOSEN Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. Scale The Cameras SEA-RB-DOSEN Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. SEA-RB-DOSEN Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. Legard Dome, 280 DelyNight WDR, Rugged Housing, Smoke Polycarborate, PM. SEA-RB-DOSEN Legard Dome, 280 DelyNight WDR, Rugged Housing, Smoke Polycarborate, PM. Legard Dome, 280 DelyNight WDR, Rugged Housing, Smoke Polycarborate, PM. SEA-RB-DOSEN Legard Dome, 280 DelyNight wilmage Stabilizer, Rugged Housing, Smoke Polycarborate, PM. SEA-RB-DOSEN Legard Dome, 2	GEA-R8-D36N-IP		3711.50	PTZ Cameras
Calcas UTP	GEA-R8-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	3352.70	PTZ Cameras
	GEA-R8-D36P-IP	Coax/UTP	3711.50	
Ede-Rep 2018 Legend to Pome, 18 Coor, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CawUTP 2025 PTZ Cameras	GEA-R9-C18N GEA-R9-C18N-IP			
Ede-Rep 2018 Legend to Pome, 18 Coor, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CawUTP 2025 PTZ Cameras	GEA-R9-C18P	Legend Dome, 18X Color, Rugged Housing, Smoke Polycarhonate, Pal. Coay/LITP	2535.00	PT7 Cameras
EAR-R9-D2BR-IP	GEA-R9-C18P-IP			
Concentration Concentratio	GEA-R9-D26N			
EBEARBOZBRIP Legend IP Dome, 28X Day/Night, Wigned Housing, Smoke Polycarbonate, Pal. Ethernet, CoxUTP Edend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, NTSC, 2676.00 PTZ Camerias Edend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal. 2276.00 PTZ Camerias Edend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal. 2276.00 PTZ Camerias Edend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal. 2276.00 PTZ Camerias Edend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal. 2324.40 PTZ Camerias Ethernet, CoxUTP Edend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal. 2324.40 PTZ Camerias Ethernet, CoxUTP Edend IP Dome, 28X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoxUTP 2352.70 PTZ Camerias Edend IP Dome, 28X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoxUTP 2352.70 PTZ Camerias Edend Dome, 28X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CaxUTP 2352.70 PTZ Camerias Edend Dome, 28X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CaxUTP 2352.70 PTZ Camerias Eden App 326F-IP Legend Dome, 28X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoxUTP 2751.50 PTZ Camerias Eden App 326F-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acryle, NTSC, CoxUTP 2751.50 PTZ Camerias Eden App 326F-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acryle, NTSC, CoxUTP 2871.50 PTZ Camerias Eder RES-20EN Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acryle, NTSC, Element, CoxVUTP 2871.50 PTZ Camerias Eder RES-20EN Legend Dome, 28X Day/Night, Rugged Housing, HirFan, Clear Acryle, NTSC, Element, CoxVUTP 2871.50 PTZ Camerias Eder RES-20EN Legend Dome, 28X Day/Night, Rugged Housing, HirFan, Clear Acryle, NTSC, CoxVUTP 2871.50 PTZ Camerias Eder RES-20EN Legen	GEA-R9-D26N-IP		3559.40	PTZ Cameras
CoaxUTP	GEA-R9-D26P			
CoaxUTP Legend Pome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, 2876-90 PTZ Camerias	GEA-R9-D26P-IP		3688.10	PTZ Cameras
NTSC, Ethenet, Coax/UTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, 2876.90 FTZ Cameras SEA.R9-D26SP-IP Legend PDome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, 3234.40 FTZ Cameras SEA.R9-D36N Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Coax/UTP 3352.70 SEA.R9-D36N-IP Legend PDome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Ethenet, Coax/UTP SEA.R9-D36N-IP Legend PDome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Ethenet, Coax/UTP SEA.R9-D36P-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP SEA.R9-D36P-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP SEA.R9-D36P-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP SEA.R9-D36P-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP SEA.R9-D36P-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethenet, 3711.50 FTZ Cameras SEA.R9-D36P-IP Cameras SEA.R9-D36P-IP Legend Dome, 18X Color, Rugged Housing, HtrFan, Clear Acrylic, NTSC, Caax/UTP SEA.R9-D36P-IP SEA.R9-D36P-IP Legend Dome, 18X Color, Rugged Housing, HtrFan, Clear Acrylic, Pal, Caax/UTP SEA.R9-D36P-IP Legend IP Dome, 18X Color, Rugged Housing, HtrFan, Clear Acrylic, Pal, Caax/UTP SEA.R9-D36P-IP Legend IP Dome, 28X Day/Night, Rugged Housing, HtrFan, Clear Acrylic, NTSC, Caax/UTP SEA.R9-D36P-IP Legend IP Dome, 28X Day/Night, Rugged Housing, HtrFan, Clear Acrylic, NTSC, Caax/UTP SEA.R9-D36P-IP Legend Dome, 28X Day/Night, Rugged Housing, HtrFan, Clear Acrylic, Pal, Sea.R9-D36P-IP Legend IP Dome, 28X Day/Night, Rugged Housing, HtrFan, Clear Acrylic, Pal, Sea.R9-D36P-IP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, HtrFan, Clear Acrylic, Pal, Sea.R9-D36P-IP SEA.R9-D36P-IP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, HtrFan, Clear Ac	GEA-R9-D26SN		2876.90	PTZ Cameras
CoavUTP Legend IP Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, 18234.40 Efthernet, CoavUTP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoavUTP 3352.70 EARR9-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoavUTP 3352.70 EARR9-D36N-IP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, CoavUTP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoavUTP SEARRS-D36P-IP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoavUTP SEARRS-C18N Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18N Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, Ethernet, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, Pal, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18P-IP Legend Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-C18P-IP Legend Dome, 28X Day/Night, Rugged Housing, HirFan, Clear Acrylic, NTSC, CoavUTP SEARRS-D26P-IP Legend Dome, 28X Day/Night, Rugged Housing, HirFan, Clear Acrylic, NTSC, CanvUTP SEARRS-D26P-IP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, HirFan, Clear Acrylic, Pal, SeaRRS-D26P-IP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, HirFan, Clear Acrylic, Pal, SeaRRS-D26P-IP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, HirFan, Clear Acrylic, Pal, SeaRRS-D26P-IP Legend Dome, 28X Day/Night Wilmage Stabilizer, Rugged Housing, HirFan, Clear Acrylic, Pal, SeaRRS-D26P-IP Legend Dome, 28X Day/Night WDR, Rugged Housing,	GEA-R9-D26SN-IP		3234.40	PTZ Cameras
JEBAR-BS-D26SP-IP Legend IP Dome, 26X DayNight Winnage Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, Bayner, Casa/UTP 3352.40 PTZ Cameras JEBAR-BD-036N Legend Dome, 36X dayNight WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoawUTP 3352.70 PTZ Cameras JEBAR-BD-036N-IP Legend IP Dome, 36X dayNight WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoawUTP 3352.70 PTZ Cameras JEBAR-BD-036P-IP Legend IP Dome, 36X dayNight WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoawUTP 3352.70 PTZ Cameras JEBAR-BD-036P-IP Legend IP Dome, 36X Color, Rugged Housing, Huffan, Clear Actylic, NTSC, CoawUTP 2871.50 PTZ Cameras JEBAR-BS-018N-IP Legend IP Dome, 18X Color, Rugged Housing, Huffan, Clear Actylic, NTSC, CoawUTP 2871.50 PTZ Cameras JEBAR-BS-018P-IP Legend IP Dome, 18X Color, Rugged Housing, Huffan, Clear Actylic, NTSC, CoawUTP 2871.50 PTZ Cameras JEBAR-BS-018P-IP Legend Dome, 18X Color, Rugged Housing, Huffan, Clear Actylic, NTSC, CoawUTP 3029.00 PTZ Cameras JEBAR-BS-02BP Legend Dome, 28X DayNight, Rugged Housing, Huffan, Clear Actylic, NTSC, CoawUTP 3338.40 PTZ Cameras JEBAR-BS-02BP Legend Dome, 28X DayNight, Rugged Housing, Huffan, Clear Actylic, Pal, CoawUTP 3358.40	GEA-R9-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal,	2876.90	PTZ Cameras
Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, CoavUTP JEAR-R9-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, CoavUTP JEAR-R9-D36P Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoavUTP JEAR-R9-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoavUTP JEAR-R9-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoavUTP JEAR-R9-D36P-IP Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, DavUTP JEAR-R9-D36P-IP Legend Dome, 36X day/Night WDR, Rugged Housing, HirFan, Clear Acrylic, Pal, CoavUTP JEAR-R9-D36P-IP Legend IP Dome, 18X Color, Rugged Housing, HirFan, Clear Acrylic, Pal, CoavUTP JEAR-R9-D36P-IP Legend Dome, 26X Day/Night, Rugged Housing, HirFan, Clear Acrylic, Pal, CoavUTP JEAR-R9-D36P-IP Legend Dome, 26X Day/Night, Rugged Housing, HirFan, Clear Acrylic, Pal, CoavUTP JEAR-R9-D36P-IP JEAR-R9-D36P	GEA-R9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal,	3234.40	PTZ Cameras
CoaxUTP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoaxUTP Legend Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoaxUTP Legend IP Dome, 38X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoaxUTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, CoaxUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, CoaxUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CavuTP Legend IP Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CavuTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CavuTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoavUTP Legend Dome, 28X Day/Night wilmage Stabilizer, Rug	GEA-R9-D36N		3352.70	PTZ Cameras
Legend Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, CoawUTP GEA-R8-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, CoawUTP GEA-RE3-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, CoawUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26N Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26P Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26P Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26SN Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D26SD Legend IP Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, GawUTP GEA-RE3-D26SP Legend IP Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, GawUTP GEA-RE3-D26SP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, GawUTP GEA-RE3-D36N-IP Legend IP Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, GawUTP GEA-RE3-D36N-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, CoawUTP GEA-RE3-D36P-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing,	GEA-R9-D36N-IP		3711.50	PTZ Cameras
CoavUTP CoavUTP 26FA.RE3-C18N Legend Dome, 18X Color, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, CoavUTP 2671.50 PTZ Cameras GEA.RE3-C18N-P Legend Dome, 18X Color, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, Ethernet, CoavUTP 2671.50 PTZ Cameras GEA.RE3-C18P-P Legend Dome, 18X Color, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, CoavUTP 3029.00 PTZ Cameras GEA.RE3-D26N Legend Dome, 28X Day/Night, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, CoavUTP 3338.40 PTZ Cameras GEA.RE3-D26N Legend Dome, 28X Day/Night, Rugged Housing, Httr/Fan, Clear Acrylic, RTSC, CoavUTP 3695.90 PTZ Cameras GEA.RE3-D26P Legend Dome, 28X Day/Night, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, CoavUTP 3695.90 PTZ Cameras GEA.RE3-D26P Legend Dome, 28X Day/Night, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Ethernet, CoavUTP 3695.90 PTZ Cameras GEA.RE3-D26SN Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, CoavUTP 3709.90 PTZ Cameras GEA.RE3-D26SN-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, CoavUTP 3013.40 PTZ Cameras GEA.RE3-D26SP-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Cameras	GEA-R9-D36P		3352.70	PTZ Cameras
GEA-RES-O18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP 2671.50 PTZ Cameras GEA-RES-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ceax/UTP 3029.00 PTZ Cameras GEA-RES-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RES-D2BN Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Caw/UTP 3338.40 PTZ Cameras GEA-RES-D2BN Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP 3338.40 PTZ Cameras GEA-RES-D2BP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3338.40 PTZ Cameras GEA-RES-D2BP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3338.40 PTZ Cameras GEA-RES-D2BP Legend IP Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP 3013.40 PTZ Cameras GEA-RES-D2BSNIP Legend IP Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3370.90 PTZ Cameras GEA-RES-D2BSP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Cameras	GEA-R9-D36P-IP		3711.50	PTZ Cameras
GEA.RE3-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, HttrFan, Clear Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA.RE3-C18P-IP Legend Dome, 18X Color, Rugged Housing, HttrFan, Clear Acrylic, Pal, Ethernet, Coax/UTP 2671.50 PTZ Cameras GEA.RE3-D26N Legend Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP 3338.40 PTZ Cameras GEA.RE3-D26N-IP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP 3338.40 PTZ Cameras GEA.RE3-D26P-ID Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Caax/UTP 3338.40 PTZ Cameras GEA.RE3-D26P-ID Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Cameras 3695.90 PTZ Cameras GEA.RE3-D26P-ID Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Cameras 3695.90 PTZ Cameras GEA.RE3-D26N-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Cameras 3709.90 PTZ Cameras GEA.RE3-D26N-IP Legend Dome, 26X Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Cameras 3709.90 PTZ Cameras GEA.RE3-D26N-IP Legend Dome, 26X Day/Night Wilmage Stabilizer, Rugged Housing, H	GEA-RE3-C18N		2671.50	PT7 Cameras
GEA-RE3-D28N Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP 3338.40 PTZ Cameras GEA-RE3-D28N-IP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP 3338.40 PTZ Cameras GEA-RE3-D28P-IP Legend IP Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3388.40 PTZ Cameras GEA-RE3-D28P-IP Legend Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3695.90 PTZ Cameras GEA-RE3-D28P-IP Legend Dome, 28X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3695.90 PTZ Cameras GEA-RE3-D28P-IP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D28P-IP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D28P-IP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D28P-IP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D28P-IP Legend Dome, 28X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, GEA-RE3-D38N-IP Legend Dome, 38X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D38N-IP Legend IP Dome, 38X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D38P-IP Legend IP Dome, 38X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D38P-IP Legend IP Dome, 38X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D38P-IP Legend IP Dome, 38X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D38P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D28P-IP Legend IP Dome, 28X Day/N	GEA-RE3-C18N-IP			
Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26P-IP Legend Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26P-IP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D26P-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D26SN-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26SN-IP Legend Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26SP-IP Legend Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26K Day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Gard Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36N-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18K Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Chax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18K Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr	GEA-RE3-C18P GEA-RE3-C18P-IP			
Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26P-IP Legend Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26P-IP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D26P-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D26SN-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26SN-IP Legend Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26SP-IP Legend Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26K Day/Night wilmage Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26K Day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Gard Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36N-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36K day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18K Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Chax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18K Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26K Day/Night, Rugged Housing, Htr				
GEA-RE3-D26P Legend Dome, 26X Day/Night, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Coax/UTP 3685.90 PTZ Cameras GEA-RE3-D26P-IP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, Coax/UTP 3695.90 PTZ Cameras GEA-RE3-D26SN-IP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, Coax/UTP 370.90 PTZ Cameras GEA-RE3-D26SN-IP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, Coax/UTP SEA-RE3-D26SP-IP Legend Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26X Day/Night w/lmage Stabilizer, Rugged Housing, Httr/Fan, Clear Acrylic, Pal, Elegend Dome, 26X Day/Night WDR, Rugged Housing, Httr/Fan, Clear Acrylic, NTSC, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36N Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36P-IP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE4-C18N Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18P Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras Cea-RE4-D26P-IP Cea-RE4-D26P-IP Cea-RE4-D26P-IP Cea-RE4-D26P Legend IP Dome, 26X Day/	GEA-RE3-D26N GEA-RE3-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet,		
GEA-RE3-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Description of the prome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36N Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE4-C18N Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP JEZ	OF A DEG DOCD		2220.40	DT7 ()
Coax/UTP GEA-RE3-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D26SP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D26SP-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D36N Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36N-IP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Day/UTP GEA-RE4-D26SN Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Da	GEA-RE3-D26P-IP			
GEA-RE3-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP GEA-RE3-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic,	GEA-RE3-D26SN		3013.40	PTZ Cameras
Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26N Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Say. Say. Say. Say. Say. Say. Say. Say.	GEA-RE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic,	3370.90	PTZ Cameras
Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE3-D36N Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36P Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-C18P-IP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Sm	GEA-RE3-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal,	3013.40	PTZ Cameras
Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-C18P-IP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3337.10 PTZ Cameras Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3695.90 PTZ Cameras Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTC, Sartoneras GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Sartoneras GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Sartoneras	GEA-RE3-D26SP-IP		3370.90	PTZ Cameras
GEA-RE3-D36N-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE3-D36P Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-C18P-IP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3695.90 PTZ Cameras Coax/UTP GEA-RE4-D26N Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, GEA-RE4-D26SN-IP Legend IP Dome, 26X	GEA-RE3-D36N		3489.20	PTZ Cameras
GEA-RE3-D36P Legend Dome, 36X day/Night WDR, Rugged Housing, Htt/Fan, Clear Acrylic, Pal, Coax/UTP 3489.20 PTZ Cameras GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htt/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18P Legend Dome, 18X Color, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P Legend IP Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Smoke Acrylic, Pal, Ethernet, 3695.90 PTZ Cameras Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, 3012.10 PTZ Cameras Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, 3012.10 PTZ Cameras Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htt/Fan, Smoke Acrylic, NTSC, 3012.10 PTZ Cameras	GEA-RE3-D36N-IP			PTZ Cameras
GEA-RE3-D36P-IP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18N Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18P Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26P-IP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Ges. GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Geax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Geax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Geax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Geax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Geax/UTP Legend IP Dome, 26X Day/Night w/Image	GFA-RF3-D36P	Coax/UTP		
Coax/UTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras Coax/UTP GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras PTZ Cameras Coax/UTP Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras				
GEA-RE4-C18N-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-C18P Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 2671.50 PTZ Cameras GEA-RE4-C18P-IP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP 3695.90 PTZ Cameras GEA-RE4-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3695.90 PTZ Cameras GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3012.10 PTZ Cameras GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3012.10 PTZ Cameras		Coax/UTP		
GEA-RE4-D26N Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP 3029.00 PTZ Cameras GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, 3695.90 PTZ Cameras GEA-RE4-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, 3695.90 PTZ Cameras Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras	GEA-RE4-C18N-IP			
GEA-RE4-D26N Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras	GEA-RE4-C18P			
GEA-RE4-D26N-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP GEA-RE4-D26P Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, 3012.10 PTZ Cameras Ocax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras		3, , , ,		
Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP 3337.10 PTZ Cameras GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3012.10 PTZ Cameras PTZ Cameras GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras	GEA-RE4-D26N	3		
GEA-RE4-D26P-IP Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3012.10 PTZ Cameras PTZ Cameras ORA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras	GEA-RE4-D26N-IP	Coax/UTP		
Coax/UTP GEA-RE4-D26SN Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras	GEA-RE4-D26P			
Coax/UTP GEA-RE4-D26SN-IP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, 3370.90 PTZ Cameras		Coax/UTP		
	GEA-RE4-D26SN	Coax/UTP	3012.10	PTZ Cameras
	GEA-RE4-D26SN-IP		3370.90	PTZ Cameras

GEA-RE4-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3012.10	PTZ Cameras
GEA-RE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	3370.90	PTZ Cameras
GEA-RE4-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	3489.20	PTZ Cameras
GEA-RE4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet,	3848.00	PTZ Cameras
GEA-RE4-D36P	Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	3489.20	PTZ Cameras
GEA-RE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet,	3848.00	PTZ Cameras
GEA-RE6-C18N	Coax/UTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2889.90	PTZ Cameras
GEA-RE6-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet,	3247.40	PTZ Cameras
GEA-RE6-C18P	Coax/UTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2889.90	PTZ Cameras
GEA-RE6-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3247.40	PTZ Cameras
GEA-RE6-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	3555.50	PTZ Cameras
GEA-RE6-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3914.30	PTZ Cameras
GEA-RE6-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	3555.50	PTZ Cameras
GEA-RE6-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3914.30	PTZ Cameras
GEA-RE6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Mirrored	3230.50	PTZ Cameras
GEA-RE6-D26SN-IP	Acrylic, NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Acrylic,	3589.30	PTZ Cameras
GEA-RE6-D26SP	NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Mirrored	3230.50	PTZ Cameras
GEA-RE6-D26SP-IP	Acrylic, Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Acrylic,	3589.30	PTZ Cameras
GEA-RE6-D36N	Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC,	3707.60	PTZ Cameras
GEA-RE6-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet,	4066.40	PTZ Cameras
	Coax/UTP		
GEA-RE6-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	3707.60	PTZ Cameras
GEA-RE6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	4066.40	PTZ Cameras
GEA-RE7-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2944.50	PTZ Cameras
GEA-RE7-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3302.00	PTZ Cameras
GEA-RE7-C18P GEA-RE7-C18P-IP	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2944.50 3302.00	PTZ Cameras PTZ Cameras
GEA-RE7-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3610.10	PTZ Cameras
GEA-RE7-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet,	3968.90	PTZ Cameras
	Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htt/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP		
GEA-RE7-D26P	, , , , , , , , , , , , , , , , , , ,	3610.10	PTZ Cameras
GEA-RE7-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3968.90	PTZ Cameras
GEA-RE7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	3285.10	PTZ Cameras
GEA-RE7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3643.90	PTZ Cameras
GEA-RE7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	3285.10	PTZ Cameras
GEA-RE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3643.90	PTZ Cameras
GEA-RE7-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC,	3762.20	PTZ Cameras
GEA-RE7-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet,	4121.00	PTZ Cameras
GEA-RE7-D36P	Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal,	3762.20	PTZ Cameras
GEA-RE7-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet,	4121.00	PTZ Cameras
GEA-RE8-C18N	Coax/UTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	2705.30	PTZ Cameras
GEA-RE8-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet,	3062.80	PTZ Cameras
GEA-RE8-C18P	Coax/UTP Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2705.30	PTZ Cameras
GEA-RE8-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet,	3062.80	PTZ Cameras PTZ Cameras
GEA-RE8-D26N	Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3372.20	PTZ Cameras
GEA-RE8-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet,	3729.70	PTZ Cameras
GEA-RE8-D26P	Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3372.20	PTZ Cameras

GEA-RE8-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet,	3729.70	PTZ Cameras
GEA-RE8-D26SN	Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3047.20	PTZ Cameras
GEA-RE8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3404.70	PTZ Cameras
GEA-RE8-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3047.20	PTZ Cameras
GEA-RE8-D26SP-IP	Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3404.70	PTZ Cameras
GEA-RE8-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	3524.30	PTZ Cameras
GEA-RE8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3881.80	PTZ Cameras
GEA-RE8-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	3524.30	PTZ Cameras
GEA-RE8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3881.80	PTZ Cameras
GEA-RE9-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	2705.30	PTZ Cameras
GEA-RE9-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3062.80	PTZ Cameras
GEA-RE9-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	2705.30	PTZ Cameras
GEA-RE9-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet,	3062.80	PTZ Cameras
GEA-RE9-D26N	Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	3372.20	PTZ Cameras
GEA-RE9-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC,	3729.70	PTZ Cameras
GEA-RE9-D26P	Ethernet, Coax/UTP Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	3372.20	PTZ Cameras
GEA-RE9-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet,	3729.70	PTZ Cameras
GEA-RE9-D26SN	Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Polycarbonate,	3047.20	PTZ Cameras
GEA-RE9-D26SN-IP	NTSC, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke	3404.70	PTZ Cameras
GEA-RE9-D26SP	Polycarbonate, NTSC, Ethernet, Coax/UTP Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Polycarbonate,	3047.20	PTZ Cameras
GEA-RE9-D26SP-IP	Pal, Coax/UTP Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke	3404.70	PTZ Cameras
GEA-RE9-D36N	Polycarbonate, Pal, Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC,	3524.30	PTZ Cameras
GEA-RE9-D36N-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC,	3881.80	PTZ Cameras
GEA-RE9-D36P	Ethernet, Coax/UTP Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal,	3524.30	PTZ Cameras
GEA-RE9-D36P-IP	Coax/UTP Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal,	3881.80	PTZ Cameras
GEC-DV-16FN	Ethernet, Coax/UTP TruVision Dome PTZ 16X, Flush Type, NTSC	1038.70	PTZ Cameras
GEC-DV-16SN	TruVision Dome PTZ 16X, Pendant/Surface, NTSC	1077.70	PTZ Cameras
GEC-DV-16SP	TruVision Compact form factor GE PTZ, 16X optical zoom, Surface/Pendant, PAL	1077.70	PTZ Cameras
GEC-DV-FELC	TruVision Extended Length Power & Data Interface Cable for 16X Flush Type, 10'	97.50	PTZ Cameras
GEC-DV-PM	TruVision Dome PTZ 16X Pipe Mount Kit	110.50	PTZ Cameras
GEC-DV-PMA	TruVision Dome PTZ 16X NPT Pipe Mount Adaptor	104.00	PTZ Cameras
GEC-DV-SELC	TruVision Extended Length Power & Data Interface Cable for 16X Pendant/Surface Type, 10'	97.50	PTZ Cameras
GEC-DV-TBAR	TruVision Dome PTZ 16X T-bar Adaptor for Flush Mount	104.00	PTZ Cameras
GEC-DV-WM	TruVision Dome PTZ 16X Wall Mount Kit	114.40	PTZ Cameras
GEC-IP2B	UltraView IP Traditional Box Camera, MPEG-4, M-JPEG, PoE, 12VDC/24VAC, SD Reader	648.70	Network Fixed Cameras
GEC-IP2D	UltraView IP Plastic Camera, MPEG-4, M-JPEG, PoE, 12VDC/24VAC, SD Reader	843.70	Network Fixed Cameras
GEC-IP2VD	UltraView IP Vandal Dome Camera, MPEG-4, M-JPEG, PoE, 12VDC/24VAC, SD Reader	1103.70	Network Fixed Cameras
GEC-IP2VD-DN	UltraView IP Vandal Dome Day/Night Camera w/WDR, MPEG-4, M-JPEG, PoE, 12VDC/24VAC, SD Reader	1298.70	Network Fixed Cameras
GEC-IPDRH-DN-POE	520 TVL, MPEG-4, POE, 12VDC	945.10	Network Fixed Cameras
GEC-IPDRH-DN-POE GEC-MP2	Megapixel IP Camera, NTSC, 2MP, MJPEG, Color, 9-12VDC, Poet, Video Surveillance Software	1124.50	Network Fixed Cameras Network Fixed Cameras
GEC-MP3-DN	(Non Archiving) Megapixel IP Camera, Day/Night, NTSC, 3MP, MJPEG, Color, 9-12VDC, Video Surveillance	1423.50	Network Fixed Cameras
GEL-15DV	Software (Non Archiving) TruVisionTM LCD 15" Monitor, 1024 x 768, BNC, VGA, S-Video	507.00	Monitors
GEL-13DV	TruVisionTM LCD 17" Monitor, 1280 x 1024, BNC, VGA, S-Video	585.00	Monitors
GEL-17DV-RK	Rack mount kit, silver, for TruVisionTM LCD 17" Monitor	24.38	Monitors
GEL-17SV	UltraViewTM LCD 17" Monitor, 1280 x 1024, BNC, VGA, S-Video, DVI, Audio	871.00	Monitors
GEL-17SV-RK	Rack mount kit, black, for UltraViewTM LCD 17" Monitor	24.38	Monitors
GEL-17VGA	TruVisionTM LCD 17" Monitor, 1280 x 1024, VGA only	292.50	Monitors
GEL-19DV	TruVisionTM LCD 19" Monitor, 1280 x 1024, BNC, VGA, S-Video	702.00	Monitors
GEL-19SV	UltraViewTM LCD 19" Monitor, 1280 x 1024, BNC, VGA, S-Video, DVI, Audio	1027.00	Monitors
GEL-19SV-RK	Rack mount kit, black, for UltraViewTM LCD 19" Monitor	26.33	Monitors
GEL-20SV	UltraViewTM LCD 20" Monitor, 800 x 600, BNC, VGA, S-Video, DVI, Audio	1209.00	Monitors
GEL-26SV	UltraViewTM LCD 26" Monitor, 1366 x 768, BNC, VGA, S-Video, DVI, Audio	2210.00	Monitors
GEL-32SV	UltraViewTM LCD 32" Monitor, 1366 x 768, BNC, VGA, S-Video, DVI, Audio	2470.00	Monitors
GEL-42SV	UltraViewTM LCD 42" Monitor, 1366 x 768, BNC, VGA, S-Video, DVI, Audio	3120.00	Monitors
GEL-SV26-WM	Wall mount bracket, for UltraViewTM LCD 26" Monitor	73.13	Monitors
GEL-SV3242-WM	Wall mount bracket, for UltraViewTM LCD 32" and 42" Monitors	97.50	Monitors
GEL-SV-DESK	Desktop leg mount, for UltraViewTM LCD 26", 32" and 42" Monitors	78.00	Monitors
GEL-SWM	Wall mount bracket for TruVisionTM and UltraViewTM monitors up to 20", 3-way adjustable, 75mm	20.48	Monitors
	X 75mm VESA		
GES-PS-12DC	12 VDC Plug-In Power Supply	18.20	Fiber Optic Transmission

GM-100-17	High Security Contact Balanced Magnetic Contact Designed Specifically for Safes. Mounting Plate	111.48	NetworX
GN-21	is Included for Almost Any Kind of Safe. UL 634 and 681 Listings	40.50	Digital Departies
SS600-W	GE Nav DVR Management Software Media Kit Inertia Shock Sensor, Mini, White	19.50 17.25	Digital Recording Sensors & Detectors
SS610-B	Inertia Shock Sensor, Mini, White Inertia Shock Sensor, Brown, 10-15 VDC. Designed for Use w/Analyzer Modules. 6' Jacketed Cable	16.37	Sensors & Detectors Sensors & Detectors
3001U-D	Inertia Shock Serisor, Brown, 10-15 VDC. Designed for Ose WAharyzer Modules. 6 Jacketed Cable	10.37	Sensors & Detectors
SS610-W	Inertia Shock Sensor, White, 10-15 VDC. Designed for Use w/Analyzer Modules. 6' Jacketed Cable	16.37	Sensors & Detectors
SS611-W	Inertia Shock Sensor w/Reed Switch, White, 10-15 VDC. Designed for Use w/Analyzer Modules. 6'	18.92	Sensors & Detectors
	Jacketed Cable		
S614-W	Single Zone Analyzer	45.20	Sensors & Detectors
S615-W	Single Zone Analyzer, Terminal Reset	49.23	Sensors & Detectors
S617-W	Four Zone Analyzer w/EOL	82.10	Sensors & Detectors
T-2	Glass Break Tester	55.07	NetworX
CP12SA	Switching Power Supply, Board Only, High Current Switching Power Supply/Recharger. Use to Power Systems Requiring an External 12VDC Power Source. Maximum Output of 2AMPs. Board Only, 12VDC, 2A	54.04	Sensors & Detectors
HCP12SAC	Switching Power Supply, High Current Switching Power Supply/Recharger. Use to Power Systems Requiring an External 12VDC Power Source. Maximum Output of 2AMPs. Complete Power Supply. 12V, 2A. Comes w/Battery (12V, 7AH) and Transformer (16.5VAC, 35VA)	92.89	Sensors & Detectors
HCP12SULC	Power Supply, High Current, High Current Switching Power Supply/Recharger w/12VDC Output. Rugged Metal Enclosure w/LEDs. Maximum continuous Output of 1.75AMPs. Comes w/Battery (12V, 7AH) and Transformer (18VAC, 50VA). UL Listed	141.32	Sensors & Detectors
IID-RP40-PIV	HID RP40 PIV Smart Card Reader, Black	350.00	Readers
IID-RPK40-PIV	HID RPK40 PIV Smart Card Reader, black	591.67	Readers
DB-2102	Legend Flush Housing Clear Acrylic Dome	96.20	PTZ Cameras
DB-2103	Legend Flush Housing Smoke Acrylic Dome	96.20	PTZ Cameras
DB-2104	Legend Flush Housing Chrome Acrylic Dome	314.60	PTZ Cameras
B-2122	Legend Flush Housing Clear Polycarbonate Dome	130.00	PTZ Cameras
DB-2123	Legend Flush Housing Smoke Polycarbonate Dome	130.00	PTZ Cameras
DB-2202	Legend Pendant Housing Clear Acrylic Dome	123.50	PTZ Cameras
DB-2203	Legend Pendant Housing Smoke Acrylic Dome	123.50	PTZ Cameras
DB-2204	Legend Pendant Housing Shioke Acrylic Dome	341.90	PTZ Cameras
DB-2205			
	Legend Pendant Housing Gold Acrylic Dome	396.50	PTZ Cameras
DB-2302	Legend Plenum Rated Housing Clear Acrylic Dome	96.20	PTZ Cameras
DB-2305	Legend Plenum Rated Housing Gold Acrylic Dome	369.20	PTZ Cameras
B-2322	Legend Clear Polycarbonate Dome	130.00	PTZ Cameras
DB-2323	Legend Smoke Polycarbonate Dome	130.00	PTZ Cameras
B-2402	Legend Rugged Housing Clear Acrylic Dome	163.80	PTZ Cameras
B-2403	Legend Rugged Housing Smoke Acrylic Dome	163.80	PTZ Cameras
B-2404	Legend Rugged Housing Chrome Acrylic Dome	382.20	PTZ Cameras
DB-2405	Legend Rugged Housing Gold Acrylic Dome	436.80	PTZ Cameras
B-2422	Legend Rugged Housing Clear Polycarbonate Dome	198.90	PTZ Cameras
DB-2423	Legend Rugged Housing Smoke Polycarbonate Dome	198.90	PTZ Cameras
DB-2502	Legend Heavy Duty Housing Clear Acrylic Dome	163.80	PTZ Cameras
DB-2522	Legend Heavy Duty Housing Clear Polycarbonate Dome	198.90	PTZ Cameras
DB-2523		198.90	PTZ Cameras
	Legend Heavy Duty Housing Smoke Polycarbonate Dome		
DB-2601	Legend PressurDome Housing Bronze Polycarbonate Dome	163.80	PTZ Cameras
)H-5101	Legend Flush Mount Housing, Coax/UTP	382.20	PTZ Cameras
)H-5200	Legend Housing w/Sun Shield for Pendant/Wall/Rugged Versions	84.50	PTZ Cameras
)H-5201	Legend Pendant Mount Housing, Coax/UTP	464.10	PTZ Cameras
)H-5202	Legend Pendant Mount Housing, Htr/Fan, Coax/UTP	614.90	PTZ Cameras
)H-5401	Legend Rugged Housing, Coax/UTP	546.00	PTZ Cameras
)H-5402	Legend Rugged Housing, Htr/Fan, Coax & UTP	717.60	PTZ Cameras
)H-5501	Legend Heavy Duty Housing, Wall Mount, Coax/UTP	744.90	PTZ Cameras
)H-5502	Legend Heavy Duty Housing, Wall Mount, Htr/Fan, Coax/UTP	915.20	PTZ Cameras
)H-5504	Legend Heavy Duty Housing, Parapet Mount, Htr/Fan, Coax/UTP	915.20	PTZ Cameras
PH-6101	Legend IP Flush Mount Housing, Coax/UTP	382.20	PTZ Cameras
0H-6201	Legend IP Pendant Mount Housing, Coax/UTP	464.10	PTZ Cameras
0H-6202	Legend IP Pendant Mount Housing, Goax/011 Legend IP Pendant Mount Housing, Htr/Fan, Coax/UTP	614.90	PTZ Cameras
	Legend IP Plenum Rated Flush Mount Housing, Coax/UTP		DEE 0
0H-6301 0H-6401	Legend IP Rugged Housing, Coax/UTP	427.70 546.00	PTZ Cameras PTZ Cameras
0H-6402	Legend IP Rugged Housing, Coax/OTP Legend IP Rugged Housing, Htr/Fan, Coax/UTP	716.30	PTZ Cameras
	Legend IP Rugged Housing, Htt/Fan, Coax/UTP Legend IP Heavy Duty Housing, Wall Mount, Coax/UTP		
0H-6501		743.60	PTZ Cameras
DH-6502	Legend IP Heavy Duty Housing, Wall Mount, Htr/Fan, Coax/UTP	915.20	PTZ Cameras
P-1111	Legend 18X Color PTZ Camera, NTSC	1791.40	PTZ Cameras
P-1112	Legend 18X Color PTZ Camera, Pal	1791.40	PTZ Cameras
P-1113	Legend IP 18X Color PTZ Camera, NTSC, Ethernet	2148.90	PTZ Cameras
)P-1114	Legend IP 18X Color PTZ Camera, Pal, Ethernet	2148.90	PTZ Cameras
P-1301	Legend 26X Day/Night PTZ Camera, NTSC	2457.00	PTZ Cameras
P-1302	Legend 26X Day/Night PTZ Camera, Pal	2457.00	PTZ Cameras
P-1303	Legend IP 26X Day/Night PTZ Camera, NTSC, Ethernet	2814.50	PTZ Cameras
P-1304	Legend IP 26X Day/Night PTZ Camera, Pal, Ethernet	2814.50	PTZ Cameras
P-1311	Legend 26X Day/Night PTZ Camera w/Image Stabilizer, NTSC	2132.00	PTZ Cameras
P-1312	Legend 26X Day/Night PTZ Camera w/Image Stabilizer, Pal	2132.00	PTZ Cameras
P-1313	Legend IP 26X Day/Night PTZ Camera w/Image Stabilizer, NTSC, Ethernet	2489.50	PTZ Cameras
P-1314	Legend IP 26X Day/Night PTZ Camera w/Image Stabilizer, Pal, Ethernet	2489.50	PTZ Cameras
P-1401	Legend, Pan/Tilt, 36X Day/Night Camera, NTSC	2610.40	PTZ Cameras
DP-1402			
7F-14UZ	Legend, Pan/Tilt, 36X Day/Night Camera, PAL	2610.40	PTZ Cameras
ND 4400	Legend IP, Pan/Tilt, 36X Day/Night Camera, NTSC, Ethernet	2967.90	PTZ Cameras
	Legend IP, Pan/Tilt, 36X Day/Night Camera, PAL, Ethernet	2967.90	PTZ Cameras
P-1404			
DP-1404	Proxcard II Clamshell, standard artwork matte front/molded logo back, sequential match internal	2.70	Credentials
DP-1403 DP-1404 GC-1326LSSMV-37 GC-1336LGGMN-26			Credentials Credentials

	Proxpass Active Vehicle Id Tag, standard beige front/Hid logo back, sequential matching internal and external, corporate 1000 / 35-bit	39.25	Credentials
IGC-1351LBSMN-37	Proxpass Active Vehicle Id Tag, standard beige front/Hid logo back, sequential matching internal	39.25	Credentials
IGC-1386LGGMV-26	and external, 37-bit Isoprox II, white gloss front/white gloss back, 35-bit format, specify corporate 1000 format code,	4.91	Credentials
IGC-1386LGSSN-37	matching internal and external, no slot Isoprox II white gloss front/standard artwork gloss back, no slot punch, 37-bit format, sequential non-	5.93	Credentials
IGC-1300LG33N-37	matching internal /external number. Specify format code, facility code, company code and card numbers.	5.93	Credentials
IGC-1391LKSMN-26	Microprox Tag, black with Hid logo front/adhesive back, sequential match internal and external, 26-bit	3.69	Credentials
IGC-1391LKSMN-35	Microprox Tag, black with Hid logo front/adhesive back, sequential match internal and external, corporate 1000 / 35 bit	3.93	Credentials
IGC-2000PG1MN	iClass Contactless Smart Card (2K, iClass Sector Prog, white pvc gloss front and back with magstripe, sequential match internal and external, no slot)	6.62	Credentials
IGC-2000PGGMN	iClass Contactless Smart Card (2K, iClass Sector Prog, white pvc gloss front and back, sequential match internal and external, no slot)	5.89	Credentials
IGC-2020BGGMNN	iClass Prox Contactless Smart Card (2K, iClass Sector & Prox Prog, white pvc gloss front and back, iClass sequential match internal and external, no slot, no external Prox Id)	10.31	Credentials
IGC-2060PKSMN	iClass Contactless Smart Tag (2K, iClass Sector Prog, Black With Hid Logo, sequential match internal and external, self adhesive back)	4.91	Credentials
IGC-MSCSTDE	Standard magnetic stripe card encoded, non matching internal and external Id, Pvc, high coercivity, white gloss front/white gloss back, no slot punch.	2.22	Credentials
IGP-105909-169	ELTRON, Cleaning Kit, 25 Swabs, 50 Cleaning Cards	90.43	Photo ID Equipment
IGP-105912-003	ELTRON, Adhesive Cleaning Roller, 5 Pack	47.78	Photo ID Equipment
IGP-1324GAN21	Quantity 1 Adhesive .020" PVC direct image white gloss overlay for ProxCard II clamshell cards, no slot. Per piece price.	1.27	Photo ID Equipment
IGP-1324GAN22	Quantity 1 Adhesive .020" PVC direct image white gloss overlay for ISOProx II cards, no slot. Per piece price.	1.27	Photo ID Equipment
IGP-800015-140	ELTRON, YMCKO 5 Panel Ribbon, 200 count	131.38	Photo ID Equipment
IGP-800015-145	ELTRON, YMCK 4 Panel Ribbon, 250 count	150.15	Photo ID Equipment
IGP-CJV-1	Professional Color Video Camera. Includes AC adapter and cables for connection to video capture board.	2388.75	Photo ID Equipment
IGP-SPUNCH-HND	Hand slot punch tool	150.15	Credentials
IGR-04000103	Security Tool for Tamper Proof Screws on iClass readers	20.48	Readers
IGR-10SBPK-IGB	Short surface mount finish backplate for RMS10, industrial grade, black	20.48	Readers
GR-10SBPK-IGW	Surface mount finish backplate for RMS10, industrial grade, off-white	20.48	Readers
IGR-12FRJ45-CBL	12 ft. cable, RJ45 to flying leads for optional external reader on IKE-00RD version	20.48	Readers
IGR-16KMD0L-IKE	Replacement 16 button keypad membrane for IKE, display window no LEDs	49.48	Readers
IGR-16KMD1L-IKE	Replacement 16 button keypad membrane for IKE, display window with LEDs	49.48	Readers
IGR-5365CBP00	MiniProx proximity reader, 5" range, 5-16VDC, beige with pigtail.	216.70	Readers
IGR-5365CBT00	MiniProx proximity reader, 5" range, 5-16VDC, beige with terminal strip.	216.70	Readers
IGR-6100R10	iClass R10 Smart Card Reader, Door Frame/ Mullion Mount	156.98	Readers
IGR-6120R40	iClass R40 Smart Card Reader, US Single Gang Mount	279.83	Readers
IGR-6130RK40	iClass RK40 Smart Card Reader with Keypad, US Single Gang Mount	539.18	Readers
IGR-6131RWK400	iClass RWK400 Smart Card Reader/Writer with Keypad, US Single Gang Mount	609.13	Readers
IGR-HK2	Recognition Systems HandKey II hand geometry reader/controller, 12-24VDC or VAC, Wiegand/Mags/RS232/RS485 interfaces, Standard 512 users	2943.28	Readers
IGR-KTP102SN	ESSEX 12 Pad (2x6) Stainless Steel Keypad, Wiegand 26bit, 5/12V, Thin mullion mount	368.55	Readers
IGR-KTPBB34S	ESSEX Stainless Steel Angled Mounting Back Box for ADA applications	98.97	Readers
IGR-KTPSH34S	ESSEX Stainless Steel Spy Proof Housing for 12 Pad (3x4), non illuminated	98.97	Readers
IGR-MAGCLN-KIT	Magnetic Stripe Card Reader cleaning kit (Box of 25)	98.97	Readers
IGR-RMS10H-IGB	RMS10 Mag Stripe Reader, ABA Track 2, short mullion mount, standard mount bracket, industrial grade housing, with heater, black	368.55	Readers
IGR-RMS10H-IGW	RMS10 Mag Stripe Reader, ABA Track 2, short mullion mount, standard mount bracket, industrial grade housing, withheater, off-white	368.55	Readers
IGR-RMS10S-IGB	RMS10 Mag Stripe Reader, ABA Track 2, short mullion mount, standard mount bracket, industrial grade housing, black	230.35	Readers
IGR-RMS10S-IGW	RMS10 Mag Stripe Reader, ABA Track 2, short mullion mount, standard mount bracket, industrial grade housing, off-white	230.35	Readers
IGR-RMSMAG-EXT	Mag Stripe Extender for RMS10 (Allows up to 500' between reader and RRE)	83.60	Readers
IGR-RPX2WB	Proximity2 Integrated Card Reader with12-Key Keypad And LCD Status Display, Weatherized	1365.00	Readers
IGR-TPSSCRW-IKE IGR-TPSSDRV-IKE	Tamper Proof security screws (12 Pack)	10.24	Readers
	Tamper Proof security screwdriver	49.48	Readers
			Readers
IKE-00RDIGW	IKE Keypad LCD Display Unit/Controller, Industrial Grade, off-white	711.50	
IKE-00RDIGW IKE-1MAGIGW	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white	931.62	Readers
IKE-OORDIGW IKE-1MAGIGW IMGAC-1MILPOLY	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules).	931.62 46.11	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible	931.62	Readers
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28* Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both	931.62 46.11 48.83 242.50	Readers Photo ID Equipment Photo ID Equipment Photo ID Equipment
IKE-ORDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28* Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications	931.62 46.11 48.83	Readers Photo ID Equipment Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10	931.62 46.11 48.83 242.50 48.83	Readers Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay	931.62 46.11 48.83 242.50 48.83 1165.06	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28* Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28* High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500	931.62 46.11 48.83 242.50 48.83 1165.06 54.20	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN IMGAC-F550DS IMGAC-F550PH IMGAC-F550SS	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97 948.03 280.48	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN IMGAC-F550DS IMGAC-F550PH IMGAC-F550DS IMGAC-F550DS	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images Fargo DTC 550 Dual Side base model printer	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97 948.03 280.48 5486.72	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN IMGAC-F550DS IMGAC-F550PH IMGAC-F550DS IMGAC-F550DS IMGPR-F550DS IMGPR-F550DS	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images Fargo DTC 550 Dual Side base model printer Fargo DTC 550 Dual Side base model printer	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97 948.03 280.48 5486.72 7432.39	Readers Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN IMGAC-F550DS IMGAC-F550PH IMGAC-F550DS IMGPR-F550DS IMGPR-F550DS IMGPR-F550DS IMGPR-F550DSSC	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with resin black and clear overlay panel – 500 images Fargo DTC 550 Dual Side base model printer Fargo DTC 550 Dual Side printer with Smart Card Encoder Fargo DTC 550 Dual Side Printer With Smart Card And Iso Magnetic Stripe Encoder	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97 948.03 280.48 5486.72 7432.39 8163.55	Readers Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment Photo ID Equipment
IKE-00RDIGW IKE-1MAGIGW IMGAC-1MILPOLY IMGAC-BDBLU IMGAC-BDSTD IMGAC-BDWHT IMGAC-CAMKIT IMGAC-F550CLEAN IMGAC-F550DS IMGAC-F550PH IMGAC-F550DS IMGAC-F550DS IMGPR-F550DS IMGPR-F550DS	IKE Keypad LCD Display Unit/Controller with Track 2 Mag Stripe Reader, Surface mount finish back plate, industrial grade, off-white Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle-Resistant Nylon Micro-Suede Material Measuring 34 X 28" High Resolution Digital USB Camera & Accessory Kit w/Standard Twain Software (Camera, AC Power Supply, 10' USB Extension, Desktop Tripod, Twain Software) Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images Fargo DTC 550 Dual Side base model printer Fargo DTC 550 Dual Side base model printer	931.62 46.11 48.83 242.50 48.83 1165.06 54.20 254.97 948.03 280.48 5486.72 7432.39	Readers Photo ID Equipment

MGPR-F550SSSM	Fargo DTC 550 Single side Printer with Smart Card and ISO Magstripe Encoder	6548.93	Photo ID Equipment
NFUPG-PPFCC	Informix Upgrade From Any Version Of Informix To 11.5	1383.20	Picture Perfect
P2-DFM	UltraView IP Plastic Dome Clear Flush Mount for GEC-IP2VD	165.10	Network Fixed Cameras
P2-DOME-C	UltraView IP Plastic Dome Clear Replacement Dome for GEC-IP2VD	93.60	Network Fixed Cameras
P2-DOME-S	UltraView IP Plastic Dome Smoke Replacement Dome for GEC-IP2VD	83.20	Network Fixed Cameras
P2-VDCM	UltraView IP Vandal Dome Corner Mount for GEC-IP2VD and GEC-IP2VD-DN	297.70	Network Fixed Cameras
P2-VDFM	UltraView IP Vandal Dome Flush Mount for GEC-IP2VD and GEC-IP2VD-DN	429.00	Network Fixed Cameras
P2-VDHM		214.50	Network Fixed Cameras
	UltraView IP Vandal Dome Pendant Mount for GEC-IP2VD and GEC-IP2VD-DN		
P2-VDHTR	UltraView IP Vandal Dome Heater Module for GEC-IP2VD-DN	127.40	Network Fixed Cameras
P2-VDOME-C	UltraView IP Vandal Dome Clear Replacement Dome for GEC-IP2VD	65.00	Network Fixed Cameras
P2-VDOME-S	UltraView IP Vandal Dome Smoke Replacement Dome for GEC-IP2VD-DN	65.00	Network Fixed Cameras
P2-VDPM	UltraView IP Vandal Dome Pole Mount for GEC-IP2VD and GEC-IP2VD-DN	396.50	Network Fixed Cameras
P2-VDWM	UltraView IP Vandal Dome Wall Mount for GEC-IP2VD and GEC-IP2VD-DN	209.30	Network Fixed Cameras
ALX11	Fire Alarm Signal Accessory, Explosion-Proof Box, WP-5X1/2 HUB	127.45	Fire
DS-100	Siren Driver, Yelp/Steady, 6-18VDC, High Power 2-Channel Siren Driver, Remote Trigger. 6 -	35.98	Fire
DS-102	18VDC. Up to 125DB Output Siren Driver, Yelp/Bell, 6-15VDC, 2-Channel Siren Driver, Remote Trigger. 6 -15VDC. Up to 115DB	38.84	Fire
DS-108	Output Siren Driver, 8 Sounds, 6-18VDC, Unique Siren Driver w/8 Distinctive Channels and Sounds, Including Rapid Yelp, Standard Yelp, Hi-Lo Sweep, European Hi-Lo, Steady, Pulsing Horn, Steady Hope and Synthocized Rel. 6, 49VDC, Lin to 115DB Output.	47.55	Fire
(01.1/54)	Horn and Synthesized Bell. 6 - 18VDC. Up to 115DB Output		
CI-XP3I	KTC-XP3, Color Wide Dynamic Range, Indoor KTB-2, 2.5-10mm Al Lens	609.70	Analog Fixed Cameras
CI-XP3J	KTC-XP3, Color Wide Dynamic Range, Indoor KTB-2, 2.5-10mm Manual Iris Lens	592.80	Analog Fixed Cameras
CI-XP3K	KTC-XP3, Color Wide Dynamic Range, Indoor KTB-2, 2.7-13.5mm Al Lens	652.60	Analog Fixed Cameras
CW-XP3A	KTC-XP3, Color Wide Dynamic Range, Weatherproof KTE-300, 3.5-8mm Al Lens	859.30	Analog Fixed Cameras
CW-XP3B	KTC-XP3, Color Wide Dynamic Range, Weatherproof KTE-300, 3.5-8mm Manual Iris Lens	803.40	Analog Fixed Cameras
CW-XP3C	KTC-XP3, Color Wide Dynamic Range, Weatherproof KTE-300, 5-50mm Al Lens	937.30	Analog Fixed Cameras
			0
CW-XP3G	KTC-XP3, Color Wide Dynamic Range, Weatherproof KTE-300, 7-70mm Al Lens	894.40	Analog Fixed Cameras
CW-XP3K	KTC-XP3, Color Wide Dynamic Range, Weatherproof KTE-300, 2.7-13.5mm Al Lens	850.20	Analog Fixed Cameras
LC-10D	Rack mountable Dual 10.4-inch LCD Monitor	1965.60	Monitors
LC-10DT	Rack mountable Dual 10.4-inch LCD Monitor with Tilt Feature	2143.70	Monitors
LC-PS-4	Power Supply, GEL-15DV, GEL-17DV, GEL-19DV Series	32.50	Monitors
LC-PS-8	Power Supply, GE:-20SV	71.50	Monitors
LC-WM3			
	Wall-Mount Bracket, 3 Way Adjustment for 15, 17, 19 and 20-inch LCD Monitors	27.30	Monitors
TB-1	Camera Mount, Plastic	6.50	Analog Fixed Cameras
TB-2	Camera Mount, Metal	15.60	Analog Fixed Cameras
TB-3W	Camera Bracket, Metal w/Wall and Drop Clip, Adjustable	11.70	Analog Fixed Cameras
TB-4CF	Camera Bracket, Metal w/Cable Feed Through	18.20	Analog Fixed Cameras
TD-00-348	Rack-Mount Ears for KTD-348 Switcher Chassis, 2 Rack Units	36.40	Matrix Switchers
TD-01-348	Input Expansion Kit, Increases Video Inputs from 16 to 32	198.90	Matrix Switchers
TD-02-348	Output Expansion Kit, Increases Video Outputs from 4 to 8 (KTD-01-348 Required)	573.30	Matrix Switchers
TD-125	Weatherproof PTZ Receiver, Drives Medium or Heavy Duty 115VAC PTZ	627.90	Receivers
TD-125-24	Weatherproof PTZ Receiver, Drives Medium or Heavy Duty 24VAC PTZ	676.00	Receivers
(TD-125P	KTD-125 with Preset Option, Allows Up to 10 Programmed Presets	669.50	Receivers
TD-125P-24	KTD-125-24 with Preset Option, Allows Up to 10 Programmed Presets	717.60	Receivers
TD-127	PTZ Receiver, Drives Light Duty 24VAC PTZ Requiring Less Than One Amp	390.00	Receivers
TD-127W	PTZ Receiver, Same as KTD-127, Mounted in Weatherproof Enclosure	464.10	Receivers
TD-134	Turnstile/Gate Receiver	409.50	Receivers
TD-134W	Turnstile/Gate Receiver, Mounted in Weatherproof Enclosure	478.40	Receivers
TD-135	Door Receiver	239.20	Receivers
TD-138	Auxiliary 4-Function Receiver	239.20	Receivers
TD-304R	Variable-Speed Controller Keypad, Same As KTD-404, Rack-Mount Design	1024.40	System Control
TD-304RA	Variable-Speed Controller Keypad, Same As KTD-404A, Rack-Mount Design	1352.00	System Control
TD-312	RS232 Interface Module/Data Merger, Bi-Directional, RS422 Input and Output	341.90	Digiplex Interfaces
TD-313	Data Converter, AD Manchester, Diamond Protocol to Digiplex, 2-Way	205.40	Digiplex Interfaces
TD-313-1	Code Converter, RS422 Interface	205.40	Digiplex Interfaces
TD-314	Code Converter, Pelco Coaxitron Extended Control Protocol To Digiplex	171.60	Digiplex Interfaces
TD-314-1	Code Converter, Digiplex to Pelco, Coaxitron Extended Control Protocol	171.60	Digiplex Interfaces
TD-336	Audio Converter, Transmits Audio via Viberoptic, Microwave, Optical or Broadband Channels	391.30	Digiplex Interfaces
TD-336-1	Audio Interface Unit, Mod: 8 POS Switch	717.60	Digiplex Interfaces
TD-348-164	16 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port	1112.80	Matrix Switchers
TD-348-164A	16 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-400 Keypad	1385.80	Matrix Switchers
(TD-348-164C	16 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-405 Keypad	1700.40	Matrix Switchers
(TD-348-324	32 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port	1310.40	Matrix Switchers
(TD-348-324A	32 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port 32 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-400 Keypad	1583.40	Matrix Switchers Matrix Switchers
(TD-348-324C	32 x 4 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-405 Keypad	1898.00	Matrix Switchers
TD-348-328	32 x 8 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port	1883.70	Matrix Switchers
TD-348-328A	32 x 8 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-400 Keypad	2156.70	Matrix Switchers
TD-348-328C	32 x 8 Matrix Switcher System, Includes 32 Alarm Inputs, One RS232 Port & KTD-405 Keypad	2471.30	Matrix Switchers
TD-350	Relay Follow Card, 64 x 1 Relay Output	526.50	Digiplex Interfaces
TD-352	Relay Follow Chassis, Accepts One KTD-350	744.90	Digiplex Interfaces
TD-400	Multi-Speed Controller Keypad, Controls 512 PTZ Sites, 64 Switched Monitors, Multiplexers	478.40	System Control
TD-404	Variable-Speed Controller Keypad, Controls 512 PTZ Sites, 64 Switched Monitors, Multiplexers	887.90	System Control
(TD-404A	Variable-Speed Controller Keypad, KTD-404 w/Audio Amplifier, for 2-Way Communication	1215.50	System Control
	Three-Axis Variable-Speed Controller Keypad. Controls 2,048 PTZ Sites, 256 Switched Monitors,	887.90	System Control
(TD-405	Multiplexers, DVMRe, DVR, VCR		
		500 50	System Control
TD-405 TD-405-2D TD-405A	Multiplexers, DVMRe, DVR, VCR Variable-Speed Desktop Keypad, 37 Key, 2-Axis Joystick, Calibur/Digiplex Three-Axis Variable-Speed Controller Keypad. Controls 2,048 PTZ Sites, 256 Switched Monitors, Multiplexers, DVMRe, DVR, VCR, 2 watt-8ohm Audio Amplifier	500.50 1215.50	System Control System Control

KTD-411	Download Software for Programming Digipley IV System from Computer	35.10	Digiploy Interfaces
KTD-411	Download Software for Programming Digiplex IV System from Computer Preset Alarm Interface Module, 16 Alarm Contact Inputs, Activates Presets 0-15 on Receiver	239.20	Digiplex Interfaces Digiplex Interfaces
110 410	1 reset vitami intende inodule, 10 vitami contact inputs, vietvates i 1656ts c 16 on recession	200.20	Digiplex interfaces
KTD-440	Master Switcher Chassis, Up to 64 Video Inputs by 32 Monitor Outputs	2184.00	Matrix Switchers
KTD-440G	Gathering Panel, Video Signal Manager	2730.00	Matrix Switchers
KTD-440N	Monitor Expansion Chassis, Expands System by 32 Monitor Outputs	2320.50	Matrix Switchers
KTD-440S	Remote Matrix Chassis	2184.00	Matrix Switchers
KTD-441-1	Matrix Switcher, Slave, Cameras 64-127	2047.50	Matrix Switchers
KTD-441-2	Matrix Switcher, Slave, Cameras 128-191	2047.50	Matrix Switchers
KTD-441-3	Matrix Switcher, Slave, Cameras 192-255	2047.50	Matrix Switchers
KTD-441-4	Matrix Switcher, Slave, Cameras 256-319	2047.50	Matrix Switchers
KTD-441-5	Matrix Switcher, Slave, Cameras 320-383	2047.50	Matrix Switchers
KTD-441-6	Matrix Switcher, Slave, Cameras 384-447	2047.50	Matrix Switchers
KTD-441-7	Matrix Switcher, Slave, Cameras 448-511	2047.50	Matrix Switchers
KTD-442 KTD-443	Expansion Chassis, Accepts Inputs from KTD-442 for Monitors 33-64	2730.00	Matrix Switchers
KTD-444	Video Input Card, 64 x 16 Video Crosspoint Switch Monitor Output Card, Controls 4 Monitor Outputs	1433.90 546.00	Matrix Switchers Matrix Switchers
KTD-444-1	KIT,KTD-446,One KTD-444	785.20	Matrix Switchers
KTD-446	Chassis Power Supply	239.20	Matrix Switchers
KTD-447	CPU Card, Master Switcher Control Card	682.50	Matrix Switchers
KTD-449	Monitor Expansion Cable to Connect Between the Master/Slave Chassis and the Monitor	260.00	Matrix Switchers
1110 440	Expansion Chassis	200.00	Width Owner or
KTD-460	Alarm Input Module, 16 Supervised Contacts	239.20	Digiplex Interfaces
KTD-463	Alarm Input Chassis, Up to 16 KTD-460 Alarm Input Modules Can Be Connected	751.40	Digiplex Interfaces
KTD-4M-128X12	128 x 12	8736.00	Matrix Switchers
KTD-4M-128X16	128 x 16	9282.00	Matrix Switchers
KTD-4M-128X24	128 x 24	13240.50	Matrix Switchers
KTD-4M-128X28	128 x 28	13786.50	Matrix Switchers
KTD-4M-128X32	128 x 32	14332.50	Matrix Switchers
KTD-4M-128X4	128 x 4	7644.00	Matrix Switchers
KTD-4M-128X8	128 x 8	8190.00	Matrix Switchers
KTD-4M-192X12	192 x 12	14947.40	Matrix Switchers
KTD-4M-192X16	192 x 16	15493.40	Matrix Switchers
KTD-4M-192X20	192 x 20	20338.50	Matrix Switchers
KTD-4M-192X24	192 x 24	20884.50	Matrix Switchers
KTD-4M-192X32	192 x 32	21976.50	Matrix Switchers
KTD-4M-192X4	192 x 4	13855.40	Matrix Switchers
KTD-4M-192X8	192 x 8	14401.40	Matrix Switchers
KTD-4M-256X32	256 x 32	26890.50	Matrix Switchers
KTD-4M-320X32	320 x 32	31804.50	Matrix Switchers
KTD-4M-64X12	64 x 12	5255.90	Matrix Switchers
KTD-4M-64X16	64 x 16	5801.90	Matrix Switchers
KTD-4M-64X20	64 x 20	7780.50	Matrix Switchers
KTD-4M-64X32	64 x 32	9418.50	Matrix Switchers
KTD-4M-64X4	64 x 4	4163.90	Matrix Switchers
KTD-4M-64X8	BS 422 Data Signal Distributor, Bravidas S Sanarata BS 422 Outputs From Single Input	4709.90	Matrix Switchers
KTD-83 KTD-83-16	RS422 Data Signal Distributor, Provides 6 Separate RS422 Outputs From Single Input RS422 Data Signal Distributor, Provides 16 Separate RS422 Outputs From Single Input	205.40 341.90	Digiplex Interfaces Digiplex Interfaces
KTD-86	DTMF Signal Merger, 6 DTMF Signals Merged and Amplified to One Common Output	226.20	Digiplex Interfaces Digiplex Interfaces
KTD-87	RS422/RS232 Converter (selectable)	98.80	Digiplex Interfaces Digiplex Interfaces
KTD-88	Washer Wiper Card for KTD-125 Receivers	53.30	Digiplex Interfaces
KTD-93	Auxiliary Device Driver, Remote View Control of One Multiplexer or VCR	184.60	Digiplex Interfaces
KTE-100	Indoor/Outdoor Housing w/Mount	89.70	Analog Fixed Cameras
KTE-100/200-PA	Pole-Mount Adapter for KTE-100, KTE-200 & KTE-300	41.60	Analog Fixed Cameras
KTE-100/200-UA	Universal Mount for KTA-25, KTA-26 & KTA-27	29.90	Analog Fixed Cameras
KTE-200	Outdoor Housing w/Sun Shield, Heater, Mount, Flex Conduit	171.60	Analog Fixed Cameras
KTE-300	Outdoor Housing w/Cable Management, Sunshield, Heater and Blower	211.90	Analog Fixed Cameras
KTE-400	Indoor/Outdoor Housing w/Heater, Bracket, 24VAC	135.20	Analog Fixed Cameras
KTE-400CM	Ceiling-Mount Indoor/Outdoor Housing w/Heater, 24VAC	169.00	Analog Fixed Cameras
KTE-400-SS	Sun Shield for KTE-400	29.90	Analog Fixed Cameras
KTE-500	Indoor/outdoor Housing w/Heater and Blower, Bracket, 24VAC	244.40	Analog Fixed Cameras
KTE-500CM	Ceiling-Mount Indoor/Outdoor Housing w/Heater and Blower, 24VAC	258.70	Analog Fixed Cameras
KTE-BK-200	Blower Kit for KTE-200	80.60	Analog Fixed Cameras
KTE-CMA	Corner-Mount Adapter for KTE-400/500	27.30	Analog Fixed Cameras
KTE-SS-100	Sun Shield for KTE-100	27.30	Analog Fixed Cameras
KTL-12A KTL-12M	12mm, f 1.2, DC Auto Iris Lens 12mm, f 1.2, Manual Iris Lens	113.10	Analog Fixed Cameras
KTL-12M KTL-16A	16mm, f 1.4, DC Auto Iris Lens	63.70 91.00	Analog Fixed Cameras Analog Fixed Cameras
KTL-16M	16mm, f 1.4, Manual Iris Lens	66.30	Analog Fixed Cameras Analog Fixed Cameras
KTL-2.5-10VA	2.5-10mm, f 1.4, Varifocal, DC Auto Iris Lens	81.90	Analog Fixed Cameras
KTL-2.5-10VM	2.5-10mm, f 1.4 Varifocal Manual Iris Lens	66.30	Analog Fixed Cameras
KTL-2.7-13.5VA	2.7-13.5mm, f 1.3, Varifocal, DC Auto Iris Lens	126.10	Analog Fixed Cameras
KTL-2.7-13.5VM	2.7-13.5mm, f 1.3, Varifocal Manual Iris Lens	101.40	Analog Fixed Cameras
KTL-2.8-8VA	2.8-8mm, f0.95, Varifocal Auto Iris Lens	135.20	Analog Fixed Cameras
KTL-2.8-8VM	2.8-8mm, f0.95, Varifocal Manual Iris Lens	79.30	Analog Fixed Cameras
KTL-2.8A	2.8mm, f 1.3, DC Auto Iris Lens	102.70	Analog Fixed Cameras
KTL-2.8M	2.8mm, f 1.3, Manual Iris Lens	80.60	Analog Fixed Cameras
KTL-2.9-8VM	9-8mm,f 0.95,Varifocal Manual Iris	70.20	Analog Fixed Cameras
KTL-3.5-8VA	3.5-8mm, Varifocal, DC Auto Iris Lens	135.20	Analog Fixed Cameras
KTL-3.5-8VM	3.5-8mm, f 1.3, Varifocal Manual Iris Lens	79.30	Analog Fixed Cameras
KTL-4A	4mm, f 1.2, DC Auto Iris Lens	93.60	Analog Fixed Cameras
KTL-4M	4mm, f 1.2, Manual Iris Lens	62.40	Analog Fixed Cameras
KTL-5-50VA	5-50mm, Varifocal, DC Auto Iris Lens	213.20	Analog Fixed Cameras
KTL-5-50VM	5-50mm, f 1.8, Varifocal Manual Iris Lens	191.10	Analog Fixed Cameras
KTL-7-70VA	7-70mm, f 1.8, Varifocal, DC Auto Iris Lens	171.60	Analog Fixed Cameras
KTL-7-70VM	7-70mm, f 1.8, Varifocal Manual Iris Lens	150.80	Analog Fixed Cameras
KTL-8A	8mm, f 1.2, DC Auto Iris Lens	88.40	Analog Fixed Cameras
KTL-8M	8mm, f 1.2, Manual Iris Lens	57.20	Analog Fixed Cameras

KTL-MP-12.5M	12.5mm, High Resolution, Low Distortion Megapixel 1/2" Lens, Fixed Focal Length, Manual Iris	240.50	Analog Fixed Cameras
	Lens (Recommended Accessory for IP Megapixel Cameras)		
KTM-RK-14/15	Rack-Mount Kit for 15-inch B/W or 14-inch Color Monitors	135.20	Monitors
KTM-RK-15	Rack-Mount Kit for 15-inch Color Monitor	135.20	Monitors
KTM-RK-19	Rack-Mount Kit for 19-inch Color Monitor	135.20	Monitors
KTP-00-24	Rack-Mount Kit for the KTP-24-8	35.10	PTZ Cameras
KTP-24	24 VAC/100 VA Outdoor Power Supply	135.20	PTZ Cameras
KTP-24-16-200	Indoor Power Supply, 16 Fused 24 VAC Outputs, 200VA	184.60	PTZ Cameras
KTP-24-4I-200	Indoor Power Supply, 4 Isolated and Fused 24 VAC Outputs, 200VA	123.50	PTZ Cameras
KTP-24-4I-400	Indoor Power Supply, 4 Isolated and Fused 24 VAC Outputs, 400VA	211.90	PTZ Cameras
KTP-24-8	24 VAC Multiple-Output Power Supply, 8 Isolated Outputs, 24 VA Per Output	217.10	PTZ Cameras
KTP-24-8-100	Indoor Power Supply, 8 Fused 24 VAC Outputs, 100VA	117.00	PTZ Cameras
KTP-24-8I-400		211.90	PTZ Cameras
	Indoor Power Supply, 8 Isolated and Fused 24 VAC Outputs, 400VA		
KTP-24C	24 VAC/56VA Outdoor Power Supply	135.20	PTZ Cameras
KTR-11	Face/Badge Reader	2177.50	Receivers
KTR-11C-C	Face/Badge Reader with High-Resolution Color Cameras and Lenses Included	2996.50	Receivers
KTR-90	Weatherproof Hood	1536.60	Receivers
KTR-91	Pedestal for Mounting KTR-11 Face/Badge Reader When Wall Mounting is Unavailable	751.40	Receivers
KTR-92	Wall Flange, Surface Mount for Face/Badge Reader	391.30	Receivers
KTS-250	1 x 8 or 2 x 4 Video Distribution Amplifier	226.20	Video Signals
KTS-250-16	16-channel Distribution Amplifier, 4 Outputs per Channel	864.50	Video Signals
KTS-253	Time/Date/Title Generator, One Video Channel Output	451.10	Video Signals
KTS-253-16	16-channel Master Time/Date/Title Generator	1495.00	Video Signals
KTS-270	Single-channel Passive Transceiver	205.40	Transmission
KTS-271	Single-channel Active Receiver	349.70	Transmission
KTS-272-16	16-channel Passive Transceiver	2444.00	Transmission
KTS-273-16	16-channel Active Receiver	4403.10	Transmission
KTS-275	CyberDome UTP Interface Module	54.60	Transmission
KTS-55	Alphanumeric Character Display Unit	236.60	Video Signals
KTS-56	V-Phase Adjustment Tool, Portable, Powered by 9 Volt Battery	102.70	Video Signals
LABORHR	Labor, portal-to-portal, including travel time, daily rate	2730.00	Service
LABORHRSAT	Saturday. Price per hour. A 20% discount applies if active Protection Plan in place	306.80	Service
LABORHRSUN	Sunday and Holiday. Price per hour. A 20% discount applies if active Protection Plan in place	341.90	Service
LABORHRWD	Monday thru Friday 8:00 AM - 7:00 PM. Price per hour. A 20% discount applies if active Protection	260.00	Service
LABORTIKWD	Plan in place	200.00	Service
LABORHRWN	Monday thru Friday 7:00 PM - 8:00 AM. Price per hour. A 20% discount applies if active Protection Plan in place	306.80	Service
	·		
LL101B-DM-R/XXX	N/A - Video and Audio Demultiplexer, Tx, Rack	581.75	Fiber Optic Transmission
LL101B-M-R/XXXX	N/A - Video and Audio Monaural multiplexer, Rack	581.75	Fiber Optic Transmission
M2KP-4DRKIT500B	M2000 4 Door Kit - (1) M2KPXNplus 110Vac, (4) M/R-J Boxes, (4) T500SW Readers black mullion mount (4) Back plates black for single-width USA elect box mounting	2768.51	Controllers
M2KP-4DRKIT520B	M2000 4 Door Kit - (1) M2KPXNplus 110Vac, (4) M/R-J Boxes, (4) T520SW Readers black single-	2943.50	Controllers
M2PBMPP	width USA elect box mount M2000 PXNplus, Picture Perfect , electronics kit, Serial & Ethernet 10/100Mb, PXNplus CPU + I/O	2525.25	Controllers
M2PBMSP	board, (no cabinet) M2000 PXhplus, FC Wnx, Secure Perfect , electronics kit, Serial & Ethernet 10/100 Mb, PXhplus	2525.25	Controllers
	CPU + I/O board, (no cabinet)		
M2PMPP1	M2000 PXNplus, Picture Perfect , Serial & 10/100 Mb Ethernet,110VAC	2593.50	Controllers
M2PMPP2	M2000 PXNplus, Picture Perfect , Serial & 10/100 Mb Ethernet, 230VAC	2593.50	Controllers
M2PMSP1	M2000 PXNplus, FC Wnx, Secure Perfect , Serial & 10/100 Mb Ethernet, 110VAC	2593.50	Controllers
M2PMSP2	M2000 PXNplus, FC Wnx, Secure Perfect , Serial & 10/100 Mb Ethernet, 230VAC	2593.50	Controllers
M3PPMPP	M3000PXNplus, Picture Perfect , Serial & Ethernet 10/100Mb,110 / 230VAC	3071.25	Controllers
M3PPMSP	M3000PXNplus, FC Wnx, Secure Perfect , Serial & Ethernet 10/100Mb, 110 / 230VAC	3071.25	Controllers
M5PBMPP	PXNplus CPU Card kit, Picture Perfect, Serial & Ethernet 10/100Mb. Upgrade M/5PX(N) or M/PX(N)	1706.25	Controllers
M5PBMSP	2000 PXNplus CPU Card kit, FC Wnx, Secure Perfect, Serial & Ethernet 10/100Mb. Upgrade M/5PX(N)	1706.25	Controllers
	or M/PX(N)-2000		
M5POMPP	M5 PXNplus, Picture Perfect OEM - Serial & Ethernet, 10/100Mb	2661.75	Controllers
M5POMSP	M5 PXNplus, FC Wnx, Secure Perfect OEM - Serial & Ethernet, 10/100Mb	2661.75	Controllers
M5PRMPP	M5 PXNplus, Picture Perfect - Serial & Ethernet, 10/100Mb	2730.00	Controllers
M5PRMSP	M5 PXNplus, FC Wnx, Secure Perfect - Serial & Ethernet, 10/100Mb	2730.00	Controllers
MA-2	Piezo Sounder, 2 Tone, 4-24VDC, Piezo Pre-Alarm Sounder. Up to 100DB Output. 25 mA	17.68	Fire
-	Maximum Current Draw	50	-
MAG EXTD		00.00	Tonaz
	Magnetic Stripe Extender	90.09	Topaz
MD2-1500	2" Mini-Dome High Resolution Color Camera w/24VAC Adapter, 3-Axis, 480 TVL, 12VDC	188.50	Analog Fixed Cameras
MFC-A	Fire Control Accessory, Multi-Function Enclosure, 8"X14X3.5", Red	75.05	Fire
MM/ST/SC/1	MM/ST/SC/1, Fiber Optic Jumper, One ST and one SC Conn., 1M	47.13	Fiber Optic Transmission
MM/ST/SC/10	MM/ST/SC/10, Fiber Optic Jumper, One ST and one SC Conn., 10M	55.25	Fiber Optic Transmission
MM/ST/SC/3	MM/ST/SC/3, Fiber Optic Jumper, One ST and one SC Conn., 3M	52.00	Fiber Optic Transmission
MM/ST/ST/1	MM/ST/ST/1, Fiber Optic Jumper, Two ST Conn., 1M	47.13	Fiber Optic Transmission
MM/ST/ST/10	MM/ST/ST/10, Fiber Optic Jumper, Two ST Conn., 10M	55.25	Fiber Optic Transmission
MM/ST/ST/3	MM/ST/ST/10, Fiber Optic Jumper, Two ST Conn., 3M	52.00	Fiber Optic Transmission
MPI-11	Siren Driver, Yelp/Steady, 6-15VDC, Small But Powerful 2-Channel Siren Driver. 6 - 15VDC. Up to	20.12	Fire
IVII 1=1 1	115DB Output	20.12	1 110
MPI206	Accessory Relay Board, Universal form "C" Relay Board. Ideal for Sirens, Lights and LowVage Applications. Non-Maintained On/Off, Using a Selectable Positive Or Negative Trigger Source. 12VDC	18.56	NetworX
MPI-266	Low Battery Cutoff Relay Module, Low-Cost Add-On Relay Module for 12VDC Battery-Powered Devices. Reduces the Likelihood of Battery Damage Due to Deep Discharge. Disconnects Load If Battery Falls Below 7.5Vs	27.31	NetworX
MPI267	Power Disconnect Low Battery Cutoff Module, Drops Battery Out At 7.5Vs DC. Ac/DC Power	32.19	NetworX
MPI-30	Disconnect Switch On Board. Low Battery Disconnect Relay On Board Speaker, 8 Ohm, Rectangular Horn, Industry's Most Popular and Dependable Horn-Style Speaker.	22.80	Fire
MPI-34	Rated 30 Watts Nominal, 50 Watts Peak. Swivel Mounting Bracket, Light Beige Speaker, 8 Ohm, Bail Bracket, High-Performance Speaker. Bell-Type Design. Rated 30 Watts	23.45	Fire
	Nominal, 50 Watts Peak. Bail-Type Metal Mounting Bracket, Light Beige Speaker, 8 Ohm, Surface Mount, High Impact Plastic Housing w/Mylar Speaker. Rated 10 Watts	9.87	Fire
MPI-35		9.07	II II O

MPI-36 Sirer 13.8 MPI-37 Sirer 13.8 MPI-37 Sirer 13.8 MPI-38 Sirer Curm MPI-39 Spec Tilt-1 MPI-47 Piez 0.4 MPI-47C Piez 0.4 MPI-47E Piez Curm MPI-47E Spec Watt Matt Watt Matt Metal Sirer Matt Metal Sirer Metal Sirer Metal MPI-8 Spec Watt Metal MPI-8 MPI-8 Metal Sirer Metal MPI-8 Spec Watt Metal MPI-37 Sirer MPI-8 Spec Matt Metal MPI-37 Sirer MPI-37 Sirer Metal MPI-47 MPI	iceals Mounting Screws, White n/Speaker, Surface Mount, 2-Channel (Yelp/Steady) Siren/Speaker in MPI-35 Housing. 6 - 18/DC, 350 mA Current Draw. Up to 106DB Output. UL Listed, White n/Speaker, Round Horn, 2-Channel (Yelp/Steady) Siren/Speaker in MPI-8 Housing. 6 - 18/DC, 800 mA Current Draw. Up to 106DB Output. UL Listed, Light Beige n/Speaker, Rectangular Horn, 2-Channel (yelp/Steady) Siren/Speaker. 6 - 13.8VDC, 1.6 A rent Draw. Up to 112DB Output, Light Beige aker, 8 Ohm, Rectangular Horn, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige to Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - 18/DC Output. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter. 6 - 13.8VDC Output. tent Draw 175 mA. Up to 106DB Output, White	16.02 12.48 20.25 18.76 23.45 15.60	Fire Fire Fire Fire Fire Fire
13.8	INDC, 350 mA Current Draw. Up to 106DB Output. UL Listed, White n/Speaker, Round Horn, 2-Channel (Yelp/Steady) Siren/Speaker in MPI-8 Housing. 6 - NDC, 800 mA Current Draw. Up to 106DB Output. UL Listed, Light Beige n/Speaker, Rectangular Horn, 2-Channel (Yelp/Steady) Siren/Speaker. 6 - 13.8VDC, 1.6 A rent Draw. Up to 112DB Output, Light Beige aker, 8 Ohm, Rectangular Horn, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige co Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - NDC Output. Current Draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	12.48 20.25 18.76 23.45	Fire Fire Fire
13.8'	INDC, 800 mA Current Draw. Up to 106DB Output. UL Listed, Light Beige n/Speaker, Rectangular Horn, 2-Channel (yelp/steady) Siren/Speaker. 6 - 13.8VDC, 1.6 A rent Draw. Up to 112DB Output, Light Beige aker, 8 Ohm, Rectangular Horn, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige to Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - BVDC Output. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output. White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	20.25 18.76 23.45 15.60	Fire Fire
Curr	rent Draw. Up to 112DB Output, Light Beige aker, 8 Ohm, Rectangular Horn, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige to Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - 8VDC Output. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output. White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	18.76 23.45 15.60	Fire Fire
MPI-39 Speat Tilt-Tilt-Tilt-Tilt-Tilt-Tilt-Tilt-Tilt-	aker, 8 Ohm, Rectangular Hom, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige to Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - BVDC Output. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output. White to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	23.45	Fire
13.8	BVDC Output. Current Draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output. White co Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White co Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	15.60	
MPI-47B Piez Outp MPI-47C Piez Outp MPI-47E Piez Outp MPI-47E Piez Outp MPI-8 Spea Watt	to Siren, Screamer w/Bracket, Wall Mount, 2" Diameter., 2" x 2.75" bracket. 6 - 13.8VDC put. Current draw 175 mA. Up to 106DB Output. White co Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.		Fire
MPI-47C Piezr Outp MPI-47E Piezr Currr MPI-8 Spec Watt	to Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC put. Current Draw 175 mA. Up to 106DB Output, White to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.	15.60	
MPI-47E Piezr Curr MPI-8 Spea Watt	to Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output.		Fire
MPI-8 Spea Watt		15.60	Fire
	aker, 8 Ohm, Round Horn, 15 W, Economical Horn-Style Speaker. Rated 8 Watts Nominal, 15 ts Peak. Metal Tilt Mounting Base, Light Beige	8.29	Fire
	Station, Weather-Proof, Single-Action, DPDT, Cat 45 Key Reset, Terminal Connections	146.42	Fire
MPSR1-D45WX-GE Pull	Station, Explosion-Proof, Single-Action, DPDT, Cat 45 Key Reset, Terminal Connections	669.54	Fire
MPSR1-DHTW-GE Pull	Station, Weather-Proof, Single-Action, DPDT, Hex Screw Reset, Terminal Connections	137.16	Fire
MPSR1-S45W-GE Pull	Station, Weather-Proof, Single-Action, SPST, Cat 45 Key Reset, Terminal Connections	90.04	Fire
MPSR1-SHTW-GE Pull	Station, Weather-Proof, Single-Action, SPST, Hex Screw Reset, Terminal Connections	90.04	Fire
MPSR2-D45W-GE Pull	Station, Weather-Proof, Double-Action, DPDT, Cat 45 Key Reset, Terminal Connections	152.30	Fire
MPSR2-DHTW-GE Pull	Station, Weather-Proof, Double-Action, DPDT, Hex Screw Reset, Terminal Connections	146.42	Fire
MPSR2-S45W-GE Pull	Station, Weather-Proof, Double-Action, SPST, Cat 45 Key Reset, Terminal Connections	95.93	Fire
	Station, Weather-Proof, Double-Action, SPST, Cat 45 Key Reset, Terminal Connections, NYC te Stripe	95.93	Fire
	Station, Weather-Proof, Double-Action, SPST, Hex Screw Reset, Terminal Connections	99.29	Fire
	Station, Weather-Proof, Double-action, SPST, Hex Screw Reset, Terminal Connections, NYC te Stripe	99.29	Fire
MPSRGR10 Pull	Station Accessory. Replacement Glass Rods for MPSR Stations, 10-Pack	37.40	Fire
	Station Accessory. Double-Action Cover for MPSR1-D45WX-GE	28.05	Fire
	Control Accessories, SPDT Auxiliary Relay, w/ Enclosure	39.35	Fire
	Control Accessories, DPDT Auxiliary Relay, 30 AMP, 24VDC	84.41	Fire
	Control Accessories, DPDT Auxiliary Relay, 30 AMP, 120 VAC	82.68	Fire
	Control Accessories, DPDT Auxiliary Relay, w/ Enclosure	48.19	Fire
	nera Housing, Cast Aluminum, Interior/Exterior	120.90	MobileView
	nera Housing, Cast Aluminum, Interior/Exterior, No Paint	120.90	MobileView
	Spacer for Aluminum Housing (Interior Only)	48.10	MobileView
	ileView III Programming/Status Keypad	273.00	MobileView
	ileView III Test Kit, LCD Monitor w/Keypad, Case	1675.70	MobileView
	ileView Microphone	258.70	MobileView
	ileView Microphone - Black Cover	258.70	MobileView
	oileView Tag Alarm, 2 Status Lights - Red, Green oileView Tag Alarm w/Reset, 3 Status Lights - Red, Yellow, Green	132.60 405.60	MobileView MobileView
	el with Glass and Gasket (Black-Gray Stone) PPG#-DU34268	78.00	MobileView
	el with Glass and Gasket (Black-Cray Stone) 11 G#-0034200	78.00	MobileView
	R Camera Cable, RG179, 7'	48.10	MobileView
	R Camera Cable, RG179, 8'	50.70	MobileView
	R Camera Cable, RG179, 10'	46.80	MobileView
	R Camera Cable, RG179, 11'	54.60	MobileView
MSS-4030-12-01 DVR	R Camera Cable, RG179, 12'	57.20	MobileView
	R Camera Cable, RG179, 14'	59.80	MobileView
	R Camera Cable, RG179, 15'	55.90	MobileView
MSS-4030-16-01 DVR	R Camera Cable, RG179, 16'	63.70	MobileView
	R Camera Cable, RG179, 17'	65.00	MobileView
	R Camera Cable, RG179, 18'	66.30	MobileView
	R Camera Cable, RG179, 19'	67.60	MobileView
	R Camera Cable, RG179, 20'	62.40	MobileView
	R Camera Cable, RG179, 24'	75.40	MobileView
	R Camera Cable, RG179, 25' R Camera Cable, RG179, 26'	68.90	MobileView MobileView
	R Camera Cable, RG179, 26' R Camera Cable, RG179, 30'	78.00	MobileView MobileView
	R Camera Cable, RG179, 30'	76.70 89.70	MobileView MobileView
	R Camera Cable, RG179, 35	83.20	MobileView
	R Camera Cable, RG179, 35	96.20	MobileView
	R Camera Cable, RG179, 40'	89.70	MobileView
	R Camera Cable, RG179, 45'	96.20	MobileView
	R Camera Cable, RG179, 46'	107.90	MobileView
	R Camera Cable, RG179, 50'	104.00	MobileView
MSS-4030-50-01 DVR	R Camera Cable, RG179, 53'	130.00	MobileView
	0 0 11 00470 551		
MSS-4030-53-01 DVR MSS-4030-55-01 DVR	R Camera Cable, RG179, 55'	117.00	MobileView
MSS-4030-53-01 DVR MSS-4030-55-01 DVR MSS-4030-60-01 DVR	R Camera Cable, RG179, 60'	118.30	MobileView
MSS-4030-53-01 DVR MSS-4030-55-01 DVR MSS-4030-60-01 DVR MSS-4030-62-01 DVR	R Camera Cable, RG179, 60' R Camera Cable, RG179, 62'	118.30 115.70	MobileView MobileView
MSS-4030-53-01 DVR MSS-4030-55-01 DVR MSS-4030-60-01 DVR MSS-4030-62-01 DVR MSS-4030-62-01 DVR	R Camera Cable, RG179, 60'	118.30	MobileView

	lava a company	11	lee on on
MSS-4030-73-01	DVR Camera Cable, RG179, 73'	150.80	MobileView
MSS-4030-75-01	DVR Camera Cable, RG179, 75'	139.10	MobileView
MSS-4030-80-01	DVR Camera Cable, RG179, 80'	145.60	MobileView
MSS-4034-00-00	Firewall Connector, RCPT, Bulkhead, 4 Pin, TBF14S-2PS	305.50	MobileView
MSS-4034-08P-01	Firewall Camera Cable, Plug, 8'	68.90	MobileView
MSS-4034-46S-01	Firewall Camera Cable, Socket, 46'	136.50	MobileView
MSS-4034-64S-01	Firewall Camera Cable, Socket, 64'	153.40	MobileView
MSS-4037-00-00	MobileView 4300 Series OEM Harness, Video & Power	159.90	MobileView
MSS-4038-00-00	MobileView 4300 Series OEM Harness, IO & Impact	175.50	MobileView
MSS-4040-03-00	Articulated Video Cable Deutch to BNC Connector 3'	62.40	MobileView
MSS-4040-05-00	Articulated Video Cable Deutch to BNC Connector 5'	65.00	MobileView
MSS-4040-10-00	Articulated Video Cable Deutch to BNC Connector 10'	75.40	MobileView
MSS-4040-10-SS	Articulated Video Cable Deutch to Deutch Socket Connector 10'	57.20	MobileView
MSS-4040-15-00	Articulated Video Cable Deutch to BNC Connector 15'	81.90	MobileView
MSS-4040-15-SS	Articulated Video Cable Deutch to Deutch Socket Connector 15'	62.40	MobileView
MSS-4040-20-00	Articulated Video Cable Deutch to BNC Connector 20'	81.90	MobileView
MSS-4040-25-00	Articulated Video Cable Deutch to BNC Connector 25'	84.50	MobileView
MSS-4040-30-00	Articulated Video Cable Deutch to BNC Connector 30'	123.50	MobileView
	Articulated Video Cable Deutch to BNC Connector 34'		
MSS-4040-34-00		94.90	MobileView
MSS-4040-36-00	Articulated Video Cable Deutch to BNC Connector 36'	144.30	MobileView
MSS-4040-40-00	Articulated Video Cable Deutch to BNC Connector 40'	150.80	MobileView
MSS-4040-45-00	Articulated Video Cable Deutch to BNC Connector 45'	163.80	MobileView
MSS-4040-50-00	Articulated Video Cable Deutch to BNC Connector 50'	171.60	MobileView
MSS-4300-00-00	MobileView III DVR, 24V	6279.00	MobileView
MSS-4300-05-00	MobileView Select DVR, 24V	4368.00	MobileView
MSS-4300-05-GH	MobileView Select DVR, 24V, w/OEM Cable Installed	4641.00	MobileView
MSS-4300-GH-01	MobileView III DVR, 24V, w/OEM Cable Installed	6552.00	MobileView
MSS-5014-00-00	Cable, Network, Ethernet, CAT 5, 10'	19.50	MobileView
MSS-5113-10-01	Fixed Wireless Access Point, 802.11b/G Radio, w/SmartNet	2116.40	MobileView
MSS-5113-13-00	Roof Mount Kit	326.30	MobileView
MSS-5113-20-01	Mobile Wireless Bridge, 802.11b/G Radio, w/Smartnet	2116.40	MobileView
MSS-5113-21-00	Vehicle Antenna	100.10	MobileView MobileView
MSS-5113-22-00	Vehicle PSU	422.50	MobileView
MSS-5113-22-01	Power Injector Wire Harness w/Locking Plug, Fused 1A	48.10	MobileView
MSS-5113-23-00	Vehicle Mount Kit	136.50	MobileView
MSS-5113-24-00	Vehicle RF Cable	135.20	MobileView
MSS-5113-25-00	MobileView III Wireless Control Kit	71.50	MobileView
MSS-7003-08-00	B/W Camera, 8.0mm Lens, Bracket, Surface Mounting Plate	253.50	MobileView
MSS-7003-29-00	B/W Camera, 2.9mm Lens, Bracket, Surface Mounting Plate	253.50	MobileView
MSS-7003-40-00	B/W Camera, 4.0mm Lens, Bracket, Surface Mounting Plate	253.50	MobileView
MSS-7003-60-00	B/W Camera, 6.0mm Lens, Bracket, Surface Mounting Plate	253.50	MobileView
MSS-7004-29-AN	B/W HiRes Camera, 2.9mm Lens, Angled Housing	253.50	MobileView
MSS-7004-29-SQ	B/W HiRes Camera, 2.9mm Lens, Square Housing	253.50	MobileView
	B/W HiRes Camera, 4.0mm Lens, Angled Housing	253.50	
MSS-7004-40-AN			MobileView
MSS-7004-40-SQ	B/W HiRes Camera, 4.0mm Lens, Square Housing	253.50	MobileView
MSS-7004-60-AN	B/W HiRes Camera, 6.0mm Lens, Angled Housing	253.50	MobileView
MSS-7006-00-IL	Illuminator, Infared	253.50	MobileView
MSS-7006-29-DN	Day/Night Camera, 2.9mm, Angled Flush Mount Housing	614.90	MobileView
MSS-7006-40-DN	Day/Night Camera, 4.0mm, Angled Flush Mount Housing	614.90	MobileView
MSS-7007-00-FF	Forward Facing Camera, Auto Iris Vari-Focal Lens	648.70	MobileView
MSS-7100-00-02	Impact Sensor, No Connector	167.70	MobileView
MSS-8001-12-00	Color Camera, 12.0mm Lens, Bracket, Surface Mounting Plate	341.90	MobileView
MSS-8001-29-00	Color Camera, 2.9mm Lens, Bracket, Surface Mounting Plate	341.90	MobileView
MSS-8001-29-WR	Wide Dynamic Range Color Camera, 2.9mm Lens, Bracket, Surface Mounting Plate	422.50	MobileView
MSS-8001-40-00	Color Camera, 4.0mm Lens, Bracket, Surface Mounting Plate	341.90	MobileView
MSS-8001-40-WR	Wide Dynamic Range Color Camera, 4.0mm Lens, Bracket, Surface Mounting Plate	422.50	MobileView
MSS-8001-60-00	Color Camera, 6.0mm Lens, Bracket, Surface Mounting Plate	341.90	MobileView
		422.50	
MSS-8001-60-WR	Wide Dynamic Range Color Camera, 6.0mm Lens, Bracket, Surface Mounting Plate		MobileView
MSS-8001-80-00	Color Camera, 8.0mm Lens, Bracket, Surface Mounting Plate	341.90	MobileView
MSS-8002-29-AN	Color Camera, 2.9mm Lens, Angled Flush Mount Housing	348.40	MobileView
MSS-8002-29-SQ	Color Camera, 2.9mm Lens, Square Flush Mount Housing	348.40	MobileView
MSS-8002-40-AN	Color Camera, 4.0mm Lens, Angled Flush Mount Housing	348.40	MobileView
MSS-8002-40-SQ	Color Camera, 4.0mm Lens, Square Flush Mount Housing	348.40	MobileView
MSS-8002-60-SQ	Color Camera, 6.0mm Lens, Square Flush Mount Housing	348.40	MobileView
MSS-8003-60-00	Color Board Camera, 6mm Lens - Sub PN = 1032491B	184.60	MobileView
MSS-CONVERTER	MobileView 4300 Series Voltage Converter, DC-DC, 12-24V, 5A	273.00	MobileView
MSS-DECAL	MobileView, Window Decal	7.80	MobileView
MSS-INSTALL	MobileView 4300 Series Retrofit Install Kit	104.00	MobileView
MV-12	12-inch B/W Monitor (Dual Input)	180.70	Monitors
MV-15S	15-inch B/W Monitor, Audio	263.90	Monitors
MVC-14S	14-inch Color Monitor, Audio	351.00	Monitors
MVC-15HS	15-inch High-Resolution Color Monitor, Audio	404.30	Monitors
MVC-17HS	17-inch High-Resolution Color Monitor	436.80	Monitors
	19-inch High-Resolution Color Monitor 19-inch High-Resolution Color Monitor, On-Screen Display, Rack Mountable		
MVC-19HR		989.30	Monitors Mohile View
MVQ-1002-25-00	MobileView 4, 250GB Spare Drive	812.50	MobileView MobileView
MVQ-1002-50-00	MobileView 4, 500GB Spare Drive	1430.00	MobileView
MVQ-3301-00-01	MobileView 4 GPS Antenna, Includes Vehicle Location License Fee	455.00	MobileView
MVQ-4005-03-00	Splice Kit for MobileView 3 Channel Monitor	58.50	MobileView
MVQ-4005-08-00	MobileView 4 Installation Kit - One per vehicle (8 Camera)	75.40	MobileView
	MobileView 4 Installation Kit - One per vehicle (12 Camera)	97.50	MobileView
MVQ-4005-12-00			MobileView
MVQ-4005-12-00 MVQ-4005-MP-00	MobileView 4 DVR Maintenance Plug	26.00	
	MobileView 4 DVR Maintenance Plug MobileView 4, OEM Harness, 8CH, BNC & Power	26.00 188.50	MobileView
MVQ-4005-MP-00 MVQ-4037-08-00	MobileView 4, OEM Harness, 8CH, BNC & Power	188.50	MobileView
MVQ-4005-MP-00 MVQ-4037-08-00 MVQ-4037-12-00	MobileView 4, OEM Harness, 8CH, BNC & Power MobileView 4, OEM Harness, 12CH, BNC & Power	188.50 221.00	MobileView MobileView
MVQ-4005-MP-00 MVQ-4037-08-00 MVQ-4037-12-00 MVQ-4038-08-00	MobileView 4, OEM Harness, 8CH, BNC & Power MobileView 4, OEM Harness, 12CH, BNC & Power MobileView 4, OEM Harness, 8CH, I/O	188.50 221.00 188.50	MobileView MobileView MobileView
MVQ-4005-MP-00 MVQ-4037-08-00 MVQ-4037-12-00 MVQ-4038-08-00 MVQ-4038-12-00	MobileView 4, OEM Harness, 8CH, BNC & Power MobileView 4, OEM Harness, 12CH, BNC & Power MobileView 4, OEM Harness, 8CH, I/O MobileView 4, OEM Harness, 12CH, I/O	188.50 221.00 188.50 221.00	MobileView MobileView MobileView MobileView
MVQ-4005-MP-00 MVQ-4037-08-00 MVQ-4037-12-00 MVQ-4038-08-00 MVQ-4038-12-00 MVQ-4400-50-00	MobileView 4, OEM Harness, 8CH, BNC & Power MobileView 4, OEM Harness, 12CH, BNC & Power MobileView 4, OEM Harness, 8CH, I/O MobileView 4, OEM Harness, 12CH, I/O MobileView 4 Digital Video Recorder (500GB)	188.50 221.00 188.50 221.00 7280.00	MobileView MobileView MobileView MobileView MobileView MobileView
MVQ-4005-MP-00 MVQ-4037-08-00 MVQ-4037-12-00 MVQ-4038-08-00 MVQ-4038-12-00	MobileView 4, OEM Harness, 8CH, BNC & Power MobileView 4, OEM Harness, 12CH, BNC & Power MobileView 4, OEM Harness, 8CH, I/O MobileView 4, OEM Harness, 12CH, I/O	188.50 221.00 188.50 221.00	MobileView MobileView MobileView MobileView

MVQ-7201-00-00	MobileView 5.6" LCD Monitor, 3 Channel, Switched Output	1137.50	MobileView
MVQ-7201-00-01	Accessories Kit for MobileView 3 Channel Monitor	58.50	MobileView
MVQ-CONV-12-24	MobileView Series Voltage Converter, DC-DC, 12-24V, 10A	494.00	MobileView
MVQ-CONV-37-24	MobileView Series Voltage Converter, DC-DC, 37-24V, 10A	1943.50	MobileView
MVQ-ENCL-RL-00	MobileView 4 Rail Enclosure	1033.50	MobileView
MV-RK-14/15	Rack-Mount Ears for 14-inch Color/15-inch B/W Monitor	48.10	Monitors
N805134	Egress Switch Kit	36.92	Wireless
N890043	Wiegand Black Turnstile Head Reader: Red LED. Allow 4 - 6 Weeks Lead Time for Ordering	427.04	Wireless
11090043	Wiegand Black Turnslie Head Reader. Red LED. Allow 4 - 6 Weeks Lead Time for Ordening	427.04	Wireless
NOOOAOE	Wissend Disab Cuits Cond Dander Dad Const. ED Maintenans Esta Vandal and Warther	220.04	Mindon
N890135	Wiegand Black Swipe Card Reader: Red/Green LED. Maintenance Free, Vandal and Weather	239.94	Wireless
	Resistant. Self-Contained Electronics		
N890176	Insertion Head Mounting Plate, Brass Finish. Allow 4 - 6 Weeks Lead Time for Ordering	46.15	Wireless
N890182	Key Head Mounting Plate, Chrome Finish. Allow 4 - 6 Weeks Lead Time for Ordering	28.42	Wireless
N890190	Swipe Head Mounting Plate: Allow 4 - 6 weeks lead time for ordering	23.09	Wireless
ND50-BR-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown, Bulk Pack	230.05	Sensors & Detectors
ND50-OW-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off-White, Bulk Pack	230.05	Sensors & Detectors
ND50-WH-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, White, Bulk Pack	230.05	Sensors & Detectors
ND5-BE-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Beige	29.46	Sensors & Detectors
ND5-BR-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, Brown	31.15	Sensors & Detectors
ND5-BR-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown	29.46	Sensors & Detectors
ND5-OW-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, Off-White	31.15	Sensors & Detectors
ND5-OW-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off-White	29.46	Sensors & Detectors
ND5-WH-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, White	31.15	Sensors & Detectors
ND5-WH-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, White	29.46	Sensors & Detectors
NX-002	X-Pand-a-Can for NX-4	16.99	NetworX
NX-003	X-Pand-a-Can for NX-6, NX-8 and NX-8E	22.48	NetworX
NX-003-C	UL Commercial Intrusion Enclosure	77.75	NetworX
NX-003-CB	Comm Metal Enclosure (for NX-8/8E), w/Cam Lock, No Tamper, Includes Stand-Offs	84.85	NetworX
NX-005	Tamper Switch and Bracket	3.87	NetworX
NX-005-C	Tamper Switch and Bracket for Commercial Cabinet	3.87	NetworX
NX-005-C	Set Of 5 Panic Button Cover-Up Labels for NX-100 Series Keypads	9.80	NetworX
NX-006		9.80	NetworX
	Set Of 5 Panic Button Cover-Up Labels for NX-148E Keypad		
NX-108E	8-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	55.11	NetworX
NX-108E-CC	8-Zone LED Keypad w/Coil Cord	62.66	NetworX
NX-116E	16-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	58.73	NetworX
NX-1192E	192-Zone LCD Keypad w/Door Euro Design. Swing-Down Door Conceals Controls. 6.2" W X 5.2" H	111.80	NetworX
	X 1.3" D, White		
NX-1192E-CC	192-Zone LCD Keypad w/Door and Coil Cord	119.25	NetworX
NX-1208E	8-Zone LED Keypad w/Door and Night Feature 4.5" W X 5.0" H X 0.9" D. Swing-Out Door Conceals	56.73	
INA-1206E		30.73	NetworX
	Controls. Away/Stay/Night Modes. Currently Only Compatible w/NX-8E, White		
NX-124E	24-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	62.66	NetworX
NX-124E-CC	24-Zone LED Keypad w/Coil Cord	70.20	NetworX
NX-1308E	8-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable	58.73	NetworX
	Door Conceals Controls, White		
NX-1308E-CC	8-Zone LED Slimline Keypad w/Fold-Down Door and Coil Cord	66.29	NetworX
NX-1316E	16-Zone LED Keypad w/Ooor Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down	62.66	NetworX
14X-1310L		02.00	Network
	Removable Door Conceals Controls, White		N . V
NX-1316E-CC	16-Zone LED Keypad w/Fold-Down Door and Coil Cord	70.20	NetworX
NX-1324E	24-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down	66.29	NetworX
	Removable Door Conceals Controls, White		
NX-1324E-CC	24-Zone LED Keypad w/Fold-Down Door and Coil Cord	73.83	NetworX
NX-1448E	Fixed English Keypad w/Fold-Down Door Euro Design. 192-Zones. 6.2" W X 5.2" H X 1.3" D. Swing-	68.43	NetworX
.0	Down Removable Door Conceals Controls, White	00.10	Tiother, t
NV 1449E CC		75.06	Notwork
NX-1448E-CC	Fixed English Keypad w/Fold-Down Door and Coil Cord	75.96	NetworX
NX-148E	192-Zone LCD Keypad w/Door 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals	123.05	NetworX
	Controls, White		
NX-148E-CC	192-Zone LCD Keypad w/Fold-Down Door and Coil Cord	130.59	NetworX
NX-148E-RF	192-Zone Prog LCD Keypad w/Int 48-Zone Wireless Receiver	125.49	NetworX
NX-1508E	8-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down	57.42	NetworX
	Removable Door Conceals Controls. Includes Trim Piece, White		
NX-1516E	16-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down	61.41	NetworX
TAX TOTOL		01.41	INCLINOIN
NV 1700E	Removable Door Conceals Controls. Includes Trim Piece, White	170 45	Network
NX-1700E	Smart Reader. The NX-1700E is a cost-effective prox card reader/door control module that expands	179.15	NetworX
	the capabilities of NetworX control. Up to 15 readers can be connected to a NX-8 and 8E, up to 3		
	on NX-6, up to 2,500 feet away. Uses prox cards/keyfobs		
NX-1705E	Smart Card	7.16	NetworX
NX-1706E	Smart Fob	7.16	NetworX
NX-1710E	Single Door Control Module. Enables NetworX panels to interface with Wiegand readers. The NX-	136.16	NetworX
	1710E supports up to two readers and one door. Panels support a max of 8 modules. Features	100.10	
NIV 000	include: event log, scheduling, flash memory, & on-board relay	0.4-	Natural
NX-200	Zone Doubling Resistor Kit Allows Doubling of the Panel'S On-Board Hardwire Capacity. Includes	9.45	NetworX
	100 3.74 K and 100 6.98 K Ohm Resistors		
NX-208E	Two-Wire Smoke Sensor Expander Module the NX-208E is a Microprocessor Controlled 2-Wire	89.14	NetworX
	Smoke Expander for the NX-6, NX-8, NX-8E, NX-8-CF and NX-8E-CF Control Panels. One NX-		
	208E Module Can Be Added to the NX Control Panel w/a Maximum-Zone Count of 8-Zone		
NX-216	16-Zone Expander Module, NX Panels Microprocessor Controlled 8-16-Zone Hardwire Expander	45.12	NetworY
IAV-₹ IΩ		40.12	NetworX
	Module for NX Panels. Maximum-Zone Count of 48. Can Be Mounted Up to 2500' From the Control		
	Panel		
NX-216E	16-Zone Expander Module, NX-8E Microprocessor Controlled 8-16-Zone Hardwire Expander	80.31	NetworX
	Module for the NX-8E. Maximum-Zone Count of 192. Can Be Mounted Up to 2500' From the		
	Control Panel		
NX-2192E	the Pinpoint Interface Card Attaches to the NX-8E Control Panel. Supports Up to 192 Addressable	71.59	NetworX
U. 21022	Devices On a Two-Mile Loop. Supports Two Class B Loops and One Class A Loop	71.55	
	201.000 Off a 1 wo willo book. Oupporto 1 wo olago o books and Offe Olass A book		
NV 200F	Out of Demand County and Day End of Day 1 Day 2	70.00	Natural
NX-320E	Smart Power Supply and Bus Extender Remote Power Supply. 3 Programmable Outputs and 1	73.98	NetworX
	Dedicated Bell Output. Allows a Longer Data Bus Wire Run and Gives More Power to the Panel		
	(Panel Limits Apply)		

NX-4	NX-4 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	36.30	NetworX
NX-400	Wireless Kit 1: Includes (1) NX-408E Wireless Expansion Module, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	203.58	NetworX
NX-401	Wireless Kit 2: (1) NX-408E Wireless Expansion Module, (2) SAW Door/Window Sensors and (1) 4- Button SAW Keychain Touchpad	156.42	NetworX
NX-405	Wireless Kit 3: Includes (1) NX-416E Wireless Expansion Module and (5) SAW Door/Window Sensors	259.87	NetworX
NX-450	SAW Door/Window Sensor. Protects Anything That Opens and Closes. Includes Terminal Block, White	42.52	NetworX
NX-451	SAW Door/Window Sensor, Brown	42.52	NetworX
NX-452	Slim Line Door/Window Sensor. Use In Applications Where Space is Limited, Such as Narrow	53.14	NetworX
NX-453	Casements and Window Frames, White Slim Line Door/Window Sensor, Brown	53.14	NetworX
NX-454	Micro Door/Window Sensor. Protects Anything That Opens and Closes. Small Size and Low Profile	46.76	NetworX
	Offer Maximum Flexibility In Installations Where Space is Limited, White		
NX-455	Micro Door/Window Sensor, Brown	46.76	NetworX
NX-458	Recessed Micro Door/Window Sensor. Protects Doors and Windows Where the Sensor Must Be Concealed. Must Be Returned to GE Security for Battery Replacement, White	51.05	NetworX
NX-460	SAW Sensor Spacer, White, 20-Pack	7.83	NetworX
NX-461	SAW Sensor Spacer, Brown, 20-Pack	7.83	NetworX
NX-462-25PKG	SAW Sensor Magnet Spacer, White, 25-Pack	7.83	NetworX
NX-464-10PKG	SAW Door/Window Sensor Terminal Block. Terminal Block Included w/Sensor, 10-Pack	12.44	NetworX
NX-470	SAW 4-Button Keychain Touchpad Provides Portable Control of the Security System. LED Confirms RF Transmission. Recessed Buttons Help Prevent False Alarms. Light Control Capability. Includes Battery	39.68	NetworX
NX-474	Crystal Micro Wristwatch Panic Button. A Wireless Device Used for Activating Medical Alarms. Can Be Worn On the Wrist Like a Watch, Clipped On a Belt, Used as a Pendant or Mounted On the Wall. Water-Resistant to 3 Feet. Battery Included	54.02	NetworX
NX-475	Water-Resistant Pendant Panic Sensor. Allows a Person to Wear a Sensor That Can Activate a Panic Alarm. Can Be Worn Around Neck or Can Be Clipped to a Belt Or Purse. Recessed Panic Button Prevents False Alarms	52.46	NetworX
NX-480	Indoor SAW PIR Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. 35' X 40' Coverage Area. Masking Kit Included. Optional Pet Alley Lens Available	112.11	NetworX
NX-481	Indoor SAW PIR Pet Immune Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area	103.47	NetworX
NX-482	AP750W Wireless PIR Motion Sensor Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field-Selectable. 33' Or 50' Coverage Area. Cover- Activated Tamper	120.22	NetworX
NX-485	PIR Pet Alley Lens/Mask Kit for NX-480, 3-Pack	11.75	NetworX
NX-487	Adjustable Dual Technology Sound Sensor Responds to Frequencies Generated By Breaking	135.10	NetworX
NX-488	Glass. 360° Room Coverage, Up to 25' Away. Adjustable Flex Sensitivity ShatterPro Wireless Crystal Glassbreak Sensor. Responds to Frequencies Generated By Breaking Glass. 360° Room Coverage, Up to 20' Away. Pattern Recognition Technology Ignores Most False	101.31	NetworX
NX-497	Alarm Sounds Crystal Carbon Monoxide Gas Sensor. Detects hazardous levels of carbon monoxide gas. When gas is detected, an alarm signal is sent to the panel, an internal siren sounds & a red light comes on. Green light indicates detector is functioning properly.	127.65	NetworX
NX-4-FP	NX-4 Fastpack w/NX-1308E Keypad Fastpack Includes NX-4 Panel, NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	135.01	NetworX
NX-4-FP-1	NX-4 Fastpack w/NX-108E Keypad Fastpack Includes NX-4 Panel, NX-108E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	132.13	NetworX
NX-4-FP-12	NX-4 Fastpack w/NX-1508E Keypad Fastpack Includes NX-4 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	152.72	NetworX
NX-4-FP-LM	NX-4 Fastpack w/NX-1308E Keypad Less Motion Sensor Fastpack Includes NX-4 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	113.89	NetworX
NX-4-KIT	NX-4 Kit w/NX-108E Keypad and Transformer Kit Includes NX-4 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer	92.77	NetworX
NX-4-KIT-12	NX-4 Kit w/NX-1508E Keypad and Transformer Kit Includes NX-4 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer	94.38	NetworX
NX-4-KIT-4	NX-4 Kit w/NX-1308E Keypad and Transformer Kit Includes NX-4 Panel, NX-1308E LED Keypad and 16.5VAC, 40VA Transformer	95.63	NetworX
NX-4-KIT-4-LX	NX-4 Kit w/NX-1308E Keypad Less Transformer Kit Includes NX-4 Panel, NX-1308E LED Keypad. Transformer Not Included	91.34	NetworX
NX-4-KIT-7	NX-4 Kit w/NX-148E Keypad and Transformer Kit Includes NX-4 Panel, NX-148E LCD Keypad and 16.5VAC, 40VA Transformer	157.47	NetworX
NX-4-KIT-7-RF NX-4-KIT-8	NX-4 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer NX-4 Kit w/NX-1448E Keypad and Transformer Kit Includes NX-4 Panel, NX-1448E Fixed English Keypad and 16.5VAC, 40VA Transformer	164.63 106.89	NetworX NetworX
NX-4-KIT-APT	NX-4 Kit w/Apartment Software Kit Includes NX-4 Panel w/Apartment Software, NX-108E LED Keypad and 16.5VAC, 40VA Transformer	100.02	NetworX
NX-4-KIT-LX	NX-4 Kit wNX-108E Keypad Less Transformer Kit Includes NX-4 Panel and NX-108E LED Keypad. Transformer Not Included	88.40	NetworX
NX-507E	Seven Relay Expander Module 7 Relay Outputs, 1 Open Collector Output and 8 X10 Outputs	79.26	NetworX
NX-508E	8-Zone Output Module 8 Open Collector Outputs and 8 X10 Outputs. Built-In Parallel Interface for Local Printouts	75.49	NetworX
NX-534E	Two-WayVoice Module Allows A Central Station Operator to Monitor the Customer'S Premises for Listen-In Purposes or for Basic Two-WayVoice Communication. Includes Speaker and Microphone	66.29	NetworX
NX-534-WH	NX-534 Wiring Harness w/12" Leads for NX-534	2.00	NetworX

NX-540E	"Operator II" Telephone Interface Module Converts Any Touch-Tone Telephone to a System Keypad and Allows System Functions to Be AccessedVia Telephone On Premises or Off-Site. ProvidesVoice Prompts	95.85	NetworX
NX-548E	NetworX NX-548E Receiver	65.88	NetworX
NX-569 NX-582E	NX-548E Receiver Enclosure Kit AES Long Range Radio Interface Module Microprocessor-Controlled AES Radio Interface. Allows Any or All Events to Be ReportedViaVArious AES Radio Modes	9.23 47.57	NetworX NetworX
NX-582-WIRINGHARNESS NX-584E	Wiring Harness for AES Interface 12' Long Home Automation Interface Module w/RS-232 Provides a Standard RS-232 Bi-Directional DB-9 Connector for Connection to a Home Automation Host System. Programmable Levels of Security.	24.14 71.50	NetworX NetworX
NX-586E	Selectable Baud Rate and Communication Protocol Quiklink Direct Connect. Allows a connection from a serial port on a computer to a NetworX bus & provides a faster download of the NetworX system, compared to using a modem. Also has the capability to store 4 panel accounts into its memory	62.80	NetworX
NX-587E	Virtual Keypad Module the NX-587EVirtual Keypad Allows Any Remote System to Use RS-232 to Communicate w/a NetworX Control Panel	78.83	NetworX
NX-588E NX-590E	Direct Link Programming, Flash Tool Network Module. The NX-590E Network Ethernet Module and Osborne-Hoffman Network Receiver provide a new level of speed, supervision and email communication to any existing or new NX control panel line via broadband and Internet monitoring	78.00 283.14	NetworX NetworX
NX-591E-GSM	NetworX Wireless GSM Module	273.00	NetworX
NX-592E-GSM	NetworX Wireless Alarm.com GSM Module	286.59	NetworX
NX-6	NX-6 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	54.43	NetworX
NX-616-FP	NX-6 Fastpack w/NX-1316E Keypad and Accessories. Fastpack Includes NX-6 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	163.35	NetworX
NX-648-KIT NX-650	NX-6 Kit w/NX-148E Keypad and Transformer Includes NX-6 Panel, NX-148E LCD Keypad, 16.5VAC, 40VA Transformer Stageted Creates Describing Spacer, Protects Aputhing That Opens and Clases, Built In Terminal	177.88 46.76	NetworX
NX-651	Standard Crystal Door/Window Sensor. Protects Anything That Opens and Closes. Built-In Terminal Strip for Hardwire Contacts, White Standard Crystal Door/Window Sensor, Brown	46.76	NetworX NetworX
NX-652	Long-Life Door/Window Sensor. Estimated 20-Year Battery Life. Protects Anything That Opens and Closes. Built-In Terminal Strip for Hardwire Contacts. Battery Includes a 10-Year Warranty. Must Be Returned to GE Security for Battery Replacement, White	51.05	NetworX
NX-653 NX-656	Long-Life Door/Window Sensor, Brown Glass Guard Crystal Sensor. Mounts Directly On Glass. 5' Sensitivity Radius. Adheres to Glass Being Protected. Built-In Terminal Strip, White	51.05 62.53	NetworX NetworX
NX-657 NX-658	Glass Guard Crystal Sensor, Brown Crystal Freeze Sensor. Detects Furnace Failure By Signaling the Panel When Air Temperature	62.53 59.40	NetworX NetworX
107 aaa aabiro	Falls Below 45° F. Monitors Up to 900 Sq. Ft, White		N : V
NX-660-20PKG NX-667	Crystal Sensor Spacer, White, 20-Pack Crystal Shock Sensor, White. Sensor has 3 main functions: detect the vibrations made by an intruder trying to break a window/door; detect a window/door opening; detect tamper situations. Includes internal shock detector & cover tamper	7.83 71.33	NetworX NetworX
NX-668 NX-695	Crystal Shock Sensor, Brown SAW Water Sensor. Detects Water Leaks In Homes and Businesses. Consists of A Detector and a Transmitter	71.33 62.53	NetworX NetworX
NX-6-BO-FG	NX-6 Board Only	49.22	NetworX
NX-6-FP	NX-6 Fastpack w/NX-1308E Keypad Includes NX-6 Panel, NX-1308E LED Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	149.53	NetworX
NX-6-FP-1	NX-6 Fastpack w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	146.20	NetworX
NX-6-FP-12	NX-6 Fastpack w/NX-1508E Keypad Fastpack Includes NX-6 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	170.87	NetworX
NX-6-FP-13	NX-6 Fastpack w/NX-1516E Keypad Fastpack Includes NX-6 Panel, NX-1516E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	174.69	NetworX
NX-6-FP-4-LM	NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	140.00	NetworX
NX-6-FP-4-LM-1	NX-6 Reg, Fastpack w/NX-1308E LED Keypad, Battery, RJ Cord and Block, Transformer, Less PI6000	135.69	NetworX
NX-6-FP-4-LM-LC NX-6-FP-7	NX-6 Fastpack w/NX-1308E LED Keypad, Battery, RJ Cord and Block, Speaker NX-6 Fastpack w/NX-148E Keypad Includes NX-6 Panel, NX-148E LCD Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	130.81 233.96	NetworX NetworX
NX-6-FP-7-RF	NX-6 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, PI6000 PIR, B-1245 Battery	241.12	NetworX
NX-6-FP-8	NX-6 Fastpack w/NX-1448E Keypad Includes NX-6 Panel, NX-1448E Fixed English Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	164.83	NetworX
NX-6-FP-8-AP100	NX-6 Fastpack w/AP100PI PIR. Includes NX-6 Panel, NX-1448E Fixed English Keypad, T-001 Transformer, AP100PI PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	164.83	NetworX
NX-6-FP-8-LM	NX-6 Fastpack w/NX-1448E Keypad, Less Motion Sensor Includes NX-6 Panel, NX-1448E Fixed English Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	146.32	NetworX
NX-6-FP-9	NX-6 Fastpack w/NX-1192E Keypad Includes NX-6 Panel, NX-1192E LCD Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	223.13	NetworX
NX-6-FP-9-LM	NX-6 Fastpack w/NX-1192E Keypad, Less Motion Sensor Includes NX-6 Panel, NX-1192E LCD Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	201.64	NetworX
NX-6-FP-LM	NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX-108E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	136.46	NetworX

NX-6-FP-LM-APT	NX-6 Fastpack with NX-1308E Keypad and Apartment Software, less Motion Sensor. Includes: NX-6 panel with apartment software, NX-1308E LED keypad, 16.5 VAC, 40 VA transformer, 12V 4Ah backup battery, 15 Watt interior speaker, RJ block and cord	145.89	NetworX
NX-6-KIT	NX-6 Kit w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer	112.49	NetworX
NX-6-KIT-12	NX-6 Kit w/NX-1508E Keypad and Transformer Includes NX-6 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer	112.53	NetworX
NX-6-KIT-12-LX	NX-6 Kit w/NX-1508E Keypad, Less Transformer. Includes NX-6 Panel and NX-1508E Slimline LED	106.61	NetworX
NX-6-KIT-4	Keypad. Transformer Not Included NX-6 Kit w/NX-1308E Keypad and Transformer Includes NX-6 Panel, NX-1308E LED Keypad,	113.78	NetworX
NX-6-KIT-4-LX	16.5VAC, 40VA Transformer NX-6 Kit w/NX-1308E Keypad, Less Transformer Includes NX-6 Panel, NX-1308E LED Keypad.	106.61	NetworX
NX-6-KIT-7-RF	Transformer Not Included NX-6-Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	185.04	NetworX
NX-6-KIT-7-RF-LX	NX-6 Kit w/NX-148E-RF Keypad No Transformer	177.88	NetworX
NX-6-KIT-8	NX-6 Kit w/NX-1448E Keypad and Transformer Includes NX-6 Panel, NX-1448E Fixed English	129.04	NetworX
NX-6-KIT-8-LX	Keypad and 16.5VAC, 40VA Transformer NX-6 Kit w/NX-1448E Keypad Less Transformer Includes NX-6 Panel, NX-1448E Fixed English Keypad. Transformer Not Included	121.86	NetworX
NX-6-KIT-9	NX-6 Kit w/NX-1192E Keypad and Transformer Includes NX-6 Panel, NX-1192E LCD Keypad and	164.80	NetworX
NX-6-KIT-APT	16.5VAC, 40VA Transformer NX-6 Kit w/NX-108E Keypad and Apartment Software Includes NX-6 Panel w/Apartment Software,	112.49	NetworX
NX-6-KIT-LX	NX-108E LED Keypad and 16.5VAC, 40VA Transformer NX-6 Kit w/NX-108E Keypad Less Transformer Includes NX-6 Panel and NX-108E LED Keypad.	108.13	NetworX
NIV 700	Transformer Not Included	40.00	N A V
NX-700 NX-701	RF Sniffer Installation Tool Used to Determine if a Wireless Sensor is Transmitting Quik Bridge Supervised 1-Channel Receiver Enables the Use of Up to 2 Wireless Sensors (2 Per	46.89 32.90	NetworX NetworX
100.701	Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	02.00	THOUSE A STATE OF THE STATE OF
NX-702	Quik Bridge Non-Supervised 2-Channel Receiver Enables the Use of Up to 4 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	36.34	NetworX
NX-707 NX-8	Repeater Kit 319.5, w/Crystal Transmitter NX-8 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer	243.58 86.96	NetworX NetworX
NX-816-FP	Sold Separately NX-8 Fastpack w/NX-1316E Keypad. Includes NX-8 Panel, NX-1316E LED Keypad, Hardwire Pet-	200.81	NetworX
	Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord		
NX-816-KIT	NX-8 Kit w/NX-116E Keypad and Transformer Kit Includes NX-8 Panel, NX-116E LED Keypad, 16.5VAC, 40VA Transformer	148.79	NetworX
NX-824-FP	NX-8 Fastpack w/NX-1324E Keypad. Includes NX-8 Panel, NX-1324E LED Keypad, Hardwire Pet- Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	211.90	NetworX
NX-824-KIT	NX-8 Kit w/NX-124E Keypad and Transformer Kit Includes NX-8 Panel, NX-124E LED Keypad, 16.5VAC, 40VA Transformer	152.27	NetworX
NX-848E-KIT	NX-8E Kit w/NX-148E Keypad and Transformer Kit Includes NX-8E Panel, NX-148E LCD Keypad,	251.42	NetworX
NX-848-FP	16.5VAC, 50VA Transformer NX-8 Fastpack w/NX-148E Keypad. Includes NX-8 Panel, NX-148E LCD Keypad, Hardwire Pet- Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	239.34	NetworX
NX-848-KIT	NX-8 Kit w/NX-148E Keypad and Transformer Kit Includes NX-8 Panel, NX-148E LCD Keypad,	199.59	NetworX
NX-848-KIT-LX	16.5VAC, 40VA Transformer NX-8 Kit w/NX-148E Keypad, Less Transformer. Kit Includes NX-8 Panel, NX-148E LCD Keypad. Transformer Not Included	192.43	NetworX
NX-8-BO-FG	Board Only	82.02	NetworX
NX-8-CB	NX-8 Control Panel, Commercial BurglaryVersion Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	161.86	NetworX
NX-8E	NX-8E Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	131.61	NetworX
NX-8E-BO-FG	NX-8E Board Only	125.81	NetworX
NX-8E-CB	NX-8E Control Panel, Commercial BurglaryVersion Includes Owner's Manual and Installation	210.98	NetworX
NX-8E-CB-KIT-7	Instructions. Keypad and Transformer Sold Separately NX-8E Kit w/NX-8E-BO-FG, NX-003-CB Enclosure, NX-148E LCD Keypad, T-0001 Transformer	304.55	NetworX
NX-8E-FP-7	NX-8E Fastpack w/NX-148E Keypad Fastpack Includes NX-8E Panel, NX-148E LCD Keypad,	311.14	NetworX
02	Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	01	, totalon
NX-8E-FP-7-AP100	NX-8E Fastpack w/AP100Pl PIR. Includes NX-8 Panel, NX-148E Fixed English Keypad, T-001 Transformer, AP100Pl PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	311.14	NetworX
NX-8E-FP-7-LM	NX-8E Fastpack with NX-148E Keypad, less Motion Sensor. Fastpack includes NX-8E panel, NX- 148E LCD keypad, hardwire Pet PIR Motion, 16.5 VAC, 50 VA transformer, 12 V 4 Ah backup battery, 15 Watt interior speaker, RJ block and cord	285.34	NetworX
NX-8E-FP-7-RF	NX-8E Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer,Pl6000 PIR, B-1245 Battery, 5- 0001 Speaker, RJ Block and Cord	318.31	NetworX
NX-8E-FP-8	NX-8E Fastpack w/NX-1448E Keypad Fastpack Includes NX-8E Panel, NX-1448E Fixed English Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	240.59	NetworX
NX-8E-FP-9	NX-8E Fastpack w/NX-1192E Keypad Fastpack Includes NX-8E Panel, NX-1192E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	300.33	NetworX
NX-8E-KIT-11	NX-8E Kit w/NX-1248E Keypad and Transformer Kit Includes NX-8E Panel, NX-1248E LCD Keypad, 16.5VAC, 50VA Transformer	279.08	NetworX
NX-8E-KIT-15-SP	Security Pro NX-8E Package w/NX-1648E-SP Keypad and Transformer: NX-8E Control, NX-1648E- SP Security Pro Labeled Keypad and Transformer	239.46	Security Pro
NX-8E-KIT-7-RF	NX-8E Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	258.58	NetworX
NX-8E-KIT-8	NX-8E Kit w/NX-1448E Keypad and Transformer Kit Includes NX-8E Panel, NX-1448E Fixed English Keypad, 16.5VAC, 50VA Transformer	201.80	NetworX

NX-8E-KIT-9-LX	NX-8E Kit w/NX-1192E Keypad, Less Transformer Kit Includes NX-8E Panel and NX-1192E LCD	237.68	NetworX
NV OF DILICAC	Keypad. Transformer Not Included	044.05	Natural
NX-8E-PLUS16	NX-8E Kit w/16-Zone Wireless Receiver Kit Includes NX-8E Panel and NX-416E 16-Zone Wireless Expansion Module. Transformer and Battery Sold Separately	214.85	NetworX
NX-8-FP	NX-8 Fastpack w/NX-1308E Keypad. Includes NX-8 Panel, NX-1308E LED Keypad, Hardwire Pet-	200.81	NetworX
	Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord		
NX-8-FP-5	NX-8 Fastpack w/NX-1316E Keypad. Includes NX-8 Panel, NX-1316E LED Keypad, Hardwire Pet-	200.81	NetworX
	Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord		
NIV 0 ED 7 DE	NV 0 F4	040.54	Natural
NX-8-FP-7-RF	NX-8 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, PI6000 PIR, B-1245 Battery, 5- 0001 Speaker, RJ Block and Cord	246.51	NetworX
NX-8-FP-8	NX-8 Fastpack w/NX-1448E Keypad Includes NX-8 Panel, NX-1448E Fixed English Keypad,	201.80	NetworX
	Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and		
NX-8-FP-8-AP100	Cord NX-8 Fastpack w/AP100Pl PIR. Includes NX-8 Panel, NX-1448E Fixed English Keypad, T-001	201.80	NetworX
10.011 0711 100	Transformer, AP100PI PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	201.00	THE THE THE THE THE THE THE THE THE THE
NX-8-FP-8-LM	NX-8 Fastpack w/NX-1448E Keypad, Less Motion Sensor Includes NX-8 Panel, NX-1448E Fixed	171.25	NetworX
	English Keypad, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord. Motion Sensor Not Included		
NX-8-FP-9	NX-8 Fastpack w/NX-1192E Keypad Includes NX-8 Panel, NX-1192E Fixed English Keypad,	228.51	NetworX
	Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and		
NX-8-IC	Cord NX-8 Control Panel, Canada Approved Includes Owner's Manual and Installation Instructions.	92.90	NetworX
147-0-10	Keypad and Transformer Sold Separately	32.30	Network
NX-8-IC-FC	NX-8 Control Panel, French Canadian. Includes Owner's Manual and Installation Instructions.	91.73	NetworX
NX-8-KIT	Keypad and Transformer Sold Separately NX-8 Kit w/NX-108E Keypad and Transformer. Kit Includes NX-8 Panel, NX-108E LED Keypad,	145.02	NetworX
INV-0-VII	16.5VAC, 40VA Transformer 16.5VAC, 40VA Transformer	145.02	INGLWUIA
NX-8-KIT-12	NX-8 Kit w/NX-1508E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1508E Slimline LED	145.04	NetworX
NIV 0 IZIT 2 I V	Keypad, 16.5VAC, 40VA Transformer	145.00	Network
NX-8-KIT-2-LX	NX-8 Kit w/NX-116E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-116E LED Keypad. Transformer Not Included	145.93	NetworX
NX-8-KIT-4	NX-8 Kit w/NX-1308E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1308E LED Keypad,	156.99	NetworX
	16.5VAC, 40VA Transformer		
NX-8-KIT-4-LX	NX-8 Kit w/NX-1308E Keypad, Less Transformer. Kit Includes NX-8 Panel and NX-1308E LED Keypad. Transformer Not Included	149.83	NetworX
NX-8-KIT-5	NX-8 Kit w/NX-1316E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1316E LED Keypad,	161.95	NetworX
	16.5VAC, 40VA Transformer		
NX-8-KIT-7-RF NX-8-KIT-7-RF-LX	NX-8 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer NX-8 Kit-w/NX-148E-RF Keypad and No Transformer	206.75 199.59	NetworX NetworX
NX-8-KIT-8	NX-8 Kit w/NX-1448E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1448E Fixed English	163.44	NetworX
	Keypad, 16.5VAC, 40VA Transformer		
NX-8-KIT-8-LX	NX-8 Kit w/NX-1448E Keypad, Less Transformer. Kit Includes NX-8 Panel, NX-1448E Fixed English	159.13	NetworX
NX-8-KIT-9	Keypad. Transformer Not Included NX-8 Kit w/NX-1192E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1192E LCD Keypad,	197.31	NetworX
	16.5VAC, 40VA Transformer		
NX-8-KIT-LX	NX-8 Kit w/NX-108E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-108E LED	140.66	NetworX
OH2000E-UPGRADE	Keypad. Transformer Not Included OH2000E Upgrade for OH2000 (Factory Installed)	1433.25	NetworX
OH-NETREC-100	OH Network Receiver License Software, 100	354.89	NetworX
OH-NETREC-1000	OH Network Receiver License Software, 1000	709.79	NetworX NetworX
OH-NETREC-D OH-NETREC-R	OH Network Receiver Desktop OH Network Receiver Rackmount	6449.63 7166.25	NetworX
OH-NETREC-SOFTWARE	OH Network Receiver License Software, 10000	4299.75	NetworX
OM-DEMO-44	Demo Package	247.00	Omnicast 4.4
OM-DVD-44 OM-E-1000F-44	DVD Copy of the Software (Including Shipping and Handling) 1000 Federated Cameras	97.50 25476.02	Omnicast 4.4 Omnicast 4.4
OM-E-100AA-44	100 Recording Cameras for Auxiliary Archiver	3067.08	Omnicast 4.4
OM-E-100DS-44	100 Direct Show Connections	8160.02	Omnicast 4.4
OM-E-100F-44 OM-E-100PLUS-44	100 Federated Cameras 1 Camera Connection (100 Cameras and More)	3067.08 282.95	Omnicast 4.4 Omnicast 4.4
OM-E-10DS-44	10 Direct Show Connections	1029.91	Omnicast 4.4
OM-E-10VWCT-44	10 Clients Cottus Viewer	1437.35	Omnicast 4.4
OM-E-1A100-44 OM-E-1A15-44	100 Camera/25 Tbyte Archiver (Camera Connections Not Included) 15 Camera/25 Tbyte Archiver (Camera Connections Not Included)	3067.08 464.02	Omnicast 4.4 Omnicast 4.4
OM-E-1A10-44	200 Camera/25 Tbyte Archiver (Camera Connections Not Included)	6122.84	Omnicast 4.4
OM-E-1A25-44	25 Camera/25 Tbyte Archiver (Camera Connections Not Included)	622.47	Omnicast 4.4
OM-E-1A300-44	300 Camera/25 Tbyte Archiver (Camera Connections Not Included)	9178.61	Omnicast 4.4 Omnicast 4.4
OM-E-1A50-44 OM-E-1A5-44	50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 316.89	Omnicast 4.4
OM-E-1A75-44	75 Camera/25 Tbyte Archiver (Camera Connections Not Included)	2455.93	Omnicast 4.4
OM-E-1ACS-44	1 Access Control Interface	260.31	Omnicast 4.4
OM-E-1AU100-44 OM-E-1AU50-44	1 100Plus Tbyte Archiver Upgrade 1 50 Tbyte Archiver Upgrade	7650.73 4085.67	Omnicast 4.4 Omnicast 4.4
OM-E-1CST-44	1 Additional Directory License for Windows Clustering Support	1539.20	Omnicast 4.4
OM-E-1DSF-44	1 Direct Show Connection	135.81	Omnicast 4.4
OM-E-1DV-44 OM-E-1FA100-44	1 DVR Camera Input 100 Camera/25 Tbyte Failover Archiver (Includes Archiver License)	147.13 4085.67	Omnicast 4.4 Omnicast 4.4
OM-E-1FA200-44	200 Camera/25 Tbyte Failover Archiver (Includes Archiver License)	8669.32	Omnicast 4.4
OM-E-1FA25-44	25 Camera/25 Tbyte Failover Archiver (Includes Archiver License)	1641.06	Omnicast 4.4
OM-E-1FA300-44 OM-E-1FA50-44	300 Camera/25 Tbyte Failover Archiver (Includes Archiver License) 50 Camera/25 Tbyte Failover Archiver (Includes Archiver License)	11725.08 2557.79	Omnicast 4.4 Omnicast 4.4
OM-E-1FA75-44	75 Camera/25 Tbyte Failover Archiver (Includes Archiver License)	3474.52	Omnicast 4.4
OM-E-1FED-44	1 Federated Directory	260.31	Omnicast 4.4
OM-E-1FES-44 OM-E-1FOD-44	1 Federation Server 1 Failover Directory Server	520.61	Omnicast 4.4
OM-E-1FOU-44	1 Virtual Matrix Failover (Incl. Virtual Matrix)	1029.91 1539.20	Omnicast 4.4 Omnicast 4.4
	1 Hardware Matrix Connection	1539.20	Omnicast 4.4

OM-E-1IOS-44 OM-E-1KAA-44	1 Iomniscient Camera (Need to Order DSF Separately)	101.86	Omnicast 4.4
	1000 Recording Cameras for Auxiliary Archiver	25476.02	Omnicast 4.4
OM-E-1KEY-44	1 Keyboard Connection	260.31	Omnicast 4.4
OM-E-1MDE-44	1 Metadata Engine	1539.20	Omnicast 4.4
OM-E-10GW-44	1 Omnicast Gateway	1029.91	Omnicast 4.4
OM-E-1OV-44	1 Object Video Camera (Need to Order DSF Separately)	101.86	Omnicast 4.4
OM-E-1PHRS-44	1 Hirsch Velocity Plugin	5104.26	Omnicast 4.4
OM-E-1PIOM-44	1 Iomniscient Plugin	260.31	Omnicast 4.4
OM-E-1PLUS-44	1 Camera Connection (49 Cameras Or Less)	339.53	Omnicast 4.4
OM-E-1POBV-44	1 Object Video Plugin	260.31	Omnicast 4.4
OM-E-1PPFT-44	1 Ge Picture Perfect Plugin	5104.26	Omnicast 4.4
OM-E-1PRBH-44	1 Rbh Axiomv Plugin	5104.26	Omnicast 4.4
OM-E-1PSWM-44	1 Micropoint Plugin	5104.26	Omnicast 4.4
OM-E-1PVRX-44	1 Verex Monitor XI Plugin	5104.26	Omnicast 4.4
OM-E-1RSA-44	1 Auxiliary Archiver	1029.91	Omnicast 4.4
	1 Sdk Connection		Omnicast 4.4
OM-E-1S-44		260.31	
OM-E-1SHP-44	1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Mde)	520.61	Omnicast 4.4
OM-E-1STU-44	Site License for Client/User Connections	10197.20	Omnicast 4.4
OM-E-1U-44	1 Client/User Connection	260.31	Omnicast 4.4
OM-E-1VM-44	1 Virtual Matrix	1029.91	Omnicast 4.4
OM-E-500PLUS-44	1 Camera Connection (500 Cameras and More)	260.31	Omnicast 4.4
OM-E-50AA-44	50 Recording Cameras for Auxiliary Archiver	1663.69	Omnicast 4.4
OM-E-50DS-44	50 Direct Show Connections	4594.97	Omnicast 4.4
OM-E-50F-44	50 Federated Cameras	1663.69	Omnicast 4.4
OM-E-50PLUS-44	1 Camera Connection (99 Cameras Or Less)	316.89	Omnicast 4.4
OM-E-5VWCT-44	5 Clients Cottus Viewer	928.04	Omnicast 4.4
OM-E-ACD-44	Active Directory Integration	1946.63	Omnicast 4.4
OM-E-AVW-44	Barco Transform a Video Wall Plugin	7209.35	Omnicast 4.4
OM-E-BASE-44	Omnicast Enterprise Soft. Incl.: One 75 Camera/25Tb Archiver (On Directory Machine, Camera	6122.84	Omnicast 4.4
	Licenses Not Included) 1 Gateway 8 Camera Connections 4 Client/User Conns. Maps/Procedures		
	Camera Sequences Audio Supp. Web Pack 1 Virtual Matrix		
OM-E-CB-44	Camera Blocking	2048.49	Omnicast 4.4
OM-E-CZE-44	Support for Czech	NC	Omnicast 4.4
	[-11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
OM-E-DUT-44	Cupport for Dutch	NO	Omnigget 4.4
OM-E-DU1-44	Support for Dutch	NC	Omnicast 4.4
OM-E-FOE-44	Unit Failover	1844.78	Omnicast 4.4
OM-E-GER-44	Support for German	NC	Omnicast 4.4
OM E OEK 44	Support for Comman	140	Ommodot 4.4
OM-E-HVW-44	Barco Transform H Video Wall Plugin	2161.67	Omnicast 4.4
OM-E-ITA-44	Support for Italian	NC	Omnicast 4.4
OM-E-JAP-44	Support for Japanese	NC	Omnicast 4.4
OW-E-SAI -44	Support for Supuriese	140	Offilioast 4.4
OM-E-POR-44	Support for Portuguese	NC	Omnicast 4.4
OM-E-PRLV-44	Remote Live Viewer	1029.91	Omnicast 4.4
OM-E-REP-44	Database Reporting	1539.20	Omnicast 4.4
OM-E-SLO-44	Support for Slovak	NC	Omnicast 4.4
OM-E-SNMP-44	1 Snmp Traps Plugin	1029.91	Omnicast 4.4
OM-E-SPA-44	Support for Spanish	NC	Omnicast 4.4
O 2 O. 71 11	обрымо.		Similodot ii i
OM-E-UP100-44	Upgrade Base Package to 100/25 Tbyte Camera Archiver	622.47	Omnicast 4.4
	opgrade base i delage to 100/20 lb) to camera / nomice	022.77	
OM-E-VIRT-44	Support for Virtualization	1539.20	Omnicast 4.4
OM-E-VIRT-44 OM-P-1A15-44	Support for Virtualization	1539.20	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 464.02	Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 464.02 826.19	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 464.02 826.19 1539.20	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 464.02 826.19 1539.20 316.89	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included)	1539.20 464.02 826.19 1539.20	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support	1539.20 464.02 826.19 1539.20 316.89	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1DV-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1DV-44 OM-P-1GTW-44 OM-P-1K-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1C-44 OM-P-1DV-44 OM-P-1GTW-44 OM-P-1H-44 OM-P-1LPE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1G-W-44 OM-P-1G-W-44 OM-P-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1OGW-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1DV-44 OM-P-1GTW-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1B-5-44 OM-P-1S-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1UPE-44 OM-P-1SHP-44 OM-P-1SHP-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe)	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection	1539.20 464.02 826.1 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B7-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1S+IP-44 OM-P-1S+IP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1N-1SHP-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection	1539.20 464.02 826.1 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B7-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1S+IP-44 OM-P-1S+IP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1N-1SHP-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix	1539.20 464.02 826.19 1539.20 316.89 260.31 520.61 520.61 520.61 260.31 520.61 260.31 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1G-W-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera	1539.20 464.02 826.19 1539.20 316.89 260.31 520.61 520.61 520.61 260.31 520.61 260.31 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-AUDIO-44 OM-P-AUDIO-44 OM-P-AUDIO-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-1VM-44 OM-P-AUDIO-44 OM-P-AUDIO-44 OM-P-AUDIO-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91	Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-AM-44 OM-P-AM-44 OM-P-AM-44 OM-P-BASE-44 OM-P-BASE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) 6 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engline 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-1D-44 OM-P-AM-44 OM-P-AM-44 OM-P-AM-44 OM-P-BASE-44 OM-P-BASE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-NM-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-BASE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-NM-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-AW-44 OM-P-BASE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) 6 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engline 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-AM-44 OM-P-AM-44 OM-P-AM-44 OM-P-AM-44 OM-P-BASE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1278.89	Omnicast 4.4 Omnicast 4.4
DM-P-1A15-44 DM-P-1A25-44 DM-P-1A25-44 DM-P-1A50-44 DM-P-1A50-44 DM-P-1C-44 DM-P-1C-44 DM-P-1C-44 DM-P-1B-1K-44 DM-P-1K-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1B-8-44 DM-P-1B-8-44 DM-P-1D-8-8-44 DM-P-1D-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1278.89 NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-CB-44 OM-P-CB-44 OM-P-CB-44 OM-P-CB-44 OM-P-CB-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1029.91 NC NC	Omnicast 4.4 Omnicast 4.4
DM-P-1A15-44 DM-P-1A25-44 DM-P-1A25-44 DM-P-1A50-44 DM-P-1A50-44 DM-P-1C-44 DM-P-1C-44 DM-P-1C-44 DM-P-1B-44 DM-P-1B-44 DM-P-1B-44 DM-P-1B-44 DM-P-1SHP-44 DM-P-1SHP-44 DM-P-1W-44 DM-P-1W-44 DM-P-N-W-44 DM-P-N-W-44 DM-P-W-44 DM-P-W-68-44 DM-P-CE-44 DM-P-CE-44 DM-P-DUT-44 DM-P-DUT-44 DM-P-FOE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1278.89 NC	Omnicast 4.4 Omnicast 4.4
DM-P-1A15-44 DM-P-1A25-44 DM-P-1A25-44 DM-P-1A25-44 DM-P-1A50-44 DM-P-1C-44 DM-P-1C-44 DM-P-1C-44 DM-P-1K-44 DM-P-1K-44 DM-P-1K-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1S-44 DM-P-1D-44 DM-P-1W-44 DM-P-M-44 DM-P-AM-44 DM-P-AM-44 DM-P-AM-44 DM-P-AM-44 DM-P-CE-44 DM-P-CE-44 DM-P-CE-44 DM-P-CE-44 DM-P-DUT-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engline 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for German	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1278.89 NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1D-44 OM-P-1V-44 OM-P-1V-44 OM-P-1V-44 OM-P-1V-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-6E-44 OM-P-CZE-44 OM-P-DUT-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1029.91 NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1B-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1S-44 OM-P-1D-44 OM-P-1V-44 OM-P-1V-44 OM-P-1V-44 OM-P-1V-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-0M-P-44 OM-P-6E-44 OM-P-CZE-44 OM-P-DUT-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engline 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for German	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1278.89 NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-FOE-44 OM-P-FOE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for German	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1029.91 NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1C-44 OM-P-1K-44 OM-P-1K-44 OM-P-1LPE-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-1U-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-FOE-44 OM-P-FOE-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engline 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for German	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1278.89 NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A25-44 OM-P-1A5-44 OM-P-1C-44 OM-P-1C-44 OM-P-1G-44 OM-P-1K-44 OM-P-1K-44 OM-P-1S-44 OM-P-1D-44 OM-P-1VM-44 OM-P-AM-40 OM-P-DUT-44 OM-P-CE-44 OM-P-CE-44 OM-P-CE-44 OM-P-GER-44 OM-P-GER-44 OM-P-GER-44 OM-P-GER-44 OM-P-GER-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for Italian Support for Japanese	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1029.91 NC NC	Omnicast 4.4 Omnicast 4.4
DM-P-1A15-44 DM-P-1A25-44 DM-P-1A25-44 DM-P-1A50-44 DM-P-1A50-44 DM-P-1C-44 DM-P-1C-44 DM-P-1G-W-44 DM-P-1C-44 DM-P-1B-44 DM-P-1B-44 DM-P-1B-44 DM-P-1SHP-44 DM-P-1SHP-44 DM-P-1W-44 DM-P-1W-44 DM-P-W-44 DM-P-CE-44 DM-P-CE-44 DM-P-CE-44 DM-P-GER-44 DM-P-GER-44 DM-P-GER-44 DM-P-GER-44 DM-P-JAP-44 DM-P-JAP-44 DM-P-JAP-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autoru Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for German Support for Japanese Local Archiving	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 1029.91 1029.91 1029.91 1029.91 NC NC NC	Omnicast 4.4 Omnicast 4.4
OM-P-1A15-44 OM-P-1A25-44 OM-P-1A50-44 OM-P-1A50-44 OM-P-1C-44 OM-P-1C-44 OM-P-1GTW-44 OM-P-1GTW-44 OM-P-1LPE-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1SHP-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44 OM-P-1W-44	Support for Virtualization 15 Camera/25 Tbyte Archiver (Camera Connections Not Included) 25 Camera/25 Tbyte Archiver (Camera Connections Not Included) 50 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) 5 Camera/25 Tbyte Archiver (Camera Connections Not Included) Web Pack Camera Sequences English and French Support 1 DVR Camera Input 1 Media Gateway Streaming License 1 Keyboard Connection 1 Lpr Engine 1 Omnicast Gateway 1 Sdk Connection 1 Autovu Sharp Camera Conn. (Incl. Autovu Lpr Plugin, Requires Lpe) 1 Client/User Connection 1 Virtual Matrix Alarm Management Module Audio Support Omnicast Pro Soft. Incls.: One 50/25Tbyte Camera Archiver (On Directory Machine, Camera Connections Not Included) 1 Gateway 2 Camera Conn. 2 Client/User Connections 1 Virtual Matrix Camera Blocking Support for Czech Support for Dutch Unit Failover Support for Italian Support for Japanese	1539.20 464.02 826.19 1539.20 316.89 260.31 147.13 260.31 520.61 1029.91 260.31 520.61 1029.91 1029.91 1029.91 1029.91 NC NC	Omnicast 4.4 Omnicast 4.4

OM-P-OFFAR-44 OM-P-POR-44	Offline Archiving (Back-Up and Restore) Support for Portuguese	520.61 NC	Omnicast 4.4 Omnicast 4.4
OM-P-SLO-44	Support for Slovak	NC	Omnicast 4.4
OM-P-SPA-44	Support for Spanish	NC	Omnicast 4.4
OM-P-UP100-44	Upgrade Base Package to 100/25 Tbyte Camera Archiver	1539.20	Omnicast 4.4
OM-P-VIRT-44	Support for Virtualization	1539.20 3868.64	Omnicast 4.4 Omnicast 4.4
OM-SDK-44 OM-UPGR-44	Sdk Package Upgrade From Version 3.X to 4.3		Omnicast 4.4
OM-UPGRM-44	Upgrade From Version 4.X to 4.4	Call for Quote	Omnicast 4.4
P-0003 P-027193 P-039250	Pre-Assembly for NX-8E Cable Pull Station Accessory, Cast Mounting Box, 270/FX-270 Series Pull Station Accessory, Steel Mounting Box, 270/FX-270 Series	14.26 40.04 20.45	NetworX Fire
P-047546-0025	Smoke Detector, Test Spray	16.47	Fire
PAM1	Fire Control Accessories, SPDT Auxiliary Relay, 10 Amps, 120VAC or 24VAC/DC	19.59	Fire
PC-16CXDI-PER	16-port Digi C/X serial adapter, PCI bus, RS232 concentrator DB25	2985.94	Computers & Peripheral Equipment
PC-8CXDIG-PER	8-port Digi C/X Serial adapter, PCI bus, RS232 concentrator DB25	2388.75	Computers & Peripheral
PC-8XRDIG-PER	8-port Digi XR920 Serial adapter, PCI bus, RS232 cable DB25	1492.97	Equipment Computers & Peripheral
PC-CRYREP-SWR	Crystal Reports Professional	1015.22	Equipment Computers & Peripheral
PC-NCIC5C-PER	Host to ACU RS232/RS485 Communications Converter with transient surge protection (Includes	358.32	Equipment Computers & Peripheral
PCPER-19FPMON	power supply, RS485 terminator and DB9/DB25 cable) DELL 19" DVI/RGB Flat Panel	581.67	Equipment Computers & Peripheral
PCPER-2GBMEM	2GB Memory Module for Dell Power Edge 29XX Servers (Required to be Installed in Pairs)	725.15	Equipment Computers & Peripheral
			Equipment
PCPER-5PKTAPES	Extra Backup Tapes for DAT 72, 36/72GB (5 Pack)	187.69	Computers & Peripheral Equipment
PCPER-DUALMON	Black Dual-Monitor Desk Stand	325.00	Computers & Peripheral Equipment
PCPER-EXTDAT72	Dell PV100T, 36/72GB, External DAT72 SCSI Single Tape Drive, w/5-Pack Tape Media, 3-Year On- Site NBD Warranty (for External SCSI Tape Drive Ready Servers)	1658.35	Computers & Peripheral Equipment
PCPER-EXTDAT72R	Dell PV114T, 36/72GB, External DAT72 SCSI Rack Mount Single Tape Drive, w/5-Pack Tape Media, 3-Year On-Site NBD Warranty (for External Scsi Tape Drive Ready Servers)	2491.70	Computers & Peripheral Equipment
PCPER-NICCARD	Additional network card for Redundant servers - NetXtreme™ II 5708 Single Port Ethernet PCI- Express™ Network Interface Card	122.85	Computers & Peripheral Equipment
PCPER-QUADMON	Black Quad-Monitor Desk Stand	491.67	Computers & Peripheral Equipment
PCPER-RAPIDRAILS	Dell Rapid Rails for Dell Rack for Dell Tape Drive PV 114T	383.50	Computers & Peripheral
PCPER-VERSARAILS	Dell Versa Rails for 3rd Party Rack for Dell Tape Drive PV 114T	513.50	Equipment Computers & Peripheral
PCSERV-2900TR10	Dell PE2900 Raid10 Tower Server, Dual Quad Core XEON 2.XGHz, 4GB RAM, 4X73GB SAS Hot- Plug HD, Dual Powerw Supply, CDRW/DVD, Dual Port 1GB NIC, Ext SCSI Tape Drive Ready, No Tape Drive, No Modern, No Monitor, No OS/DB, 3-Year On-Site NBD Warranty	6913.40	Equipment Computers & Peripheral Equipment
PCSERV-2950RR10	Dell PE2950 Raid10 Rack Server, Dual Quad Core Xeon 2.XGHz, 4GB RAM, 4X73Gb SAS Hot- Plug HD, Dual Pwr Supply, CDRW/DVD, Dual Port 1Gb Nic, Ext SCSI Tape Drive Ready, No Tape Drive, No Modem, No Monitor, No OS/DS, 3-Year On-Site NBD Warranty	7713.41	Computers & Peripheral Equipment
PCSERV-300TR1	Dell PET300 Raid1 Tower Server, Single Quad Core XEON 2.XGHz, 4GB RAM, 2X160GB SATA HD Raid1, Single Power Supply, DVD+/-RW, Dual Port 1GB NIC, Ext SCSI Tape Drive Ready, No Tape Drive, No Modem, No Monitor, No OS/DB, 3-Year On-Site NBD Warranty	3721.90	Computers & Peripheral Equipment
PCSERV-610TR10	Dell Poweredge T610 Tower Svr,2Xxeon Quad Core E5504/2.0Ghz,4Gb Ram,4X73Gb Raid10 Sas Hot Plug Hd,Redundant Psu,Dvd+/-Rw,Dual Port Gigabit Nic,Int/Ext Scsi Tape Drive Ready,No Tape Drive/Modem/Monitor/Os/Db,3Yr Onsite Nbd Warranty	5385.90	Computers & Peripheral Equipment
PCSERV-710RR10	Dell Poweredge R710 Rack Svr,2X Xeon Quad Core E5504/2.0Ghz,4Gb Ram,4X73Gb Raid10 Sas Hot Plug Hd,Redundant Psu,Dvd+/-Rw,Dual Port Gigabit Nic,Int/Ext Scsi Tape Drive Ready,No Tape Drive/Modem/Monitor/Os/Db,3Yr Onsite Nbd Warranty	6106.10	Computers & Peripheral Equipment
PCSVC-PRELOADEEGE	Windows 2003 / SQL 2005 Server software preload and application configuration service per server (For Facility Commander Wnx Enterprise/Global, Secure Perfect Enterprise/Global, Diamond II)	709.80	Computers & Peripheral Equipment

PCSVC-PRELOADPP	Linux Server software preload and application configuration service per server (For Picture Perfect)	887.25	Computers & Peripheral
PCSVC-PRELOADPRO	Windows XP Professional Server software preload and application configuration service per	354.90	Computers & Peripheral
PCSW-RHESV40	server (For Facility Commander Wnx Pro, Secure Perfect Pro, Sapphire Pro) Red Hat Enterprise (ES) for Intel X86 Basic Edition, Version 4.0 with One Year Subscription	1644.83	Equipment Computers & Peripheral
PCSW-SQLADDCAL	SQL Server 2005 Standard Edition, single additional device CAL	270.00	Equipment Computers & Peripheral
PCSW-SQLSRV10CAL2008	Microsoft SQL Server 2008 Standard Edition SFTW, Includes 10 Client Access Licenses (10 Device	3001.70	Equipment Computers & Peripheral
PCSW-WIN5ADDCAL	CAL) Windows Server 2003 OEM Version, 5 Additional Device CAL License Pack	315.25	Equipment Computers & Peripheral
			Equipment
PCSW-WIN5ADDCAL2008	Microsoft Windows Server 2008 Standard Edition CAL, Additional 5 Client Access License Pack (5 Device CAL Pack)	258.70	Computers & Peripheral Equipment
PCSW-WINSRV5CAL	Windows Server 2003 Standard Edition OS 5 Device CAL License, OEM Version. Not for Individual Resale, Orderable Only w/Dell Server and Factory Pre-Load Service from GE Security	1665.01	Computers & Peripheral Equipment
PCSW-WINSRV5CAL2008	Microsoft Windows Server 2008 Standard Edition SFTW, Includes 5 Client Access Licenses (5 Device CAL)	1262.30	Computers & Peripheral Equipment
PCWKST-5400RR1	Dell Precision R5400 Rack Performance Workstation, 2 Intel Xeon Quad Core E5405/2.00GHz, 4GB RAM, 2 80GB RAID1 SATA HD, nVidia NVS 290 Video Card for Dual Monitor Support, DVD+/-RW, Gigabit NIC, WinXP Pro, No Monitor, 3-Year On-Site Next Business Day War	3507.40	Computers & Peripheral Equipment
PCWKST-5400TR1	Dell Precision T5400 Tower Performance Workstation, 2 Intel Xeon Quad Core E5405/2.00GHz, 4GB RAM, 2 80GB RAID1 SATA HD, Two nVidia Quadro FX570 Video Cards for Quad Monitor Support, DVD+/-RW, Gigabit NIC, WinXP Pro, No Monitor, 3-Year On-Site Next Busine	3117.40	Computers & Peripheral Equipment
PCWKST-755MT	Dell Optiplex 755 Minitower Workstation, Intel Core 2 Quad Q6600, 2 GB RAM, Two 80GB Raid 1 SATA HD, Dual Monitor Support (DVI + VGA), DVD+/-RW, GIGABIT NIC Card, XP Pro SP2, No Monitor, 3-Year On-Site Next Business Day Warranty	2118.35	Computers & Peripheral Equipment
PCWKST-760SF	Dell Optiplex 760 Small Form Workstation, Intel Core 2 Duo E7300/2.66GHz, 2 GB RAM, 80GB SATA HD, Dual Monitor Support (DVI + VGA), DVD+/-RW, Gigabit NIC Card, WinXP Pro, No Monitor, 3-Year On-Site Next Business Day Warranty	1297.40	Computers & Peripheral Equipment
PCWKST-960MT	Dell Optiplex 960 Minitower Workstation, Intel Core 2 Quad Q9400/2.66GHZ, 2 GB RAM, Two 80GB RAID1 SATA HD, Dual Monitor Support (DVI + VGA), DVD+/-RW, Gigabit NIC Card, WinXP Pro, No Monitor, 3-Year On-Site Next Business Day Warranty	1947.40	Computers & Peripheral Equipment
PI6000	6000 Series High Performance Fresnel PIR Motion Sensor w/Pet Immunity, 40' x 90° Range. Pet Immunity to 30 lbs	17.43	Sensors & Detectors
PI6000SP-6PKG	6000 Series High Performance Fresnel PIR Motion Sensor w/Pet Immunity, 6-pack	107.26	Sensors & Detectors
PP40AIX-EHOST15	Picture Perfect 4.0 - AIX, Multi-Server Enterprise host base license package with (1) client license and (15) subhost license. AIX operating system NOT included	20475.00	Picture Perfect
PP40AIX-EHOST30	Picture Perfect 4.0 - AIX, Multi-Server Enterprise host base license package with (1) client license	40950.00	Picture Perfect
PP40AIX-ENTSUBH	and (30) subhost license. AIX operating system NOT included Picture Perfect 4.0 - AIX, Multi-Server Enterprise subhost base license package with (1) client	8531.25	Picture Perfect
PP40AIX-ENTUPGR	license and (0) reader capacity. AIX operating system NOT included PP4.0 Upgrade - for AIX, Multi-Server Enterprise Host & Subhost licensed systems covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be	NC	Picture Perfect
PP40AIX-SINHOST	required. Picture Perfect 4.0 - AIX, Single Server base license package with (1) client license and (0) reader	8531.25	Picture Perfect
PP40AIX-SINUPGR	capacity. AIX operating system NOT included PP4.0 Upgrade - for AIX, Single Server licensed systems covered under an active System Support	NC	Picture Perfect
PP40ALL-MEDIAKT	Agreement. Additional AIX OS and/or Informix DB upgrades may be required. PP4.0 Linux & AIX System Media Kit - Replacement media kit only, No licensing included, not	85.32	Picture Perfect
	intended for upgrades.		
PP40LIN-EHOST15	Picture Perfect 4.0 - Linux, Multi-Server Enterprise host base license package with (1) client license and (15) subhost license. Linux operating system NOT included	20475.00	Picture Perfect
PP40LIN-EHOST30	Picture Perfect 4.0 - Linux, Multi-Server Enterprise host base license package with (1) client license and (30) subhost license. Linux operating system NOT included	40950.00	Picture Perfect
PP40LIN-ENTSUBH	Picture Perfect 4.0 - Linux, Multi-Server Enterprise subhost base license package with (1) client license and (0) reader capacity. Linux operating system NOT included	8531.25	Picture Perfect
PP40LIN-ENTUPGR	PP4.0 Upgrade - for Linux, Multi-Server Enterprise Host & Subhost licensed systems covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may	NC	Picture Perfect
PP40LIN-SINHOST	be required. Picture Perfect 4.0 - Linux, Single Server base license package with (1) client license and (0) reader	8531.25	Picture Perfect
PP40LIN-SINUPGR	capacity. Linux operating system NOT included PP4.0 Upgrade - for Linux, Single Server licensed systems covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	NC	Picture Perfect
PP400PT-APIINTF	PP4.0 API - Electronic Interface (EIF) Option - Per licensed server, XML based API for exposing Picture Perfect events, commands, and processing data requests from external applications	4095.00	Picture Perfect
PP40OPT-CCTVINT	PP4.0 CCTV Control System Interface Option - Per licensed server and requires 1 serial port per CCTV Matrix/Switcher. Driver support for AD 2150, Burle Allegiant TC8500 thru TC8901series & Allplex TC8298, GRUNDIG, Javelin JO-326, Kalatel KTD-312, MaxPro	2047.50	Picture Perfect
PP40OPT-FIREINT	PP4.0 Fire System Monitoring Interface Option - Per licensed server and requires 1 serial port per fire system. Driver support for EST1 & EST3, FireSine 4100, Simplex 4100, Notifier AFP400/1010 & AM2020	2047.50	Picture Perfect
PP40OPT-GUARDTR	PP4.0 Guard Tour Option - Per licensed server	2047.50	Picture Perfect
PP40OPT-HVACBAS	PP4.0 HVAC & Building Automation System Interface Option - Per licensed server and requires 1 serial port per interface. Driver support for Siebe CBAS	2047.50	Picture Perfect
PP40OPT-ICSAUTO	PP4.0 Central Station Automation Platform Interface Option - Per licensed server and requires 1	4095.00	Picture Perfect
PP40OPT-ICSRECV	serial port per interface. Driver support for ABM & MAS Automation platforms PP4.0 Intrusion Central Station Receiver Interface Option - Per licensed server and requires 1	4095.00	Picture Perfect
	serial port per receiver. Driver support for Osborne Hoffman receivers, DMP SCS-1 receivers, and a Universal Intrusion Interface		
PP40OPT-INTRCOM	PP4.0 Intercom System Interface Option - Per licensed server and requires 1 serial port per intercom exchange. Driver support for Commend, Stentofon 9600 & Touchline 52/8 and 120/12	2047.50	Picture Perfect

PP40OPT-REDSYST	PP4.0 Redundant System Option - One copy links (2) Single Server systems and enables duplicate licensing on secondary Server. Only Requires purchase of primary server licensing. Operating system licenses NOT included	16209.38	Picture Perfect
PP40RDR-0016LIC	PP4.0 Reader Capacity License - 1 to 16 readers per server	426.57	Picture Perfect
PP40RDR-0032INC	PP4.0 16 to 32 reader capacity increase for previously licensed systems	469.22	Picture Perfect
PP40RDR-0032LIC	PP4.0 Reader Capacity License - 1 to 32 readers per server	853.13	Picture Perfect
PP40RDR-0064INC	PP4.0 32 to 64 reader capacity increase for previously licensed systems	1876.88	Picture Perfect
PP40RDR-0064LIC	PP4.0 Reader Capacity License - 1 to 64 readers per server	2559.38	Picture Perfect
PP40RDR-0128INC	PP4.0 64 to 128 reader capacity increase for previously licensed systems	2815.32	Picture Perfect
PP40RDR-0128LIC	PP4.0 Reader Capacity License - 1 to 128 readers per server	5118.75	Picture Perfect
PP40RDR-0256INC	PP4.0 128 to 256 reader capacity increase for previously licensed systems	5630.63	Picture Perfect
PP40RDR-0256LIC	PP4.0 Reader Capacity License - 1 to 256 readers per server	10237.50	Picture Perfect
PP40RDR-0512INC	PP4.0 256 to 512 reader capacity increase for previously licensed systems	11261.25	Picture Perfect
PP40RDR-0512LIC	PP4.0 Reader Capacity License - 1 to 512 readers per server	20475.00	Picture Perfect
PP40RDR-10024INC	PP4.0 512 to 1024 reader capacity increase for previously licensed systems	11261.25	Picture Perfect
PP40RDR-10024LIC	PP4.0 Reader Capacity License - 1 to 1,024 readers per server	30712.50	Picture Perfect
PP40RDR-2048INC	PP4.0 1,024 to 2,048 reader capacity increase for previously licensed systems	11261.25	Picture Perfect
			Picture Perfect
PP40RDR-2048LIC	PP4.0 Reader Capacity License - 1 to 2,048 readers per server	40950.00	
PP40RDR-4096INC	PP4.0 2,048 to 4,096 reader capacity increase for previously licensed systems	22522.50	Picture Perfect
PP40RDR-4096LIC	PP4.0 Reader Capacity License - 1 to 4,096 readers per server	61425.00	Picture Perfect
PP4AXUP-EHOST15	PP4.0 Server Upgrade - per AIX Host, for Multi-Server Enterprise systems licensed for (15) subhosts NOT covered under an active System Support Agreement. Additional Linux OS and/or Interprise DR upgrade provide a provided to the control of the co	8190.00	Picture Perfect
PP4AXUP-EHOST30	Informix DB upgrades may be required. PP4.0 Server Upgrade - per AIX Host, for Multi-Server Enterprise systems licensed for (30) subhosts, NOT covered under an active System Support Agreement. Additional Linux OS and/or	16380.00	Picture Perfect
<u> </u>	Informix DB upgrades may be required.		
PP4AXUP-ENTSUBH	PP4.0 Server Upgrade - per AIX Subhost, for Multi-Server Enterprise licensed systems NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	3412.50	Picture Perfect
PP4AXUP-SINHOST	PP4.0 Server Upgrade - for AIX, per Single Server licensed system NOT covered under an active System Support Agreement. Additional AIX OS and/or Informix DB upgrades may be required.	3412.50	Picture Perfect
PP4LITE-PWPKUPG	PP4.0 Lite Power Pack Software Upgrade - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 readers max., CCTV & Intrusion Interface, No Other Option	2559.38	Picture Perfect
PP4LITE-SINHOST	Picture Perfect 4.0 Lite - Linux, Single Server base license package with (1) concurrent client license and (32) reader capacity.	5971.88	Picture Perfect
PP4LITEUP-PWPKUPG	PP4.0 Lite Power Pack Software Upgrade NOT Covered under an active System Support	1023.75	Picture Perfect
	Agreement - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 rea		
PP4LITEUP-SINHOST	Picture Perfect 4.0 Lite Upgrade NOT Covered under an active System Support Agreement-Linux, Single Server base license package with (1) concurrent client license and (32) reader capacity. No Warranty. Does not include SSA. SSA coverage going forward	2388.75	Picture Perfect
PP4LXUP-EHOST15	PP4.0 Server Upgrade - per Linux Host, for Multi-Server Enterprise systems licensed for (15) subhosts, NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	8190.00	Picture Perfect
PP4LXUP-EHOST30	PP4.0 Server Upgrade - per Linux Host, for Multi-Server Enterprise systems licensed for (130) subhosts, NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	16380.00	Picture Perfect
PP4LXUP-ENTSUBH	PP4.0 Server Upgrade - per Linux Subhost, for Multi-Server Enterprise licensed systems NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	3412.50	Picture Perfect
PP4LXUP-SINHOST	PP4.0 Server Upgrade - for Linux, per Single Server licensed system NOT Covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	3412.50	Picture Perfect
PP4OPUP-APIINTF	PP4.0 API - Electronic Interface (EIF) Option, Version Upgrade NOT covered under an active System Support Agreement	1638.00	Picture Perfect
PP4OPUP-CCTVINT	PP4.0 CCTV Control System Interface Option, Version Upgrade NOT covered under an active System Support Agreement	819.00	Picture Perfect
PP4OPUP-FIREINT	PP4.0 Fire System Monitoring Interface Option, Version Upgrade NOT covered under an active System Support Agreement	819.00	Picture Perfect
PP4OPUP-GUARDTR	PP4.0 Guard Tour Option, Version Upgrade NOT covered under an active System Support Agreement PP4.0 HVAC 8 Building Automatics System Interface Option Version Upgrade NOT system	819.00	Picture Perfect
PP40PUP-HVACBAS	PP4.0 HVAC & Building Automation System Interface Option, Version Upgrade NOT covered under an active System Support Agreement	819.00	Picture Perfect
PP4OPUP ICSBECV	PP4.0 Central Station Automation Platform Interface Option, Version Upgrade NOT covered under an active System Support Agreement	1638.00	Picture Perfect
PP4OPUP-ICSRECV	PP4.0 Intrusion Central Station Receiver Interface Option, Version Upgrade NOT covered under an active System Support Agreement PP4.0 Intrusion Central Station Receiver Interface Option, Version Upgrade NOT severed under an active System.	1638.00	Picture Perfect
PP4OPUP-REDSYST	PP4.0 Intercom System Interface Option, Version Upgrade NOT covered under an active System Support Agreement PP4.0 Redundant System Option + 2nd Server licensed Options & Capacities, Version Upgrade	819.00 6483.75	Picture Perfect Picture Perfect
PP4RDUP-0016LIC	PP4.0 Readundant System Option + 2nd Server licensed Options & Capacities, Version Upgrade NOT covered under an active System Support Agreement PP4.0 Reader Capacity Version Upgrade - per Server licensed up to 16 readers. NOT covered	170.63	Picture Perfect
	under an active System Support Agreement. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	., 0.00	
PP4RDUP-0032LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed up to 32 readers. NOT covered under an active System Support Agreement	341.25	Picture Perfect
PP4RDUP-0064LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed up to 64 readers. NOT covered under an active System Support Agreement	1023.75	Picture Perfect
PP4RDUP-0128LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed up to 128 readers. NOT covered under an active System Support Agreement	2047.50	Picture Perfect
PP4RDUP-0256LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed for 256 readers. NOT covered under an active System Support Agreement	4095.00	Picture Perfect
PP4RDUP-0512LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed up to 512 readers. NOT covered under an active System Support Agreement	8190.00	Picture Perfect
PP4RDUP-10024LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed for 1,024 readers. NOT covered under an active System Support Agreement	12285.00	Picture Perfect

PP4RDUP-2048LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed for 2,048 readers. NOT covered under an active System Support Agreement	16380.00	Picture Perfect
DD4DDUD 400CUO	7 11 0	04570.00	Distance Destant
PP4RDUP-4096LIC	PP4.0 Reader Capacity Version Upgrade - per Server licensed for 4,096 readers. NOT covered under an active System Support Agreement	24570.00	Picture Perfect
PP4USER-001CLNT	PP4.0 Client single concurrent user license - browser based JAVA thin client w/ SSL	1663.60	Picture Perfect
PP4USER-010CLNT	PP4.0 Client 10-pack concurrent user license - browser based JAVA thin client w/ SSL	15356.25	Picture Perfect
PP4USER-025CLNT	PP4.0 Client 25-pack concurrent user license - browser based JAVA thin client w/ SSL	34125.00	Picture Perfect
PP4USER-050CLNT	PP4.0 Client 50-pack concurrent user license - browser based JAVA thin client w/ SSL	59718.75	Picture Perfect
PP4USER-100CLNT	PP4.0 Client 100-pack concurrent user license - browser based JAVA thin client w/ SSL	102375.00	Picture Perfect
PP4USER-PHOTOID	PP4.0 Imaging Client - single concurrent user license with integrated Photo ID badging - browser based JAVA thin client w/ SSL	4222.97	Picture Perfect
PP4USUP-001CLNT	PP4.0 Client upgrade - per Access Vision Client or Web Browser Terminal license on Picture Perfect Linux or AIX systems NOT covered under an active System Support Agreement, provides	665.44	Picture Perfect
PP4USUP-010CLNT	upgrade to browser based JAVA thin client w/ SSL PP4.0 Client UPGRADE 10-pack concurrent user license - browser based JAVA thin client w/ SSL.	6142.50	Picture Perfect
PP4USUP-025CLNT	No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. PP4.0 Client UPGRADE 25-pack concurrent user license - browser based JAVA thin client w/ SSL.	13650.00	Picture Perfect
	No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	10000.00	I Island I Griddi
PP4USUP-050CLNT	PP4.0 Client UPGRADE 50-pack concurrent user license - browser based JAVA thin client w/ SSL. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	23887.50	Picture Perfect
PP4USUP-100CLNT	PP4.0 Client UPGRADE 100-pack concurrent user license - browser based JAVA thin client w/ SSL. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	40950.00	Picture Perfect
PP4USUP-PHOTOID	PP4.0 Imaging Client upgrade - per Access Vision Imaging Client conversion on Picture Perfect Linux or AIX systems NOT covered under an active System Support Agreement, provides upgrade to browser based JAVA thin client w/ SSL	1689.19	Picture Perfect
PPDBUPG-IDS9X	Informix License IDS v9 Upgrade per/Server - Only required if upgrading from Picture Perfect versions 1.5.X or older to Picture Perfect versions 2.x or higher	3412.50	Picture Perfect
PPL1SSA-0016LIC	PP L1SSA Reader Capacity License - 1 to 16 readers per server	85.32	Picture Perfect
PPL1SSA-0016LIC			
	PP L1SSA Reader Capacity License - 1 to 32 readers per server	170.63	Picture Perfect
PPL1SSA-0064LIC	PP L1SSA Reader Capacity License - 1 to 64 readers per server	511.88	Picture Perfect
PPL1SSA-010USER	PP Client 10+ L1SSA - for 10 to 24, additional concurrent user licenses, browser based JAVA thin client w/ SSL	3071.25	Picture Perfect
PPL1SSA-0128LIC	PP L1SSA Reader Capacity License - 1 to 128 readers per server	1023.75	Picture Perfect
PPL1SSA-0256LIC	PP L1SSA Reader Capacity License - 1 to 256 readers per server	2047.50	Picture Perfect
PPL1SSA-025USER	PP Client 25+ L1SSA - for 25 to 49, additional concurrent user licenses, browser based JAVA thin client w/ SSL	6825.00	Picture Perfect
PPL1SSA-050USER	PP Client 50+ L1SSA - for 50 to 99, additional concurrent user licenses, browser based JAVA thin client w/ SSL	11943.75	Picture Perfect
PPL1SSA-0512LIC	PP L1SSA Reader Capacity License - 1 to 512 readers per server	4095.00	Picture Perfect
PPL1SSA-100USER	PP Client 100+ L1SSA - for 100 to 199 additional concurrent user licenses, browser based JAVA thin client w/ SSL	20475.00	Picture Perfect
PPL1SSA-1024LIC	PP L1SSA Reader Capacity License - 1 to 1,024 readers per server	6142.50	Picture Perfect
PPL1SSA-1024LIC PPL1SSA-200USER	PP Client 200+ L1SSA - for 200 or more additional concurrent user licenses, browser based JAVA thin client w/ SSL	32435.00	Picture Perfect
PPL1SSA-2048LIC	PP L1SSA Reader Capacity License - 1 to 2,048 readers per server	8190.00	Picture Perfect
PPL1SSA-4096LIC	PP L1SSA Reader Capacity License - 1 to 4,096 readers per server	12285.00	Picture Perfect
PPL1SSA-APIINTF	PP L1SSA API - Electronic Interface (EIF) Option	819.00	Picture Perfect
PPL1SSA-CARG512	PPL1SSA CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed	1194.38	Picture Perfect
PPL1SSA-CARL512	greater than 512 reader capacity. PPL1SSA CARMA 3.0 - Report Server Software for Picture Perfect Linux or AIX systems licensed	874.65	Picture Perfect
DDI 4004 00= =	up to 512 reader capacity.	400	D: 1 D (1
PPL1SSA-CCTVINT	PP L1SSA CCTV Control System Interface Option	409.50	Picture Perfect
PPL1SSA-CUC	PP SSA - Certified User Call In - Requires L I or L II SSA in place	12187.50	Picture Perfect
PPL1SSA-DSL	PP SSA - Duplicate Server License coverage Requires L I or L II SSA in place	4062.50	Picture Perfect
PPL1SSA-EHOST15	Picture Perfect Multi-Server Enterprise Host L1SSA - per host base license package with (1) client	4095.00	Picture Perfect
	license and (15) subhost license.		
PPL1SSA-EHOST30 PPL1SSA-ENTSUBH	Picture Perfect Multi-Server Enterprise Host L1SSA - per host base license package with (1) client licenseand (30) subhost license. Picture Perfect Multi-Server Enterprise Subhost L1SSA - per subhost base license package with (1)	8190.00 1706.25	Picture Perfect
	client license and (0) reader capacity.		Picture Perfect
PPL1SSA-FIREINT	PP L1SSA Fire System Monitoring Interface Option	409.50	Picture Perfect
PPL1SSA-GUARDTR	PP L1SSA Guard Tour Option	409.50	Picture Perfect
PPL1SSA-HVACBAS	PP L1SSA HVAC & Building Automation System Interface Option	409.50	Picture Perfect
PPL1SSA-ICSAUTO	PP L1SSA Central Station Automation Platform Interface Option	819.00	Picture Perfect
PPL1SSA-ICSRECV	PP L1SSA Intrusion Central Station Receiver Interface Option	819.00	Picture Perfect
PPL1SSA-INTRCOM	PP L1SSA Intercom System Interface Option	409.50	Picture Perfect
PPL1SSA-LINLITE	Picture Perfect Lite L1SSA - per server base license package, including system with Power Pack Software Upgrade.	1194.38	Picture Perfect
PPL1SSA-PERPHID	PP Imaging Client L1SSA - per single concurrent user license with integrated Photo ID badging - browser based JAVA thin client w/ SSL	844.60	Picture Perfect
PPL1SSA-PERUSER	PP Client L1SSA - per single additional concurrent user license, browser based JAVA thin client w/ SSL	332.72	Picture Perfect
PPL1SSA-PWPK	PP4.0 Lite Power Pack Software - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 readers max., CCTV & Intrusion Interface, No Other Option.	511.88	Picture Perfect
PPL1SSA-REDSYST	PP L1SSA Redundant System Option - includes coverage for 2nd server licensed options & capacities	3241.88	Picture Perfect
PPL1SSA-SINHOST	Picture Perfect Single Server L1SSA - per server base license package with (1) client license and (0) reader capacity.	1706.25	Picture Perfect
PPL2SSA-0256	Picture Perfect L2 Extended After Hours Support - up to 256 Reader/Camera capacity, requires active Level 1 SSA	2437.50	Picture Perfect
PPL2SSA-1024	Picture Perfect L2 Extended After Hours Support - up to 1024 Reader/Camera capacity, requires	4875.00	Picture Perfect
	active Level 1 SSA		<u> </u>

PPL2SSA-2048	Picture Perfect L2 Extended After Hours Support - up to 2048 Reader/Camera capacity, requires	7312.50	Picture Perfect
PPL2SSA-4096	active Level 1 SSA Picture Perfect L2 Extended After Hours Support - up to 4096 Reader/Camera capacity, requires	12187.50	Picture Perfect
PPL2SSA-ENTSYST	active Level 1 SSA PP Multi-Server Enterprise L2 Extended After Hours Support - per Multi Server Enterprise System	6552.00	Picture Perfect
DDI OCCA CINIOACO	Site, requires active Level 1 SSA	4000.00	District Desfect
PPL2SSA-SIN0128	PP Single Server L2 Extended After Hours Support - per Single Server System < 128 Readers, requires active Level 1 SSA	1638.00	Picture Perfect
PPL2SSA-SIN4096	PP Single Server L2 Extended After Hours Support - per Single Server System > 128 Readers, requires active Level 1 SSA	3276.00	Picture Perfect
PPL3SSA-CUSTOMQ	Picture Perfect multi-system site wide coverage, assigned support team, annual visits, and priority call - Custom Quote	Call for Quote	Picture Perfect
PROSERV-IGSD2CONV	Sapphire Pro or Diamond I Database Conversion to Diamond II v2.3 format for FCWnx upgrade	2593.50	Service
PROSERV-WINDBCONV	readiness.	2593.50	Service
PROSERV-WINDBCONV	Windows Platform Single DB Conversion - DB submitted for conversion & test validation prior to software version upgrade. For SecPerf v3-v6, Diamond-II v2.3, or FCWnx to current FCWnx version release.	2593.50	Service
PROSERV-WINDBMERGE	Windows Platform Multi DB Merge Conversion - DB submitted for merge/conversion & test validation prior to system migration upgrade. Up to 3DB common platform merge to 1DB. For multi Pro or Ent migrations to a single Ent or Global system.	6493.50	Service
PROSERV-WINDEPCOM	Windows Platform Deployment & Comissioning Service - Onsite assist with system sftw install & config for basic system start-up and operational hand-off. Quoted per day, up to 10Hr work day, T&L portal to portal charges apply separately.	2730.00	Service
PSU-1AMP	Power Supply for PB3 ProBridges, NTSC, 1AMP	16.90	Digital Recording
PSU-5.2AMP	Power Supply for CBR, DSR, and DVMRe Products, NTSC, 117 VAC, 5.2AMP	89.70	Digital Recording
PTZ-CM	Accord Corner Mount Bracket	156.00	PTZ Cameras
PTZ-HDR1-12N PTZ-HDR1-21N	Accord, 12X Zoom Day/Night PTZ, 2000	3575.00 4030.00	PTZ Cameras
PTZ-HDR1-21N PTZ-IC-18XDN	Accord, 21X Zoom Day/Night PTZ, 2000 Accord, 18X PTZ, Sony	3250.00	PTZ Cameras PTZ Cameras
PTZ-IC-16XDN	Accord, 16X PTZ, Sony Accord, 26X PTZ, Sony	3640.00	PTZ Cameras
PTZ-NC	Accord, No Camera	2340.00	PTZ Cameras
PTZ-PDM	Accord Pedestal Mount Kit	403.00	PTZ Cameras
PTZ-PM	Accord Pole Mount Adapter with Chains and Straps	377.00	PTZ Cameras
PTZ-WM	Accord Curved Wall Mount Kit	260.00	PTZ Cameras
PVM-20HS	Public View Monitor, 20-inch LCD Panel, Built-In Camera, PIR Sensor, Light Sensor and Multimedia Card	2457.00	Monitors
PVM-CM	Ceiling-Mount for Public View Monitor	218.40	Monitors
PVM-WM	Wall-Mount for Public View Monitor	144.30	Monitors
R1075-N	Mini-Max Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	3.71	Sensors & Detectors
R1075N-10PKG	Recessed Press-Fit, 3/8" Diameter, Rare Earth Magnet. 10-Pack	36.97	Sensors & Detectors
R1076DN-10PKG	Recessed Steel Door Contact, 1" Diameter, DPDT, Rare Earth Magnet., White. 10-Pack	210.57	Sensors & Detectors
R1078-M R1078M-10PKG	Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap Size Recessed Steel Door Contact, 1" Diameter, Rare Earth Magnet., Brown. 10-Pack	9.05 90.44	Sensors & Detectors Sensors & Detectors
R1078-N	Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size	9.05	Sensors & Detectors
R1078N-10PKG	Recessed Steel Door Contact, 1" Diameter, Rare Earth Magnet., White, 1/2 Gap Size	90.44	Sensors & Detectors
R1125-N	Mini-Max Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	4.19	Sensors & Detectors
R1125N-10PKG	Recessed Stubby Contact, 3/8" Diameter, Rare Earth Magnet, White. 10-Pack	41.85	Sensors & Detectors
R1125T-N	Recessed Mini-Max Stubby Press Fit Terminal Contact, White, 1/2" Gap Size	4.84	Sensors & Detectors
R1125TN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Terminals, Rare Earth Magnet, White. 10-Pack	48.31	Sensors & Detectors
R1125TW-N	Recessed Mini-Max Stubby Press Fit Terminal Wide Gap Contact, White, 7/8" Gap Size	5.66	Sensors & Detectors
R1125TWN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Wide Gap, Terminals, Rare Earth Magnet, White. 10- Pack	56.47	Sensors & Detectors
R1125W-N	Mini-Max Recessed Stubby Press Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 7/8" Gap Size	5.14	Sensors & Detectors
R1125WN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Wide Gap, Rare Earth Magnet, White. 10-Pack	51.31	Sensors & Detectors
R1225N-10PKG	Mini-Max Recessed Stubby Press Fit Contact w/Leads, 3/8" Diameter, White, 1/2" Gap Size, 10- Pack	41.86	Sensors & Detectors
R1275-M R1275W-N	Mini-Max Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Brown, 1/2" Gap Size Mini-Max Recessed Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 7/8" Gap Size	3.85 4.84	Sensors & Detectors Sensors & Detectors
R1275WN-10PKG	Recessed Mini-Max Wing Fit, 3/8" Diameter, Wide Gap, Rare Earth Magnet, White. 10-Pack	48.31	Sensors & Detectors
R5812NT	ShatterPro 3 Glassbreak Sensor (Round Housing) form A. 3' - 35' Adjustable Range	36.39	Sensors & Detectors
R5815NT	ShatterPro 3 Glassbreak Sensor w/Tamper (Round Housing) form C. Tamper Switch. 3' - 35' Adjustable Range	40.42	Sensors & Detectors
RCR-A	Range-Controlled Radar PIR Motion Sensor form A form A Relay. 9,18,27, 35' Selectable Range. Radar-Only mode	45.80	Sensors & Detectors
RCR-C	Range-Controlled Radar PIR Motion Sensor form C form C Relay w/Tamper. 35' Range. Radar- Only mode	54.39	Sensors & Detectors
RCR-PET	Range-Controlled Radar PIR Motion Sensor w/Pet Immunity form A, Pet Immunity to 80 lbs. Form A Relay. Selectable Range to 35'. LED Indicator	41.11	Sensors & Detectors
RCR-REX-B	Request To Exit Dual Tech Sensor, Black	88.50	Readers
RCR-REX-G	Request To Exit Dual Tech Sensor, Grey	88.50	Readers
RCR-REX-W	Request To Exit Dual Tech Sensor, White	88.50	Readers
RCR-WP-B	Single Gang Wall Plate 2 1/4" X 8 3/4", Black	4.24	Readers
RCR-WP-G	Single Gang Wall Plate 2 1/4" X 8 3/4", Grey	4.24	Readers
RCR-WP-W	Single Gang Wall Plate 2 1/4"X8 3/4", White	4.24	Readers
REDINSTALL	Redundant System Installation Service (required). Travel expenses NOT included	13650.00	Service

RIM16-E00	RIM, 16 Alarm input interface, with back plate, no enclosure	448.75	Controllers
RIM16-E1L	RIM, 16 Alarm input interface with key locked enclosure	511.88	Controllers
RPM	Fire Control Accessories, Reverse Polarity Module, Double-Gang Mount	287.56	Fire
RRE01-E00	RRE1, 1 Reader interface, with back plate, no enclosure	406.09	Controllers
RRE01-E1L	RRE1, 1 Reader interface with key locked enclosure	469.22	Controllers
RRE02-E00	RRE2, Reader interface, with back plate, no enclosure	662.03	Controllers
RRE02-E1L	RRE2, 2 Reader interface with key locked enclosure	725.15	Controllers
RRE04-E00	RRE4, 4 Reader interface, with back plate, no enclosure	832.65	Controllers
RRE04-E1L	RRE4, 4 Reader interface with key locked enclosure	895.78	Controllers
RRM16-E00	RRM, 16 Relay output interface, with back plate, no enclosure	511.88	Controllers
RRM16-E1L	RRM, 16 Relay output interface with key locked enclosure	576.72	Controllers
RS-5APwr	5 Amp 24VDC, 110/220VAC, UPS ready power supply for RS panels	298.60	Controllers
S700VR-EST	MM - CCTV Video Rx, Can	223.44	Fiber Optic Transmission Fiber Optic Transmission
S700VR-RST S700VT-EST	MM - CCTV Video Rx, Rack MM - CCTV Video Tx, Can	223.44 203.13	Fiber Optic Transmission
S700VT-EST	MM - CCTV Video Tx, Can	182.82	Fiber Optic Transmission
S700VT-MST	MM - CCTV Video Tx, Rack	203.13	Fiber Optic Transmission
S700VT-TST	MM - CCTV Video Tx, Tubular	162.50	Fiber Optic Transmission
S701V2R-RST	MM - Video, Hi-Performance, Rx, Rack, 2-Fiber	531.38	Fiber Optic Transmission
S701V2T-RST	MM - Video, Hi-Performance, Tx, Rack, 2-Fiber	451.75	Fiber Optic Transmission
S701VR-EST	MM - Video, Hi-Performance, Rx, Can	273.00	Fiber Optic Transmission
S701VR-RST	MM - Video, Hi-Performance, Rx, Rack	273.00	Fiber Optic Transmission
S701VT-EST	MM - Video, Hi-Performance, Tx, Can	227.50	Fiber Optic Transmission
S701VT-RST	MM - Video, Hi-Performance, Tx, Rack	227.50	Fiber Optic Transmission
S702VR-EST	MM - CCTV Video, Rx, Can, 2-Fiber	446.88	Fiber Optic Transmission
S702VR-RST	MM - CCTV Video, Rx, Rack, 2-Fiber	406.25	Fiber Optic Transmission
S702VT-EST	MM - CCTV Video, Tx, Can, 2-Fiber	365.63	Fiber Optic Transmission
S702VT-RST	MM - CCTV Video, Tx, Rack, 2-Fiber	365.63	Fiber Optic Transmission
S703VR-EST	MM - 2-CH Video, Rx, Can	690.63	Fiber Optic Transmission
S703VR-ESTL	MM - 2-CH Video, Rx, Can	893.75	Fiber Optic Transmission
S703VR-RST	MM - 2-CH Video, Rx, Rack	690.63	Fiber Optic Transmission
S703VR-RSTL	MM - 2-CH Video, Rx, Rack	893.75	Fiber Optic Transmission
S703VT-EST	MM - 2-CH Video, Tx, Can	690.63	Fiber Optic Transmission
S703VT-ESTL	MM - 2-CH Video, Tx, Can	893.75	Fiber Optic Transmission
S703VT-RST	MM - 2-CH Video, Tx, Rack	690.63	Fiber Optic Transmission
S703VT-RSTL	MM - 2-CH Video, Tx, Rack	893.75	Fiber Optic Transmission
S704VR-EST	MM - 4-CH Video Rx, Can	1430.00	Fiber Optic Transmission
S704VR-RST	MM - 4-CH Video Rx, Rack	1430.00	Fiber Optic Transmission
S704VT-EST	MM - 4-CH Video Tx, Can	1430.00	Fiber Optic Transmission
S704VT-RST	MM - 4-CH Video Tx, Rack	1430.00	Fiber Optic Transmission
S705VR-ESTL	MM - Video, Broadcast-Grade, Digitally Processed, Rx, Can	686.57	Fiber Optic Transmission
S705VR-RSTL S705VT-ESTL	MM - Video, Broadcast-Grade, Digitally Processed, Rx, Rack MM - Video, Broadcast-Grade, Digitally Processed, Tx, Can	686.57 686.57	Fiber Optic Transmission Fiber Optic Transmission
S705VT-ESTL	MM - Video, Broadcast-Grade, Digitally Processed, Tx, Cari	686.57	Fiber Optic Transmission
S706VR-ESTL	MM - Video, Hi-Performance, Digitally Processed, TX, Rack	446.88	Fiber Optic Transmission
S706VR-RSTL	MM - Video, Hi-Performance, Digitally Processed, Rx, Rack	446.88	Fiber Optic Transmission
S706VT-ESTL	MM - Video, Hi-Performance, Digitally Processed, Tx, Can	446.88	Fiber Optic Transmission
S706VT-RSTL	MM - Video, Hi-Performance, Digitally Processed, Tx, Rack	446.88	Fiber Optic Transmission
S707VR-ESTL	MM - 4-CH Video, Digitally Processed, Rx, Can	1218.75	Fiber Optic Transmission
S707VR-RSTL	MM - 4-CH Video, Digitally Processed, Rx, Rack	1218.75	Fiber Optic Transmission
S707VT-ESTL	MM - 4-CH Video, Digitally Processed, Tx, Can	1218.75	Fiber Optic Transmission
S707VT-RSTL	MM - 4-CH Video, Digitally Processed, Tx, Rack	1218.75	Fiber Optic Transmission
S708VR-EST	MM - 8-CH Video, Digitally Processed, Rx, Can	3046.88	Fiber Optic Transmission
S708VR-ESTL	MM - 8-CH Video, Digitally Processed, Rx, Can	3250.00	Fiber Optic Transmission
S708VR-RST	MM - 8-CH Video, Digitally Processed, Rx, Rack	3046.88	Fiber Optic Transmission
S708VR-RSTL	MM - 8-CH Video, Digitally Processed, Rx, Rack	3250.00	Fiber Optic Transmission
S708VT-EST	MM - 8-CH Video, Digitally Processed, Tx, Can	3046.88	Fiber Optic Transmission
S708VT-ESTL	MM - 8-CH Video, Digitally Processed, Tx, Can	4062.50	Fiber Optic Transmission
S708VT-RST	MM - 8-CH Video, Digitally Processed, Tx, Rack	3046.88	Fiber Optic Transmission
S708VT-RSTL S709V12R-RSTL	MM - 8-CH Video, Digitally Processed, Tx, Rack MM - 12-CH Video, Digitally Processed, Rx, Rack	4062.50 6175.00	Fiber Optic Transmission
S709V12R-RSTL S709V12T-RSTL	MM - 12-CH Video, Digitally Processed, Rx, Rack	6987.50	Fiber Optic Transmission Fiber Optic Transmission
S709V12T-RSTL S709V16R-RSTL	MM - 16-CH Video, Digitally Processed, 1x, Rack	7393.75	Fiber Optic Transmission
S709V16K-RSTL	MM - 16-CH Video, Digitally Processed, Rx, Rack	8775.00	Fiber Optic Transmission
S710D-EST2	MM - MPD Data, Tcvr, Can, 2-Fiber	203.13	Fiber Optic Transmission
S710D-RST2	MM - MPD Data, Tovr, Rack, 2-Fiber	203.13	Fiber Optic Transmission
S711D-EST2	MM - MPD Data, Hi-Performance, Tcvr, Can, 2-Fiber	288.44	Fiber Optic Transmission
S711DR-EST1	MM - MPD Data, Hi-Performance, Rx, Can	593.13	Fiber Optic Transmission
S711DR-RST1	MM - MPD Data, Hi-Performance, Rx, Rack	593.13	Fiber Optic Transmission
S711D-RST2	MM - MPD Data, Hi-Performance, Tcvr, Rack, 2-Fiber	288.44	Fiber Optic Transmission
S711DT-EST1	MM - MPD Data, Hi-Performance, Tx, Can	593.13	Fiber Optic Transmission
S711DT-RST1	MM - MPD Data, Hi-Performance, Tx, Rack	593.13	Fiber Optic Transmission
S711F2FR-RST1	MM - CASI F/2F Data, Rx, Rack	715.00	Fiber Optic Transmission
S711F2F-RST2	MM - CASI F/2F Data, Tcvr, Rack, 2-Fiber	410.32	Fiber Optic Transmission
S711F2FT-RST1	MM - CASI F/2F Data, Tx, Rack	715.00	Fiber Optic Transmission
S712D-EST2	MM - MPD Data Repeater, Can, 2-Fiber	1283.75	Fiber Optic Transmission
S712D-EST4	MM - MPD Data Repeater, Can, 4-Fiber	645.94	Fiber Optic Transmission
S712D-RST2	MM - MPD Data Repeater, Rack, 2-Fiber	1283.75	Fiber Optic Transmission
S712D-RST4	MM - MPD Data Repeater, Rack, 4-Fiber	645.94	Fiber Optic Transmission
S713D-EST2	MM - 10Base-T Ethernet, Tovr, Can, 2-Fiber	409.50	Fiber Optic Transmission
S713D-RST2	MM - 10Base-T Ethernet, Tcvr, Rack, 2-Fiber MM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	409.50 515.94	Fiber Optic Transmission
S714D-EST2	MM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber MM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber		Fiber Optic Transmission Fiber Optic Transmission
S714D-EST2L S714DR-EST1	MM - 100Base-T Ethernet, TcVr, Can, 2-Fiber MM - 100Base-T Ethernet, Rx, Can	731.25 828.75	Fiber Optic Transmission
S714DR-EST1	MM - 100Base-T Ethernet, Rx, Can MM - 100Base-T Ethernet, Rx, Rack	828.75	Fiber Optic Transmission
S714DR-RST1	MM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	515.94	Fiber Optic Transmission
S714D-RST2L	MM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	731.25	Fiber Optic Transmission
S714DT-EST1	MM - 100Base-T Ethernet, Tx, Can	828.75	Fiber Optic Transmission

	lens and a give in a position	11	len
S715DR-RST1	MM - 2-Way 2-CH Data, Rx, Rack	971.75	Fiber Optic Transmission
S715D-RST2L	MM - 2-Way 2-CH Data, Tcvr, Rack, 2-Fiber	711.75	Fiber Optic Transmission
S715DT-RST1	MM - 2-Way 2-CH Data, Tx, Rack	971.75	Fiber Optic Transmission
S717DR-RST1	MM - Digital Current Loop, Rx, Rack	780.00	Fiber Optic Transmission
S717D-RST2	MM - Digital Current Loop, Tcvr, Rack, 2-Fiber	520.00	Fiber Optic Transmission
S717DT-RST1	MM - Digital Current Loop, Tx, Rack	780.00	Fiber Optic Transmission
S730DVR-EST1	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1011.57	Fiber Optic Transmission
S730DVR-EST2	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	792.19	Fiber Optic Transmission
S730DVR-RST1	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1011.57	Fiber Optic Transmission
S730DVR-RST2	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	792.19	Fiber Optic Transmission
S730DVR-RST2L	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1011.57	Fiber Optic Transmission
S730DVT-EST1	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1011.57	Fiber Optic Transmission
S730DVT-EST2	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	792.19	Fiber Optic Transmission
S730DVT-EST2L	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1011.57	Fiber Optic Transmission
S730DVT-RST1	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1011.57	Fiber Optic Transmission
S730DVT-RST2	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	792.19	Fiber Optic Transmission
S731DV-PKG	MM - Video and Return MPD Data. Tx/Rx, 2 Power Supplies, Kit	1246.70	Fiber Optic Transmission
S731DVR-EST1	MM - Video & Reverse MPD Data, Digitally Processed, Rx, Can	625.63	Fiber Optic Transmission
S731DVR-EST2	MM - Video & Reverse MPD Data, Digitally Processed, Rx, Can, 2-Fiber	479.38	Fiber Optic Transmission
S731DVR-RST1	MM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack	625.63	Fiber Optic Transmission
		479.38	
S731DVR-RST2	MM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber		Fiber Optic Transmission
S731DVT-EST1	MM - Video & Reverse MPD Data, Digitally Processed, Tx, Can	625.63	Fiber Optic Transmission
S731DVT-EST2	MM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber	479.38	Fiber Optic Transmission
S731DVT-KST1	MM - Video & Reverse MPD Data, Digitally Processed, Tx, Board	617.50	Fiber Optic Transmission
S731DVT-RST1	MM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack	625.63	Fiber Optic Transmission
S731DVT-RST2	MM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	479.38	Fiber Optic Transmission
S732DV-PKG	MM - Video & 2-Way MPD Data, Tx/Rx, 2 Power Supplies, Kit	1294.15	Fiber Optic Transmission
S732DVR-EST1	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	670.32	Fiber Optic Transmission
S732DVR-EST2	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	520.00	Fiber Optic Transmission
S732DVR-RST1	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	670.32	Fiber Optic Transmission
S732DVR-RST1L	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	2295.80	Fiber Optic Transmission
S732DVR-RST2	MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	520.00	Fiber Optic Transmission
			Fiber Optic Transmission
S732DVT-EST1	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	670.32	-
S732DVT-EST2	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	520.00	Fiber Optic Transmission
S732DVT-PST1	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Board	617.50	Fiber Optic Transmission
S732DVT-RST1	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	670.32	Fiber Optic Transmission
S732DVT-RST1L	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	2295.80	Fiber Optic Transmission
S732DVT-RST2	MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	520.00	Fiber Optic Transmission
S733DVR-RST1	MM - Video & 2-Way 2-CH MPD Data, Digitally Processed, Rx, Rack	1231.75	Fiber Optic Transmission
S733DVR-RST2L	MM - Video & 2-Way 2-CH MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1231.75	Fiber Optic Transmission
S733DVT-RST1	MM - Video & 2-Way 2-CH MPD Data, Digitally Processed, Tx, Rack	1231.75	Fiber Optic Transmission
S733DVT-RST2L	MM - Video & 2-Way 2-CH MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1231.75	Fiber Optic Transmission
S734DVR-EST1	MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Can	2433.44	Fiber Optic Transmission
S734DVR-RST1	MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	2433.44	Fiber Optic Transmission
S734DVT-EST1	MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Track	2758.44	Fiber Optic Transmission
		2758.44	
S734DVT-RST1	MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack		Fiber Optic Transmission
S735DVR-RST	MM - 8-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	4265.63	Fiber Optic Transmission
S735DVT-RST	MM - 8-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	5078.13	Fiber Optic Transmission
S736DVR-RST	MM - 12-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	7068.75	Fiber Optic Transmission
S736DVT-RST	MM - 12-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	7881.25	Fiber Optic Transmission
S737DVR-RST	MM - 16-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	8206.25	Fiber Optic Transmission
S737DVT-RST	MM - 16-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	9668.75	Fiber Optic Transmission
S739DV-PKG	MM - Video and 2-Way Up-The-Coax Data, Tx/Rx, 2 Power Supplies, Kit	1277.25	Fiber Optic Transmission
S739DVR-EST1	MM - Video with Up-The-Coax Data, Rx, Can	641.88	Fiber Optic Transmission
S739DVR-EST2	MM - Video with Up-The-Coax Data, Rx, Can, 2-Fiber	438.75	Fiber Optic Transmission
S739DVR-RST1	MM - Video with Up-The-Coax Data, Rx, Rack	641.88	Fiber Optic Transmission
S739DVR-RST2	MM - Video with Up-The-Coax Data, Rx, Rack, 2-Fiber	438.75	Fiber Optic Transmission
S739DVT-EST1	MM - Video with Up-The-Coax Data, TX, TXacx, 2-1 liber	641.88	Fiber Optic Transmission
S739DVT-EST2	MM - Video with Up-The-Coax Data, Tx, Can MM - Video with Up-The-Coax Data, Tx, Can, 2-Fiber	438.75	Fiber Optic Transmission
S739DVT-EST2	MM - Video with Up-The-Coax Data, Tx, Carl, 2-riber	641.88	Fiber Optic Transmission
S739DVT-RST1	MM - Video with Up-The-Coax Data, Tx, Rack MM - Video with Up-The-Coax Data, Tx, Rack, 2-Fiber	438.75	
			Fiber Optic Transmission
S751DAR-RST1	MM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	906.75	Fiber Optic Transmission
S751DAR-RST2L	MM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	711.75	Fiber Optic Transmission
S751DAT-RST1	MM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack	906.75	Fiber Optic Transmission
S751DAT-RST2L	MM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	711.75	Fiber Optic Transmission
S754DAR-RST1	MM - 2-Way, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	971.75	Fiber Optic Transmission
S754DAR-RST2L	MM - 2-Way, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	841.75	Fiber Optic Transmission
S754DAT-RST1	MM - 2-Way, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	971.75	Fiber Optic Transmission
S754DAT-RST2L	MM - 2-Way, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	841.75	Fiber Optic Transmission
S760DAVR-RSTL	MM - Video, Audio & MPD Data, Digitally Processed, Rx, Rack	796.25	Fiber Optic Transmission
S760DAVT-RSTL	MM - Video, Audio & MPD Data, Digitally Processed, Tx, Rack	796.25	Fiber Optic Transmission
S761DAVR-RST1	MM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	1053.00	Fiber Optic Transmission
S761DAVR-RST2L	MM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1053.00	Fiber Optic Transmission
S761DAVT-RST1	MM - Video, 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack	1053.00	Fiber Optic Transmission
S761DAVT-RST2L	MM - Video, 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1053.00	Fiber Optic Transmission
S764DAVR-RST1	MM - Video & 2-Way Addio & MPD Data, Digitally Processed, TX, Rack, 2-Fiber	1134.25	Fiber Optic Transmission
			Fiber Optic Transmission
S764DAVR-RST2L	MM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1134.25	
S764DAVT-RST1	MM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	1134.25	Fiber Optic Transmission
070 (DA) /T DOTO:	MM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1134.25	Fiber Optic Transmission
S764DAVT-RST2L			Fiber Optic Transmission
S768DAVR-RST1	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	1215.50	
	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1215.50 1215.50	Fiber Optic Transmission
S768DAVR-RST1			Fiber Optic Transmission Fiber Optic Transmission
S768DAVR-RST1 S768DAVR-RST2L	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1215.50	
S768DAVR-RST1 S768DAVR-RST2L S768DAVT-RST1 S768DAVT-RST2L	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1215.50 1215.50 1215.50	Fiber Optic Transmission Fiber Optic Transmission
S768DAVR-RST1 S768DAVR-RST2L S768DAVT-RST1 S768DAVT-RST2L S7703VR-EFC	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber SM - 2-CH Video, Rx, Can	1215.50 1215.50 1215.50 1015.63	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
\$768DAVR-RST1 \$768DAVR-RST2L \$768DAVT-RST1 \$768DAVT-RST2L \$7703VR-EFC \$7703VR-EST	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber SM - 2-CH Video, Rx, Can SM - 2-CH Video, Rx, Can	1215.50 1215.50 1215.50 1215.63 1015.63	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
\$768DAVR-RST1 \$768DAVR-RST2L \$768DAVT-RST1 \$768DAVT-RST2L \$7703VR-EFC \$7703VR-EST \$7703VR-EST	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber SM - 2-CH Video, Rx, Can SM - 2-CH Video, Rx, Can SM - 2-CH Video, Rx, Rack	1215.50 1215.50 1215.50 1215.63 1015.63 1015.63	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission
\$768DAVR-RST1 \$768DAVR-RST2L \$768DAVT-RST1 \$768DAVT-RST2L \$7703VR-EFC \$7703VR-EST	MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack MM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber SM - 2-CH Video, Rx, Can SM - 2-CH Video, Rx, Can	1215.50 1215.50 1215.50 1215.63 1015.63	Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission Fiber Optic Transmission

OTTON/T DEO	OM 0 OUNTL T. D. I	11 4045.00	let or t
S7703VT-RFC	SM - 2-CH Video, Tx, Rack	1015.63	Fiber Optic Transmission
S7703VT-RST	SM - 2-CH Video, Tx, Rack	1015.63	Fiber Optic Transmission
S7704VR-EST	SM - 4-CH Video, Rx, Can	2275.00	Fiber Optic Transmission
S7704VR-RST	SM - 4-CH Video, Rx, Rack	2275.00	Fiber Optic Transmission
S7704VT-EST	SM - 4-CH Video, Tx, Can	2275.00	Fiber Optic Transmission
S7704VT-RST	SM - 4-CH Video, Tx, Rack	2275.00	Fiber Optic Transmission
S7705VR-EST	SM - Video, Broadcast-Grade, Digitally Processed, Rx, Can	889.69	Fiber Optic Transmission
S7705VR-RFC	SM - Video, Broadcast-Grade, Digitally Processed, Rx, Rack	889.69	Fiber Optic Transmission
S7705VR-RST	SM - Video, Broadcast-Grade, Digitally Processed, Rx, Rack	889.69	Fiber Optic Transmission
S7705VT-EFC	SM - Video, Broadcast-Grade, Digitally Processed, Tx, Can	889.69	Fiber Optic Transmission
S7705VT-EST	SM - Video, Broadcast-Grade, Digitally Processed, Tx, Can	889.69	Fiber Optic Transmission
S7705VT-RFC	SM - Video, Broadcast-Grade, Digitally Processed, Tx, Rack	889.69	Fiber Optic Transmission
S7705VT-RST	SM - Video, Broadcast-Grade, Digitally Processed, Tx, Rack	889.69	Fiber Optic Transmission
S7706VR-EFC	SM - Video, Hi-Performance, Digitally Processed, Rx, Can	723.13	Fiber Optic Transmission
S7706VR-EST	SM - Video, Hi-Performance, Digitally Processed, Rx, Can	723.13	Fiber Optic Transmission
S7706VR-RFC	SM - Video, Hi-Performance, Digitally Processed, Rx, Rack	723.13	Fiber Optic Transmission
S7706VR-RST	SM - Video, Hi-Performance, Digitally Processed, Rx, Rack	723.13	Fiber Optic Transmission
S7706VT-EFC	SM - Video, Hi-Performance, Digitally Processed, Tx, Can	723.13	Fiber Optic Transmission
S7706VT-EST	SM - Video, Hi-Performance, Digitally Processed, Tx, Can	723.13	Fiber Optic Transmission
S7706VT-RFC	SM - Video, Hi-Performance, Digitally Processed, Tx, Rack	723.13	Fiber Optic Transmission
S7706VT-RST	SM - Video, Hi-Performance, Digitally Processed, Tx, Rack	723.13	Fiber Optic Transmission
S7707VR-EFC	SM - 4-CH Video, Digitally Processed, Rx, Can	2027.19	Fiber Optic Transmission
S7707VR-EST	SM - 4-CH Video, Digitally Processed, Rx, Can	2027.19	Fiber Optic Transmission
S7707VR-RFC	SM - 4-CH Video, Digitally Processed, Rx, Rack	2027.19	Fiber Optic Transmission
S7707VR-RST	SM - 4-CH Video, Digitally Processed, Rx, Rack	2027.19	Fiber Optic Transmission
S7707VT-EFC	SM - 4-CH Video, Digitally Processed, Tx, Can	2027.19	Fiber Optic Transmission
S7707VT-EFC S7707VT-EST	SM - 4-CH Video, Digitally Processed, Tx, Can	2027.19	Fiber Optic Transmission
S7707VT-RFC	SM - 4-CH Video, Digitally Processed, Tx, Can SM - 4-CH Video, Digitally Processed, Tx, Rack	2027.19	Fiber Optic Transmission
S7707VT-RFC S7707VT-RST	SM - 4-CH Video, Digitally Processed, Tx, Rack		
		2027.19	Fiber Optic Transmission
S7708VR-EFC	SM - 8-CH Video, Digitally Processed, Rx, Can	3408.44	Fiber Optic Transmission
S7708VR-EST	SM - 8-CH Video, Digitally Processed, Rx, Can	3408.44	Fiber Optic Transmission
S7708VR-RFC	SM - 8-CH Video, Digitally Processed, Rx, Rack	3408.44	Fiber Optic Transmission
S7708VR-RST	SM - 8-CH Video, Digitally Processed, Rx, Rack	3408.44	Fiber Optic Transmission
S7708VT-EFC	SM - 8-CH Video, Digitally Processed, Tx, Can	3408.44	Fiber Optic Transmission
S7708VT-EST	SM - 8-CH Video, Digitally Processed, Tx, Can	3408.44	Fiber Optic Transmission
S7708VT-RFC	SM - 8-CH Video, Digitally Processed, Tx, Rack	3408.44	Fiber Optic Transmission
S7708VT-RST	SM - 8-CH Video, Digitally Processed, Tx, Rack	3408.44	Fiber Optic Transmission
S7711D-EST2	SM - MPD Data, Hi-Performance, Tcvr, Can, 2-Fiber	723.13	Fiber Optic Transmission
S7711DR-EFC1	SM - MPD Data, Hi-Performance, Rx, Can	1568.13	Fiber Optic Transmission
S7711DR-EST1	SM - MPD Data, Hi-Performance, Rx, Can	1568.13	Fiber Optic Transmission
S7711DR-RFC1	SM - MPD Data, Hi-Performance, Rx, Rack	1568.13	Fiber Optic Transmission
S7711DR-RST1	SM - MPD Data, Hi-Performance, Rx, Rack	1568.13	Fiber Optic Transmission
S7711D-RST2	SM - MPD Data, Hi-Performance, Tcvr, Rack, 2-Fiber	723.13	Fiber Optic Transmission
S7711DT-EFC1	SM - MPD Data, Hi-Performance, Tx, Can	3136.25	Fiber Optic Transmission
S7711DT-EST1	SM - MPD Data, Hi-Performance, Tx, Can	1568.13	Fiber Optic Transmission
S7711DT-RFC1	SM - MPD Data, Hi-Performance, Tx, Rack	1568.13	Fiber Optic Transmission
S7711DT-RST1	SM - MPD Data, Hi-Performance, Tx, Rack	1568.13	Fiber Optic Transmission
S7711F2FR-RST1	SM - CASI F/2F Data, Rx, Rack	1690.00	Fiber Optic Transmission
S7711F2F-RST2	SM - CASI F/2F Data, Tcvr, Rack, 2-Fiber	845.00	Fiber Optic Transmission
S7711F2FT-RST1	SM - CASI F/2F Data, Tx, Rack	1690.00	Fiber Optic Transmission
S7712D-EST2	SM - MPD Data Repeater, Can, 2-Fiber	1738.75	Fiber Optic Transmission
S7712D-EST4	SM - MPD Data Repeater, Can, 4-Fiber	1072.50	Fiber Optic Transmission
S7712D-RST2	SM - MPD Data Repeater, Rack, 2-Fiber	1738.75	Fiber Optic Transmission
S7712D-RST4	SM - MPD Data Repeater, Rack, 4-Fiber	1072.50	Fiber Optic Transmission
S7714D-EFC2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	698.75	Fiber Optic Transmission
S7714D-ESC2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	1210.63	Fiber Optic Transmission
S7714D-EST2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	698.75	Fiber Optic Transmission
S7714DR-EST1	SM - 100Base-T Ethernet, Rx, Can	1072.50	Fiber Optic Transmission
S7714D.RFC2	SM - 100Base-T Ethernet, Txx, Garr	698.75	Fiber Optic Transmission
S7714DR-RST1	SM - 100Base-T Ethernet, Rx, Rack	1072.50	Fiber Optic Transmission
S7714DR-RSC2	SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	1210.63	
S7714D-RSC2 S7714D-RST2		698.75	Fiber Optic Transmission
	SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber		Fiber Optic Transmission
S7714DT-EST1	SM - 100Base-T Ethernet, Tx, Can	1072.50	Fiber Optic Transmission
S7714DT-RST1	SM - 100Base-T Ethernet, Tx, Rack	1072.50	Fiber Optic Transmission
S7715D-RFC2	SM - 2-Way 2-CH MPD Data, Tcvr, Rack, 2-Fiber	1101.75	Fiber Optic Transmission
S7715DR-RST1	SM - 2-Way 2-CH MPD Data, Rx, Rack	1231.75	Fiber Optic Transmission
S7715D-RST2	SM - 2-Way 2-CH MPD Data, Tcvr, Rack, 2-Fiber	1101.75	Fiber Optic Transmission
S7715DT-RST1	SM - 2-Way 2-CH MPD Data, Tx, Rack	1231.75	Fiber Optic Transmission
S7717D-RFC2	SM - Digital Current Loop, Tcvr, Rack, 2-Fiber	845.00	Fiber Optic Transmission
S7717DR-RFC1	SM - Digital Current Loop, Rx, Rack	1560.00	Fiber Optic Transmission
S7717DR-RST1	SM - Digital Current Loop, Rx, Rack	1560.00	Fiber Optic Transmission
S7717D-RST2	SM - Digital Current Loop, Tcvr, Rack, 2-Fiber	845.00	Fiber Optic Transmission
S7717DT-RFC1	SM - Digital Current Loop, Tx, Rack	1560.00	Fiber Optic Transmission
S7717DT-RST1	SM - Digital Current Loop, Tx, Rack	1560.00	Fiber Optic Transmission
S7730DVR-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1990.63	Fiber Optic Transmission
S7730DVR-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1584.38	Fiber Optic Transmission
S7730DVR-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1990.63	Fiber Optic Transmission
S7730DVR-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1584.38	Fiber Optic Transmission
S7730DVR-ES12	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Piber	1990.63	Fiber Optic Transmission
	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber		Fiber Optic Transmission
S7730DVR-RFC2		1584.38	
S7730DVR-RST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1990.63	Fiber Optic Transmission
S7730DVR-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1584.38	Fiber Optic Transmission
S7730DVT-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1990.63	Fiber Optic Transmission
S7730DVT-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1584.38	Fiber Optic Transmission
S7730DVT-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1990.63	Fiber Optic Transmission
	1	1584.38	Fiber Optic Transmission
S7730DVT-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1304.30	Fiber Optic Hansmission
	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1990.63	Fiber Optic Transmission
S7730DVT-EST2			

I		11	len
S7730DVT-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1584.38	Fiber Optic Transmission
S7731DVR-EFC1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can	1706.25	Fiber Optic Transmission
S7731DVR-EFC2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVR-EST1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can	1706.25	Fiber Optic Transmission
S7731DVR-EST2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVR-RFC1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack	1706.25	Fiber Optic Transmission
S7731DVR-RFC2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVR-RST1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack	1706.25	Fiber Optic Transmission
S7731DVR-RST2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVT-EFC1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can	1706.25	Fiber Optic Transmission
S7731DVT-EFC2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVT-EST1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can	1706.25	Fiber Optic Transmission
S7731DVT-EST2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVT-KST1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Board	1673.75	Fiber Optic Transmission
S7731DVT-RFC1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack	1706.25	Fiber Optic Transmission
S7731DVT-RFC2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1218.75	Fiber Optic Transmission
S7731DVT-RST1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack	1706.25	Fiber Optic Transmission
S7731DVT-RST2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1218.75	Fiber Optic Transmission
S7732DVR-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1787.50	Fiber Optic Transmission
S7732DVR-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1300.00	Fiber Optic Transmission
S7732DVR-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1787.50	Fiber Optic Transmission
S7732DVR-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1300.00	Fiber Optic Transmission
S7732DVR-RFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1787.50	Fiber Optic Transmission
S7732DVR-RST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1787.50	Fiber Optic Transmission
S7732DVR-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1300.00	Fiber Optic Transmission
S7732DVT-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1787.50	Fiber Optic Transmission
S7732DVT-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1300.00	Fiber Optic Transmission
S7732DVT-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1787.50	Fiber Optic Transmission
S7732DVT-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1300.00	Fiber Optic Transmission
S7732DVT-PST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Board	1673.75	Fiber Optic Transmission
S7732DVT-RFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1787.50	Fiber Optic Transmission
S7732DVT-RST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1787.50	Fiber Optic Transmission
S7732DVT-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1300.00	Fiber Optic Transmission
S7733DVR-RFC1	SM - Video & 2-Way Nin D Data, Digitally 1 Todessed, 1x, Nack, 2-1 Iber	1946.75	Fiber Optic Transmission
S7733DVR-RFC2	SM - Video & 2-Way 2-CH MPD Data, RX, Rack SM - Video & 2-Way 2-CH MPD Data, Rx, Rack, 2-Fiber	1621.75	Fiber Optic Transmission
		1946.75	
S7733DVR-RST1	SM - Video & 2-Way 2-CH MPD Data, Rx, Rack		Fiber Optic Transmission
S7733DVR-RST2	SM - Video & 2-Way 2-CH MPD Data, Rx, Rack, 2-Fiber	1621.75	Fiber Optic Transmission
S7733DVT-RFC1	SM - Video & 2-Way 2-CH MPD Data, Tx, Rack	1946.75	Fiber Optic Transmission
S7733DVT-RFC2	SM - Video & 2-Way 2-CH MPD Data, Tx, Rack, 2-Fiber	2271.75	Fiber Optic Transmission
S7733DVT-RST1	SM - Video & 2-Way 2-CH MPD Data, Tx, Rack	1946.75	Fiber Optic Transmission
S7733DVT-RST2	SM - Video & 2-Way 2-CH MPD Data, Tx, Rack, 2-Fiber	1621.75	Fiber Optic Transmission
S7734DVR-EFC1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Can	3164.69	Fiber Optic Transmission
S7734DVR-EST1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Can	3164.69	Fiber Optic Transmission
S7734DVR-RFC1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	3164.69	Fiber Optic Transmission
S7734DVR-RST1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	3164.69	Fiber Optic Transmission
S7734DVT-EFC1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Can	3164.69	Fiber Optic Transmission
S7734DVT-EST1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Can	3164.69	Fiber Optic Transmission
S7734DVT-RFC1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	3164.69	Fiber Optic Transmission
S7734DVT-RST1	SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	3164.69	Fiber Optic Transmission
S7739DVR-EST1	SM - Video with Up-The-Coax Data, Rx, Can	1990.63	Fiber Optic Transmission
S7739DVR-RST1	SM - Video with Up-The-Coax Data, Rx, Rack	1990.63	Fiber Optic Transmission
S7739DVT-EST1	SM - Video with Up-The-Coax Data, Tx, Can	1990.63	Fiber Optic Transmission
S7739DVT-RST1	SM - Video with Up-The-Coax Data, Tx, Rack	1990.63	Fiber Optic Transmission
S7751DAR-RFC1	SM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	1621.75	Fiber Optic Transmission
S7751DAR-RFC2	SM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1296.75	Fiber Optic Transmission
S7751DAR-RST1	SM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	1621.75	Fiber Optic Transmission
S7751DAR-RST2	SM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1296.75	Fiber Optic Transmission
S7751DAT-RFC1	SM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack	1621.75	Fiber Optic Transmission
S7751DAT-RFC2	SM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1296.75	Fiber Optic Transmission
S7751DAT-RST1	SM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack	1621.75	Fiber Optic Transmission
S7751DAT-RST2	SM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1296.75	Fiber Optic Transmission
S7754DAR-RFC1	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	1881.75	Fiber Optic Transmission
S7754DAR-RFC2	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1491.75	Fiber Optic Transmission
S7754DAR-RST1	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	1881.75	Fiber Optic Transmission
S7754DAR-RST2	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1491.75	Fiber Optic Transmission
S7754DAT-RFC1	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	1881.75	Fiber Optic Transmission
S7754DAT-RFC2	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1491.75	Fiber Optic Transmission
S7754DAT-RST1	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	1881.75	Fiber Optic Transmission
S7754DAT-RST2	SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1491.75	Fiber Optic Transmission
S7760DAVR-RST	SM - Video, Audio & MPD Data, Digitally Processed, Rx, Rack	1023.75	Fiber Optic Transmission
S7760DAVT-RST	SM - Video, Audio & MPD Data, Digitally Processed, Tx, Rack	1023.75	Fiber Optic Transmission
S7761DAVR-RFC1	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	1978.44	Fiber Optic Transmission
S7761DAVR-RFC2	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1466.57	Fiber Optic Transmission
S7761DAVR-RST1	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack	1978.44	Fiber Optic Transmission
S7761DAVR-RST2	SM - Video, 2-Way Addio & MPD Data, Digitally Processed, Rx, Rack SM - Video, 2-Way Addio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1466.57	Fiber Optic Transmission
	SM - Video, 2-Way Addio & MPD Data, Digitally Processed, Rx, Rack, 2-riber	1978.44	
S7761DAVT-RFC1 S7761DAVT-RFC2			Fiber Optic Transmission Fiber Optic Transmission
	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1466.57	
S7761DAVT-RST1	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack	1978.44	Fiber Optic Transmission
S7761DAVT-RST2	SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1466.57	Fiber Optic Transmission
S7764DAVR-RFC1	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	2140.94	Fiber Optic Transmission
S7764DAVR-RFC2	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1629.07	Fiber Optic Transmission
S7764DAVR-RST1	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack	2140.94	Fiber Optic Transmission
S7764DAVR-RST2	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1629.07	Fiber Optic Transmission
S7764DAVT-RFC1	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	2140.94	Fiber Optic Transmission
S7764DAVT-RFC2	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1629.07	Fiber Optic Transmission
S7764DAVT-RST1	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	2140.94	Fiber Optic Transmission
		1629.07	Fiber Optic Transmission
S7764DAVT-RST2	SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1020.01	
S7764DAVT-RST2 S7768DAVR-RST1	SM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, 1x, Rack, 2-Fiber	2303.44	Fiber Optic Transmission

S7768DAVT-RST1	SM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	2303.44	Fiber Optic Transmission
S7768DAVT-RST2	SM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1791.57	Fiber Optic Transmission
SAP-32RPAK-LIC	Sapphire Pro 32 Reader Pak Capacity License Increase	853.13	Sapphire Pro
SAP-CLIWKS-LIC	Sapphire Pro Client Workstation License - Additional Single Client Workstation	1279.69	Sapphire Pro
SAP-GTSOPT-LIC	Guard Tour	1023.75	Sapphire Pro
SAP-HOSTUP-LIC	Host Upload for Cardholder Database Import	1023.75	
			Sapphire Pro
SAP-HRSOPT-LIC	Hot Redundant Server Operation (Links 2 Servers, requires 2nd Server Software Licenses and options @ 50% Discount, requires Travel & Expenses for applicable on-site factory assistance)	4265.63	Sapphire Pro
SAP-MSOOPT-LIC	Multiple Server Operation (Links multiple servers, 1 MSO license required per each Sapphire Pro	2132.82	Sapphire Pro
AL-MOOOL I-EIO	Standard Server, recommend Travel & Expenses for applicable on-site factory assistance)	2132.02	оаррине и го
SAP-PDBOPT-LIC	Partitioned Database Server Operation	1279.69	Sapphire Pro
SAP-STDSVR-LIC	Sapphire Pro Standard Server License - Server + 2 Client Workstations, 32 readers	1706.25	Sapphire Pro
SAP-STDSVR-UPG	Saphire Pro Software upgrades to new version releases. Upgrade fee % is calculated on total price of Saphire Pro software licenses purchased. (Applies to systems not covered under warranty or under Software Maintenance Agreement)	Call for Quote	
SB01	Ceiling/Wall Mount Swivel Bracket for AP750, AP475, AP950AM	9.26	Sensors & Detectors
SC10U-3	Smoke Detector, Ionization, Optional Item TS7 Series	29.12	Fire
SC10U-3B	Ion Detector w/Sensitivity, Optional Item TS7 Series	33.63	Fire
C20FTU-3	135F Fixed Temp Heat Detector	28.60	Fire
C20RRU-3	135F Comb Fixed Temp ROR Heat Detector	28.60	Fire
C30U-3	Photo Detector w/Sensitivity, Optional Item TS7 Series	32.93	Fire
C30U-3B	Photo Detector w/Sensitivity, Optional Item TS7 Series	38.13	Fire
C30U-3RB	Ion Detector w/Sensitivity, Optional Item TS7 Series	104.00	Fire
CSI CABLE	SCSI Cable, 6 ft	68.90	Digital Recording
5D-2W	SD Sensor, 2-Wire, E-Shield	170.16	Fire
SD-4WJ	Duct Detector, Sensor and Controller, RJ45	194.31	Fire
D-4WPCBT	Duct Detector Accessory, Replacement PCB/Sensor Kit, Terminals	80.25	Fire
D-CJ	Duct Detector, Controller Only, RJ45	97.07	Fire
D-CT	Duct Detector, Controller Only, Terminals	102.44	Fire
D-GSK	Duct Detector Accessory, Gasket Kit	19.07	Fire
D-MAG	Duct Detector Accessory, Magnet Test Kit	2.43	Fire
D-RJ10	Duct Detector Accessory, Wiring Harness Kit - 10 FT	44.03	Fire
SD-RJ15	Duct Detector Accessory, Wiring Harness Kit - 15 FT	57.72	Fire
D-RJ5	Duct Detector Accessory, Wiring Harness Kit - 5FT	29.99	Fire
SD-SJ		94.12	
	Duct Detector, Sensor Only, 4-Wire, RJ45		Fire
D-ST	Duct Detector, Sensor Only, Terminals	94.12	Fire
D-T120	Duct Detector Accessory, 120" Sampling Tube	19.07	Fire
D-T18	Duct Detector Accessory, 18" Sampling Tube	11.70	Fire
D-T24	Duct Detector Accessory, 24" Sampling Tube	11.70	Fire
D-T36	Duct Detector Accessory, 36" Sampling Tube	11.70	Fire
D-T42	Duct Detector Accessory, 42" Sampling Tube	11.70	Fire
D-T60	Duct Detector Accessory, 60" Sampling Tube	13.00	Fire
D-T78		15.08	
	Duct Detector Accessory, 78" Sampling Tube		Fire
D-T8	Duct Detector Accessory, 8" Sampling Tube	8.49	Fire
SD-TRK	SD Remote Reset/Test, 2W/SIG	54.70	Fire
D-TRK4	Duct Detector Accessory, Remote Test/Reset Station/Key	51.65	Fire
D-TRM	SD Remote Reset/Test, 2W/SIG	36.84	Fire
D-TRM4	Duct Detector Accessory, Remote Test/Reset Station, Magnetic	34.84	Fire
DVR-10-160	10-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet	3747.90	Digital Recording
DVR-10-320	10-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet	4430.40	Digital Recording
DVR-10-600	10-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet	5460.00	Digital Recording
DVR-10-80	10-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet	3201.90	Digital Recording
DVR-10-00 DVR-10PII-160	10-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro	4283.50	Digital Recording
DVR-10PII-160-C	10-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro w/KTD-405	4871.10	Digital Recording
DVD 40DH 055	Keypad	47/0-0	D: :: 1D ::
SDVR-10PII-320 SDVR-10PII-320-C	10-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro 10-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro w/KTD-405 Keypad	4712.50 5300.10	Digital Recording Digital Recording
SDVR-10PII-600	10-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet, Pro	5863.00	Digital Recording
DVR-10PII-600-C	10-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet, Pro w/KTD-405	6450.60	Digital Recording
D V IV- 10F11-000-C	Keypad	0430.00	Digital Necolulity
DVR-10PII-80	10-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro	3425.50	Digital Recording
DVR-10PII-80-C	10-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro w/KTD-405 Keypad	4013.10	Digital Recording
DVR-16-160	16-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet	4157.40	Digital Recording
DVR-16-320	16-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet	5249.40	Digital Recording
DVR-16-600	16-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet	6006.00	Digital Recording
DVR-16-80	16-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet	3747.90	Digital Recording
DVR-16PII-160	16-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro	4784.00	Digital Recording
DVR-16PII-160-C	16-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro w/KTD-405 Keypad	5371.60	Digital Recording
SDVR-16PII-320	16-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro	6071.00	Digital Recording
SDVR-16PII-320-C	16-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro w/KTD-405 Keypad	6658.60	Digital Recording
SDVR-16PII-600	16-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet, Pro 16-Channel Color Triplex Multiplexer/Recorder, 600GB HDD, CD-RW, Ethernet, Pro w/KTD-405	7072.00 7659.60	Digital Recording Digital Recording
SDVR-16PII-600-C			

16-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro w/KTD-405	4871.10	Digital Recording
	0700.50	Digital Recording
4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet	3133.00	Digital Recording
4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet	1768.00	Digital Recording
	3068 00	Digital Recording
Keypad		Digital Recording
4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro	3854.50	Digital Recording
4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro w/KTD-405	4442.10	Digital Recording
	2406.00	Digital Recording
4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro w/KTD-405 Keypad	3083.60	Digital Recording
Duct Detector Accessory Velocity Test Kit	218 40	Fire
		Service
Access	2730.00	Service
Solutions Engineering Onsite System Commissioning Assistance; Hourly Rate, Access	341.90	Service
Software installation, PC NOT purchased from GF-Security	3412 50	Service
		Service
		1
Single Input Device, Addressable. The Addressable Single Input Device Connects a Single Non-Addressable Device to the NX-2192 Interface Card	28.65	NetworX
	211.58	Topaz
		Fiber Optic Transmission
		Fiber Optic Transmission
SM/DP/LC/FC/3, Fiber Optic Jumper, Two LC and Two FC Conn., 3M	58.50	Fiber Optic Transmission
		Fiber Optic Transmission
		Fiber Optic Transmission
SM/DP/LC/SC/1, Fiber Optic Jumper, Two LC and Two SC Conn., 1M	52.00	Fiber Optic Transmission
SM/DP/LC/SC/10, Fiber Optic Jumper, Two LC and Two SC Conn., 10M	65.00	Fiber Optic Transmission
		Fiber Optic Transmission
		Fiber Optic Transmission
SM/FC/FC/3, Fiber Optic Jumper, Two FC Conn., 3M	71.50	Fiber Optic Transmission
		Fiber Optic Transmission
		Fiber Optic Transmission
	71.50	Fiber Optic Transmission
SM/ST/FC/1, Fiber Optic Jumper, One ST and one FC Conn., 10M	76.38	Fiber Optic Transmission
SM/ST/FC/3 Fiber Ontic Jumper One ST and one FC Conn. 3M	71.50	Fiber Optic Transmission
		Fiber Optic Transmission
	76.38	Fiber Optic Transmission
SM/ST/SC/3, Fiber Optic Jumper, One ST and one SC Conn., 3M	71.50	Fiber Optic Transmission
SM/ST/ST/10, Fiber Optic Jumper. Two ST Conn., 10M	76.38	Fiber Optic Transmission
		Fiber Optic Transmission
		Fire
Basic Omnicast SMA with a 1 Year Term	Call for Quote	Omnicast 4.4
Basic Omnicast SMA with a 2 Year Term	Call for Quote	Omnicast 4.4
Basic Omnicast SMA with a 3 Year Term	Call for Quote	Omnicast 4.4
	Keypad 4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet 4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet 4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 160GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 320GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 4-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 5-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 5-Channel Color Triplex Multiplexer/Recorder, 80GB HDD, CD-RW, Ethernet, Pro 5-Channel Color Tri	Keypad

I	1		I=
SMA-BAS-OM-5Y	Basic Omnicast SMA with a 5 Year Term	Call for Quote	Omnicast 4.4
SMA-COM-OM-1Y	Comprehensive Omnicast SMA with 1 Year Term	Call for Quote	Omnicast 4.4
SMA-COM-OM-2Y	Comprehensive Omnicast SMA with 2 Year Term	Call for Quote	Omnicast 4.4
SMA-COM-OM-3Y	Comprehensive Omningst SMA with 2 Year Torm	Call for Ouete	Omnicast 4.4
SIVIA-COIVI-OIVI-3 f	Comprehensive Omnicast SMA with 3 Year Term	Call for Quote	Offinicast 4.4
SMA-COM-OM-5Y	Comprehensive Omnicast SMA with 5 Year Term	Call for Quote	Omnicast 4.4
SM-EXT1	Smoke-in-a-Can Extension Tube. Use w/SM-200 To Direct Smoke Flow	7.06	Fire
SPGEINSTALL	SP Global Edition Installation Service. Travel expenses NOT included	13650.00	Service
SP-REDINSTALL	SP Redundant System Installation Service (required if using Clustering). Travel expenses NOT included	13650.00	Service
SPRES	Rectangle Acoustic, Residential Applications	36.39	Sensors & Detectors
SWAEXT512	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture	1706.25	Service
	Perfect, Secure Perfect Enterprise, Secure Perfect Global for up to 512 reader count.		
SWCAP1024	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise	11700.00	Service
	Regional servers, 1 to 1024 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not		
	applicable.		
SWCAP128	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 128 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not	1950.00	Service
	applicable.		
SWCAP2048	System Support Agreement, annual Picture Perfect (all), Secure Perfect Enterprise and Enterprise	14300.00	Service
	Regional servers, 1 to 2048 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not		
SWCAP256	applicable. System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise	3900.00	Service
	Regional Server, 1 to 256 reader capacity license. Unlimited tel tech support, M/F, std hours.		
	Upgrade not applicable.		
SWCAP32	System Support Agreement, annual, Picture Perfect (only), 1 to 32 reader capacity license.	520.00	Picture Perfect
SWCAP4096	Unlimited tel tech support, M/F, std hours. Upgrade not applicable. System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise	20150.00	Picture Perfect
	Regional servers, 1 to 4096 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not	20.00.00	
	applicable.		
SWCAP512	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 512 reader capacity license. Unlimited tel tech support, M/F, std hours.	7800.00	Service
	Upgrade not applicable.		
1	, , , , , , , , , , , , , , , , , , , ,		

SWCAP64	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 64 reader capacity license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	975.00	Service
SWD2ENTREP	Protection Plan, Diamond II Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd DII Enterprise Server software @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance	819.00	Diamond II
SWD2ENTSVR	Protection Plan, Diamond II Enterprise Server w/ Partitioned Regional Site Support (For hosting multiple DII systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	2730.00	Diamond II
SWD2MSOOPT	System Support Agreement, annual. Multiple Server Operation. Unlimited tel tech support, M/F, std hours. Upgrade included in base.	546.00	Diamond II
SWD2OPTIONS	Diamond II: ACS Client, Guard Tour, Point Walk Test, Cardholder Database Import, DES-III, System Video Server, Radionics, Stentofon, Visiplex, Oasis option (covers all in any combination)	341.25	Diamond II
SWD2PDBOPT	System Support Agreement, annual, Partitioned Database Server Option. Unlimited tel tech support, M/F, std hours. Upgrade included in base.	273.00	Diamond II
SWEXT128	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture Perfect, Secure Perfect Enterprise, Secure Perfect Global and for up to 128 reader count.	1023.75	Service
SWEXT2048	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture Perfect, Secure Perfect Enterprise, Secure Perfect Global and for up to 2048 reader count.	7312.50	Service
SWEXTMSDE	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Secure Perfect Professional, Secure Perfect Ez for up to 512 reader count.	341.25	Secure Perfect
SWF512CAM	System Support Agreement, Camera Capacity (512 cameras per unit)	3412.50	Picture Perfect
SWFCAIX	System Support Agreement, annual, Facility Commander for AIX. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	5460.00	Picture Perfect
SWFCINTCOM	System Support Agreement, annual, Facility Commander intercom interfaces. Unlimited tel tech support, WF, std hours. Upgrade not applicable.	682.50	Picture Perfect
SWFCINTRUS	System Support Agreement, annual, Facility Commander intrusion interfaces. Unlimited tel tech support, MF, std hours. Upgrade not applicable.	682.50	Picture Perfect
SWFCLINUX	System Support Agreement, annual, Facility Commander for Linux. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	2730.00	Picture Perfect
SWFCMEDIA	System Support Agreement, annual, Facility Commander remote media server	682.50	Picture Perfect
SWFCVIDEO	System Support Agreement, annual, Facility Commander vdeo interfaces, (digita or matrix). Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	682.50	Picture Perfect
SWFCWIN	System Support Agreement, annual, Facility Commander for Windows. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	2047.50	Picture Perfect
SWPPALARM	System Support Agreement, annual, Picture Perfect ver 3.0 Graphical Monitoring & Control. Unlimited tel tech support, M/F, std hours. Upgrade part of base.	614.25	Picture Perfect
SWPPBASE	System Support Agreement, annual, for base Picture Perfect AIX or Picture Perfect Linux Single Server Edition. Unlimited tel tech support, M/F, std hours.	2600.00	Picture Perfect
SWPPCARMA	System Support Agreement, annual, CARMA report server - both reader capacity versions. Unlimited tel tech support, M/F, std hours. Upgrade available.	3412.50	Picture Perfect
SWPPCS	System Support Agreement, annual, Picture Perfect AIX and Picture Perfect Linux Cold Standby, Single Server Edition. Unlimited tel tech support, M/F, std hours.	1501.50	Picture Perfect
SWPPIMAGE	System Support Agreement, annual, Picture Perfect Imaging (ver 3.0 & greater). Unlimited tel tech support, M/F, std hours. Upgrade included with base.	325.00	Picture Perfect
SWPPNET	System Support Agreement, annual, Picture Perfect AIX and Picture Perfect Linux Enterprise Edition. Unlimited tel tech support, M/F, std hours.	6500.00	Picture Perfect
SWPPRED	System Support Agreement, annual Picture Perfect Redundant System option. Unlimited tel tech support, M/F, std hours. Upgrade included in base.	1300.00	Picture Perfect
SWPPSUB	System Support Agreement, annual, Picture Perfect AIX and Picture Perfect Linux Enterprise Edition SubHost. Unlimited tel tech support, MF, std hours.	2600.00	Picture Perfect
SWPREMIUM	System Support Agreement, annual, assigned support team, annual visit - (GE pays T&E), priority call resolution, quarterly conf call, systen analysis, call activity reports. Base package SSA, and extended hours SSA must be in place.	27300.00	Service
SWSAPHRSOPT	Protection Plan, Hot Redundant Server Operation (Links 2 Servers, requires 2nd Server Software Licenses and options @ 50% Discount, requires Travel & Expenses for applicable on-site factory assistance)	1228.50	Sapphire Pro
SWSAPMSO	Protection Plan, Options: Sapphire Pro: ACS Client, Cardholder database upload, Monitor Point Walk Test, Guard Tour, Stentofon, Visiplex option (Covers all in any combination)	341.25	Sapphire Pro
SWSAPMSOOPT	Protection Plan, Sapphire Pro Multiple Server Operation (Links multiple servers, 1 MSO license required per each Sapphire Pro Standard Server, recommend Travel & Expenses for applicable on-	546.00	Sapphire Pro
	site factory assistance)		
SWSAPPDBOPT	Protection Plan, Partitioned Database Server Operation	273.00	Sapphire Pro
SWSPBLANKET	System Support Agreement, annual, blanket coverage for all ACS sytem types, covers total installed base. Call for annual price. Ulimited tel tech supt, M/F, std hours. Free version upgrade - base and all options, all sites.	Call for Quote	Service
SWSPEEREG	System Support Agreement, annual, Secure Perfect Global Regional servers (Secure Perfect Pro or Secure Perfect Enterprise). Unlimited tel tech support, M/F, std hours.	1365.00	Secure Perfect
SWSPENT	System Support Agreement, annual, Secure Perfect Enterprise Edition base (32 readers), all ACS clients, and first Imaging client (only). Unlimited tel tech support, M / F, std hours.	1023.75	Secure Perfect
SWSPGLBSQL	System Support Agreement, annual, Secure Perfect Global Edition Server. Unlimited tel tech supt, M/F, std hours.	2730.00	Secure Perfect
		341.25	Secure Perfect
SWSPIMAGE	System Support Agreement, annual, Secure Perfect Imaging Client, all versions. Not required for Imaging Client bundled with base. Unlimited tel tech support, M/F, std business hours. Version upgrade part of base.	041.20	

September Sept	SWSPRED	System Support Agreement, annual, Secure Perfect Redundant Opt, Secure Perfect-EE or Secure Perfect-GL, LAN micro or DVR fail-over comm to alternative server. Unlimited tel tech support. M/F, std hours. Version upgrade part of base.	1365.00	Secure Perfect
SWIPPINDED System Support Agramment, annual. Socrain Pended Dyells Unknished with support, MP, six how, Version Opton Long Control Color Swipper	SWSPREPORT		3412.50	Secure Perfect
Procedent Plan Visitor Certral Integrated Server	SWSPVIDEO	System Support Agreement, annual, Secure Perfect Digital Video Surveillance option. Covers DVR Option license, and all additional licensed DVR's. Unlimited tel tech support, M/F, std hours. Version	341.25	Secure Perfect
## Procedent Flan Vision Central Standardon Server 1194.38 Vision Symmetry 1194	SWVCC	Protection Plan Visitor Central Client	341.25	Visitor System
## Procedent Flan Vision Central Standardon Server 1194.38 Vision Symmetry 1194	SWVCIS			
Symbot 1-1-277 Symbot 1-1-271 Symb	SWVCSS			
Symbot 164-47 Symbot 16 plus 4, 27 B Hydrol Recorder (965) Digital Recording (965) Symbot 164-47 (965) Digital Recording (965)				
SymDes 16 4-320				
SymDes Feb 14 - 17 SymDes				
SymDet 1-4 March SymDet 1-6 Day A - 40 De Park A Recorder SymDet 1-4 De Day A - 40 De Park A Recorder SymDet 1-4 De Day A - 40 De Park A Recorder SymDet Decorder Decor				, J
SymDec14-64-640 SymDec16-19-48 Rask-Mourat for bybus 4.40 GB Hybrid Recording SymDec16-19-48 Rask-Mourat for bybus 4.40 GB Hybrid Recording SymDec16-19-48 Rask-Mourat for bybus 4.40 GB Hybrid Recording SymE-58-ERFR-0.0 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Stanger, IPP officiant D.38005 SYME-58-ERFR-10 Server, Title Internal Video Standard Standa				
Symbol 14-4 RK				
SYME-BROWN				
SYME - SERVER-1 0 Server, 19 Internal Video Storage, HP Pollant DL38005 7982.00 Omnocast 4.4 SYME - SERVER-1 0 Server, 11 Internal Video Storage, HP Pollant DL38005 9948.30 Omnocast 4.4 SYME - SERVER-2 1 MSA60, 2.578 HP SATA Array, Maximum of 5 per Server				0
SYME-SEVIRE-10 Server, 1TE Internal Video Storage, HP Prolate DL39005 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 SYME-STOR-7.5 MS400, 277 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 95 SA Fram, Meximum of a per Server 100303 Omnicant 4.4 MS400, 276 PH 9				
SYME-STOR-2.5 MSA40, 23TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE HP SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE SATA Array, Maximum of a per Server (1603-30 Omicias 4.4 SYME-STOR-3.2 MSA40, 30TE SATA ARRAY, MAXIMUM OMICIA ARRAY,				
SYME-STOR-3.2 MSAMO, 32TB IF SAS Army, Maximum of 8 per Server 10037.30 Omnicas 4.4 SYME-STOR-5.5 MSAMO, 50TB IF SATA Army, Maximum of 8 per Server 10037.50 Omnicas 4.4 SYME-STOR-5.5 MSAMO, 50TB IF SATA Army, Maximum of 8 per Server 10037.50 Omnicas 4.4 MSAMO, 51TB IF IF SATA Army, Maximum of 8 per Server 10037.50 Omnicas 4.4 MSAMO, 51TB IF IF SATA Army, Maximum of 8 per Server 10037.50 Omnicas 4.4 MSAMO, 51TB IF IF SATA Army, Maximum of 8 per Server 10037.50 Omnicas 4.4 MSAMO, 1919 Tel Parent Monton; 1200.1020 MSYMAMON 1919 Tel Parent Monto				
SYME-STOR-5.0 MSA60, SOTE IF PSATA Army, Maximum of 8 per Server SYME-WS Professional Performance Worksteinen, IF XVM900 Dual Core Xean 5140;2.33 Gbz 350.03 Omiciast 4.4 SYME-STOR-STOR-STOR-STOR-STOR-STOR-STOR-STOR				
SYME-US MSABO, 7.5TE HF 98 ATA Army, Maximum of 8 per Server 12093.50 Comcess 4.4 SYME-WIS Professional Performance Windstation, PE WINDSON DUE Core Xeon 51402.23 Ghz 407.50 Comcess 4.4 SYME-WIS Professional Performance Windstation, PE WINDSON DUE Core Xeon 51402.23 Ghz 407.50 Comcess 4.4 SYME-WIS PERFORMANCE PROFESSION DUE Core Xeon 51407.60 Comcess 4.4 SYME-WIS PERFORMANCE PROFESSION DUE Core Xeon 51407.60 Ghz 407.50 Comcess 4.4 SYME-WIS PROFESSION DUE Core Xeon 51407.6 Ghz 407.50 Comcess 4.4 SYME-WIS Professional Performance Windstation, PE WINDSON DUE Core Xeon 51407.6 Ghz 204.50 Comcess 4.4 SYME-WIS SYM				
SYM-MON				
SYM-MON	SYM-E-STOR-7.5			
SymNet-Fire Percoder/Decoder, Rose Mount, NTSC Use 516R1 Card Cage (Max. 11 Units per Cage) 487.50 Digital Recording SYMP-MON Hir 207 Fist Parsel Monitor, 1900x1200 487.50 Option Recording SYMP-MON Hir 207 Fist Parsel Monitor, 1900x1200 487.50 Omnicast 4.4 SYMP-MON Professional Performance Weckstation, Hir 207 Fist Parsel Monitor, 1900x1200 220.80 Omnicast 4.4 SYMP-MON Professional Performance Weckstation, Hir 207 Fist Parsel Monitor, 1900x1200 200.00 Omnicast 4.4 SYMP-MON Professional Performance Weckstation, Hir 207 Monitor, 1900x1200 200.00 Omnicast 4.4 SymSalet Fis 2-10 SymSalet Fist 2-10 Child Hybrid Recorder, 19008 407.50 Option Recording SymSalet Fist 2-200 SymSalet Fist 2-10 Child Hybrid Recorder, 19008 407.50 Option Recording SymSalet Fist 2-200 SymSalet Fist 2-10 Child Hybrid Recorder, 19008 200.50 Option Recording SymSalet 4-2400 SymSalet Pist 2-1 Child Hybrid Recorder, 19008 200.50 Option Recording SymSalet-200 SymSalet Pist 2-1 Child Hybrid Recorder, 19008 120.50 Option Recording SymSalet-200 SymSal	SYM-E-WS			
SymNet-Fire P Encoder/Decoder, Rack Mount, NTSC, Use 518RT Card Cage (Max. 11 Units per Cage) 47.50 Digital Recording SYME-P-WS Professional Performance Workstration, HP XV9400 Dual Core Xeon 51101.6 Gbz 2304.99 Omnicast 4.4	SYM-MON	HP 19" Flat Panel Monitor, 1280x1024	497.90	Omnicast 4.4
SYME-MON HP 207 Flat Panel Monton, 1600x1200 SymSurial Farring Renote Controller S	SymNet1-5RC	IP Encoder/Decoder, Desk/Wall Mount, NTSC	487.50	Digital Recording
SYME-MON HP 207 Flat Panel Monton, 1600x1200 SymSurial Farring Renote Controller S	SymNet-5R	IP Encoder/Decoder, Rack Mount, NTSC. Use 515R1 Card Cage (Max. 11 Units per Cage)	487.50	Digital Recording
SYMAP-WS	SYM-P-MON			
SymSurle Fanu) Remote Controller 65.00 Oglial Recording SymSurle Fanu) Remote Controller SymSurle Fanu Remote Controller Remote				
SymSate 16-2-160 SymSate 16-2-160 SymSate 16-2-202 SymSate 16-2-203 SymSat				
SymSate 16-2-200 SymSate for plus 2, 16-CH, Hybrid Recorder, 6405B 57000 Oligital Recording SymSatel-24-260 SymSatel-24-260 SymSatel-2500 SymS				
SymSafet 61-22-640 SymSafet 61-22-640 SymSafet 61-22-640 SymSafet 61-22-620 SymSafet 61-22-62-620 SymSafet 61-22-62-62-620 SymSafet 61-22-62-62-62-62-62-62-62-62-62-62-62-62-				
SymSafe42-160 SymSafe4 plus 2, 4-CH, Hybrid Recorder, 1900B 2203.50 SymSafe4 plus 2, 4-CH, Hybrid Recorder, 300B 223.50 Digital Recording SymSafe42-240 SymSafe4 plus 2, 4-CH, Hybrid Recorder, 1900B 1267.50 Digital Recording SymSafe42-240 SymSafe4 plus 2, 4-CH, Hybrid Recorder, 1900B 2465.50 Digital Recording SymSafe42-240 SymSafe5 plus 2, 5-CH, Hybrid Recorder, 1900B 2465.50 Digital Recording SymSafe42-240 SymSafe5 plus 2, 5-CH, Hybrid Recorder, 2000B 2593.50 Digital Recording SymSafe42-240 SymSafe5 plus 2, 5-CH, Hybrid Recorder, 2000B 2593.50 Digital Recording SymSafe42-240 SymSafe5 plus 2, 5-CH, Hybrid Recorder, 2000B 2593.50 Digital Recording SymSafe4Po16-2-217 SymSafe4Po16-2-227 SymSafe4Po16-2-27 SymSafe4Po16-2-27 SymSafe4Po16-2-27 SymSafe4Po16-2-27 SymSafe4Po16-2-200 SymSafe4Po16-2-27 SymSafe4Po16-2-200 SymSafe4Po16-2-2-200 SymSafe4Po16-2-200 SymSafe4Po16-2-2-200 SymSafe4Po16-2-2-2-200 SymSafe4Po16-2-2-2-200 SymSafe4Po16-2-2-2-2-2-2-2-2-2-				
SymSafe4-2320 SymSafe4 plus 2, 4-CH, Hybrid Recorder, 2008 2333.50 Digital Recording				
SymSale42-640 SymSale4 plus 2, 4-CH, Hybrid Recorder, 160B 1267.50 Digital Recording				
SymSales 2-160				
SymSafes Pace 220 SymSafes Plaz 2, 8 CH, Hybrid Recorder, 2003B 2593.50 Digital Recording SymSafes Pace 2, 8 CH, Hybrid Recorder, 640GB 1820.00 Digital Recording SymSafePro16+2-1.1 SI SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 1-TB 4476.00 Digital Recording SymSafePro16+2-2T SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 2 TB 5005.00 Digital Recording SymSafePro16+2-2T SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 2 TB 5005.00 Digital Recording SymSafePro16+2-230 SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 2 TB 5005.00 Digital Recording SymSafePro16+2-240 SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 200BB 4225.00 Digital Recording SymSafePro14+2-320 SymSafePro4+2-320 SymSafePro4+2-320 SymSafePro4+2-320 SymSafePro4+2-320 SymSafePro4+2-320 SymSafePro4+2-320 SymSafePro4-2-320 SymSafePro4-2-320 <td></td> <td></td> <td></td> <td></td>				
SymSaleProf big big 2, 8-CH, Hybrid Recorder, 640GB 1820.00 Digital Recording SymSaleProf 16-21.5T SymSaleProf 6-21.5T SymSaleProf 6-20.5T S	SymSafe8+2-160	SymSafe8 plus 2, 8-CH, Hybrid Recorder, 160GB	2463.50	Digital Recording
SymSafeProtePs2-1	SymSafe8+2-320	SymSafe8 plus 2, 8-CH, Hybrid Recorder, 320GB	2593.50	Digital Recording
SymSalePro16+2-1T	SymSafe8+2-640	SymSafe8 plus 2, 8-CH, Hybrid Recorder, 640GB	1820.00	Digital Recording
SymSalePro16+2-1T	SymSafePro16+2-1.5T	SymSafePro16 plus 2, 16-CH, Hybrid Recorder, 1.5TB	4745.00	Digital Recording
SymSafeProt6+2-2T	SymSafePro16+2-1T		4485.00	Digital Recording
SymSafePro16+2-320				
SymSalePr04-2-E41				
SymsalerPo4-2-17				
SymSafePro4-2-320 SymSafePro4 plus 2, 4-CH, Hybrid Recorder, 320GB 1690.0 Digital Recording SymSafePro4-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 1-STB 2275.00 Digital Recording SymSafePro8-2-1-51 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 1-STB 2112.00 Digital Recording SymSafePro8-2-1-51 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 1-STB 2112.00 Digital Recording SymSafePro8-2-2-30 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 1-STB 2112.00 Digital Recording SymSafePro8-2-30 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 40GDB 1982.00 Digital Recording SymSafePro8-2-30 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 40GDB 1982.00 Digital Recording SymSafe-RK Rack-Mount Kit for SymSafe Pamily 53.30 Digital Recording SymSafe-RK Rack-Mount Kit for SymSafe Pamily 53.30 Digital Recording SymSafe-RK Rack-Mount Kit for SymSafe Pamily 53.30 Digital Recording SymSafe-RK Rack-Mount Kit for SymSafe Pamily 18.56 Sensors & Detectors 14.26 Notice Pamily 18.30 Notice Pami				
SymSafePro4-2-640 SymSafePro4 plus 2, 4-CH, Hybrid Recorder, 450GB 1560.00 Digital Recording SymSafePro8-2-15T SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 15TB 2275.00 Digital Recording SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 15TB 2275.00 Digital Recording SymSafePro8-2-21 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 1852.50 Digital Recording SymSafePro8-2-20 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 1852.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 1982.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 640GB 1992.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 185.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 185.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB 185.50 Digital Recording SymSafePro8-2-640 SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 230GB SymSafePro8-2-640 Digital Recording SymSafePro8-2-640 SymSafePro8-2-640 SymSafePro8-2-640 Digital Recording SymSafePro8-2-640 SymSafePro8-2-640 Digital Recording SymSafePro				
SymSafePro842-1.5T SymSafePro8 plus 2, 8-CH, Hybrid Recorder, 1.5TB 211.25				
SymsafeProse 1				
SymbateProb2+2:320 SymbateProb2+2:320 SymbateProb2+3:04 SymbateProb2+3:04 Joint Recording SymbateProb2+6:40 SymbateProb2+6:40 SymbateProb2+6:40 SymbateProb2+6:40 Joint Recording SymbateProb2+6:40 SymbateProb2+6:40 1982:50 Digital Recording SymbateProb2+6:40 SymbateProb2+6:40 18:56 Sensors & Detectors T-1650 16VAC, 50VA Plug-In-Transformer 14:26 NetworX 14002A300 MobileView III Rear Panel Assembly 1183.00 MobileView III MobileView III MobileView III Unuter Box (includes 14002A300 Rear Panel Assy) 1183.00 MobileView III MobileView III MobileView III Ill Inner DVR 14002A310 MobileView III Ill Inner DVR 38:22.00 MobileView III Inner DVR 38:22.00 MobileView III MobileView III MobileView III Inner DVR 14300A320 MobileView III Inner DVR Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 341.90 Service TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support, 5AM to 4PM PST. Price is per-hou				
SymSatePro8 plus 2, 8-CH, Hybrid Recorder, 640GB 1982.50 Digital Recording SymSate-RK Rack-Mount Kit or SymSate Family 53.30 Digital Recording T-0002 50VA Transformer for Commercial Fire Panels 18.56 Sensors & Detectors T-1603 16VAC, 50VA Plug-in-Transformer 14.26 NetworX T4002A300 MobileView II Rear Panel Assembly 1183.00 MobileView T4002A301 MobileView III Paner PDR 185.70 MobileView T4002A310 MobileView III Unter DX (includes T4002A300 Rear Panel Assy) 1571.70 MobileView T4300A320 MobileView III Inner DVR 3822.00 MobileView T450CPPAT Price is per-hour. No charge during warranty or Protection Plan coverage period 41.90 Service TELEBUPPORT Telephone support, one-hour				
Symsafe-RK Rack-Mount kit for SymSafe Family 53.30 Digital Recording T-10002 50VA Transformer for Commercial Fire Panels 18.56 Sensors & Detectors T-1650 16VAC, 50VA Plug-In-Transformer 14.26 NetworX T4002A300 MobileView III Rear Panel Assembly 1183.00 MobileView T4002A305 MobileView III Outer Box (includes T4002A300 Rear Panel Assy) 1571.70 MobileView T4300A320 MobileView III Inner DVR 3822.00 MobileView T4300A320 MobileView III Inner DVR 3822.00 MobileView TELSUPPORT Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 341.90 Service TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 707.62 Service TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 707.62 Service TELSUPPORT Telephone support, one-hour billable minimum rounded				
T-0002				
14.26	SymSafe-RK	Rack-Mount Kit for SymSafe Family	53.30	Digital Recording
TA002A300 MobileView III Rear Panel Assembly 1183.00 MobileView TA002A305 MobileView Select Rear Panel Assembly 1183.00 MobileView TA002A310 MobileView III Outer Box (includes TA002A300 Rear Panel Assy) 1571.70 MobileView TA002A310 MobileView III Inner DVR 3822.00 MobileView TA002A302 MobileView III Inner DVR 3822.00 MobileView TA002A302 Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Service TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support of the period page of the per	T-0002	50VA Transformer for Commercial Fire Panels	18.56	Sensors & Detectors
1183.00 MobileView Mobile	T-1650	16VAC, 50VA Plug-In-Transformer	14.26	NetworX
TA002A310 MobileView III Unter Box (includes T4002A300 Rear Panel Assy) 1571.70 MobileView TELREMOTE Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 341.90 Service TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period 260.00 Service TPZ-ACURT2-SK Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) 1075.62 Topaz TPZ-ACURT4-SK Four-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) 1433.25 Topaz TPZ-CBP-A1-SOPKG Direct Print PVC Cards (No Technology), 50-Pack 54.60 Topaz TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 Topaz TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CPP2-S0PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 162.44 Topaz TPZ-CPP2-S0PKG Magnetic Stripe Card, Encoded and Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-S0PKG Holp	T4002A300	MobileView III Rear Panel Assembly	1183.00	MobileView
MobileView III Inner DVR Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TPZ-ACURT2-SK Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Two-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Touring-acades Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) TPZ-CLEANER-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-4 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-4 Cleaning Kit for TPZ-Printer-2 TPZ-CLEANER-5 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-6 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-7 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-8 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-9 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-9 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-9 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-1 TPZ-CLEAN	T4002A305	MobileView Select Rear Panel Assembly	1183.00	MobileView
MobileView III Inner DVR Remote diagnosis, dial-in, one-hour billable, minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TPZ-ACURT2-SK Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Two-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Touring-acades Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) TPZ-CLEANER-1 TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-4 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-4 Cleaning Kit for TPZ-Printer-2 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-3 TPZ-CL	T4002A310			
TELSUPPORT Telephone support, one-hour billable, minimum rounded to hearest quarter hour, 5AM to APM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TELSUPPORT Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TPZ-ACURT2-SK Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Four-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) 1075.62 Topaz TPZ-CBP-A1-SOPKG Direct Print PVC Cards (No Technology), 50-Pack 1084 Topaz TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 1085.52 Topaz TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 1085.44 Topaz TPZ-CPP2-1-50PKG Proxacrd II (Clamshell Design) Cards, 50-Pack 1096.75 Proxacrd II				
## APM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to hearest quarter hour, 5AM to 4PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period TPZ-ACURT2-SK Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) TPZ-ACURT4-SK Four-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) 1075.62 TpZ-CEDP-A1-50PKG Direct Print PVC Cards (No Technology), 50-Pack TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 TpZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 TpZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 TpZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 Cleaning Kit for TPZ-Printer-2 Cleaning Kit for TPZ-Printer-2 TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 162.44 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 163.66 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-KE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-KH2-1 17 Button Keypad w/LCD'S & LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-KH1L 12 Button Keypad w/LCD'S & LCD'S, Built-In Reader Interface 17 G-45.65 Topaz TPZ-NCI-5C RS-321 to 485 PC to ACU Communications Converter w/Cable 17 TpZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 17 No.63 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 17 No.63 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 17 No.63 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 17 No.63 Topaz TPZ-REPZ-54 PPZ-REFIL-54 Proxpro Readers, 9' Read Range (HIP-MPS365G) 20 20 20 20 20 20 20 20 20 20 20 20 20 2				
Price is per-inour. No charge during warranty or Protection Plan coverage period Two-Reader Starter Kit (ACURT2 Control Panel & TPZ-SRVR-SW Server Software) 1075.62 Topaz TPZ-ACURT4-SK Four-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) 1433.25 Topaz TPZ-CBP.A1-50PKG Direct Print PVC Cards (No Technology), 50-Pack 54.60 Topaz TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 Topaz TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 65.52 Topaz TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-1-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-MP-3 Report Printer (HP Deskjet) 665.11 Topaz TP			011.00	00.1100
TPZ-ACURT4-SK Four-Reader Starter Kit (ACURT4 Control Panel & TPZ-SRVR-SW Server Software) 1433.25 Topaz TPZ-CBP-A1-50PKG Direct Print PVC Cards (No Technology), 50-Pack 54.60 Topaz TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 Topaz TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 65.52 Topaz TPZ-CMS-2AOA-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7AOA-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-15-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-DP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-IME-2 16 Button Keypad wl.LD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2 16 Button Keypad wl.LD'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud	TELSUPPORT	Price is per-hour. No charge during warranty or Protection Plan coverage period		
TPZ-CBP-A1-50PKG Direct Print PVC Cards (No Technology), 50-Pack 54.60 Topaz TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 Topaz TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 65.52 Topaz TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-IMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-KE-L 16 Button Keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-REFILL-				
TPZ-CLEANER-1 Cleaning Kit for TPZ-Printer-1 20.48 Topaz TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 65.52 Topaz TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-1-50PKG Proxacard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-21 12 Button keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NOIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz				
TPZ-CLEANER-2 Cleaning Kit for TPZ-Printer-2 65.52 Topaz TPZ-CMS-2AOA-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7AOA-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LED'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-1 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K11L 12 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-RFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz	TPZ-CBP-A1-50PKG			
TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPPZ-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-1-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Deskjet) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 566.11 Topaz TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-KE-1L 12 Button keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz	TPZ-CLEANER-1	Cleaning Kit for TPZ-Printer-1	20.48	Topaz
TPZ-CMS-2A0A-50PKG Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack 135.14 Topaz TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPPZ-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dr Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz	TPZ-CLEANER-2	Cleaning Kit for TPZ-Printer-2	65.52	Topaz
TPZ-CMS-7A0A-50PKG Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack 162.44 Topaz TPZ-CPP2-1-50PKG Proxacard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-5-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad wl.LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad wl.ED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K1LL 12 Button keypad wl.ED'S 429.98 Topaz TPZ-MOD-3 Host PC Modern, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter wlCable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RMS-10	TPZ-CMS-2A0A-50PKG			
TPZ-CPP2-1-50PKG Proxcard II (Clamshell Design) Cards, 50-Pack 143.33 Topaz TPZ-CPP2-2-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LED'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S, Built-In Reader Interface 645.65 Topaz TPZ-KE1L 12 Button Keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RPS-50 Minjprox Reader, Door Frame w/Wiegand Int	TPZ-CMS-7A0A-50PKG			
TPZ-CPP2-2-50PKG HID Prox Keyfob, 50-Pack 360.36 Topaz TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LED'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S & LOD'S, Built-In Reader Interface 645.65 Topaz TPZ-KH2-1 12 Button keypad w/LED'S & LOD'S, Built-In Reader Interface 645.65 Topaz TPZ-KH2-1 12 Button keypad w/LED'S & LOD'S, Built-In Reader Interface 645.65 Topaz TPZ-KH1-1 12 Button keypad w/LED'S & LOD'S, Built-In Reader Interface 645.65 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NOC-5 RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz T	TPZ-CPP2-1-50PKG			
TPZ-CPP2-5-50PKG Isoprox (PVX Door Badging) Cards, 50-Pack 268.91 Topaz TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-1 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K1LL 12 Button keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modern, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HII-PR5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Rea	TPZ-CPP2-2-50PKG			
TPZ-DMP-1 Event Printer (Dot Matrix) 359.00 Topaz TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LED'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K11L 12 Button keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RRS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader S' Read Range (HIIP-MPS363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-DMP-3 Report Printer (HP Deskjet) 565.11 Topaz TPZ-IKE-2 16 Button Keypad w/LED'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S, Built-In Reader Interface 645.65 Topaz TPZ-K11L 12 Button Keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5636) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-IKE-2 16 Button Keypad w/LCD'S, Built-In Reader Interface 627.90 Topaz TPZ-IKE-2L 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K1L 12 Button keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RP2-50 Miniprox Reader 5" Read Range (HIF-MPS633) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-IKE-2L 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface 645.65 Topaz TPZ-K11L 12 Button keypad w/LED'S 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HIF-PR5355G) 268.91 Topaz				
TPZ-K11L 12 Button keypad w/LED's 429.98 Topaz TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-MOD-3 Host PC Modem, External, 33.6K Baud 323.51 Topaz TPZ-NCIC-5C R5-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5635) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-RCIC-5C RS-232 to 485 PC to ACU Communications Converter w/Cable 323.51 Topaz TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-REFILL-1 Refill Ribbon for TPZ-Printer-1 170.63 Topaz TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-REFILL-2 Refill Ribbon for TPZ-Printer-2 170.63 Topaz TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz	TPZ-NCIC-5C			
TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5633) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz	TPZ-REFILL-1		170.63	Topaz
TPZ-RIM-1 Remote Input Module w/Enclosure and Lock 592.41 Topaz TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5633) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz	TPZ-REFILL-2		170.63	Topaz
TPZ-RMS-10EXTD Magnetic Stripe Reader, Door Frame w/Wiegand Interface 296.21 Topaz TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz	TPZ-RIM-1			
TPZ-RPP2-50 Miniprox Reader 5" Read Range (HIF-MP5363) 222.50 Topaz TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
TPZ-RPP2-54 Proxpro Readers, 9" Read Range (HID-PR5355G) 268.91 Topaz				
	TPZ-RPP2-55	Proxpro Readers, 9" Read Range (IIID-I R5353G)	439.53	Topaz

TPZ-RPP2-56			
	Maxiprox Long Range Reader, 24" Read Range (HID-MX5373)	842.21	Topaz
TPZ-RPP2-58	Reader, Thinline II	197.93	Topaz
TPZ-RPP2-60	Proxpoint Reader, 3" Read Range (HID-PP6005)	136.50	Topaz
TPZ-RRM-1	Remote Relay Module w/Enclosure and Lock	645.65	Topaz
TPZ-SRVR-SW	Topaz Server Software	500.96	Topaz
TPZ-SWUPGRADE	Topaz Software Version Upgrade	63.70	Topaz
TPZ-SYS-A	Two-Reader System (ACURT2 Control Panel, TPZ-SRVR-SW Software, Two TPZ-RPP2-60 Readers & 50 cards)	1613.43	Topaz
TPZ-SYS-A-GE	Two-Reader System: ACURT2 Control Panel, TPZ-SRVR-SW Software, Two T-100 Readers, Mini-Mullion, Black and 50 Cards	1532.70	Topaz
TPZ-SYS-B	Two-Reader System (ACURT2 Control Panel, TPZ-SRVR-SW Software, Two TPZ-RPP2-50 Readers & 50 cards)	1792.25	Topaz
TPZ-SYS-B-GE	Two-Reader System: ACURT2 Control Panel, TPZ-SRVR-SW Software, Two T-500 Readers, Mullion, Black and 50 Cards	1702.35	Topaz
TPZ-SYS-C	Four-Reader System (ACURT4 Control Panel, TPZ-SRVR-SW Software, four TPZ-RPP2-60 Readers & 50 cards)	1971.06	Topaz
TPZ-SYS-C-GE	Four-Reader System: ACURT4 Control Panel, TPZ-SRVR-SW Software, Four T-100 Readers, Mini- Mullion, Black and 50 Cards	1872.65	Topaz
TPZ-SYS-D	Four-Reader System (ACURT4 Control Panel, TPZ-SRVR-SW Software, four TPZ-RPP2-50 Readers & 50 cards)	2330.06	Topaz
TPZ-SYS-D-GE	Four-Reader System: ACURT4 Control Panel, TPZ-SRVR-SW Software, Four T-500 Readers, Mini- Mullion, Black and 50 Cards	2213.25	Topaz
TPZ-VPO-4-50PKG	PVC Overlays for Proxcard II (TPZ-CPP2-1), 50-Pack	72.35	Topaz
TPZ-VPR-7	Printer Ribbon (200 Prints, Four Color)	152.88	
			Topaz
TPZ-WKSTA-SW	Topaz Workstation Software	357.63	Topaz
TS7-2	2-Wire Photoelectric Smoke Detector, 12/24VDC. S10A Compatible, 711U Head w/701U Base	36.30	Fire
TS7-2R	2-Wire Photoelectric Smoke Detector w/Auxiliary Relay, 12/24VDC. Form C Auxiliary Relay. S11A Compatible, 731U w/702U Base	42.73	Fire
TS7-2T	2-Wire Photoelectric Smoke Detector w/Remote Alarm/Trouble LED and Heat Sensors, 12/24VDC. Remote Alarm/Trouble LED. S10A Compatible 721UT w/702U Base	38.13	Fire
TS7-4	4-Wire Photoelectric Detector w/Remote Alarm/Trouble LED, 12/24VDC, Not Listed FM, 741U w/702U Base	40.90	Fire
TS7-4T	4-Wire Photoelectric Smoke Detector, Remote Alarm/Trouble LED and Heat Sensors, 12/24VDC. Smoke/Heat Algorithms. Not Listed FM, 741UT w/702U Base	44.55	Fire
TVC-BIR-HR	TruVision IR Bullet Camera 530 TVL Color, 6.0mm - 50.0mm Al Varifocal Lens, 55m IR Range, 12vdc/24vac, IP67	349.70	Analog Fixed Cameras
TVC-BIR-MR	TruVision IR Bullet Camera 480 TVL Color, 3.5mm - 12.0mm Al Varifocal Lens, 25m IR Range, 12vdc/24vac, IP67	245.70	Analog Fixed Cameras
TVC-BIR-SR	TruVision IR Bullet Camera 380 TVL Color, 4.3mm Fixed Lens, 10m IR Range, 12vdc only, IP67	115.70	Analog Fixed Cameras
TVC-BIR-WM	TruVision IR Bullet Camera Wall Mount (2-axis, Cast Aluminum, designed for MR and HR Bullet Models)	15.60	Analog Fixed Cameras
TVD-TIR-HR	TruVision IR Dome Camera, 530 TVL Color, 3.5mm - 8.0mm Al Varifocal Lens, 20m IR Range, 12vdc only, IP66	297.70	Analog Fixed Cameras
TVD-TIR-MR	TruVision IR Dome Camera, 480 TVL Color, 3.5mm - 8.0mm Al Varifocal Lens, 20m IR Range, 12vdc only, IP66	245.70	Analog Fixed Cameras
TVD-TIR-SR	TruVision IR Dome Camera, 380, TVL Color, 10m IR Range, 4mm Fixed Lens, 12vdc, NTSC, IP67	115.70	Analog Fixed Cameras
	•		Service
TVLREIMB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15%	Call for Quote	Service
TVLREIMB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15%	Call for Quote	
TVLREIMB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states	Call for Quote	Service
TVLREIMB TVLREIMBDOM TVLREIMBINTL	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International	375.70 512.20	Service Service
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC	375.70 512.20 739.70	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC	375.70 512.20 739.70 843.70	Service Service PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal	375.70 512.20 739.70 843.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-EP TVP-12C-P	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal	375.70 512.20 739.70 843.70 843.70 739.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC	375.70 512.20 739.70 843.70 843.70 849.70 869.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-EP TVP-12C-P	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal	375.70 512.20 739.70 843.70 843.70 739.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC	375.70 512.20 739.70 843.70 843.70 849.70 869.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN TVP-12DN-E	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal	375.70 512.20 739.70 843.70 843.70 869.70 973.70 973.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-P	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DrN, Indoor, NTSC Truvision PTZ Mini, 12X DrN, Indoor, NTSC Truvision PTZ Mini, 12X DrN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DrN, Outdoor, Pal Truvision PTZ Mini, 12X DrN, Outdoor, Pal Truvision PTZ Mini, 12X DrN, Outdoor, Pal Truvision PTZ Mini, 12X DrN, Indoor, Pal	375.70 512.20 739.70 843.70 843.70 869.70 973.70 869.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-EP TVP-12CP TVP-12DN TVP-12DN TVP-12DN-E TVP-12DN-EP TVP-12DNP TVP-EDB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble	375.70 512.20 739.70 843.70 843.70 739.70 869.70 973.70 973.70 973.70 973.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN TVP-12DN TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-ECB TVP-ESB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble	375.70 512.20 739.70 843.70 843.70 973.70 869.70 973.70 869.70 63.70 63.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN-E	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount	375.70 512.20 739.70 843.70 843.70 739.70 869.70 973.70 973.70 973.70 63.70 63.70 50.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-ESB TVP-ESB TVP-FM TVP-ICB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Clear Bubble	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 973.70 63.70 63.70 63.70 63.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-ESB TVP-ESB TVP-FM TVP-ICB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount	375.70 512.20 739.70 843.70 843.70 739.70 869.70 973.70 973.70 973.70 63.70 63.70 50.70	Service Service PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras PTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-EOB TVP-ESB TVP-ESB TVP-ISB	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble	375.70 512.20 739.70 843.70 843.70 973.70 973.70 969.70 973.70 63.70 50.70 37.70	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN-E TVP-12	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X DIN, Indoor, NTSC Truvision PTZ Mini, 12X DIN, Indoor, NTSC Truvision PTZ Mini, 12X DIN, Indoor, Pal Truvision PTZ Mini, 12X DIN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DIN, Outdoor, Pal Truvision PTZ Mini, 12X DIN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Rowced Bubble Truvision Mini PTZ Indoor Rowced Bubble Truvision Mini PTZ Indoor Rowced Bubble Truvision Mini PTZ Indoor Rowced Bubble Truvision Mini PTZ Indoor Rowced Bubble	375.70 512.20 739.70 843.70 843.70 739.70 869.70 973.70 973.70 973.70 973.70 37.70 37.70	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN-E TVP-	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 63.70 63.70 63.70 737.70 37.70 37.70	Service Service PTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN TVP-12DN TVP-12DN-E	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 63.70 63.70 50.70 37.70 37.70 37.70	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN TVP-12DN TVP-12DN TVP-12DN-E TVP-12DN	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor, PSC Truvision PTZ Mini, 12X Color, Outdoor, PBG, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount Truvision DVR Model 10, 4 Ch, 1Tb Storage	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 37.70 37.70 37.70 102.70 76.70 838.50	Service Service PTZ Cameras Digital Recording
TVLREIMBDOM TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN-E TV	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Mal Adapter (Requires TVP-WM Or TVP-LWM) Truvision PTZ Mini Long Wall Mount Truvision DVR Model 10, 4 Ch, 1Tb Storage TruVision DVR Model 10, 4 Ch, 250Gb Storage	375.70 512.20 739.70 843.70 843.70 849.70 973.70 973.70 63.70 63.70 50.70 37.70 37.70 102.70 76.70 838.50 513.50	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-P TVP-12DN-E TV	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor, PSC Truvision PTZ Mini, 12X Color, Outdoor, PBG, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount Truvision DVR Model 10, 4 Ch, 1Tb Storage	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 37.70 37.70 37.70 102.70 76.70 838.50	Service Service PTZ Cameras Digital Recording
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN-E TVP	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Mal Adapter (Requires TVP-WM Or TVP-LWM) Truvision PTZ Mini Long Wall Mount Truvision DVR Model 10, 4 Ch, 1Tb Storage TruVision DVR Model 10, 4 Ch, 250Gb Storage	375.70 512.20 739.70 843.70 843.70 849.70 973.70 973.70 63.70 63.70 50.70 37.70 37.70 102.70 76.70 838.50 513.50	Service Service PTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN TVP-12DN TVP-12DN TVP-12DNE TVP-12DN-E TVP-12D	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Wall Adapter (Requires TVP-WM Or TVP-LWM) Truvision PTZ Mini Long Wall Mount Truvision DVR Model 10, 4 Ch, 17b Storage TruVision DVR Model 10, 4 Ch, 500Gb Storage TruVision DVR Model 10, 4 Ch, 500Gb Storage TruVision DVR Model 10, 4 Ch, 500Gb Storage TruVision DVR 30, 8 Ch, DVD/CD, No Storage	375.70 512.20 739.70 843.70 843.70 973.70 869.70 973.70 869.70 37.70 37.70 37.70 37.70 37.70 37.70 37.70 37.70 402.70 76.70 838.50 513.50 643.50 1423.50	Service Service PTZ Cameras DTZ Cameras
TVLREIMBDOM TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN-E TVP-10DN-T TVP-10DN-T TVP-10DN-T TVP-10DN-T TVR-1004-T TVR-1004-500 TVR-3008-000 TVR-3008-01T	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Indoor, NTSC Truvision PTZ Mini, 12X DN, Outdoor IP66, NTSC Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount Truvision DVR Model 10, 4 Ch, 17b Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage	375.70 512.20 739.70 843.70 843.70 869.70 973.70 869.70 973.70 973.70 37.70 37.70 37.70 102.70 76.70 838.50 513.50 643.50 1423.50	Service Service PTZ Cameras
TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN TVP-12DN-E TVP-1	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision PTZ Mini, 12X DN, Outdoor, Pal Truvision PTZ Mini, 12X DN, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Wall Adapter (Requires TVP-WM Or TVP-LWM) Truvision PTZ Mini Long Wall Mount Truvision DVR Model 10, 4 Ch, 17b Storage TruVision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR Model 10, 8 Ch, DVD/CD, 1 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 1 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 2 Tb Storage	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 973.70 37.70 37.70 37.70 102.70 76.70 838.50 513.50 643.50 1423.50 1423.50 2229.50	Service PTZ Cameras Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN TVP-12DN-E TVP-10B-TVP-1	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Wall Mount Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount Truvision DVR Model 10, 4 Ch, 250Gb Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR Model 10, 8 Ch, DVD/CD, 1 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 2 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 2 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 500 Gb Storage	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 973.70 37.70	Service Service Service PTZ Cameras Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording
TVLREIMBDOM TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12CP TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12DN-E TVP-12BN-E TVP-12BN-E TVP-ICB TVP-ICB TVP-ICB TVP-ICB TVP-IWA TVP-IWA TVP-IWA TVP-IWA TVR-1004-500 TVR-3008-1T TVR-3008-500 TVR-3008-500 TVR-3016-000	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, NTSC Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Long Wall Mount Truvision DVR Model 10, 4 Ch, 1Tb Storage Truvision DVR Model 10, 4 Ch, 1Tb Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage Truvision DVR 30, 8 Ch, DVD/CD, Storage Truvision DVR 30, 8 Ch, DVD/CD, Storage Truvision DVR 30, 8 Ch, DVD/CD, Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage Truvision DVR 30, 8 Ch, DVD/CD, No Storage	375.70 512.20 739.70 843.70 843.70 843.70 869.70 973.70 973.70 973.70 37.70 37.70 37.70 102.70 76.70 838.50 513.50 643.50 1423.50 1839.50 2229.50 1644.50 1683.50	Service Service PTZ Cameras DTZ Cameras
TVLREIMB TVLREIMBDOM TVLREIMBINTL TVP-12C TVP-12C-E TVP-12C-E TVP-12C-E TVP-12DN TVP-12DN-E TVP-10B-TVP-1	Airfare, reimburseable, round trip, for Customer Service travel to Customer site. Charge will be actual airfare plus 15% Lodging and expense, daily per diem, - the 50 U.S.A. states Lodging and expense, daily per diem, - International Truvision PTZ Mini, 12X Color, Indoor, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Outdoor IP66, NTSC Truvision PTZ Mini, 12X Color, Indoor, Pal Truvision PTZ Mini, 12X D/N, Indoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor IP66, NTSC Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision PTZ Mini, 12X D/N, Outdoor, Pal Truvision Mini PTZ Outdoor Clear Bubble Truvision Mini PTZ Outdoor Smoke Bubble Truvision Mini PTZ Indoor Clear Bubble Truvision Mini PTZ Indoor Flush Mount Truvision Mini PTZ Indoor Smoke Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Smoked Bubble Truvision Mini PTZ Indoor Wall Mount Truvision PTZ Mini Long Wall Mount Truvision PTZ Mini Short Wall Mount Truvision DVR Model 10, 4 Ch, 250Gb Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR Model 10, 4 Ch, 500Gb Storage Truvision DVR Model 10, 8 Ch, DVD/CD, 1 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 2 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 2 Tb Storage Truvision DVR 30, 8 Ch, DVD/CD, 500 Gb Storage	375.70 512.20 739.70 843.70 843.70 973.70 973.70 973.70 973.70 973.70 37.70	Service Service Service PTZ Cameras Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording Digital Recording

		l	les or a
TVR-3016-500	Truvision DVR 30, 16 Ch, DVD/CD, 500 Gb Storage	1943.50	Digital Recording
TVR-30-BOX	Truvision DVR 30, Box	26.00	Digital Recording
TVR-30-MOUSE	Truvision DVR 30, USB Mouse	63.70	Digital Recording
TVR-30-RACK	Truvision DVR 30, Rack Mount Brackets, Pair	26.00	Digital Recording
TVR-30-REMOTE	Truvision DVR 30, IR Remote Control	63.70	Digital Recording
TX-1010-01-1	DesignLine Door/Window Sensor, White	52.00	Wireless
TX-1010-01-3	DesignLine Door/Window Sensor, Brown	52.00	Wireless
TX-1510-01-1	DesignLine Recessed Door/Window Sensor, White	52.00	Wireless
TX-4012-01-2	DesignLine 2-Button Keyfob, Black	41.60	Wireless
TX-4014-01-2	DesignLine 4-Button Keyfob, Black	45.50	Wireless
TX-4015-01-2	DesignLine 5-Button Keyfob w/LED Flashlight, Black	50.70	Wireless
TX-6010-01-1	Supervised Wireless Smoke, Residential UL217 Transmitter	93.61	Wireless
TX-6010-01-1-10PKG	Supervised Wireless Smoke, Residential UL217 Transmitter, 10-Pack	889.19	Wireless
TX-8010-01-1	DesignLine Garage Door Sensor, White	52.00	Wireless
UL-UPS-24V	UL 24V, 2.5A Battery Backup, Power Supply	368.55	Topaz
UVC-EVRDN-HR	UltraView EVR Series True Day/Night Traditional Box Camera, 540 TVL, UTP, BNC, 12vdc/24vac	347.10	Analog Fixed Cameras
0.0 5.115.11.11		00	, maleg i med edimende
UVC-UTP-1	Ultraview Cam Passive Utp Balun Accessory (Single Camera)	19.50	Analog Fixed Cameras
UVC-XP3-HR	UltraView XP3 Series Traditional Box Camera, 540 TVL, UTP, BNC, WDR, 12vdc/24vac	373.10	Analog Fixed Cameras
UVD-EVRDNR-VA2	UltraView EVR Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, 2.8mm-10.0mm AI IR	435.50	Analog Fixed Cameras
	Corrected, 12vdc/24vac		
UVD-EVRDNR-VA9	UltraView EVR Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, 9.0mm-22.0mm Al,	474.50	Analog Fixed Cameras
OVD-EVRDINK-VA9		474.50	Alialog Fixed Califeras
	12vdc/24vac		
UVD-XP3DNR-VA2	UltraView XP3 Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, WDR, 2.8mm-10.0mm	474.50	Analog Fixed Cameras
	Al IR Corrected, 12vdc/24vac		
UVD-XP3DNR-VA9	UltraView XP3 Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, WDR, 9.0mm-22.0mm	518.70	Analog Fixed Cameras
2.2 / SDINK V/IO	AI, 12vdc/24vac	3.0.70	
LD/E0/ 404 BG		40.00	10.11
UVE/X-101-PS	UltraView Encoder/Decoder (Discovery 105) USA Power Supply for UVE-101 (Single Channel	46.80	VisioWave
	Encoder) & UVX-101 (Single Channel Decoder)		
UVE-101	UltraView Encoder 10 (Discovery 105E): Single Channel MPEG4-SVC Multi-Streaming Intelligent	867.10	VisioWave
	Encoder Includes 1 PTZ Port, 1 Alarm Input (Power Supply Ordered Separately)		
UVN-8012-100-0T	Spare Part: UltraView Storage Server, 12-Bay SAS RAID, No Video Data Drives, 2U (US and	15120 70	VisioWave
U V IN-0U I Z- I UU-U I		15130.70	visiovvave
	Europe Primary Power Cords)		
UVN-8012-100-12T	UltraView Storage Server: 12-Bay SAS RAID, 12 TB Storage, 2U, Up to 100 IP Video Streams (US	21400.60	VisioWave
	and Europe Primary Power Cords)		
UVN-SP8012-1TB-DT	Spare Part: UltraView NVR UVN-8012, 1TB Drive Tray w/1TB SATA Drive	761.80	VisioWave
UVN-SP8012-FAN	Spare Part: UltraView NVR UVN-8012, Fran	118.30	VisioWave
UVN-SP8012-PSU	Spare Part: UltraView NVR UVN-8012, Power Supply Unit	925.60	VisioWave
UVN-SP80XX-RAIL-2U	UltraView NVR/NVS Rail Kit 2U: UVN-8012 and UVS-8012 Series Devices	119.60	VisioWave
UVR-4008-12-0T	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/No Internal Storage, (1) Serial	6266.00	VisioWave
	Port, (4) Alarm Input, (2) Alarm Output		
UVR-4008-12-0T-A	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/No Internal Storage, (1) Serial	6684.60	VisioWave
0 V K-4006-12-01-A		0004.00	VISIOVVAVE
	Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch		
UVR-4008-12-1T	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)	6916.00	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output		
UVR-4008-12-1T-A	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)	7329.40	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch		
LIV/D 4000 40 OT		7555.00	\((= \ - \ \ \ / = \ \ - \ \ - \ \ - \ \ - \ \ - \ \ - \ \ - \ \ \ - \ \ - \ \ - \ \ \ - \ \ - \ \ - \ \ - \ \ - \ \ \ - \ \ \ - \ \ \ - \ \ \ - \ \ \ - \ \ \ \ - \ \ \ \ \ - \ \ \ \ \ \ - \
UVR-4008-12-2T	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1)	7555.60	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output		
UVR-4008-12-2T-A	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1)	7969.00	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch		
UVR-4008D-12-0T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/No Internal Storage, (1)	6734.00	VisioWave
OTT 1000D 12 01	Serial Port, (4) Alarm Input, (2) Alarm Output	0.00	7.0.077470
LIVE 4000D 40 OT 4		7450.00	10.114
UVR-4008D-12-0T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/No Internal Storage, (1)	7150.00	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels		
UVR-4008D-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	7334.60	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output		
UVR-4008D-12-1T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	7740 00	VisioWave
0 v N-4000D-12-11-A		7748.00	VISIOVVAVE
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels		1.0.1.1.1
UVR-4008D-12-2T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD	7948.20	VisioWave
	JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output		
UVR-4008D-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1)	8374.60	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels		
UVR-4008DM2-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	7599.80	VisioWave
O V 13-4000DIVIZ-1Z-11		1 333.00	VISIOVVAVE
	Serial Port, (12) Alarm Input, (6) Alarm Output		1.0.1.1.1.1
UVR-4008DM2-12-1T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	8026.20	VisioWave
	Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels		
UVR-4008DM2-12-2T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD	8213.40	VisioWave
	JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output		
UVR-4008DM2-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1)	8625.50	VisioWave
0 v IX-4000DIVIZ- 1Z-Z I -A		0025.50	VISIOVVAVE
	Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels		
UVR-4008DM3-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	8652.80	VisioWave
	Serial Port, (20) Alarm Input, (10) Alarm Output		
UVR-4008DM3-12-2T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD	8481.20	VisioWave
5 4000DINIO-12-21	JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	0-01.20	
i		047: ::	10.114
LD/D 4000DM4/ 12 17 1	UltraView Recorder 40 (Discovery 1205): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1)	8174.40	VisioWave
UVR-4008DM4-12-1T-A	Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels		
UVR-4008DM4-12-1T-A	Genal Fort, (4) Alann Input, (2) Alann Output, 4 Input x 2 Output Audio Charineis		VisioWave
		8788.00	
UVR-4008DM4-12-1T-A UVR-4008DM4-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1)	8788.00	VISIOVVAVE
UVR-4008DM4-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels		
	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)	8788.00 7183.80	VisioWave
UVR-4008DM4-12-2T-A UVR-4008M2-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	7183.80	VisioWave
UVR-4008DM4-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)		
UVR-4008DM4-12-2T-A UVR-4008M2-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch	7183.80	VisioWave
UVR-4008DM4-12-2T-A UVR-4008M2-12-1T	UltraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)	7183.80	VisioWave

UVR-4008M2-12-2T-A	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1)	8247.20	VisioWave
	Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch		
UVR-4008M3-12-1T	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	7449.00	VisioWave
UVR-4008M3-12-2T	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	8075.60	VisioWave
UVR-4008M4-12-1T-A	UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1)	7755.80	VisioWave
UVR-4008M4-12-2T-A	Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch UltraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1)	8395.40	VisioWave
UVR-4012-12-0T	Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch	7700 00	\/:=!=\M=
UVR-4012-12-01	UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	7766.20	VisioWave
UVR-4012-12-0T-A	UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	8182.20	VisioWave
UVR-4012-12-2T	UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1)	9053.20	VisioWave
UVR-4012-12-2T-A	Serial Port, (4) Alarm Input, (2) Alarm Output UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1)	9414.60	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch		
UVR-4012D-12-0T	UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	8434.40	VisioWave
UVR-4012D-12-0T-A	UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	8866.00	VisioWave
UVR-4012D-12-2T	UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/4 x 500GB HDD	9721.40	VisioWave
UVR-4012D-12-2T-A	JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD,	10093.20	VisioWave
	(1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	10093.20	VISIOVVAVE
UVR-4012DM2-12-2T	UltraView Recorder 40 (Discovery 1205): 12 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	9986.60	VisioWave
UVR-4012DM2-12-2T-A	UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD,	9841.00	VisioWave
	(1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels		
UVR-4012DM3-12-2T	UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/4 x 500GB HDD	10254.40	VisioWave
UVR-4012DM4-12-2T-A	JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output UltraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD,	10506.60	VisioWave
UVR-4012M2-12-2T	(1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1)	9321.00	VisioWave
	Serial Port, (12) Alarm Input, (6) Alarm Output		
UVR-4012M2-12-2T-A	UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch	9692.80	VisioWave
UVR-4012M3-12-2T	UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1)	9586.20	VisioWave
UVR-4012M4-12-2T-A	Serial Port, (20) Alarm Input, (10) Alarm Output UltraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1)	9841.00	VisioWave
	Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch		
UVR-8006-0T UVR-8006-1T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, No HDD, No Option Cards UltraView Recorder 80 (Evolution 3005): 6 Video Channels, (2) Internal HDD, No Option Cards	21600.80 23974.60	VisioWave VisioWave
UVR-8006M1-0T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, No HDD, (1) Alarm I/O Module	23225.80	VisioWave
UVR-8006M1-1T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, (2) Internal HDD, (1) Alarm I/O Module	25599.60	VisioWave
UVR-8006M2-0T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, No HDD, (1) Main Serial Comm Board	23374.00	VisioWave
UVR-8006M2-1T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, (2) Internal HDD, (1) Main Serial Comm	25747.80	VisioWave
UVR-8006M3-0T	Board UltraView Recorder 80 (Evolution 3005): 6 Video Channels, No HDD, (1) Alarm I/O Module, (1)	24999.00	VisioWave
UVK-0000IVI3-01	Main Serial Comm Board	24999.00	VISIOVVAVE
UVR-8006M3-1T	UltraView Recorder 80 (Evolution 3005): 6 Video Channels, (2) Internal HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	27372.80	VisioWave
UVR-8012-0T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, No HDD, No Option Cards	24681.80	VisioWave
UVR-8012-1T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, (2) Internal HDD, No Option Cards	27053.00	VisioWave
UVR-8012M1-0T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, No HDD, (1) Alarm I/O Module	26306.80	VisioWave
UVR-8012M1-1T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, (2) Internal HDD, (1) Alarm I/O	28680.60	VisioWave
UVR-8012M2-0T	Module UltraView Recorder 80 (Evolution 3005): 12 Video Channels, No HDD, (1) Main Serial Comm Board	26455.00	VisioWave
UVR-8012M2-1T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, (2) Internal HDD, (1) Main Serial	28826.20	VisioWave
	Comm Board		
UVR-8012M3-0T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, No HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	28080.00	VisioWave
UVR-8012M3-1T	UltraView Recorder 80 (Evolution 3005): 12 Video Channels, (2) Internal HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	30453.80	VisioWave
UVR-8018-0T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, No HDD, No Option Cards	27773.20	VisioWave
UVR-8018-1T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, (2) Internal HDD, No Option Cards	30147.00	VisioWave
UVR-8018M1-0T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, No HDD, (1) Alarm I/O Module	29400.80	VisioWave
UVR-8018M1-1T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, (2) Internal HDD, (1) Alarm I/O	31774.60	VisioWave
UVR-8018M2-0T	Module UltraView Recorder 80 (Evolution 3005): 18 Video Channels, No HDD, (1) Main Serial Comm Board	29546.40	VisioWave
UVR-8018M2-1T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, (2) Internal HDD, (1) Main Serial Comm Board	31907.20	VisioWave
UVR-8018M3-0T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, No HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	31174.00	VisioWave
UVR-8018M3-1T	UltraView Recorder 80 (Evolution 3005): 18 Video Channels, (2) Internal HDD, (1) Alarm I/O	33521.80	VisioWave
UVR-8024-0T	Module, (1) Main Serial Comm Board UltraView Recorder 80 (Evolution 3005): 24 Video Channels, No HDD, No Option Cards	30854.20	VisioWave
O OUZ-T U I	Silection (Coorder of (Explained Coop), 24 video Orienties, (40 Fibb, 140 Opiion Calus	00004.20	

UVR-8024-1T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, (2) Internal HDD, No Option Cards	33241.00	VisioWave
UVR-8024M1-0T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, No HDD, (1) Alarm I/O Module	32481.80	VisioWave
UVR-8024M1-1T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, (2) Internal HDD, (1) Alarm I/O	34853.00	VisioWave
UVR-8024M2-0T	Module UltraView Recorder 80 (Evolution 3005): 24 Video Channels, No HDD, (1) Main Serial Comm Board	32627.40	VisioWave
UVR-8024M2-1T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, (2) Internal HDD, (1) Main Serial Comm Board	34988.20	VisioWave
UVR-8024M3-0T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, No HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	34255.00	VisioWave
UVR-8024M3-1T	UltraView Recorder 80 (Evolution 3005): 24 Video Channels, (2) Internal HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	36613.20	VisioWave
UVR-8030-0T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, No HDD, No Option Cards	33948.20	VisioWave
UVR-8030-1T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, (2) Internal HDD, No Option Cards	36319.40	VisioWave
UVR-8030M1-0T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, No HDD, (1) Alarm I/O Module	35573.20	VisioWave
UVR-8030M1-1T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, (2) Internal HDD, (1) Alarm I/O Module	37947.00	VisioWave
UVR-8030M2-0T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, No HDD, (1) Main Serial Comm Board	35721.40	VisioWave
UVR-8030M2-1T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, (2) Internal HDD, (1) Main Serial Comm Board	38079.60	VisioWave
UVR-8030M3-0T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, No HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	37346.40	VisioWave
UVR-8030M3-1T	UltraView Recorder 80 (Evolution 3005): 30 Video Channels, (2) Internal HDD, (1) Alarm I/O Module, (1) Main Serial Comm Board	39707.20	VisioWave
UVS-8012-0T	Spare Part: UltraView Storage Bay, 12-Bay SAS, No Video Data Drives, 2U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Europe Primary Power Cords)	4691.70	VisioWave
UVS-8012-12T	UltraView Storage Bay: 12-Bay SAS, 12 TB Storage, 2U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Europe Primary Power Cords)	11401.00	VisioWave
UVS-8012-6T	UltraView Storage Bay: 12-Bay SAS, 6 TB Storage, 2U, Extends Storage of UVN-80XX and UVR- 60XX Series Devices (US and Europe Primary Power Cords)	7841.60	VisioWave
UVS-8024-0T	UltraView Storage Bay: 24-Bay SAS, No Video Data Drives, 4U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	8966.10	VisioWave
UVS-8024-16T	UltraView Storage Bay: 24-Bay SAS, 16 TB Storage, 4U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	17201.60	VisioWave
UVS-8024-24T	UltraView Storage Bay: 24-Bay SAS, 24 TB Storage, 4U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	22068.80	VisioWave
UVS-SP8012-CM	Spare Part: UltraView Storage Bay UVN-8012, Cooling Module	846.30	VisioWave
UVS-SP8012-CW	Spare Part: UltraView Storage Bay UVN-8012, Cooling Module Spare Part: UltraView Storage Bay UVS-8012, Power Supply Unit	577.20	VisioWave
UVS-SP8012-PSU/CM	Spare Part: UltraView Storage Bay UVS-8012, Power Supply Unit Spare Part: UltraView Storage Bay UVS-8024, Combination Power Supply and Cooling Module	1023.10	VisioWave
UVS-SP80XX-1TB-DT	Spare Part: UltraView Storage 80 (UVS-80XX), 1TB Drive Tray w/1TB SATA Drive	626.60	VisioWave
UVS-SP80XX-RAIL-4U UVS-SP80XX-SAS-2M	UltraView NVR/NVS Rail Kit 4U: UVS-8024 Series Devices Spare Part: UltraView NVR/Storage Bay UVN-8012 and UVS-80XX: 2 Meter Mini-SAS to Mini-SAS	228.80 143.00	VisioWave VisioWave
UVX-101	Cable, SFF-8088 UltraView Decoder 10 (Discovery 105D): Single Channel MPEG4-SVC Multi-Streaming Intelligent	867.10	VisioWave
	Decoder Includes 1 PTZ Port, 1 Alarm Input (Power Supply Ordered Separately)		
V9006-0001-013	Photoelectric Smoke Detector, Explosion-Proof, Conventional	5293.60	Fire
VISKIT-DEMO	Visitor Central Partner/Integrator Kit (Dell SFF 755 w/19 Inch Monitor, Epson Ink Jet Printer, Driver's License Scanner, Watchport Camera, Camera Stand, Visitor Paper Badges (Avery 2943), Pre-Loaded Client License, Software). Not for Resale to End Users	4823.91	Visitor System
VISKIT-KIOSK	Visitor Central Kiosk Kit (Dell SFF 755 w/Touch-Screen Monitor, Epson Ink Jet Printer, Driver's License Scanner, Watchport Camera, Camera Stand, Visitor Paper Badges (Avery 2943), Pre-Loaded Client License, Software)	6911.00	Visitor System
VISKIT-PCMON	Visitor Central PC, Dell Small Form Factor OptiPlex 755 w/Flat Panel Touch Screen Monitor, 3-Year Warranty, Onsite Service	3168.10	Visitor System
VISKIT-STDALONE	Visitor Central Stand Alone Kit (Dell SFF 755 w/Touch-Screen Monitor, Epson Ink Jet Printer, Driver's License Scanner, Watchport Camera, Camera Stand, Visitor Paper Badges (Avery 2943), Pre-Loaded Server and Client Licenses, Software)	12878.78	Visitor System
VPASS	V-Pass fingerprint biometric reader, 7-24VDC, Wiegand/RS232/RS485 interfaces, 200 users	1296.75	Readers
VPASS-FX	V-Pass fingerprint biometric reader, Standalone or with Wiegand reader input, 7-24VDC, Wiegand/RS232/RS485, interfaces, 200 users	1296.75	Readers
VPROX	V-Prox fingerprint biometric with HID prox reader, 7-24VDC, Wiegand/RS232/RS485 interfaces, 4000 users	1160.25	Readers
VSMART	V-Smart fingerprint biometric with Mifare smart card reader, 8-12VDC, Wiegand/RS485 interfaces, unlimited users	1365.00	Readers
VSTN-A	V-Station Standalone Model, Fingerprint Terminal with LCD, Keypad, Ethernet, 232, 485, TTL & Wiegand Communication, Stores 3000 Fingerprints	2047.50	Readers
VSTN-A-G	V-Station Mifare (ISO 14443A) Model, Fingerprint Terminal with LCD, Keypad, Ethernet, 232, 485, TTL & Wiegand Communication, Stores 3000 Fingerprints	2637.87	Readers
VWCS-SDK-STD	Standard Software Development Kit (SDK) Windows 2000 & WindowsXP	8626.80	VisioWave
VWD2415-0T2V4S0U0B2P	Discovery 2415: 8 Video Channels, 4 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	17999.80	VisioWave
VWD2415-0T2V8S0U0B2P	Discovery 2415: 8 Video Channels, 8 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	21985.60	VisioWave
VWD2415-0T3V4S0U0B2P	Discovery 2415: 12 Video Channels, 4 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	19721.00	VisioWave
VWD2415-0T3V8S0U0B2P	Discovery 2415: 12 Video Channels, 8 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	23706.80	VisioWave
VWD2415-0T4V4S0U0B2P	Discovery 2415: 16 Video Channels, 4 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	21426.60	VisioWave
VWD2415-0T4V8S0U0B2P	Discovery 2415: 16 Video Channels, 8 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	25415.00	VisioWave

VWD2415-0T5V4S0U0B2P	Discovery 2415: 20 Video Channels, 4 x 1TB Internal Recording (RAID5); Standard Combo Module;	23134.80	VisioWave
VWD2415-0T5V8S0U0B2P	USA Power Discovery 2415: 20 Video Channels, 8 x 1TB Internal Recording (RAID5); Standard Combo Module;	27107.60	VisioWave
	USA Power		
VWD2415-0T6V4S0U0B2P	Discovery 2415: 24 Video Channels, 4 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	24840.40	VisioWave
VWD2415-0T6V8S0U0B2P	Discovery 2415: 24 Video Channels, 8 x 1TB Internal Recording (RAID5); Standard Combo Module; USA Power	28945.80	VisioWave
VWD300-0T1V0S2P	Discovery 300: 1 Channels, No Internal Storage, 3 Alarm I/O, Serial Port, 1 Audio Channels, USA	3159.00	VisioWave
VWD300-0T1V1S2P	Power Discovery 300: 1 Channels, 100GB Internal Storage, 3 Alarm I/O, Serial Port, 1 Audio Channels,	4654.00	VisioWave
VWD300-0T2V0S2P	USA Power Discovery 300: 2 Channels, No Internal Storage, 3 Alarm I/O, Serial Port, 1 Audio Channels, USA	4459.00	VisioWave
VWD300-0T2V1S2P	Power Discovery 300: 2 Channels, 100GB Internal Storage, 3 Alarm I/O, Serial Port, 2 Audio Channels,	5954.00	VisioWave
	USA Power		
VWD3-ACC-RCK-MNT1 VWECVRS-0T1C0S0M2P	Discovery 300: Rack Adapter - Support 1 Unit in 19" Rack ECVRS: Enhanced Centralised Video Recording Server, Std Chassis, SCSI Interface, Std HD, Std	143.00 8054.80	VisioWave VisioWave
VWEV-0T1V0A1S0M0D2P0	Memory, USA Power Evolution 2809 HD: 4 Video Channels, No Audio Channels, 1 @ 500GB Internal Storage, 0 Boards	17849.00	VisioWave
	(Comm. B), No Boards (Daughter B.), Europe Power Cable, 0 Boards I/O		
VWEV-0T2V0A0S0M0D2P0	Evolution HD 2809: 8 Video Channels, No Audio Channels; No Internal Storage, 0 Boards (Comm. B), No Boards (Daughter B.); USA Power Cable; 0 Boards I/O	29510.00	VisioWave
VWEV-0T4V0A0S0M0D2P0	Evolution HD 2809: 16 Video Channels, No Audio Channels; No Internal Storage, 0 Boards (Comm. B), No Boards (Daughter B.); USA Power Cable; 0 Boards I/O	44200.00	VisioWave
VWEV-0T4V0A2S0M0D2P0	Evolution HD 2809: 16 Video Channels, No Audio Channels; 2 Internal 500GB AT Drive, 0 Boards	46280.00	VisioWave
VWEV-0T5V0A0S0M0D2P0	(Comm. B), No Boards (Daughter B.); USA Power Cable; 0 Boards I/O Evolution 2809 HD: 20 Video Channels, No Audio Channels, No Internal Storage, No Additional, 1	45617.00	VisioWave
VWLP-CCS-1DVE	Serial Comm Board, No Alarm I/O, USA Power Central Configurations Service Per Device License Fee (i.e., Per Discovery 2400, Evolution HD,	187.20	VisioWave
VWLP-VRPS-1IN	Discovery 300). Use w/SDK Recording Policy License Per Recorded Video Port (Not required on Discovery 300)	187.20	VisioWave
VWSP-D2415-HDD-1TB	Spare Part Discovery 2415: 1 TB Video Data Drive	663.00	VisioWave
VWSP-D24-2SER-USB	Spare Part Discovery 2400: Dual Serial Port USB Module (RS232/422/485)	442.00	VisioWave
VWSP-D24-8X4IO-USB	Spare Part Discovery 2400: I/O USB Module (8 Input x 4 Output)	442.00	VisioWave
VWSP-D24-AUDIO1-USB	UltraView Recorder 60 Spare Part (Discovery 2405/2415): 2 Input x 1 Output Channels USB Audio Module - Full Duplex (max 2 Audio USB Modules Per Recorder)	533.00	VisioWave
VWSP-D24-COMBO-USB	Spare Part Discovery 2400: Combo USB Module (1 Serial Port, 4 Input x 2 Output)	442.00	VisioWave
VWSP-D24-FAN-1	Spare Part Discovery 2400/2405: Chassis Replacement Fan	127.40	VisioWave
VWSP-D24-PS-1	Spare Part Discovery 2400/2405: System Power Supply	1430.00	VisioWave
VWSP-D24-SCSI-MOD	Spare Part Discovery 2400/2405: SCSI Module for DAS Storage Support	1586.00	VisioWave
VWSP-DISC-4VID-AP	UltraView Recorder 60 Spare Part (Discovery 2405/2415): 4-Channels Video Board (H.264-SVC)	3333.20	VisioWave
VWSP-DISC-4VID-W	Spare Part Discovery 2400: 4-Channels Video Card Wavelet	3900.00	VisioWave
VWSP-ECVRS/VCAS-FAN2	Spare Part ECVRS/VCAS: Large Chassis Fan (Chassis Uses Both Large and Small Fans)	31.20	VisioWave
VWSP-ECVRS/VCAS-PS1	Spare Part ECVRS/VCAS: System Power Supply	2022.80	VisioWave
VWSP-EV-2809B-2P	Evolution HD 2809: 0 Video Channels, 0 Audio Channels; 0 Internal Drives, 0 Boards (Comm.	28470.00	VisioWave
7116. 27 20002 2.	B),No Boards (Daughter B.); USA Power Cable; 0 Boards I/O	20110.00	T.O.O.T.G.T.
VWSP-EV-4AUDIO	Option Card: 4-Channels CPCI Audo Board	4420.00	VisioWave
VWSP-EV-4VIDII	Option Card: 4-Channels CPCI Video Card for Evolution	8710.00	VisioWave
VWSP-EV-6VID-AP	UltraView 80 Spare Part (Evolution 3005): 6-Channels CPCI Video Card (Encode Only)	4534.40	VisioWave
VWSP-EV-COMBOARD	Spare Part: Evolution 2800/2809 HD Serial Communications Motherboard	2267.20	VisioWave
VWSP-EV-FAN	Spare Part: EVHD Replacement Fan Only	260.00	VisioWave
VWSP-EV-FANDWR2-UNIT	Spare Part EVO 2800/2809/3005: Ver2 Replacent Fan Drawer Complete Assembly (Drawer, Filter, Battery, Fan)	1690.00	VisioWave
VWSP-EV-FANFILTER	Spare Part: EVHD Replacement Fan Filter Only	130.00	VisioWave
VWSP-EV-HDD-500AT	Spare Part Evolution HD: 500GB ATA Internal Video Data Drive	1092.00	VisioWave
VWSP-EV-I/O-16I/8O	Spare Part: Evolution HD - Input/Output Module; 16 Inputs x 8 Outputs	2134.60	VisioWave
VWSP-EV-PS-1	Spare Part Evolution HD: Single Power Supply	1274.00	VisioWave
VWSP-EV-RS232DB	Option Card: Evolution 2800/2809 HD RS232 Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards)	280.80	VisioWave
VWSP-EV-RS422DB	Option Card: Evolution 2800/2809 HD RS422 Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards)	280.80	VisioWave
VWSP-EV-RS485DB	Option Card: Evolution 2800/2809 HD RS485 Daughter Board (Requires I COMBOARD Per 4	280.80	VisioWave
VWSP-VR-1610-FAN	RS422/232/485 Boards) Spare Part VRU: Individual Chassis Fan for 1610 Model	486.20	VisioWave
VWSP-VR-1610-PS1	Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power	1788.80	VisioWave
VIVIED VID 040/4040 FAST	Supplies) Spare Part VOLL Individual Chappia For for 910/1/210 Models	405.00	VininWaya
VWSP-VR-810/1210-FAN VWSP-VR-810/1210-PS1	Spare Part VRU: Individual Chassis Fan for 810/1210 Models Spare Part VRU: Single System Power Supply for 810/1210 Models (Each VRU Has Dual Power	405.60 1430.00	VisioWave VisioWave
V VV3F-VR-01U/121U-P31	Spare Part VRU: Single System Power Supply for 810/1210 Models (Each VRU Has Dual Power Supplies)	1430.00	visiovvave
VWSP-VR-9270UHST-1	Spare Part VRU: SCSI Cable from Discovery24xxA/Evolution to First VRU	187.20	VisioWave
VWSP-VR-9273Tray-B	Spare Part VRU: Individual Drive Tray for VR810/1210/1610 (G2421 Series) - Bare -No HDD	78.00	VisioWave
VWSS-VSC-12EP	VSC Software Extension License: Additional 12 Video Channels Expansion to VSC Software	2860.00	VisioWave
VWSS-VSC-12P-1C	VSC Software Main License: 12 Video Channels w/Master PC Client Software Included	2860.00	VisioWave
VWSS-VSC-1440P-1C	VSC Software: 1440 Channels Includes Master PC Client Software	251999.80	VisioWave
VWSS-VSC-144EP	Additional 144 Video Channels Expansion to VSC Software	29268.20	VisioWave
VWSS-VSC-144P-1C	VSC Software: 144 Channels Includes Master PC Client Software	29268.20	VisioWave
VWSS-VSC-1920P-1C	VSC Software: 1920 Channels Includes Master PC Client Software	344000.80	VisioWave
VWSS-VSC-1CE	Additional Client Software License	1053.00	VisioWave
VWSS-VSC-240EP	Additional 240 Video Channels Expansion to VSC Software	48867.00	VisioWave
VWSS-VSC-240P-1C	VSC Software: 240 Channels Includes Master PC Client Software	48867.00	VisioWave
VWSS-VSC-24EP	Additional 24 Video Channels Expansion to VSC Software	5868.20	VisioWave
VWSS-VSC-24P-1C	VSC Software: 24 Channels Includes Master PC Client Software	5868.20	VisioWave
VWSS-VSC-480P-1C VWSS-VSC-48EP	VSC Software: 480 Channels Includes Master PC Client Software	84000.80	VisioWave
V VVOG- V GO-40EF	Additional 48 Video Channels Expansion to VSC Software	11733.80	VisioWave

VWSS-VSC-48P-1C	VSC Software: 48 Channels Includes Master PC Client Software	11733.80	VisioWave
VWSS-VSC-720P-1C	VSC Software: 720 Channels Includes Master PC Client Software	126401.60	VisioWave
VWSS-VSC-960P-1C	VSC Software: 960 Channels Includes Master PC Client Software	168001.60	VisioWave
VWSS-VSC-96EP	Additional 96 Video Channels Expansion to VSC Software	19533.80	VisioWave
VWSS-VSC-96P-1C	VSC Software: 96 Channels Includes Master PC Client Software	19533.80	VisioWave
VWVR-12T5H12S0C0B2P	VRU: 12 Channels, 500GB Drives X 12 Drives, RAID5 Config, Mounting Rails, USA Power	13800.80	VisioWave
VWVR-12T5H6S0C0B2P	VRU: 12 Channels, 500GB Drives X 6 Drives, RAID5 Config, Mounting Rails, USA Power	11200.80	VisioWave
VWVR-16T5H16S0C0B2P	VRU: 16 Channels, 500GB Drives X 16 Drives, RAID5 Config, Mounting Rails, USA Power	18293.60	VisioWave
VWVR-16T5H8S0C0B2P	VRU: 16 Channels, 500GB Drives, 8 Drives, RAID5 Config, Mounting Rails, USA Power	14827.80	VisioWave
VWVR-8T5H4S0C0B2P	VRU: 8 Channels, 500GB Drives X 4 Drives, RAID5 Config, Mounting Rails, USA Power	7399.60	VisioWave
VWVR-8T5H8S0C0B2P	VRU: 8 Channels, 500GB Drives X 8 Drives, RAID5 Config, Mounting Rails, USA Power	9201.40	VisioWave
WDM-R-ST3-85/13	MM - 3-Port WDM, 850/1300 nm, ST Conn	628.88	Fiber Optic Transmission
W\$300	High Security Cable, 100' Roll	61.10	Sensors & Detectors
WX70ENG-SWMEDIA	FCWnx v7 Software Media Kit English - Replacement media kit only	51.19	Facility Commander Wnx
WX70ENT-16CAPACU	FCWnx v7 Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	3071.25	Facility Commander Wnx
WX70ENT-16CAPMIC	FCWnx v7 Enterprise single server software license package (1) server client, (1) remote client,	3071.25	Facility Commander Wnx
WX70GLB-02REGION	(16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity	6825.00	Facility Commander Wnx
WX70GLB-16REGION	license for supporting (2) regional server systems FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity	13650.00	Facility Commander Wnx
WX70GLB-32REGION	license for supporting (16) regional server systems FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity	27300.00	Facility Commander Wnx
	license for supporting (32) regional server systems		
WX70GLB-64REGION	FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (64) regional server systems	54600.00	Facility Commander Wnx
WX70PRO-16CAPACU	FCWnx v7 Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	443.63	Facility Commander Wnx
WX70PRO-16CAPMIC	FCWnx v7 Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	443.63	Facility Commander Wnx
WX70PRO-ID32ACU	Fewnx V7 Pro Id32 Single Server Software License Package (1) Server Client, (2) Remote Clients, (1) Photo Id Option, (32) Readers W/ Ge Acu Driver, (32) Cameras W/ Ge Video Drivers	1666.87	Facility Commander Wnx
WX70PRO-ID32MIC	FCWnx v7 Pro ID32 single server software license package (1) server client, (2) remote clients, (1) Photo ID Option, (32) readers w/ GE Micro driver, (32) cameras w/ GE video drivers	1666.87	Facility Commander Wnx
WX70REG-16CAPACU	FCWnx v7 Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	3071.25	Facility Commander Wnx
WX70REG-16CAPMIC	FCWnx v7 Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	3071.25	Facility Commander Wnx
WXCAMLIC-0032CAP	FCWnx new system Camera capacity license, 16 to 32 cameras per server	682.50	Facility Commander Wnx
WXCAMLIC-0032INC	FCWnx existing system Camera capacity increase license, 16 to 32 cameras per server	682.50	Facility Commander Wnx
WXCAMLIC-0064CAP	FCWnx new system Camera capacity license, 16 to 64 cameras per server	1365.00	Facility Commander Wnx
WXCAMLIC-0064INC	FCWnx existing system Camera capacity increase license, 32 to 64 cameras per server	682.50	Facility Commander Wnx
WXCAMLIC-0128CAP	FCWnx new system Camera capacity license, 16 to 128 cameras per server	2559.38	Facility Commander Wnx
WXCAMLIC-0128INC	FCWnx existing system Camera capacity increase license, 64 to 128 cameras per server	1194.38	Facility Commander Wnx
WXCAMLIC-0256CAP	FCWnx new system Camera capacity license, 16 to 256 cameras per server	4777.50	Facility Commander Wnx
WXCAMLIC-0256INC	FCWnx existing system Camera capacity increase license, 128 to 256 cameras per server	2218.13	Facility Commander Wnx
WXCAMLIC-0512CAP	FCWnx new system Camera capacity license, 16 to 512 cameras per server (Enterprise & Global	8957.82	Facility Commander Wnx
WXCAMLIC-0512INC	Only) FCWnx existing system Camera capacity increase license, 256 to 512 cameras per server	4180.32	Facility Commander Wnx
WXCAMLIC-1024CAP	(Enterprise & Global Only) FCWnx new system Camera capacity license, 16 to 1024 cameras per server (Enterprise & Global	17062.50	Facility Commander Wnx
WXCAMLIC-1024INC	Only) FCWnx existing system Camera capacity increase license, 512 to 1024 cameras per server	8104.69	Facility Commander Wnx
	(Enterprise & Global Only)		·
WXCAMLIC-2048CAP	FCWnx new system Camera capacity license, 16 to 2048 cameras per server (Enterprise & Global Only)	32418.75	Facility Commander Wnx
WXCAMLIC-2048INC	FCWnx existing system Camera capacity increase license, 1024 to 2048 cameras per server (Enterprise & Global Only)	15356.25	Facility Commander Wnx
WXCAMLIC-4096CAP	FCWnx new system Camera capacity license, 16 to 4096 cameras per server (Enterprise & Global Only)	63131.25	Facility Commander Wnx
WXCAMLIC-4096INC	FCWnx existing system Camera capacity increase license, 2048 to 4096 cameras per server (Enterprise & Global Only)	30712.50	Facility Commander Wnx
WXDRIVR-ADINTELX	FCWnx 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	2047.50	Facility Commander Wnx
WXDRIVR-DWDPRO9K	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	2047.50	Facility Commander Wnx
WXDRIVR-INTEGRAL	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Integral Technologies DVXI, DVXe, DSXpress (version specific dependency may apply)	2047.50	Facility Commander Wnx
WXDRIVR-NICEVPHY	FCWnx 3rd party Digital Video Recorder driver add-on option per server, NiceVision Pro and Harmony (version specific support dependency may apply)	2047.50	Facility Commander Wnx
WXDRIVR-PANAHD5K	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Panasonic WJ-HD500 (version specific dependency may apply)	2047.50	Facility Commander Wnx
WXDRIVR-PELCDX8K	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Pelco DX8000 (version specific dependency may apply)	2047.50	Facility Commander Wnx
WXL1SSA-32PROSERV	FCWnx Level 1 SSA - Professional single server system, base software licensed up to (2) remote clients, (1) Photo ID Option, (32) reader, (32) camera capacity. Additional software options and capacity licenses apply separately.	333.37	Facility Commander Wnx
WXL1SSACAMLIC0032CAP	FCWnx Level 1 SSA Camera capacity license, 32 cameras per server	136.50	Facility Commander Wnx
WXL1SSACAMLIC0064CAP	FCWnx Level 1 SSA Camera capacity license, 64 cameras per server	273.00	Facility Commander Wnx
WXL1SSACAMLIC0128CAP	FCWnx Level 1 SSA Camera capacity license, 128 cameras per server	511.88	Facility Commander Wnx
WXL1SSACAMLIC0256CAP	FCWnx Level 1 SSA Camera capacity license, 256 cameras per server	955.50	Facility Commander Wnx
WXL1SSACAMLIC0512CAP	FCWnx Level 1 SSA Camera capacity license, 512 cameras per server (Enterprise & Global Only)	1791.57	Facility Commander Wnx
	, ,		,
WXL1SSACAMLIC1024CAP	FCWnx Level 1 SSA Camera capacity license, 1024 cameras per server (Enterprise & Global Only)	3412.50	Facility Commander Wnx
WXL1SSACAMLIC1024CAP	FCWnx Level 1 SSA Camera capacity license, 1024 cameras per server (Enterprise & Global Only)	3412.50	Facility Commander Wnx

VXL1SSACAMLIC2048CAP	FCWnx Level 1 SSA Camera capacity license, 2048 cameras per server (Enterprise & Global Only)	6483.75	Facility Commander Wnx
/XL1SSACAMLIC4096CAP	FCWnx Level 1 SSA Camera capacity license, 4096 cameras per server (Enterprise & Global Only)	12626.25	Facility Commander Wnx
XL1SSA-ENTSERV	FCWnx v7 Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	614.25	Facility Commander Wnx
XL1SSA-GLB02SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (5) remote clients, (1) Photo ID Option, (2) regional server support	1365.00	Facility Commander Wnx
XL1SSA-GLB16SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (5) remote clients, (1) Photo ID Option, (16) regional server support	2730.00	Facility Commander Wnx
XL1SSA-GLB32SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (5) remote clients, (1) Photo ID Option, (32) regional server support	5460.00	Facility Commander Wnx
XL1SSA-GLB64SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (5) remote clients, (1) Photo ID Option, (64) regional server support	10920.00	Facility Commander Wnx
XL1SSAOPT-001APIC	FCWnx Level 1 SSA API Connectivity, add-on option per instance	204.75	Facility Commander Wnx
XL1SSAOPT-ADINTELX	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	409.50	Facility Commander Wnx
XL1SSAOPT-CLNTRED	FCWnx Level 1 SSA Client redundancy for device hosting with communications failover, add-on option per server	819.00	Facility Commander Wnx
XL1SSAOPT-DWDPRO9K	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	409.50	Facility Commander Wnx
/XL1SSAOPT-GUARDTR	FCWnx Level 1 SSA Guard Tour, add-on option per server	409.50	Facility Commander Wnx
XL1SSAOPT-GUARDIR /XL1SSAOPT-INTEGRAL	FCWnx Level 1 SSA Guard Tour, add-on option per server FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Integral	409.50	Facility Commander Wnx
AL 100AOF 1-INTEGRAL		409.00	acinty Commander Witx
XL1SSAOPT-NICEVPHY	Technologies DVXI, DVXe, DSXpress (version specific dependency may apply) FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, NiceVision	409.50	Facility Commander Wnx
XL1SSAOPT-OHRECEM	Pro and Harmony (version specific support dependency may apply) FCWnx Level 1 SSA OH Receiver emulator for GE NX590E Intrusion alarm monitoring direct over	409.50	Facility Commander Wnx
XL1SSAOPT-PANAHD5K	IP, add-on option per instance FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Panasonic	409.50	Facility Commander Wnx
/XL1SSAOPT-PELCOX8K	WJ-HD500 (version specific dependency may apply) FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Pelco	409.50	Facility Commander Wnx
/XL1SSAOPT-VISITDB	DX8000 (version specific dependency may apply) FCWnx Level 1 SSA 3rd party Visitor Management DB interface add-on option per server,	204.75	Facility Commander Wnx
XL1SSA-PROSERV	PassagePoint & CI-3 (version specific dependency may apply) FCWnx Level 1 SSA - Professional single server system, base software licensed up to (5) remote	88.73	Facility Commander Wnx
	clients, (1) Photo ID Option,(32) reader, (32)camera capacity. Additional software options and capacity licenses apply separately.		,
XL1SSARDRLIC0032CAP	FCWnx Level 1 SSA Reader capacity license, 32 readers per server	136.50	Facility Commander Wnx
XL1SSARDRLIC0064CAP	FCWnx Level 1 SSA Reader capacity license, 64 readers per server	273.00	Facility Commander Wnx
XL1SSARDRLIC0004CAP XL1SSARDRLIC0128CAP	FCWnx Level 1 SSA Reader capacity license, 128 readers per server	511.88	Facility Commander Wnx
XL1SSARDRLIC0126CAP	FCWnx Level 1 SSA Reader capacity license, 126 readers per server	955.50	Facility Commander Wnx
XL1SSARDRLIC0256CAP XL1SSARDRLIC0512CAP	FCWnx Level 1 SSA Reader capacity license, 256 readers per server FCWnx Level 1 SSA Reader capacity license, 512 readers per server (Enterprise & Global Only)	1791.57	Facility Commander Wnx
XL1SSARDRLIC1024CAP	FCWnx Level 1 SSA Reader capacity license, 1024 readers per server (Enterprise & Global Only)	3412.50	Facility Commander Wnx
XL1SSARDRLIC2048CAP	FCWnx Level 1 SSA Reader capacity license, 2048 readers per server (Enterprise & Global Only)	6483.75	Facility Commander Wnx
XL1SSARDRLIC4096CAP	FCWnx Level 1 SSA Reader capacity license, 4096 readers per server (Enterprise & Global Only)	12626.25	Facility Commander Wnx
/XL1SSA-REGSERV	FCWnx Level 1 SSA - Regional single server system, base software licensed up to (5) remote clients, (1) Photo ID Option,(32) reader (32)camera capacity. Additional software options and	614.25	Facility Commander Wnx
/XL1SSASWOPT-001CLNT	capacity licenses apply separately. FCWnx Level 1 SSA per Additional single client license	170.63	Facility Commander Wnx
/XL1SSASWOPT-DUTCENT	FCWnx Level 1 SSA per Additional single client license FCWnx Level 1 SSA Integrated Photo ID Credentialing, add-on option per client	259.35	Facility Commander Wnx
XL1SSASWOP1-PHOTOID XL2SSA-0256	FCWnx L2 Extended After Hours Support - up to 256 Reader/Camera capacity, requires active	2437.50	Facility Commander Wnx
XL2SSA-1024	Level 1 SSA FCWnx L2 Extended After Hours Support - up to 1024 Reader/Camera capacity, requires active	4875.00	Facility Commander Wnx
XL2SSA-2048	Level 1 SSA FCWnx L2 Extended After Hours Support - up to 2048 Reader/Camera capacity, requires active	7312.50	Facility Commander Wnx
XL2SSA-4096	Level 1 SSA FCWnx L2 Extended After Hours Support - up to 4096 Reader/Camera capacity, requires active	12187.50	Facility Commander Wnx
/XL2SSA-GLBSYST	Level 1 SSA FCWnx Global multi server L2 Extended After Hours Support - per Global multi server system site,	6825.00	Facility Commander Wnx
/XL2SSA-SIN0128	requires active Level 1 SSA FCWnx Pro or Enterprise single server L2 Extended After Hours Support - per Single Server	1706.25	Facility Commander Wnx
/XL2SSA-SIN4096	System up to 128 Reader/Camera capacity, requires active Level 1 SSA FC Wnx Pro or Enterprise single server L2 Extended After Hours Support - per Single Server	3412.50	Facility Commander Wnx
XL3SSA-CUSTOMQ	System greater than 128 Reader/Camera capacity, requires active Level 1 SSA FCWnx multi-system site wide coverage, assigned support team, annual visits, and priority call -	#VALUE!	Facility Commander Wnx
ALSSSATOUS I UNIV	ECVINX multi-system site wide coverage, assigned support team, annual visits, and priority call - Custom Quote	#VALUE!	admy Commander Whx
/XPRO16KIT-DD2T100B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T100B Kit and (25) Entree Prox Card. Power Supply Options Sold Separately	1540.01	Facility Commander Wnx
/XPRO16KIT-DD2T500B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T500B Kit and (25) Entree Prox Cards. Power Supply Options Sold Separately	1623.34	Facility Commander Wnx
/XPRO16KIT-DD2T520B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T520B Kit and (25) Entree Prox Cards. Power Supply Options Sold Separately	1665.00	Facility Commander Wnx

VXPRO16KIT-M2KT500B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) M2000 4 Door T500B Reader Kit and (25) Entree Prox Cards	2998.33	Facility Commander Wnx
WXPRO16KIT-M2KT520B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) M2000 4 Door	3165.01	Facility Commander Wnx
	T520B Reader Kit and (25) Entree Prox Cards		
/XRDRLIC-0032CAP	FCWnx new system Reader capacity license, 16 to 32 readers per server	682.50	Facility Commander Wnx
XRDRLIC-0032INC	FCWnx existing system Reader capacity increase license, 16 to 32 readers per server	682.50	Facility Commander Wnx
XRDRLIC-0064CAP	FCWnx new system Reader capacity license, 16 to 64 readers per server	1365.00	Facility Commander Wnx
XRDRLIC-0064INC	FCWnx existing system Reader capacity increase license, 32 to 64 readers per server		
		682.50	Facility Commander Wnx
XRDRLIC-0128CAP	FCWnx new system Reader capacity license, 16 to 128 readers per server	2559.38	Facility Commander Wnx
XRDRLIC-0128INC	FCWnx existing system Reader capacity increase license, 64 to 128 readers per server	1194.38	Facility Commander Wnx
XRDRLIC-0256CAP	FCWnx new system Reader capacity license, 16 to 256 readers per server	4777.50	Facility Commander Wnx
XRDRLIC-0256INC	FCWnx existing system Reader capacity increase license, 128 to 256 readers per server	2218.13	Facility Commander Wnx
XRDRLIC-0512CAP	FCWnx new system Reader capacity license, 16 to 512 readers per server (Enterprise & Global Only)	8957.82	Facility Commander Wnx
XRDRLIC-0512INC	FCWnx existing system Reader capacity increase license, 256 to 512 readers per server (Enterprise & Global Only)	4180.32	Facility Commander Wnx
XRDRLIC-1024CAP	FCWnx new system Reader capacity license, 16 to 1024 readers per server (Enterprise & Global Only)	17062.50	Facility Commander Wnx
XRDRLIC-1024INC	FCWnx existing system Reader capacity increase license, 512 to 1024 readers per server (Enterprise & Global Only)	8104.69	Facility Commander Wnx
XRDRLIC-2048CAP	FCWnx new system Reader capacity license, 16 to 2048 readers per server (Enterprise & Global Only)	32418.75	Facility Commander Wnx
/XRDRLIC-2048INC	FCWnx existing system Reader capacity increase license, 1024 to 2048 readers per server (Enterprise & Global Only)	15356.25	Facility Commander Wnx
XRDRLIC-4096CAP	FCWnx new system Reader capacity license, 16 to 4096 readers per server (Enterprise & Global Only)	63131.25	Facility Commander Wnx
/XRDRLIC-4096INC	FCWnx existing system Reader capacity increase license, 2048 to 4096 readers per server (Enterprise & Global Only)	30712.50	Facility Commander Wnx
XRPTCMDR-SWMEDIA	Report Commander V7.0 Software Media Kit-Repalcement Media Kit Only FCWnx SSA - Used to bill the difference between SSA costs and minimum SSA price of \$800 for	51.19 1300.00	Facility Commander Wnx Facility Commander Wnx
XSSA- DIFFENT	Enterprise service. Variable price always less than \$800.00	2600.00	Facility Commander Wnx
XSSA- DIFFGLO	FCWmx SSA - Used to bill the difference between SSA costs and minimum SSA price of \$1600 for Global service. Variable price always less than \$1600 FCWmx SSA. Llead to bill the difference between SSA costs and minimum price of \$400 for		
	FCWnx SSA - Used to bill the difference between SSA costs and minimum price of \$400 for Professional SSA coverage. Variable price always less than \$400.00	650.00	Facility Commander Wnx
/XSSA-CUC	FCWnx SSA - Certified User Call In - Requires L I or L II SSA in place additionally	12187.50	Facility Commander Wnx
XSSA-DSL	FCWnx SSA - Duplicate Server License coverage Requires L I or L II SSA in place additionally	4062.50	Facility Commander Wnx
XSWOPT-001APIC	FCWnx API Connectivity, add-on option per instance	1023.75	Facility Commander Wnx
KSWOPT-001CLNT KSWOPT-CLNTRED	FCWnx Additional single client license. FCWnx Client redundancy for device hosting with communications failover, add-on option per	853.13 4095.00	Facility Commander Wnx Facility Commander Wnx
	server		
XSWOPT-GUARDTR	FCWnx Guard Tour, add-on option per server	2047.50	Facility Commander Wnx
XSWOPT-OHRECEM	FCWnx OH Receiver emulator for GE NX-590E Intrusion alarm monitoring direct over IP, add-on	2047.50	Facility Commander Wnx
NOWOF I-OI INECEIVI		2047.30	racility Commander with
	option per instance		
XSWOPT-PHOTOID XSWOPT-RPTCMDR	FCWnx Integrated Photo ID Credentialing, add-on option per client Report Commander v7.0 for Facility Commander Wnx v7.0 Enterprise and Global Editions (V7.0	1296.75 2132.82	Facility Commander Wnx Facility Commander Wnx
XSWOPT-VISITDB	SP3 Only) FCWnx 3rd party Visitor Management DB interface add-on option per server, PassagePoint & CI-3	1023.75	Facility Commander Wnx
XUPGCAMLIC-0032CAP	(version specific dependency may apply) FCWnx UPGRADE for Camera capacity license, 32 cameras per server	273.00	Facility Commander Wnx
XUPGCAMLIC-0064CAP	FCWnx UPGRADE for Camera capacity license, 64 cameras per server	546.00	Facility Commander Wnx
KUPGCAMLIC-0128CAP	FCWnx UPGRADE for Camera capacity license, 128 cameras per server	1023.75	Facility Commander Wnx
KUPGCAMLIC-0256CAP	FCWnx UPGRADE for Camera capacity license, 256 cameras per server	1911.00	Facility Commander Wnx
XUPGCAMLIC-0512CAP	FCWnx UPGRADE for Camera capacity license, 512 cameras per server (Enterprise & Global Only)	3583.13	Facility Commander Wnx
XUPGCAMLIC-1024CAP	FCWnx UPGRADE for Camera capacity license, 1024 cameras per server (Enterprise & Global Only)	6825.00	Facility Commander Wnx
XUPGCAMLIC-2048CAP	FCWnx UPGRADE for Camera capacity license, 2048 cameras per server (Enterprise & Global Only)	12967.50	Facility Commander Wnx
XUPGCAMLIC-4096CAP	FCWnx UPGRADE for Camera capacity license, 4096 cameras per server (Enterprise & Global Only)	25252.50	Facility Commander Wnx
XUPGDRIVR-ADINTELX	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	819.00	Facility Commander Wnx
XUPGDRIVR-DWDPRO9K	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	819.00	Facility Commander Wnx
XUPGDRIVR-INTEGRAL	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Integral Technologies DVXI, DVXe, DSXpress (version specific dependency may apply)	819.00	Facility Commander Wnx
XUPGDRIVR-NICEVPHY	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, NiceVision Pro and Harmony (version specific support dependency may apply)	819.00	Facility Commander Wnx
XUPGDRIVR-PANAHD5K	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Panasonic WJ- HD500 (version specific dependency may apply)	819.00	Facility Commander Wnx
XUPGDRIVR-PELCDX8K	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Pelco DX8000 (version specific dependency may apply)	819.00	Facility Commander Wnx
XUPGENT-16CAPACU	FCWnx UPGRADE Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	1228.50	Facility Commander Wnx
XUPGENT-16CAPMIC	FCWnx UPGRADE Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	1228.50	Facility Commander Wnx
XUPGGLB-02REGION	FCWnx UPGRADE Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (2) regional server systems	2730.00	Facility Commander Wnx
XUPGGLB-16REGION	FCWnx UPGRADE Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (16) regional server systems	5460.00	Facility Commander Wnx
	FCWnx UPGRADE Global multi-server software license package (1) server client, (1) remote client,	10920.00	Facility Commander Wnx
XUPGGLB-32REGION	capacity license for supporting (32) regional server systems		
XUPGGLB-32REGION XUPGGLB-64REGION	capacity license for supporting (32) regional server systems FCWnx UPGRADE Global multi-server software license package (1) server client, (2) remote clients, capacity license for supporting (64) regional server systems	21840.00	Facility Commander Wnx

	FCWnx UPGRADE Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	177.45	Facility Commander Wnx
WXUPGPRO-ID32CAPACU	FCWnx UPGRADE Pro ID32 single server software license package (1) server client, (2) remote	666.74	Facility Commander Wnx
	clients, (1) Photo ID Option, (32) readers w/ GE ACU driver, (32) cameras w/ GE video drivers. No Warranty. Does not include SSA. SSA coverage going forward is r		
VXUPGPRO-ID32CAPMIC	FCWnx UPGRADE Pro ID32 single server software license package (1) server client, (2) remote	666.74	Facility Commander Wnx
	clients, (1) Photo ID Option, (32) readers w/ GE Micro driver, (32) cameras w/ GE video drivers. No Warranty. Does not include SSA. SSA coverage going forward is		
VXUPGRDRLIC-0032CAP	FCWnx UPGRADE for Reader capacity license, 32 readers per server	273.00	Facility Commander Wnx
VXUPGRDRLIC-0064CAP	FCWnx UPGRADE for Reader capacity license, 64 readers per server	546.00	Facility Commander Wnx
VXUPGRDRLIC-0128CAP	FCWnx UPGRADE for Reader capacity license, 128 readers per server	1023.75	Facility Commander Wnx
VXUPGRDRLIC-0256CAP	FCWnx UPGRADE for Reader capacity license, 256 readers per server	1911.00	Facility Commander Wnx
VXUPGRDRLIC-0512CAP	FCWnx UPGRADE for Reader capacity license, 512 readers per server (Enterprise & Global Only)	3583.13	Facility Commander Wnx
WXUPGRDRLIC-1024CAP	FCWnx UPGRADE for Reader capacity license, 1024 readers per server (Enterprise & Global Only)	6825.00	Facility Commander Wnx
WXUPGRDRLIC-2048CAP	FCWnx UPGRADE for Reader capacity license, 2048 readers per server (Enterprise & Global Only)	12967.50	Facility Commander Wnx
WXUPGRDRLIC-4096CAP	FCWnx UPGRADE for Reader capacity license, 4096 readers per server (Enterprise & Global Only)	25252.50	Facility Commander Wnx
WXUPGREG-16CAPACU	FCWnx UPGRADE Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	1228.50	Facility Commander Wnx
WXUPGREG-16CAPMIC	FCWnx UPGRADE Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	1228.50	Facility Commander Wnx
WXUPGSSA-ENTACU	FCWnx Enterprise server No Charge UPGRADE for systems with ACU series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-ENTMIC	FCWnx Enterprise server No Charge UPGRADE for systems with Micro series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-GLOBAL	FCWnx Global server No Charge UPGRADE for systems covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-PROACU	FCWnx Pro server No Charge UPGRADE for systems with ACU series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-PROMIC	FCWnx Pro server No Charge UPGRADE for systems with Micro series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-REGACU	FCWnx Regional server No Charge UPGRADE for systems with ACU series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
WXUPGSSA-REGMIC	FCWnx Regional server No Charge UPGRADE for systems with Micro series controller support covered under an active System Support Agreement (SSA)	NC	Facility Commander Wnx
VXUPGSWOPT-001APIC	FCWnx UPGRADE API Connectivity, add-on option per instance	409.50	Facility Commander Wnx
VXUPGSWOPT-001CLNT	FCWnx UPGRADE per Additional single client license	341.25	Facility Commander Wnx
VXUPGSWOPT-CLNTRED	FCWnx UPGRADE Client redundancy for device hosting with communications failover, add-on option per server	1638.00	Facility Commander Wnx
VXUPGSWOPT-GUARDTR	FCWnx UPGRADE Guard Tour, add-on option per server	819.00	Facility Commander Wnx
VXUPGSWOPT-OHRECEM	FCWnx UPGRADE OH Receiver emulator for GE NX590E Intrusion alarm monitoring direct over IP, add-on option per instance	819.00	Facility Commander Wnx
WXUPGSWOPT-PHOTOID	FCWnx UPGRADE Integrated Photo ID Credentialing, add-on option per client	518.70	Facility Commander Wnx
VXUPGSWOPT-VISITDB	FCWnx UPGRADE 3rd party Visitor Management DB interface add-on option per server, PassagePoint & CI-3 (version specific dependency may apply)	409.50	Facility Commander Wnx
			Fire