| PART#                            | DESCRIPTION   | MSF      | RP                   |
|----------------------------------|---|----------|----------------------|
| ACCESS CONTROL<br>GEM-1DKIT      | GEM-ACM1D,PCDWINDOWS,GEM-X25S UPGRADE PROM, NAPCO PROPRIETARY GEM-PX  |          |                      |
| GEM-1DKITA                       | READER,(25) NAPCO PROPRIETARY PXC CARDS<br>GEM-ACM1D,PCDWINDOWS,GEM-X255 UPGRADE PROM, GEM-H1326 HID READER WITH CUSTOM   | \$       | 438.71               |
| GEM-2D                           | BEZEL,(25) GEM-H1326C HID CARDS<br>2ND DOOR CONTROL PLUG-IN MODULE  | \$       | 549.01<br>70.28      |
| GEM-ACM1D<br>GEM-H1326           | 1 DOOR CONTROL, PCDWINDOWS, GEM-X255 UPGRADE PROM<br>HID READER   | \$<br>\$ | 281.48<br>164.15     |
| GEM-H1326C/100<br>GEM-H1326C/50  | HID CARDS (100)<br>HID CARDS (50)   | \$       | 365.96<br>192.08     |
| GEM-PCX/50<br>GEM-PX             | NAPCO PROPRIETARY CARDS (50)<br>NAPCO PROPRIETAR READER   | \$       | 109.71<br>128.95     |
| GEM-PXCV<br>GEM-TAMPERKIT        | READER COVER<br>2 TAMPER SWITCHES REQUIRED FOR UL294  | \$       | 23.35                |
| NAX-2000                         | NAPCO NAX ACCESS PRO SOFTWARE WITH (1) SECURITY DONGLE TWO (2) READER ACCESS CONTROL PANEL WITH UP TO 10.000 CARD CAPACITY, 8 EOL   | \$       | 339.89               |
| NAX-200X                         | TWO LQ READER ACCESS CONTINCE. PRIME WITH DIFF TO LODIO CHARD CAPACITY, BED. SUPERVISED ALARM INPUTS, TRAMPER, 5 RELAY OUTPUTS, SUPPORT FOR ON-BOARD NAX-ENET NETWORK ADAPTER. MAX SYSTEM CAPACITY OF 64 PANELS AND 128 DOORS. UNIT SHIPPED COMPLETE IN A LOCKABLE HEAVY STEEL ENCLOSURE, INCLUDING POWER SUPPLY, UL294 AND CUL LISTED. |          |                      |
| NAX-200XIO                       | INPUT/OUTPUT EXPANSION PANEL IN HEAVY STEEL ENCLOSURE WITH LOCK AND POWER SUPPLYCHARGER. INCLUDES (1) NAX-200XIOBD (16 SUPPERVISED JARAMI INPUTS, 16 RELAY OUTPUTS). FOR ADDITIONAL ING EXPANSION, ENCLOSURE CAN SUPPORT 1 ADDITIONAL NAX-  |          | 1,228.42             |
| NAX-200XIOBD                     | 200XIOBD FOR A MAXIMUM OF 32 SUPERVISED ALARM INPUTS AND 32 RELAY OUTPUTS. FOR ADDITIONAL I/O EXPANSION, NAX-200XIO ENCLOSURE CAN SUPPORT (1) ADDITIONAL NAX-   |          | 1,156.00             |
| NAX-BADGE-KITA                   | 200XIOBD FOR A MAXIMUM OF 32 SUPERVISED ALARM INPUTS AND 32 RELAY OUTPUTS. NAPCO NAX BADGING PACKAGE INCLUDES:NAX BADGING SOFTWARE STILL DIGITAL 520  | \$       | 770.55               |
| NAX-BADGE-KITB                   | CAMERAWITH SOFTWARE. TRIPOD & STAND.MAX ELTRON ZEBRA 3101 BADGING PRINTER. NAPCO NAX BADGING PACKAGE INCLUDES:NAX BADGING SOFTWARE STILL CAMERA 520 CAMERA WISOFTWARE. TRIPOD & STAND, NAX ELTRON ZEBRA 3101 BADGING PRINTER.   |          | 5,893.22<br>6.790.82 |
| NAX-ENET                         | NETWORK INTERFACE BOARD FOR NAX-200X. OPTIONAL ON-BOARD ADAPTER ALLOWS FOR COMMUNICATION OVER TCP/IP.   | \$       | 140.42               |
| NAX-KIT-A                        | NAPCO NAX HID ACCESS STARTER NT. INCLUDES: (1) NAX-200X 2 DOOR ACCESS CONTROLLER, (2) HID PROXPOINT PLLIS PROXIMITY READERS, (6) HID PROX CARD IL CARDS, (1) ACCESS PRO SOFTWARE WITH (1) SECURITY DONSLE, (1) FOT PANEL SERIAL COMMUNICATIONS CABLE.   | •        |                      |
| NAX-KIT-PX                       | NAPCO NAX PX ACCESS STARTER KIT. INCLUDES: (1) NAX-200X 2 DOOR ACCESS CONTROLLER, (2) NAPCO GEMPX PROXMITY BEADERS, (30) GEM-PX PROX CARDS, (1) ACCESS PRO SOFTWAREWITH (1) SECURITY DONGLE, (1) PC TO PANEL SERIAL COMMUNICATIONS CABLE.   |          | 1,677.22             |
| PCD-MANAGER                      | APPLICATION FOR ADMINISTRATION OF GEM-ACM SYSTEM. PROVIDES USER WITH CONTROL OF USERS, GROUP ASSIGNMENTS, SCHEDULES. INCREASES CAPACITY OF ACM TO 1,000 USERS WITH 6,000 ACCESS EVENT HISTORY LOG. INCLUDES (1) ACM UPGRADE E   |          | 1,502.69             |
| BURGLARY                         | CONTRIOL PANEL UPGRADE EPROM.   | \$       | 180.22               |
| 1632PRO-PAK<br>801KSUPERSAVER    | GEM-P1632,GEM-RP3DGTL & TRF<br>GEM-P801.GEM-K800 STAY/AWAY KEYPAD, TRANSFORMER, WALL MOUNT SIREN, PIR1680PT, 12V  | \$       | 196.16               |
| 801LCD-SUPERSVR                  | 4AH BATT, RJ31 J&C<br>GEM-P801.GEM-RP8LCD STAY/AWAY LCD CUSTOM ALPHA KEYPAD, TRANSFORMER, WALL  | \$       | 152.41               |
| 801SUPERSAVERPK                  | MOUNT SIREN, PIR1680PT, 12V 4AH BATT, RJ31 J&C<br>GEM-P801.GEM-RP8 KEYPAD, TRANSFORMER, WALL MOUNT SIREN, PIR1680PT, 12V 4AH BATT,  | \$       | 188.02               |
| 801SUPERSVRPK-2                  | RJ31 J&C<br>GEM-P801, GEM-RP8 KEYPAD, TRANSFORMER, PIR1680PT  | \$<br>\$ | 152.42<br>150.18     |
| 801SUPERSVRPK-3                  | GEM-P801.GEM-RP8 KEYPAD, TRANSFORMER, WALL MOUNT SIREN, 12V 4AH BATT, RJ31X J&C   | \$       | 122.29               |
| 816PERFPAK<br>816PERFPLUS        | 816 PANEL W/ RP3DGTL KEYPAD, TRF<br>P816,RP3DGTL,PIR1710,10W SIREN,BATT,J&C,TRF   | \$       | 163.73<br>212.47     |
| 816PREMPAK<br>F-64CODE-K1V       | GEM-P816, GEM-RP1CAE2, & TRF CODED TOUCHPAD WITH BLUE BACKLIT DISPLAY, NATURAL VOICE PROMPTS, 4 ZONE  | \$       | 244.18               |
| F-64CODE-K1VPS                   | EXPANSION MODULE  CODED TOUCHPAD WITH SLOE BROKET BISPERT, INTERNAL VOICE PROMPTS, INTEGRAL  CODED TOUCHPAD WITH SMART BLUE BACKLIT DISPLAY, NATURAL VOICE PROMPTS, INTEGRAL  | \$       | 229.75               |
| F-64CODE-KIT1                    | PIR MOTION SENSOR, 86DB SIREN, 4 ZONE EXPANSION MODULE INCLUDES F-84, 64 ZONE, 4 PARTITION CONTROL, PANEL, F-84CODE-K1VPS CODED TOUCHPAD WITH SMART BILUE BACKLIT DISPLAY, NATURAL VOICE PROMPTS, INTEGRAL PIR MOTION SENSOR, 86DB SIREN, 4 ZONE EXPANSION MODULE, TRF12 XFORMER.   | \$<br>\$ | 212.07               |
| F-64CODE-KIT2                    | INCLUDES: F-64, 64 ZONE, 4 PARTITION CONTROL PANEL, F-64CODE-K1V CODED TOUCHPAD WITH BLUE BACKLIT DISPLAY, NATURAL VOICE PROMPTS, 4 ZONE EXPANSION MODULE, TRF12 XFORMER.   | \$       | 282.79               |
| GEM-DK1CA                        | 2 LINE CUSTOM LCD KEYPAD WITH BLUE BACKLIT DISPLAY, DOOR, STAY / AWAY OPERATION, 4 ZONE EXPANSION MODULE  | \$       | 172.92               |
| GEM-BIOREADERMS                  |   | \$       | 406.55               |
| GEM1632RECVPAK<br>GEM-EZM4/8     | GEM-P1632,GEM-RP1CAE2,GEM-RECV16 & TRF<br>4 ZONE EZM EXPANDER FOR 816/1632 ONLY   | \$<br>\$ | 341.36<br>55.81      |
| GEM-EZM8<br>GEM-K120PAK          | 8 ZONE EZM EXPANDER FOR ALL (INCLDEZM3008) GEM-P1632, GEM-K4RF, PIR1680PT, WALL MOUNT SIREN, RJ31X J&C, TRF12 TRANSFORMER,  | \$       | 99.34                |
| GEM-K1CA                         | BATT, 12V, 4AH<br>2 LINE CUSTOM LCD K/P, STAY/AWAY W/ 4ZN EZM   | \$       | 178.95<br>166.28     |
| GEM-K1VPS                        | GEMINI KEYPAD WITH SMART BLUE BACKLIT DISPLAY, NATURAL VOICE PROMPTS, INTEGRAL PIR<br>MOTION SENSOR, 85DB SIREN, 4 ZONE EXPANSION MODULE  | \$       | 203.23               |
| GEM-K2AS<br>GEM-K3DGTL           | KEYPAD, ALPHA/ICON, STAY/AWAY, FIXED ENGLISH<br>KEYPAD, DIGITAL DISPLAY, STAY/AWAY  | \$       | 100.41<br>80.25      |
| GEM-K4<br>GEM-K400               | KEYPAD DIGITAL/ICON STAY/AWAY KEYPAD, 4 ZONE GEM-P400 STAY/AWAY   | \$       | 95.63<br>68.00       |
| GEM-K4RF                         | KEYPAD, DIGITAL/ICON,STAY/AWAY, 32 PT RECVR<br>KEYPAD, 8 ZONE GEM-P800/801 STAY/AWAY  | \$       | 164.79               |
| GEM-K800<br>GEM-OUT2             | 2 OUTPUT MODULE FOR XP,800,801,816,1632   | \$       | 71.62<br>16.94       |
| GEM-OUT8<br>GEM-P1632            | 8 OUTPUT ACTIVE LOW MODULE<br>16/32 ZONE CONTROL PANEL  | \$<br>\$ | 71.35<br>128.20      |
| GEMP1632INTROPK<br>GEMP1664DK1PK | 16/32 ZONE CONTROL PANEL WIGEMRPICAE2 INCLUDES GEM-P1664, 64 ZONE, 4 PARTITION CONTROL PANEL IN LARGE H401 ENCLOSURE WITH LOCK & KEY, GEM-D1CA KEYPAD WITH BLUE BACKLIT DISPLAY AND, INTEGRAL 4 ZONE  | \$       | 269.64               |
| GEMP1664VPSPK                    | EXPANSION MODULE, TRF12 XFORMER. INCLUDES GEM-P1684, 64 ZONE, 4 PARTITION CONTROL PANEL IN LARGE H401 ENCLOSURE WITH LOCK & KEY, GEM-K1YPS KEYPAD WITH SMART BLUE BACKLIT DISPLAY, NATURAL VOICE  | \$       | 282.79               |
|                                  | PROMPTS, INTEGRAL PIR MOTION SENSOR, 85DB SIREN, 4 ZONE EXPANSION MODULE, TRF12 XFORMER.  | \$       | 318.15               |
| GEM-P3200<br>GEM-P400/4          | 8 TO 32 ZONE CONTROL PANEL<br>4 ZONE CNT PNL WIKEYPAD   | \$<br>\$ | 196.14<br>451.05     |
| GEM-P800<br>GEM-P800PAK          | 8 ZONE CONTROL PANEL<br>8 ZONE CONTROL, GEM-RP8 KEYPAD, PIR1500, BATT, 12V, 4AH, WALL MOUNT SIREN, RJ31X J&C  | \$       | 137.64               |
| GEM-P800PAK2                     | 8 ZONE CONTROL, GEM-RP8 KEYPAD, PIR1680, BATT, 12V, 4AH, WALL MOUNT SIREN, RJ31X J&C  | \$       | 191.87               |
| GEM-P801                         | 8 ZONE CONTROL PANEL<br>8 ZONE CONTROL PANEL WRPN CO  | \$       | 199.34<br>132.70     |
| GEM-P801ALPHA<br>GEM-P816        | 8/16 ZONE CONTROL PANEL   | \$<br>\$ | 184.85<br>103.77     |
| GEM-P9600<br>GEM-PHASTPAK        | 8 TO 96 ZONE CONTROL PANEL PHAST MODULE, PC INTERFACE, AUTOMATION CHIP/SOFTWARE   | \$       | 380.06<br>507.83     |
| GEM-PRINT<br>GEM-RP1CAE2         | PARALLEL PRINTER MODULE 2 LINE LARGE CUSTOM LCD KEYPAD W/4ZN EZM  | \$<br>\$ | 124.62<br>170.44     |
| GEM-RP2ASE2<br>GEM-RP3DGTI       | KEYPAD, ALPHA/ICON, FIXED ENGLISH<br>KEYPAD, DIGITAL DISPLAY  | \$       | 102.41<br>81.86      |
| GEM-RP4<br>GEM-RP8               | KEYPAD, 4 ZONE GEMP400/800<br>KEYPAD, 8 ZONE GEMP400/800  | \$       | 68.00<br>71.62       |
| GEM-RP8LCD                       | LCD KEYPAD FOR GEM-P800 SERIES PERMANENT CONNECTION PC HA INTERFACE   | \$       | 135.40               |
| GEM-RS232<br>GEM-RS232KIT        | PC INTERFACE, HA CHIP & SOFTWARE  | \$<br>\$ | 100.54<br>150.87     |
| GEM-X10KIT<br>GEM-X255           | X-10 INTERFACE<br>8 TO 255 ZONE HYBRID CONTROL  | \$<br>\$ | 79.84<br>489.81      |
| GOODLIFE3<br>H1214               | GEM3200, TRF, RP1CAE, 2TRANS2, 1 GEMPIR, RECV16<br>HOUSING 12.5 x 14  | \$<br>\$ | 685.23<br>43.37      |
| H1217<br>H1518                   | HOUSING, MERCANTILE FOR 9600, 3200, 1632, 816<br>HOUSING, 15X18   | \$       | 69.28<br>83.24       |
| K1632INTROPK<br>K1632PRO-PAK     | GEMP1632,GEM-K1CA,TRF<br>GEM-P1632,GEM-K3DGTL,TRF   | \$       | 269.64<br>192.33     |
| K1632RFPAK                       | GEMP1632,GEM-K4DGTL, IN-<br>GEMP1632,GEM-K4RF,TRF<br>816 PANEI GEM-K4DGTI TRE   | \$       | 233.40               |
| K816PERFPAK<br>K816PREMPAK       | GEM-P816, GEM-K1CA, TRF   | \$       | 163.72<br>244.18     |
| K816RFPAK<br>M278                | GEM-P816,GEM-K4RF,TRF<br>LINE REVERSE MODULE 12 V   | \$       | 186.70<br>30.94      |
| MA1000ELBNB<br>MA1000ELCDNB      | 6 ZONE/FIRE IN LARGE BOX<br>PANEL W/RP1000ELCD (NO BAT)   | \$       | 201.69<br>297.04     |
| MA1000ELIFEPAK<br>MA1000ENB      | MA1000E LIFETIME PAK<br>6 ZONE PANEL, TRF   | \$       | 191.75               |
| MA1008ENB                        | 8 ZONES WITH FIRE, PANEL WRP1054E, TRF<br>8 TO 96 ZONE CONTROL, TRF   | \$       | 288.09               |
| MA3000LKDL<br>PS3002             | UL POWER SUPPLY   | \$       | 355.80<br>148.07     |
| RB1000<br>RB3008                 | EXTRA RELAY "OCTAL" 8-RELAY BOARD   | \$       | 21.02<br>174.66      |
| RM3008<br>RP1000ELCD             | REMOTE RELAY MODULE MAGUM KEYPAD CUSTOM LCD DISPLAY   | \$       | 186.32<br>237.68     |
| RP1054E<br>RP3000LCDe            | MAGNUM KEYPAD, DIGITAL DISPLAY<br>DUAL LINE LCD KEYPAD WITH 4 ZNS BUILTIN   | \$       | 110.05<br>264.03     |
| RPKIT-3                          | KEYPAD REPLACE KIT RP1003   | \$       | 40.90                |

| RPKIT-9  | KEYPAD REPLACE KIT RP1009<br>DESK STAND FOR KEYPAD   | \$ 40.90   |
|--|--|--|
| RPSTAND<br>RPX-4   | 4 ZONE KEYPAD, EXPRESS SERIES  | \$ 55.14<br>\$ 50.80   |
| RPX-6<br>VERI-PHONE  | 6 ZONE KEYPAD, EXPRESS SERIES<br>2-WAY AUDIO VERIFICATION MODULE   | \$ 63.51<br>\$ 118.52  |
| VERI-PHONEKIT  | VERI-PHONE & VERI-SPEAKER  | \$ 161.94  |
| VERI-SPEAKER<br>XP-400/4   | 2-WAY SPEAKER, SIREN & MIC. MODULE<br>4ZNE CNT PNL W/KEYPAD, WIRELESS READY  | \$ 45.84<br>\$ 398.60  |
| XP-600/4   | 6ZNE CNT PNL W/KEYPAD, WIRELESS READY  | \$ 456.84  |
| COMMUNICATIONS<br>NL-MOD-UL  | NET LINK INTERNET COMMUNICATIONS MODULE - UL APPROVED FOR COMMERCIAL   | \$ -   |
|  | APPLICATIONS - MEETS UL AA HIGH LINE SECURITY. PROVIDES FULL CHANNEL SERIAL<br>REPORTING, UP/DOWNLOAD WHEN CONNECTED TO NAPCO GEM-P1632, 3200, 9600, 255 AND   |  |
| NET-COMM   | FREEDOM F-64 CONTROL PANEL. DESIGNED TO REPORT TO NAPCO IP RECEIVER.  NET -COMM INTERNET COMMUNICATIONS MODULE- 6 CHANNEL UNIVERSAL IP COMMUNICATOR,   | \$ 247.41  |
| NE I-COMM  | COMPATIBLE WITH ALL CONTROLS, DESIGNED TO REPORT TO NAPCO IP RECEIVER.   |  |
| NL-CSRCV   | CENTRAL STATION RECEIVER SOFTWARE  | \$ 211.93<br>\$ 373.51   |
| NL-MOD-SK<br>NL-RCV-RMPCUL   | NET LINK STARTER KIT<br>NAPCO CENTRAL STATION IP RECEIVER. COMPATIBLE WITH NAPCO NL SERIES IP  | \$ 267.35  |
| SL-1/12  | COMMUNICATORS. RACK MOUNT, UL APPROVED  GPRS BACK-UP RADIO WITH 12 MONTHS NETWORK SERVICE INCLUDED   | \$ 5,655.33  |
| SL-1/12<br>SL-1FD-T  | FULLY SUPERVISED, FULL CHANNEL, TWO-WAY GPRS WIRELESS RADIO, COMPATIBLE WITH<br>VIRTUALLY ANY ALARM CONTROL PANEL. FUNCTIONS AS PRIMARY COMMUNICATOR, IN CASES   | \$ 428.62  |
|  | WHERE THERE ARE NO PHONE LINES PRESENT OR AS A BACKUP TO THE EXISTING TELEPHONE COMMUNICATOR, WITH INTEGRAL TELCO MONITOR. USES PROPRIETARY DATA-CAPTURE   |  |
|  | COMMUNICATOR, WITH INTEGRAL TELCO MONITOR. USES PROPRIETARY DATA-CAPTURE<br>TECHNOLOGY THAT CAPTURES THE ALARM REPORT FROM THE CONTROL PANEL AND<br>TRANSMITS THE ALARM SIGNALS TO THE STARLINK CONTROL CENTER WHICH ARE THEN  |  |
|  | FORWARDED TO ANY CENTRAL STATION VIA STANDARD CS RECEIVER FORMATS 4/2 AND  |  |
| FIRE   | CONTACT ID. STARLINK NETWORK SERVICE NOT INCLUDED.   | \$ 282.77  |
| CB1518KIT  | COMMERCIAL BURG KIT  | \$ -<br>\$ 50.80   |
| CF1518<br>CF3000LCDE   | RED FIRE HOUSING 17X18 COM'L FIRE WARDEN RED KEY DUAL Line   | \$ 85.51<br>\$ 276.30  |
| CF5530   | SPVSP DUAL PHONE-LINE SWITCH   | \$ 161.48  |
| FT2200<br>FT279  | FIRE EOL RELAY & RES MODULE<br>FIRE EOL RELAY & RES MODULE   | \$ 15.98<br>\$ 18.19   |
| FW-2   | 2 WIRE PHOTOELEC. SMOKE DETECTOR   | \$ 47.87   |
| FW2-H<br>FW-4  | SMOKE DETECTOR 2 WIRE WHEAT 4 WIRE PHOTOELEC.SMOKE DETECTOR  | \$ 53.71<br>\$ 59.55   |
| FW4-H<br>FW-CO12   | SMOKE DETECTOR4 WIRE W/HEAT<br>12V Carbon Monoxide Detector  | \$ 65.27<br>\$ 79.22   |
| FW-CO1224  | 12/24V Carbon Monoxide Detector  | \$ 81.26   |
| FW-PULL1<br>FW-PULL1K  | SINGLE ACTION PULL STATION SINGLE ACTION PULL STATION W/KEY RESET  | \$ 24.19<br>\$ 31.44   |
| FW-PULL2MOD  | DUAL ACTION PULL STATION KIT AUXILIARY 4 AMP POWER SUPPLY  | \$ 12.09   |
| PS3000<br>RBAT-H1  | HARNESS, DUAL BATTERY  | \$ 346.01<br>\$ 9.28   |
| RBAT-H2<br>RP6000  | BATTERY JUMPER REMOTE ANNUNCIATOR FOR MFA6000'S  | \$ 5.01  |
| RPB-3-RED  | KEYPAD, UNIV. SURFACE MT BOARD   | \$ 24.28   |
| MISCELLANEOUS<br>BDH   | BATTERY DIODE HARNESS  | \$ -<br>\$ 23.02   |
| DD491  | BLANK PROM ASSY  | \$ 34.95   |
| DD493<br>DD493BNK  | BLANK PROM ASSY MA900<br>BLANK 512 X 4 PROM  | \$ 34.95<br>\$ 34.95   |
| DD494  | BLANK PROM ASSY<br>BLANK PROM ASSY   | \$ 34.95   |
| DD494HS<br>DD495A  | BLANK PROM FOR MA850   | \$ 34.95<br>\$ 34.95   |
| DD496<br>DD497   | PROM ASSY MFA6000 SERIES PROM, MA854   | \$ 34.95<br>\$ 34.95   |
| DD6000   | PLUG IN DIG.COM.UL LISTED  | \$ 242.71  |
| DD6010<br>DH-1   | SINGLE-LINE DIGITAL COMM. DIODE HARNESS MAGOOM   | \$ 100.94<br>\$ 9.55   |
| GEM-AES  | LONG RANGE RADIO CODE FOR  | \$ 38.77   |
| GEM-AUTOMATION<br>GEM-DEMO   | HOME AUTOMATION DEALER KIT<br>GEM-P816 - X255 SALES DEMO LESS KEYPAD   | \$ 130.69<br>\$ 187.62   |
| GEM-DEMO801<br>GEM-DEVELOPER   | GEM-P801 SALES DEMO LESS KEYPAD<br>HOME AUTOMATION DEVELOPMENT KIT   | \$ 164.15  |
| GEM-EVA 1  | TALKING ELECTRONIC VOICE ANNUNCIATOR   | \$ 79.62   |
| GEM-RPB5<br>LOCK-8   | UNIVERSAL KEYPAD SINLGE GANG BOX ADAPTOR<br>LOCK, KEYS & CLIP  | \$ 4.58<br>\$ 10.43  |
| LW900  | LW INTERFACE   | \$ 59.04   |
| MX767<br>MX879   | SALES INSTRUCTION BINDER DL123A REPLACEMENT BATTERIES FOR WIRELESS   | \$ 42.45<br>\$ 5.78  |
| ONQ3200-9600   | ONQ MOUNTING PLATE / BRACKET KIT FOR GEM-P3200, P9600 & X255 ONQ MOUNTING PLATE / BRACKET KIT FOR GEM-P816 & P1632   | \$ 35.08   |
| ONQ816-1632<br>PCBL  | PRINTER CABLE MA3000   | \$ 29.69   |
| PCI2000/3000<br>PCI-MINI   | PC DOWNLOADER INTERFACE HIGH SPEED LOCAL DOWNLOAD PC INTERFACE   | \$ 208.96<br>\$ 33.66  |
| PCI-MINI-USB   | HIGH SPEED LOCAL DOWNLOAD PC INTERFACE, INCLUDING USB ADATOR   | \$ 105.51  |
| PCI-USB<br>PCL2000B  | SERIAL TO USB ADAPTOR TO BE USED WITH PCI-MINI OR PCI2000/3000<br>DOWNLOAD MODEM ADAPTOR FOR LOCAL DOWNLOADING THRU TELCO TERM   | \$ 69.23<br>\$ 40.44   |
| QUICK-MODEM  | MODEM FOR PCD DOWNLOAD<br>SURFACE MOUNT PLATE  | \$ 271.89  |
| RPB-1<br>RPB-3   | UNIVERSAL KEYPAD MOUNT BACK-BOX, 1" DEEP SUITABLE FOR CONDUIT  | \$ 20.72<br>\$ 24.28   |
| RPB-3-RED<br>WIZARDIIE   | UNIVERSAL KEYPAD MOUNT BACK-BOX, 1" DEEP SUITABLE FOR CONDUIT, RED<br>REMOTE VOICE MOD VER2  | \$ 24.28<br>\$ 149.41  |
| MOTION SENSOR  |  | \$ -   |
| C-100STE<br>C100STE20  | 30x35 ADAPTIVE DUAL<br>20' ECONOMY ADAPTIVE DUAL   | \$ 31.73<br>\$ 30.03   |
| C100STEAM  | Antimask w/lookdown 50x40  | \$ 33.50   |
| C-100STLRE<br>C200AP   | 50X40 LONG RANGE ADAPTIVE DUAL<br>40X40 ADAPTIVE DUAL/90LB PET IMMUNITY  | \$ 38.81<br>\$ 38.81   |
| D100KIT<br>D-105   | D100 VHOUSING PARTS NO PC<br>FLUSH MTG KIT, D-100  | \$ 16.45<br>\$ 26.61   |
| FMK105   | FLUSH MOUNT KIT, SLIMLINE  | \$ 18.37   |
| IQ PROFILER<br>IQ VISION   | SELF-INSTALLING PIR W/80LB. PET IMMUNITY PIR W/30LB. PET IMMUNITY  | \$ 35.25<br>\$ 28.03   |
| LENS817<br>LENS818   | PET LENS<br>BARRIER I ENS  | \$ 7.72<br>\$ 7.72   |
| LENS840  | LONG RANGE LENS  | \$ 7.72  |
| LN100<br>M7100STE  | LENS, 40 BEAM STANDARD ENHANCED SUPERVISED DUAL  | \$ 4.51<br>\$ 99.48  |
| M7300STE   | SUPERVISED DUAL TECH 70X60 COMMERCIAL ATTACK-RESIST DUAL SENSOR  | \$ 141.96  |
| M9000E<br>PIR1500  | 30x30 ECONOMY ASIC PIR   | \$ 249.43<br>\$ 18.31  |
| PIR1510<br>PIR1680   | 30x30 ASIC PIR WITH LOOKDOWN<br>50x50 SMART MICROPROCESSOR PIR   | \$ 20.34<br>\$ 37.15   |
| PIR1680PT  | 50X50 MICRO W/PET LENS & TAMPER  | \$ 32.82   |
| PIR1710<br>PIR1710/4   | 70x60 PIR WILOOKDOWN<br>70X60 PIR WILOOKDOWN 4 PACK  | \$ 28.03<br>\$ 95.54   |
| PIR680E<br>SHIPPIR-1680PT  | 70x80 CLASSIC PIR<br>(60) PIR 1690PT IN POP DISPLAY STAND  | \$ 38.63<br>\$ 1,592.25  |
| SHIPPIR-1710   | (60) PIR1710 IN POP DISPLAY STAND  | \$ 1,359.90  |
| SHIPPIR-60<br>SVL2   | (30) PIR1680PT & (30) PIR1710 IN POP DISPLAY STAND<br>SWIVEL MOUNT-SENSOR BRACKET  | \$ 1,476.07<br>\$ 10.04  |
| SVLBKT   | SWIVEL MOUNTING BKT WITH PLATE   | \$ 16.85   |
| PLATINUM POWER<br>NP-12V1A-KIT   | POWER SUPPLY (NP-LPS6-24VDC) IN ENCLOSURE(10.25'x 8.25'x 3" HxWxXD), WITH TRF (NP-   | \$ -   |
| NP-12V3A-KIT   | TRF1650) & LOCK & KEY. CAN BE CONFIGURED FOR: 6VDC@1.5A OR 12VDC@1.5A POWER SUPPLY (NP-P3A) IN ENCLOSURE (10.25"x 8.25"x 3" HxWxXD), WITH TRF (NP-TRF1650) &   | \$ 53.06   |
| NP-4CC615DCUI  | LOCK & KEY. CAN BE CONFIGURED FOR: 6VDC@3A OR 12VDC@3A   | \$ 87.74   |
| INF THOUBIDDOUL  |  |  |
| ND coccess com   | 4 CAMERA 6 TO 15VDC CCTV POWER SUPPLY IN ENCLOSURE, 2.5A MAX, REQUIRES NP-TRF2450 TRANSFORMER  | \$ 101.15  |
| NP-8CC615DCUL<br>NP-AMOD8  | 4 CAMERA 6 TO 15VDC CCTV POWER SUPPLY IN ENCLOSURE, 2.5A MAX, REQUIRES NP-TRF2450<br>TRANSFORMER<br>8 CAMERA 6 TO 15VDC CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>ACCESS POWER CONTROLLER   | \$ 198.25<br>\$ 127.04   |
| NP-AMOD8<br>NP-CC24AC16UL  | 4 CAMERA 6 TO 15VDC CCTV POWER SUPPLY IN ENCLOSURE, 2.5A MAX, REQUIRES NP-TRF2480<br>TRANSFORMER 8 CAMERA 6 TO 15VDC CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>ACCESS POWER CONTROLLER<br>ID CAMERA COTY 24ACF POWER SUPPLY IN ENCLOSURE, 8A MAX.   | \$ 198.25<br>\$ 127.04<br>\$ 184.84  |
| NP-AMOD8<br>NP-CC24AC16UL<br>NP-CC24AC4UL<br>NP-CC24AC8UL  | 4 CAMERA 6 TO 19/DC CCTV POWER SUPPLY IN ENCLOSURE, 2.5A MAX, REQUIRES NP-TRF2480<br>TRANSFORMER A TO 19/DC CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>ACCESS POWER CONTROLLER<br>16 CAMERA CCTV 24/MC POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>4 CAMERA CCTV 24/MC POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>4 CAMERA CCTV 24/MC POWER SUPPLY IN ENCLOSURE, 4A MAX.<br>6 CAMERA CCTV 24/MC POWER SUPPLY IN ENCLOSURE, 4A MAX.  | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55   |
| NP-AMOD8<br>NP-CC24AC16UL<br>NP-CC24AC4UL  | 4 CAMERA OT 0 19VIC CCTV POWER SUPPLY IN ENCLOSURE, 25A MAX, REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT 0 19VIC CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 24VAC POWER SUPPLY IN ENCLOSURE, 84 MAX. 4 CAMERA CCTV 24VAC POWER SUPPLY IN ENCLOSURE, 84 MAX.  | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55<br>\$ 31.10   |
| NP-AMOD8<br>NP-CC24AC16UL<br>NP-CC24AC4UL<br>NP-CC24AC8UL<br>NP-DMOD-4OUT<br>NP-DMOD-8OUT<br>NP-DTM7D24H   | 4 CAMERA OT 0 SYDC CCTV POWER SUPPLY IN ENCLOSURE, 2 SA MAX, REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT 0 SYDC CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 2 AVADC POWER SUPPLY IN ENCLOSURE, 84 MAX. 4 CAMERA CCTV 2 AVADC POWER SUPPLY IN ENCLOSURE, 4A MAX. 8 CAMERA CCTV 2 AVADC POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CAMERA CCTV 2 AVADC POWER SUPPLY IN ENCLOSURE, 4A MAX. 0 OUT POWER DISTRIBUTION BOARD 8 OUT POWER DISTRIBUTION BOARD SINGE CHANNEL ANNAULT MIER  | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55<br>\$ 31.10<br>\$ 37.57<br>\$ 112.02  |
| NP-AMODB NP-CC24AC16UL NP-CC24AC4UL NP-CC24AC8UL NP-DMOD-4OUT NP-DMOD-8OUT NP-DTM7D24H NP-DTM7D24H-D NP-F1A/10                                   | 4 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 2 3A MAX, REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 84 MAX. 4 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 8 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 0 COMERA CCTV 26/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 0 COM FOWER DISTRIBUTION BOARD SONGE CHANNEL ANNUAL TIMER DUAL CHANNEL ANNUAL TIMER 104A MUTOMOTIC STATE REPROZEMENT INSERVORE SUPPLIES, BLACK, 10 PCS   | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55<br>\$ 31.10<br>\$ 37.57<br>\$ 112.02<br>\$ 166.35<br>\$ 12.35                         |
| NP-AMODB  NP-CC24AC16UL  NP-CC24AC4UL  NP-CC24AC8UL  NP-DMOD-40UT  NP-DMOD-80UT  NP-DTM7D24H  NP-DTM7D24H  NP-DTM7D24H-D  NP-F1A/10  NP-F3A/10   | 4 CAMERA OT D SINCE CCTV POWER SUPPLY IN ENCLOSURE, 2.54 MAX. REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT D SINCE CCTV POWER SUPPLY IN ENCLOSURE, 4.4 MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 24 VALC POWER SUPPLY IN ENCLOSURE, 54 MAX. 16 CAMERA CCTV 24 VALC POWER SUPPLY IN ENCLOSURE, 54 MAX. 4 CAMERA CCTV 24 VALC POWER SUPPLY IN ENCLOSURE, 44 MAX. 4 OUT POWER DISTRIBUTION BOARD SINCE CHANNEL AND SUPPLY SUPPLY IN ENCLOSURE, 54 MAX. 5 OUT POWER DISTRIBUTION BOARD SINCE CHANNEL AND SUPPLY | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55<br>\$ 31.10<br>\$ 37.57<br>\$ 112.02<br>\$ 166.35<br>\$ 12.35<br>\$ 12.35             |
| NP-AMOD8<br>NP-CC24AC4UL<br>NP-CC24AC4UL<br>NP-CC24AC8UL<br>NP-DMOD-40UT<br>NP-DMOD-80UT<br>NP-DTM7D24H-D<br>NP-F1A/10<br>NP-F3A/10<br>NP-F5A/10 | 4 CAMERA 6 TO 19VIC CCTY POWER SUPPLY IN ENCLOSURE, 23A MAX. REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA 6 TO 19VIC CCTY POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTY 24VIAC POWER SUPPLY IN ENCLOSURE, 8A MAX. 4 CAMERA CCTY 24VIAC POWER SUPPLY IN ENCLOSURE, 8A MAX. 4 CAMERA CCTY 24VIAC POWER SUPPLY IN ENCLOSURE, 4A MAX. 4 CAMERA CCTY 24VIAC POWER CONTROLLER IN INCOMPANIE, 4A MAX. 4 CAMERA CCTY 24VIAC POWER CONTROLLER IN INCOMPANIE, 4A MAX. 5 CAMERA CCTY 24VIAC POWER CONTROLLER IN INCOMPANIE AND INCOMPA | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.56<br>\$ 31.57<br>\$ 115.22<br>\$ 163.35<br>\$ 12.35<br>\$ 12.35                         |
| NP-AMODB  NP-CC24AC16UL  NP-CC24AC4UL  NP-CC24AC8UL  NP-DMOD-40UT  NP-DMOD-80UT  NP-DTM7D24H  NP-DTM7D24H  NP-DTM7D24H-D  NP-F1A/10  NP-F3A/10   | 4 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 2 3A MAX, REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 84 MAX. 4 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 8 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 0 CAMERA CCTV 24/0C POWER SUPPLY IN ENCLOSURE, 4A MAX. 0 COT POWER DISTRIBUTION BOARD SINCE CHANNEL ANNUAL TIMER DUAL CHANNEL ANNUAL TIMER 1 MAR AUTHORITIES THE REPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES THE REPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES REPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES REPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES PREPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES PREPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES PREPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES PREPLACEMENT FUSE FOR HATMAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES PREPLACEMENT FUSE FOR FUSE FUSE FUSE SUPPLIES, 19 PCS 3 MAR AUTHORITIES SUPPLIES FUSE AUTHORITIES FOR PLATTAN POWER SUPPLIES, BLACK, 19 PCS 3 MAR AUTHORITIES SUPPLIES FOR FUSE FUSE FUSE FUSE FUSE SUPPLIES, 19 PCS 3 MAR AUTHORITIES SUPPLIES FUSE FUSE FUSE FUSE FUSE FUSE FUSE FU  | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.55<br>\$ 31.50<br>\$ 37.57<br>\$ 116.05<br>\$ 11.35<br>\$ 12.35<br>\$ 12.35<br>\$ 505.69 |
| NP-AMODB NP-CC24AC16UL NP-CC24AC4UL NP-CC24AC8UL NP-DMOD-4OUT NP-DMOD-6OUT NP-DMT/D024H-D NP-174/10 NP-F3A/10 NP-F3A/10 NP-F3A/10 NP-K10AS24V8O  | 4 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 2.5A MAX, REQUIRES NP-TRF2450 TRANSFORMER 8 CAMERA OT 0 19/0C CCTV POWER SUPPLY IN ENCLOSURE, 4A MAX. ACCESS POWER CONTROLLER 16 CAMERA CCTV 24/0AC POWER SUPPLY IN ENCLOSURE, 84 MAX. 4 CAMERA CCTV 24/0AC POWER SUPPLY IN ENCLOSURE, 4A MAX. 8 CAMERA CCTV 24/0AC POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CAMERA CCTV 24/0AC POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CAMERA CCTV 24/0AC POWER SUPPLY IN ENCLOSURE, 4A MAX. 9 CUT POWER DISTRIBUTION BOARD SONGE CHANNEL ANNUAL TIMER DUAL CHANNEL ANNUAL TIMER 1 MAP AUTOONTE STORE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE FOR FLITMUM POWER, SUPPLIES, BLACK, 10 PCS 3 AMP AUTOONTE STACE REPLACEMENT FUSE.   | \$ 198.25<br>\$ 127.04<br>\$ 184.84<br>\$ 85.43<br>\$ 108.56<br>\$ 31.57<br>\$ 115.22<br>\$ 163.35<br>\$ 12.35<br>\$ 12.35                         |

|    | NP-K5AS24V8O                    | 5A, 24V SUP PS IN LIG ENCLOSURE (4.5°x13.5°x15.76° DXWXH), WI XFORMER, 8 OUTPUT DIST BOARD & LOCK & KEY.   | \$       | 274.49           |
|----|---------------------------------|--|----------|------------------|
|    | NP-K7AS24V8O                    | 7A, 24V SUP PS IN LIG ENCLOSURE (4.5°x13.5°x15.75° DXWxH), WI XFORMER, 8 OUTPUT DIST BOARD & LOCK & KEY.   | \$       | 439.96           |
|    | NP-LPS6-24VDC<br>NP-P10A        | 1.5 AMP LINEAR POWER SUPPLY<br>10 AMP POWER SUPPLY   | \$<br>\$ | 18.38<br>189.47  |
|    | NP-P10ASUP<br>NP-P3A            | 10 AMP SUPERVISED POWER SUPPLY<br>3 AMP POWER SUPPLY   | \$       | 217.21<br>49.13  |
|    | NP-P3ASUP<br>NP-P5A             | 3 AMP SUPERVISED POWER SUPPLY<br>5 AMP POWER SUPPLY  | \$       | 73.87<br>73.41   |
|    | NP-P5ASUP<br>NP-P7ASUP          | 5 AMP SUPERVISED POWER SUPPLY<br>7 AMP SUPERVISED POWER SUPPLY   | \$       | 104.62<br>150.16 |
|    | NP-PSC500<br>NP-PTM             | UNIVERSAL POWER SUPPLY ENCLOSURE, 13.5"X15.75" 12/24 VOLT 1 SECOND TO 60 MINUTE TIMER  | \$       | 103.92<br>27.63  |
|    | NP-RB1224VDC/6<br>NP-RB6-24VDC  | BREAK-A-WAY RELAY 6 PACK<br>RELAY MODULE   | \$       | 41.50<br>14.22   |
|    | NP-TRF1650<br>NP-TRF24100       | 16VAC 50VA PLUG-IN XFORMER<br>24VAC 100VA XFORMER  | \$       | 13.53<br>43.81   |
|    | NP-TRF2450<br>NP-TRF28100       | 24VAC 50VA PLUG-IN XFORMER<br>28VAC 100VA XFORMER  | \$       | 14.45<br>53.06   |
|    | NP-TRF28175<br>NP-TRF28300      | 28VAC 175VA XFORMER<br>28VAC 300VA XFORMER   | \$       | 64.62<br>157.10  |
| IN | VIP-GATEWAYX/24                 | 4 CAMERA IP MODULE, CONVERTS ANY 4 ANALOG CCTV CAMERAS INTO INTERNET READY IP  | \$       | -                |
|    |                                 | CAMERAS, VGA RES (640 X 480) AT UP TO 5 FPS, 4 INPUT TRIGGERS, PIXEL BASED MOTION DETECTION, POWER SUPPLY AND CATS PATCH CORD. ALSO INCLUDES G-BOX PLUG AND PLAY INTERNET ADAPTOR WITH POWER ADAPTER AND CATS  |          |                  |
|    |                                 | PATCH CORD.  INCLUDES 24 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS SERVICE   |          |                  |
|    |                                 |  | \$       | 694.50           |
|    | VIP-GATEWAY/24                  | 4 CAMERA IP MODULE, CONVERTS ANY 4 ANALOG CCTV CAMERAS INTO INTERNET READY IP CAMERAS. VGA RES (640 X 480) AT UP TO 5 FPS, 4 INFUT TRIGGERS, PIXEL BASED MOTION DETECTION, POWER SUPPLY AND CATS PATCH CORD.   |          |                  |
|    |                                 | INCLUDES 24 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS  |          |                  |
|    | o pov                           | SERVICE  PLUG AND PLAY INTERNET ADAPTOR, PROVIDES PLUG & PLAY INSTALLATION FOR VIP-  | \$       | 645.89           |
|    | G-BOX                           | GATEWAY, VCAWEO'S SERIES AND INL MOD, PROVIDES A UTOMATIC PORT FORWARDING EXPANSION PORTS FOR OTHER IP BASED DEVICES, QOS ON POINT TO POINT CONNECTIONS BETWEEN THE CLIENT AND THE VIDEO DEVICE. PROVIDES DNCP CLIENT AND SERVER                         |          |                  |
|    |                                 | FUNCTIONALITY; INCLUDES POWER ADAPTER AND 3' CATS PATCH CORD.  | \$       | 101.89           |
|    | ISEE -TRF12VDC2A                | PLUG IN STYLE TRANSFORMER/ADAPTER, REGULATED 12VDC ® 2,000MA OUTPUT WITH 2.1MM MALE CONNECTOR.   | \$       | 22.55            |
|    | ISEE-BNC P-CBL                  | PATCH CABLE, BNC MALE TO FEMALE, RG59, 120MM (FOR CONNECTING ISEE-VBALUN-P1 VIDEO BALUN TO VIP-GATEWAY OR DVR)   | \$       | 3.38             |
|    | ISEE-CAMIR24<br>ISEE-EOP MOD200 | IR BULLET STYLE CAMERA, 24 IR LEDS, 50 IR RANGE, 1/4" COLOR CCD IMAGE SENSOR, 3.6MM / F2.0 STANDARD LENS, 12VDC OPERATION ETHERNET OVER POWER MODULE ALLOWS THE TRANSMISSION OF VIDEO SIGNALS OVER THE   | \$       | 135.89           |
|    | ISEE-EOP MOD200                 | EXISTING POWER LINES OF A HOME OR BUSINESS AT 200MBPS, WITH AES ENCRYPTION.W/ CATS PATCH CABLE   | s        | 108.46           |
|    | ISEE-PWR1-4                     | POWER SPLITTER, CCTV, 1 FEMALE TO 4 MALE 2.1MM. PROVIDES POWER TO 4 CAMERAS WHEN USING ISEE -TRF12VDC2A POWER SUPPLY   | \$       | 8.95             |
|    | ISEE-IVR-250                    | ISEE VIDEO INTERNET VIDEO RECORDER RECORDS AND STORES UP TO 30 DAYS OF VIDEO FROM UP TO SIX ISEE VIDEO SYSTEM CAMERAS PER ACCOUNT, FOR EASY RETRIEVAL AND VIEWING BY THE ONLINE SUBSCRIBER.  |          |                  |
|    |                                 | SUPPORTS HIGH-RESOLUTION VIDEO FROM ANY ISEE VIDEO-SERIES CAMERAS (EOP, PAN/TILT,<br>ETC) OR THE VIDEO FROM ANY BRAND ANALOG CAMERA CONNECTED TO THE ISEE VIDEO  |          |                  |
|    |                                 | SINGLE CHANNEL GATEWAY (ISEE-SCHGW). INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS SERVICE   |          |                  |
|    | ISEE-QC1CAM                     | ADDITIONAL CAMERA KIT FOR ADDING CAMERA TO ISEE-QC2CAMKIT. INCLUDES (1) ISEE-<br>CAMIR24 HIGH QUALITY IR CAMERA, (1) PAIR PASSIVE VIDEO BALUNS WITH POWER LEADS, AND   | \$       | 530.29           |
|    | ISEE-QC2CAMKIT                  | A PVC CAMERA MOUNTING / WIRING ENCLOSURE SYSTEM.   | \$       | 219.07           |
|    |                                 | INCLUDES (2) ISEE-CAMIR24 HIGH OUALITY IR CAMERAS, (2) PAIR PASSIVE VIDEO BALLINS WITH<br>POWER LEADS, AND A PVC CAMERA MOUNTING / WIRING ENCLOSURE SYSTEM. THIS KIT ALSO<br>INCLUDES A FOUR CAMERA PLUG-IN 12VDC, 2 AMP POWER SUPPLY.                   | \$       | 441.89           |
|    | ISEE-SCHGW/12                   | SINGLE CHANNEL GATEWAY, INCLUDES:<br>(1) ISEE-SCHGW WIDESCREEN, VGA RES (704 X 480) AT UP TO 30 FPS, MPEG4 COMPRESSION,<br>AUDIO MIC INPUT AND SPEAKER OUTPUT  |          |                  |
|    |                                 | INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS<br>SERVICE   | s        | 210.30           |
|    | ISEE-VBALUN-P1                  | PASSIVE VIDEO BALUN ALLOWS VIDEO AND POWER TRANSMISSION OVER CAT5 CABLE, 6 PUSH<br>PIN TERMINALS. SET WITH (1) MALE AND (1) FEMALE 12V DC 2.1MM CCTV POWER LEAD  |          |                  |
|    | ISEE-VCAM1/12                   | CONNECTORS INDOOR FIXED IP COLOR CMOS CAMERA, VGA RES (640 X 480) AT UP TO 25 FPS, MPEG4 COMPRESSION, ETHERNET RJ-45, 15FT CATS CABLE, POWER ADAPTOR W/ 15FT CABLE   | \$       | 49.75            |
|    |                                 | INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS<br>SERVICE   | \$       | 189.38           |
|    | ISEE-VCMPT/12                   | PAN / TILT CAMERA, INCLUDES:  (1) ISEE-VCMPT INDOOR PANTILT FIXED IP COLOR CMOS CAMERA, VGA RES (640 X 480) AT UP  TO 25 PFS. MPEGA COMPRESSION. ETHERNET R.I-45. 15FT CATS CABLE. POWER ADAPTOR W/  |          |                  |
|    |                                 | 15FT CABLE<br>INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS  |          |                  |
|    | ISEE-WP1G-WH                    | SERVICE CABLE MANAGEMENT SYSTEM. INNOVATIVE SINGLE GANG WALL PLATE WITH RUBBER   | \$       | 295.17           |
|    |                                 | GROMMET THAT ALLOWS QUICK AND EASY CUSTOM INSTALLATION OF EOP MODULES AND CAMERAS. ALLOWS CABLES TO BE EASILY HIDDEN BEHIND SHEETROCK FOR A PROFESSIONAL, CLEAN APPEARANCE. PERFECT FOR INSTALLATIONS OF AUDIO, VIDEO, SECURITY, AND OFFICE              |          |                  |
|    | SCHGW-EOP/12                    | NETWORKING. ADDITIONAL SINGLE CHANNEL GATEWAY / EOP KIT, INCLUDES:   | \$       | 5.78             |
|    |                                 | (1) ISEE-SCHGW, WIDESCREEN VGA RES (704 X 480) AT UP TO 30 FPS, MPEG4 COMPRESSION, AUDIO MIC INPUT AND SPEAKER OUTPUT (1) ISEE-FOR MODION OF HIPERINT OVER POWER MODII IES FOR TRANSMISSION OF VIDEO   |          |                  |
|    |                                 | (1) ISEE-EOP MOD200 ETHERNET OVER POWER MODULES FOR TRANSMISSION OF VIDEO SIGNALS OVER EXISTING POWER LINES OF HOME OR BUSINESS AT 200MBPS, WITH AES ENCRYPTION W. CATS PATCH CABLE  |          |                  |
|    |                                 | INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS<br>SERVICE   | \$       | 305.77           |
|    | SCHGW-EOPKT/12                  | SINGLE CHANNEL GATEWAY/ EOP KIT, INCLUDES: (1) ISEE-SCHGW WIDESCREEN. VGA RES (70 4X 480) AT UP TO 30 FPS, MPEG4 COMPRESSION, AUDIO MIC INPUT AND SPEAKER OUTPUT   |          |                  |
|    |                                 | (2) ISEE-EOP MOD200 ETHERNET OVER POWER MODULES FOR TRANSMISSION OF VIDEO<br>SIGNALS OVER EXISTING POWER LINES OF HOME OR BUSINESS AT 200MBPS, WITH AES  |          |                  |
|    |                                 | ENCRYPTION.W/ CATS PATCH CABLE INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS SERVICE   |          |                  |
|    | VCAM1-EOP1/12                   | ADDITIONAL CAMERA KIT, INCLUDES:<br>(1) ISEE-VCAMF INDOOR FIXED IP COLOR CMOS CAMERA, VGA RES (640 X 480) AT UP TO 25 FPS,   | \$       | 397.71           |
|    |                                 | MPEG4 COMPRESSION, ETHERNET RJ-45, 15FT CAT5 CABLE, POWER ADAPTOR W/15FT CABLE  (1) ISFE-FOR MOD200 ETHERNET OVER POWER MODILIE ALLOWS THE TRANSMISSION OF VIDEO   |          |                  |
|    |                                 | SIGNALS OVER THE EXISTING POWER LINES OF A HOME OR BUSINESS AT 200MBPS, WITH AES<br>ENCRYPTION. W/ CATS PATCH CABLE  |          |                  |
|    |                                 | INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS<br>SERVICE   | s        | 275.51           |
|    | VCAM1-EOPKT1/12                 | BASIC ONE CAMERA KIT, INCLUDES:  | \$       | 2/5.51           |
|    |                                 | (1) ISEE-VCAM1 INDOOR FIXED IP COLOR CMOS CAMERA, VGA RES (640 X 480) AT UP TO 25 FPS, MPEG4 COMPRESSION, ETHERNET A-145, 15FT CATE CATEL, POWER ADAPTOR WI 15FT CABLE (1) G-BOX PLUS IP VIDEO ADAPTOR, PLUS & PLAY, PROVIDES AUTOMATIC PORT FORWARDING, |          |                  |
|    |                                 | EXPANSION PORTS FOR OTHER IP BASED DEVICES, QOS ON POINT TO POINT CONNECTIONS BETWEEN THE CLIENT AND THE VIDEO DEVICE. PROVIDES CHIEF CLIENT AND SERVER FUNCTIONALITY; INCLUDES POWER ADAPTER AND 3' CATS PATCH CORD.                                    |          |                  |
|    |                                 | (2) ISEE-EOP MOD200 ETHERNET OVER POWER MODULES FOR TRANSMISSION OF VIDEO<br>SIGNALS OVER EXISTING POWER LINES OF HOME OR BUSINESS AT 200MBPS. WITH AES  |          |                  |
|    |                                 | ENCRYPTION.W/ CATS PATCH CABLE INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS SERVICE   |          |                  |
|    |                                 |  | \$       | 430.55           |
|    | VCAM1-EOPKT2/12                 | TWO CAMERA KIT, INCLUDES:  (2) ISEE-VCAM1 INDOOR FIXED IP COLOR CMOS CAMERA, VGA RES (840 X 480) AT UP TO 25 FPS,  MPEG4 COMPRESSION. ETHERNET RJ-45. 18FT CATS CABLE. POWER ADAPTOR W/ 18FT CABLE.  |          |                  |
|    |                                 | (1) G-BOX IP VIDEO ADAPTOR, PLUG & PLAY, PROVIDES AUTOMATIC PORT FORWARDING,<br>EXPANSION PORTS FOR OTHER IP BASED DEVICES, QOS ON POINT TO POINT CONNECTIONS  |          |                  |
|    |                                 | BETWEEN THE CLIENT AND THE VIDEO DEVICE. PROVIDES DHCP CLIENT AND SERVER FUNCTIONALITY; INCLUDES POWER DAPPER AND 3' CATS PATOL CORD.  (3) ISEE-EOP MOD200 ETHERNET OVER POWER MODILES ALLOW THE TRANSMISSION OF VIDEO                                   |          |                  |
|    |                                 | SIGNALS OVER THE EXISTING POWER LINES OF A HOME OR BUSINESS AT 200MBPS, WITH AES<br>ENCRYPTION. W/ CATS PATCH CABLE  |          |                  |
|    |                                 | INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS<br>SERVICE   |          |                  |
|    | VCMPT-EOP1/12                   | ADDITIONAL PAN / TILT CAMERA KIT, INCLUDES: (1) ISEE-VCMPT INDOOR PANTILT FIXED IP COLOR CMOS CAMERA, VGA RES (640 X 480) AT UP TO   | \$       | 688.95           |
|    |                                 | 25 FPS, MPEG4 COMPRESSION, ETHERNET RJ-45, 15FT CAT5 CABLE, POWER ADAPTOR W/ 15FT CABLE  |          |                  |
|    |                                 | (1) ISEE-EOP MOD200 ETHERNET OVER POWER MODULES FOR TRANSMISSION OF VIDEO SIGNALS OVER EXISTING POWER LINES OF HOME OR BUSINESS AT 200MBPS, WITH AES ENCRYPTION/W CATS PATCH CABLE   |          |                  |
|    |                                 | ENCRYPTION.W. CATS PATCH CABLE INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS SERVICE   | s        | 397.71           |
|    |                                 |  | Þ        | 381.11           |

VCMPT-EOPKT/1/12

BASIC ONE PAN / TILT CAMERA KIT, INCLUDES:

(1) ISEE\*VLMPT I NODOR PANTILIT FIXED P COLOR CHOS CAMERA. VIGA RES (IND X.480) AT UP

10.2 FFS NEEGE COMPRESSIONS. THERRIET R.J.45, 15FT CATS CABLE, POWER ADAPTOR W/

15FT CABLE

(2) ISEE\*COP MOZOD ETHERRIET OVER POWER MODULES FOR TRANSMISSION OF VIDEO

SIGNALE OVER EXISTING POWER LINES OF HOME OR BUSINESS AT ZOMBRY, WITH TAS

ENCRYPTION CATS PATTOR CABLE STRONGE SECURES. AND LINES OF MAINTING ADDRESSION OF VIDEO

15CH CARREST CONTROLLED THE CONTROLLED AND LINES OF TRANSMISSION OF VIDEO

SIGNALE OVER EXISTING POWER LINES OF HOME OR BUSINESS AT ZOMBRY, WITH TAS

|                                | ENCRYPTION.W/ CATS PATCH CABLE INCLUDES 12 MONTHS OF ISEEVIDEO NETWORK SERVICE, INCLUDING NAPCOIP.COM DDNS  |          |                  |
|--------------------------------|---|----------|------------------|
|                                | SERVICE   | \$       | 486.11           |
| WIRELESS                       |   | s        | -                |
| 2-WAY-UNIVKF                   | UNIVERSAL 2-WAY LCD KEYFOB  | \$       | 88.78            |
| 2-WAY-UNIVKFKIT<br>GEM-DT      | UNIVERSAL 2-WAY LCD KEYFOB & RECEIVER<br>WIRELESS 40x40 DUAL TECH SENSOR  | \$<br>\$ | 147.19<br>186.59 |
| GEM-GB                         | GEMINI GLASS BREAK  | \$       | 138.10           |
| GEM-HEAT                       | WIRELESS RATE OF RISE HEAT DETECTOR   | \$       | 80.72            |
| GEM-KEYF                       | STANDARD 4-BUTTON WIRELESS KEYFOB<br>50x50 WIRELESS PIR   | \$       | 69.75            |
| GEM-PIR<br>GEM-PIRPET          | 50x50 WIRELESS PIR<br>50x50 WIRELESS PIR WITH 40LB PET PROTECTION   | \$<br>\$ | 158.23<br>166.05 |
| GEM-RECV255                    | 255 POINT CRYSTAL CONTROLLED WIRELESS RECEIVER MODULE   | \$       | 339.94           |
| GEM-RECV32                     | 32 POINT CRYSTAL CONTROLLED WIRELESS RECEIVER MODULE  | \$       | 84.77            |
| GEM-RECV96<br>GEM-RECV-XP8     | 96 POINT CRYSTAL CONTROLLED WIRELESS RECEIVER MODULE<br>EXPRESS/GEMP800 WIRELESS RECEIVER   | \$       | 235.27<br>94.04  |
| GEM-RECV-XP8                   | RECESSED GEM TRANS2 1 PT.   | \$<br>\$ | 68.92            |
| GEM-SMK                        | WIRELESS SMOKE DETECTOR   | \$       | 143.50           |
| GEM-TRANS2                     | WIRELESS WINDOW/DOOR TRANSMITTER, 2PT   | \$       | 62.69            |
| GEM-TRANS-BRN25<br>GEM-TRANSLP | PACKAGE OF 25 BROWN WOODTONE CASES  LOW PROFILE WIRELESS WINDOW/DOOR TRANSMITTER WITH SELECTABLE INTERNAL REED  | \$       | 120.32           |
|                                | AND/OR EXTERNAL LEAD FOR REMOTE CONTACTS, 1PT   | \$       | 58.24            |
| GEM-WP I                       | GEM-RECV8 WITH TRANS2 & KEYFOB  | \$       | 196.29           |
| GEM-WP III                     | GEM-RECV8 W/TRANS2, PIR & KEYFOB<br>GEM-RECV16 W/(3)TRANS2, PIR. KEYFOB   | \$<br>\$ | 293.76<br>402.50 |
| GEM-WP III                     | WATERPROOF PERSONAL PANIC BUTTON  | \$       | 402.50<br>69.76  |
| GEM-WRLSPK16                   | GEM-RECV16 W/(1)TRANS2,GEM-PIR  | \$       | 254.66           |
| GEM-WRLSPK8                    | GEM-RECV8 W/(2)TRANS2   | \$       | 177.57           |
| GEM-WRLSPK96<br>UNIVKF1        | GEM-RECV96 W/(6)TRANS2, PIR, KEYFOB<br>UNIVERSAL VALUE KEYFOB ONLY  | \$<br>\$ | 560.72<br>27.59  |
| UNIVET1                        | UNIVERSAL VALUE KEYFOB & RECEIVER   | \$       | 73.73            |
| FREEDOM SERIES                 |   | \$       | -                |
| F-2D                           | FOR ADDING SECOND FREEDOM EXIT/ENTRY DOOR TO EXISTING FREEDOM WIRELESS SYSTEM. INCLUDES: F-TAB BOLTCUP SENSOR, F-BOLT-TRANS WIRELESS TRANSMITTER (WITH BATTERY)   |          |                  |
| F64 DOOR DEMO                  | WITH BOLTCUP SENSOR AND DOOR CONTACT INPUTS.  Freedom 64 Demo Door. Fully operational door demonstrator with integral Freedom 64 system.  | \$<br>\$ | 51.00<br>699.89  |
| F-642NDDOOR-HH                 | Freedom 64 second door hand-held demo. Used in conjunction with F64 Door Demo to demonstrate system   | 3        | 699.89           |
|                                | monitoring of multiple deadbolts.   | \$       | 88.78            |
| F-64GKIT                       | Garage door kit allows system control through garage door. Includes F-TPG garage touchpad and F-GDMS garage door motor sensor.  | \$       | 177.67           |
| F-64KIT1                       | Includes: F-64 control panel, F-64TP Wireless-ready Touchpad with blue backlit display, F-TAB Dead Bolt   |          | 111.01           |
|                                | sensor, F-BOLT-TRANS wireless transmitter (with battery) with bolt sensor and door contact inputs, TRF12<br>XFormer, (3) F-IFOB Digital Keys  | \$       | 302.11           |
| F-64KIT2                       | Includes: F-64 control panel, F-64TP Wireless-ready Touchpad with blue backlit display, F-TAB Dead Bolt<br>sensor, F-BOLT-TRANS wireless transmitter (with battery) with bolt sensor and door contact inputs, |          |                  |
|                                | PIR1680PT motion sensor, TRF12 XFormer, (3) F-IFOB Digital Keys   | \$       | 326.56           |
| F-64KIT-H                      | Freedom F-864 hardwire kit. Includes: F-64 control panel. F-TP-H Touchpad with blue backlit display. F-TAB  |          |                  |
| F-64PROG2                      | Dead Bolt sensor, TRF12 XFormer, (3) F-IFOB Digital Keys Programming tool for Freedom F-64 control panel  | \$       | 282.11<br>99.89  |
| F-64TP/TAB                     | Wireless-ready F-64TP Touchpad with blue backlit display, integral PIR, siren, voice prompts, wireless F-<br>BOLT-TRANS receiver and 4-zone expansion module. Also includes F-TAB Dead Bolt sensor, F-BOLT-   |          | 33.03            |
|                                | BOLT-TRANS receiver and 4-zone expansion module. Also includes F-TAB Dead Bolt sensor, F-BOLT-<br>TRANS wireless transmitter (with battery) with Dead Bolt sensor and door contact inputs.                    |          |                  |
|                                | TRANS wheless transmitter (with battery) with Dead Bolt sensor and door contact inputs.   | \$       | 177.67           |
| F-64TPBR                       | Bedroom touchpad, provides system control in bedroom, includes integral PIR and sounder.  | \$       | 155.44           |
| F-64TP-H                       | Hardwire F-64TP Touchpad with blue backlit display, integral PIR, siren, voice prompts and 4-zone expansion<br>module. Also includes F-TAB Dead Bolt sensor.  | s        | 164.33           |
| F-8KIT1                        | INCLUDES: F-8 CONTROL PANEL, F-TP WIRELESS-READY TOUCHPAD, F-TAB BOLTCUP SENSOR, F-   |          | 104.33           |
|                                | BOLT-TRANS WIRELESS TRANSMITTER (WITH BATTERY) WITH BOLT SENSOR AND DOOR CONTACT INPUTS, TRF12 XFORMER, (3) F-IFOB DIGITAL KEYS   | s        | 207.67           |
| F-8KIT1-H                      | FREEDOM F-8 HARDWIRE KIT. INCLUDES: F-8 CONTROL PANEL. F-TP-H TOUCHPAD. F-TAB   | 3        | 207.67           |
|                                | BOLTCUP SENSOR, TRF12 XFORMER, (3) F-IFOB DIGITAL KEYS  | \$       | 173.22           |
| F-8PCB-R                       | REPLACEMENT F8 CONTROL PANEL CIRCUIT BOARD  GARAGE DOOR MOTOR SENSOR COMMUNICATES GARAGE DOOR MOTOR ACTIVITY TO THE   | \$       | 73.22            |
| F-GDMS                         | TOUCHPAD, ALLOWING ARM AND DISARM BASED ON AUTHORIZED OPERATION OF GARAGE   |          |                  |
|                                | DOOR CONTROLLER.  | \$       | 44.33            |
| F-GKIT                         | GARAGE DOOR KIT ALLOWS SYSTEM CONTROL THROUGH GARAGE DOOR. INCLUDES F-TPG<br>GARAGE DOOR TOUCHPAD AND F-GDMS GARAGE DOOR MOTOR SENSOR.  | \$       | 138.78           |
| F-IFOB                         | DIGITAL CREDENTIAL USED TO SILENCE ALARM, DISARM SYSTEM IN LOST KEY MODE.   | s        | 9.89             |
| F-PROG                         | PROGRAMMING TOOL FOR FREEDOM F-8 CONTROL PANEL  | \$       | 66.56            |
| F-TAB-R                        | REPLACEMENT F-TAB BOLT SENSOR   | \$       | 15.44            |
| F-TP/TAB                       | WIRELESS-READY F-TP TOUCHPAD WITH INTEGRAL PIR AND SIREN, F-TAB BOLTCUP SENSOR, F-<br>BOLT-TRANS WIRELESS TRANSMITTER (WITH BATTERY) WITH BOLTCUP SENSOR AND DOOR   |          |                  |
|                                | CONTACT INPUTS.   | \$       | 155.44           |
| F-TP/TAB-H                     | FREEDOM F-8 HARDWIRE TOUCHPAD, WITH INTEGRAL PIR, SIREN, BOLT SENSOR AND DOOR CONTACT INPUTS. ALSO INCLUDES F-TAB BOLTCUP SENSOR  | \$       | 103.89           |
| F-TPBR                         | BEDROOM TOUCHPAD, PROVIDE SYSTEM CONTROL IN BEDROOM, INCLUDES INTEGRAL PIR AND  | 3        | 103.89           |
| =                              | SOUNDER.  | \$       | 93.22            |
| F-TPG                          | GARAGE DOOR TOUCHPAD PROVIDES INPUTS FOR F-GDMS GARAGE DOOR MOTOR SENSOR<br>AND GARAGE DOOR CONTACT   | s        | 99 44            |
| F-TP-R                         | REPLACEMENT WIRELESS-READY F-TP TOUCHPAD  | \$       | 117.78           |
| MAGNETIC CONTACT               | S   | \$       |                  |
| NC-OL200                       | OVERHEAD DOOR, 2" GAP, ARMORED CABLE, PACK OF 1   | \$       | 10.20            |
| NC-RBL                         | 3/4" RECESSED, ROLLER BALL, LEADS, PACK OF 10   | \$       | 20.40            |
| NC-RL075-S<br>NC-RL075-UM      | 3/8" RECESSED, STUBBY, LEADS, 3/4" GAP, 10 PACK<br>1/4" RECESSED, LEADS, 3/4" GAP, ULTRA-MINI, PACK OF 10   | \$<br>\$ | 15.64<br>14.05   |
| NC-RL100                       | 3/8" RECESSED, LEADS, 1" GAP, PACK OF 10  | \$       | 11.11            |
| NC-RL100-I                     | INDUSTRIAL, 1" RECESSED, LEADS, 1" GAP, STEEL DOOR, PACK OF 5   | \$       | 14.51            |
| NC-RT075<br>NC-RT100           | 3/8" RECESSED, TERMINALS, 3/4" GAP, PACK OF 10<br>3/4" RECESSED, TERMINALS, 1" GAP, STEEL DOOR, PACK OF 5   | \$       | 14.28<br>14.17   |
| NC-R1100<br>NC-SL050-UMCI      | SURFACE MOUNT, CENTER LEADS, 1/2" GAP, ULTRA-MINI, NAILS, PACK OF 10  | \$<br>\$ | 14.17<br>17.68   |
| NC-SL075-MCL                   | SURFACE MOUNT, END LEADS, 3/4" GAP, MINI, NAILS, PACK OF 10   | \$       | 19.95            |
| NC-SL100                       | SURFACE MOUNT, TERMINALS, 1" GAP, PACK OF 10  | \$       | 15.64            |
| NC-SL100-CLA<br>NC-SL150-EL    | SURFACE MOUNT, SELF ADHESIVE, CENTER LEADS, 1° GAP, PACK OF 10<br>SURFACE MOUNT, FLANGED, END-LEADS, 1.5° GAP, PACK OF 10   | \$<br>\$ | 13.83<br>16.55   |
| NC-SL150-EL<br>NC-SL200-I      | SURFACE MOUNT, FLANGED, END-LEADS, 1.5" GAP, PACK OF 10 INDUSTRIAL, SURFACE MOUNT, 2" GAP, ARMORED CABLE, PACK OF 1   | \$       | 16.55            |
| NC-ST100                       | SURFACE MOUNT, TERMINALS, 1" GAP, PACK OF 10  | \$       | 17.91            |
| NC-ST100-A                     |   |          |                  |
| NC-ST100-CV                    | SURFACE MOUNT, SELF-ADHESIVE, TERMINALS, 1° GAP, 10 PACK<br>SURFACE MOUNT, 1° GAP, COVER, SPACER, PACK OF 10  | \$<br>\$ | 16.77<br>16.32   |