



Tentative Price List

SAMSUNG TECHWIN AMERICA

April 1st, 2010

NETWORK CAMERAS		LIST PRICE
<b>BOX, NETWORK CAMERAS</b>		
SNB-5000 <b>New</b>	1.3 Megapixel Network Box Camera, 1/3" Super HAD PS CCD, True Day/Night, H.264, MPEG4, MJPEG multiple encoding, 0.3Lux @ 50IRE, eXtended Dynamic Range (XDR), DNR (3D+2D), Digital Image Stabilization (DIS), 24Vac, 12Vdc or PoE	\$ 1,120.00
SNC-B2335 <b>New</b>	Network Box Camera, 1/3" Super HAD PS CCD, 600 TV Lines, True Day/Night (ICR)H.264, MPEG4, MJPEG multiple encoding, 0.4Lux @ 50 IRE (B/W), Wide Dynamic Range (WDR), eXtended Dynamic Range (XDR), DNR (3D+2D), Digital Image Stabilization (DIS), bi-directional audio support, 24Vac, 12Vdc or PoE	\$ 999.00
SNC-B2331	Network Box Camera, 1/3" Super HAD PS CCD, 600 TV Lines, Electronic Day/Night, H.264, MPEG4, MJPEG multiple encoding, 0.4Lux @ 50IRE, eXtended Dynamic Range (XDR), DNR (3D+2D), Digital Image Stabilization (DIS), 24Vac, 12Vdc or PoE	\$ 719.00
SNC-B2315	Network Camera, Low light, Dual voltage, 1/3" Color DSP, 540TV Lines, MPEG-4 & motion JPEG dual encoding, WDR, On Board storage with SD Card Slot, True Day/Night 0.02 lux Minimum scene illumination, Network protocol. Check for Availability	\$ 611.00
SNB-1000 <b>New</b>	VGA, 1/4" CMOS, H.264 Network box Camera with 30fps@704x480 - 12 VDC / PoE Available in May	\$ 358.00
<b>DOME, NETWORK CAMERAS</b>		
LIST PRICE		
SNV-5080 <b>New</b>	WN1, 1.3MP Progressive Scan CMOS, H.264 Vandal Resistant Network Dome Camera with 2.8 -10mm Vari-focal lens, Audio, SD , Video Analytics, IP66, -40? to 122?, Surface and Flush Mount, BNC Out, 24 VAC / 12 VDC / PoE.	\$ 1,498.00
SND-5080 <b>New</b>	WN1, 1.3MP Progressive Scan CMOS, H.264 Indoor Network Dome Camera with 2.8 -10mm Vari-focal lens, Audio, SD , Video Analytics, Surface Mount, BNC Out, 24 VAC / 12 VDC / PoE. Available in May	\$ 1,048.00
SND-5080F <b>New</b>	WN1, 1.3MP Progressive CCD, H.264 Indoor Network Dome Camera with 2.8 -10mm Vari-focal lens, Audio, SD , Video Analytics, Flush Mount, BNC Out, 24 VAC / 12 VDC / PoE. Available in May	\$ 1,048.00
SND-5010 <b>New</b>	WN1, 1.3MP Progressive CCD, H.264 Indoor Network Flat Dome Camera with 3mm Fixed Mega Pixel lens, Audio, SD , Video Analytics, Surface Mount, BNC Out, 12 VDC / PoE. Available in May	TBD
SNC-B5368 <b>New</b>	Network Dome Camera, 1/3" Super-HAD PS CCD, 600 TV Lines, Electronic D/N, H.264 MPEG-4 and MJPEG MultiNetworkle Codec, Simultaneous Dual Streaming, 0.4Lux @ 50IRE, Wide Dynamic Range (WDR), eXtended Dynamic Range (XDR), Digital Image Stabilizer (DIS), DNR (3D+2D), 2.8-11 mm auto iris, SD card slot, 24Vac, 12Vdc or PoE, Surface Mount,	\$ 949.00
SND-3080F <b>New</b>	Network Dome Camera, 1/3" Super-HAD PS CCD, 600 TV Lines, Electronic D/N, H.264 MPEG-4 and MJPEG MultiNetworkle Codec, Simultaneous Dual Streaming, 0.4Lux @ 50IRE, Wide Dynamic Range (WDR), eXtended Dynamic Range (XDR), Digital Image Stabilizer (DIS), DNR (3D+2D), 2.8-11 mm auto iris, SD card slot, 24Vac, 12Vdc or PoE, Flush Mount,	\$ 949.00
SND-1010 <b>New</b>	VGA, CMOS, H.264 Network Dome Camera with 30fps@704x480, Analytics - 12 VDC / PoE Available in May	\$ 490.00
SNC-B5395	Network Vandal Resistant Fixed Dome Camera, Network66, Low light, Dual voltage, 1/3" Color DSP, 540TV Lines, MPEG-4 & motion JPEG dual encoding, w/ 2.9-10mm auto iris lens, On Board storage with SD Card Slot, True Day/Night 0.02 lux Minimum scene illumination, Network protocol. Check for Availability	\$ 800.00
SND-560	Mpeg-4 WDR Network Dome Camera with 30fps@704x480, 2.8-10mm - 24 VAC / 12 VDC / PoE, Network video management software	\$ 860.00
SND-460V	Mpeg-4 WDR Vandal Resistant Network Dome Camera with 30fps@704x480, 2.8-10mm - 24 VAC / 12 VDC / PoE, Network video management software	\$ 887.00
<b>PTZ NETWORK CAMERA SYSTEMS</b>		
LIST PRICE		
SNC-C6225	Mini SmartDome™ Network PTZ Camera, Hi-Res, 520TV Lines, MPEG-4 & MJPEG Compressions, True Day/Night High Sensitivity With a Min. illumination of (15IRE, Sens-up128x), 0.7 Lux(Color), 0.02 Lux(B/W), 10X Optical Zoom lens, Built-in 10X Digital Zoom, 360° Endless PAN (SINetwork-ring), 0-180° Tilt, IP66 Rating, Anti-Vandal.	\$ 1,720.00
SADT-937VM	Wall Mount for SNC-C6225 and SNC-C6225, Indoor/Outdoor	\$ 104.00
SNC-C7225	Mini SmartDome™ Network PTZ Camera, Hi-Res, 520TV Lines, MPEG-4 & MJPEG Compressions, True Day/Night High Sensitivity With a Min. illumination of (15IRE, Sens-up128x), 0.7 Lux(Color), 0.02 Lux(B/W), 10X Optical Zoom lens, Built-in 10X Digital Zoom, 360° Endless PAN (SINetwork-ring), 0-180° Tilt, Network66 Rating, Housing w/ heater/blower, Anti-Vandal.	\$ 1,958.00
SADT-732VM	Wall Mount for SNC-C7225, Indoor/Outdoor	\$ 84.00
SADT-732CM	Ceiling Mount for SNC-C7225, Indoor/Outdoor	\$ 84.00
SNC-C7478	SmartDome™ Network PTZ System, Network66 rating, Fan/Heater, Wall mount and outdoor housing, Anti-Vandal, 36X Optical Zoom lens, Built-in 12X Digital Zoom, MPEG-4 & MJPEG Compressions, True Day/Night, WDR, RS-485, 0.0061 Lux Color, 0.00061 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 540TV Lines resolution.	\$ 3,764.00
SNC-C7478C	SmartDome™ Network PTZ System, Network66 rating, Fan/Heater, Ceiling mount and outdoor housing, Anti-Vandal, 36X Optical Zoom lens, Built-in 12X Digital Zoom, MPEG-4 & MJPEG Compressions, True Day/Night, WDR, RS-485, 0.0061 Lux Color, 0.00061 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 540TV Lines resolution.	\$ 3,764.00
SCX-747KM	Corner Mount for SNC-C7478C series	\$ 98.00
SCX-747PM	Pole Mount for SNC-C7478C series	\$ 89.00
SNP-3750 <b>New</b>	Mpeg-4 WDR 37X Network PTZ Dome with 30fps@704x480 - 24VAC, Network video management software	\$ 2,900.00
STB-370NPC <b>New</b>	Surface mount for Network PTZ Dome, SNP-3750/3350	\$ 144.00
STH-360NPO <b>New</b>	Outdoor Network PTZ housing for SNP-3750/3350, IP66	\$ 484.00
STH-370NPE <b>New</b>	Indoor Network in-ceiling housing for SNP-3750/3350	\$ 284.00
STH-370NPI <b>New</b>	Indoor Network PTZ housing for SNP-3750/3350	\$ 456.00
STH-370NPO <b>New</b>	Outdoor Network PTZ housing for SNP-3750/3350, IP67	\$ 598.00
STH-380NPO <b>New</b>	Extreme weather outdoor Network PTZ housing for SNP-3750/3350, -40? to 122?, IP67	\$ 656.00
SPC-2000 <b>New</b>	USB Joystick Controller for Network camera to control PTZ and OSD from Samsung CMS. Available April	\$ 798.00
<b>ENCODERS</b>		
LIST PRICE		
<b>VIDEO ENCODER</b>		
SPE-100 <b>New</b>	1Ch H.264 video encoder, 30fps@D1, Network video management software	\$ 598.00
<b>NETWORK VIDEO RECORDING</b>		
SNR-3200	32 Ch Embedded hardware NVR, Record up to 32 audio/video streams, 960fps(N)/800fps(P) at full D1 resolution, MPEG-4/JPEG dual codec, CMS management software and web viewer support, No HDD, Network video management software	\$ 7,111.00
SNR-3200-1000	1TB	\$ 7,733.00
SNR-3200-2000	2TB	\$ 8,355.00
SNR-3200-3000	3TB	\$ 8,977.00
SNR-3200-4000	4TB	\$ 9,599.00
SNR-3200-6000	6TB	\$ 10,843.00
SNR-3200-8000	8TB	\$ 12,087.00
SNR-6400	64 Ch Embedded hardware NVR, Record up to 64 audio/video streams, 1,280fps(N)/1,152fps(P) at full D1 resolution, MPEG-4/JPEG dual codec, CMS management software and web viewer support, No HDD, Network video management software	\$ 8,889.00
SNR-6400-1000	1TB	\$ 9,511.00
SNR-6400-2000	2TB	\$ 10,133.00
SNR-6400-3000	3TB	\$ 10,755.00
SNR-6400-4000	4TB	\$ 11,377.00
SNR-6400-6000	6TB	\$ 12,621.00
SNR-6400-8000	8TB	\$ 13,865.00
<b>UTP Products</b>		
SFU-400 <b>New</b>	UTP 4Channel power Supply Available in April	\$ 499.00
SFU-400R <b>New</b>	UTP 4Channel receiver Available in April	\$ 998.00
SFU-100TR <b>New</b>	UTP Single Channel Balun Available in April	\$ 45.00
SUB-2000 <b>New</b>	W5, High Performance UTP Camera with 1/3" CCD, 600 TV lines, RJ45 for UTP and BNC output, Electronic Day/Night - 24 VAC/ 12 VDC	\$ 278.00
SUD-2080 <b>New</b>	W5, Indoor UTP Compact Dome with 1/3" CCD, 600 TV lines, RJ45 for UTP and BNC output, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Surface Mount Mount.	\$ 367.00
SUD-2080F <b>New</b>	W5, Indoor UTP Compact Dome with 1/3" CCD, 600 TV lines, RJ45 for UTP and BNC output, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Flush Mount.	\$ 367.00
SUD-3080 <b>New</b>	SV5, Indoor UTP Dome with 1/3" CCD, 600 TV lines, RJ45 for UTP and BNC output, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Surface Mount. Available in April	\$ 438.00
SUD-3080F <b>New</b>	SV5, Indoor UTP Dome with 1/3" CCD, 600 TV lines, RJ45 for UTP and BNC output, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Flush Mount. Available in April	\$ 440.00
<b>ANALOG CAMERAS</b>		
LIST PRICE		
<b>BOX, COLOR CAMERAS</b>		
SCC-B1311	Basic CCD Camera, 540TV Lines, 1/4", 0.3 Lux, 12Vdc or 24Vac, C/CS Mount, DC, Built in Anti-ground loop XFMR, S/N of 50db, 3.0 Watts.	\$ 187.77
<b>BOX, DAY / NIGHT CAMERAS</b>		
LIST PRICE		
SCB-4000	A1, Low Light Camera with 1/2" Ex-View CCD, 600 TV lines, True Day/Night - 24 VAC/12 VDC	\$ 730.00
SHC-745	SV4 Chipset, 1/2" Ex-View HAD CCD Ultra Low Light, True Day/Night(ICR), 560 TV lines, 0.00019Lux Color @ 50IRE, Digital Image Stabilization (DIS), High Light Compensation (HLC), Samsung Super Noise Reduction II (SSNR II), Multi-Language OSD, 12 Vdc or 24Vac, RS-485 control	\$ 656.00
SCB-3001 <b>New</b>	SV5, Low Light WDR Camera with 1/3" Double Scan CCD, 650 TV lines, True Day/Night - 24 VAC/ 12 VDC	\$ 679.00
SHC-737	SV4 Chipset, 1/3" Super HAD IT CCD, True Day/Night(ICR), 580 TV lines, 0.0002Lux Color @ 50IRE, Digital Image Stabilization (DIS), High Light Compensation (HLC), Samsung Super Noise Reduction II (SSNR II)Multi-Language OSD, 12 Vdc or 24Vac, RS-485 control	\$ 584.00
SCC-B2335	A1 Chipset, 1/3" Super HAD PS CCD, 600TV Lines Multi-Language, OSD Menu, Extended Dynamic Range (XDR), Wide Dynamic Range (WDR), True Day/Night, up to 0.00002 Lux B&W and 0.0002 lux Color@ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, RS-485 and CCVC control	\$ 562.00
SHC-735	SV4 Chipset, 1/3" Vertical Double Density color CCD, True Day/Night(ICR), 560 TV lines, 0.001Lux Color @ 50IRE, Wide Dynamic Range (WDR), Digital Image Stabilization (DIS), High Light Compensation (HLC), Samsung Super Noise Reduction II (SSNR II), Multi-Language OSD, 12 Vdc or 24Vac, RS-485 control	\$ 562.00
SDC-435	W5 Chipset, 1/3" Super HAD IT CCD, 600 TV lines, Electronic Day/Night, 0.0001Lux Color @ 50IRE, SSNR III (2D+3D), Digital Image Stabilization (DIS), High Light Compensation (HLC), Multi-Language OSD, Samsung Super Dynamic Range (SSDR), 12Vdc or 24Vac, CCVC Control	\$ 278.00
SCC-B2331	A1 Chipset, 1/3" Super HAD IT CCD, Super High Resolution, Electronic Day/Night Function, 600TV Lines, 0.0002 lux @ 15IRE, Extended Dynamic Range (XDR), Privacy Mask Function, Digital Noise Reduction (DNR), Dual Voltage, 12Vdc or 24Vac, CCVC Control	\$ 276.00
SCC-B2300	High Resolution, True Day/Night Camera, 420TV Lines BW, 400TV Lines, 0.03 lux BW, 0.2 color. Dual Voltage, 12Vdc or 24Vac. Check for Availability	\$ 211.00
SCC-B2391	1/3" Super HAD CCD, High Resolution True Day/Night Camera, 570TV Lines BW, 540TV Lines in color. 0.06 lux BW, 0.3 color. Dual Voltage, 12Vdc or 24Vac. Check for Availability	\$ 322.00
<b>BOX, MOTORIZED ZOOM CAMERAS</b>		
LIST PRICE		
SDZ-375	SV4 Chipset, 1/4" Vertical Double Density Interline CCD, 37X Optical Zoom, True Day/Night (ICR), 550 TV lines, 0.002Lux Color @ 50IRE, Wide Dynamic Range (WDR), Samsung Super Noise Reduction II (SSNR II), Digital Image Stabilization (DIS), High Light Compensation (HLC), Multi-language OSD , 12Vdc, RS-485 Control	\$ 733.00

SDZ-370	W4 Chipset, 1/4" Super HAD IT CCD, 37X Optical Zoom, True Day/Night (ICR), 550 TV Lines, 0.001Lux Color @ 50IRE, Samsung Super Noise Reduction II (SSNR II), Digital Image Stabilization (DIS), High Light Compensation (HLC), Multi-language OSD, 12Vdc, RS-485 Control	\$	664.00
SCC-C4301	IC Series Camera, 1/4" Color DSP, Low light, Dual voltage, 480TV Lines, 22X optical Motorized Zoom (3.6-79.2 mm), 10X Digital Zoom (X220), 0.02 lux Minimum scene illumination, RS485 Remote Control of Zoom/Focus. <b>Check for Availability</b>	\$	561.11
SCC-C4335	IC Series Camera, 1/4" Color DSP, True Day/Night, 540TV Lines, WDR, 32X Optical, 16X Digital Zoom(X512), Motion Detection, 0.005 Lux for Color, 0.002 Lux for B&W, Smart Focus Function, Dual voltage. <b>Check for Availability</b>	\$	730.00
<b>DOME, DAY /NIGHT CAMERAS</b>			<b>LIST PRICE</b>
SCP-2120 New	W5, 12X Compact Indoor PTZ Dome, 16X digital zoom, 600 TV Lines, True Day/Night - 24VAC	\$	998.00
SCP-3120 New	A1, WDR 12X Compact Indoor PTZ Dome, 16X digital zoom, 600 TV Lines, True Day/Night - 24VAC	\$	1,098.00
SID-70 New	W5, Indoor Compact Dome with 1/3" CCD, 600 TV lines, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Surface Mount	\$	298.00
SCC-B5313	1/3" Super HAD IT CCD, 540TV Lines, 0.002 Lux, Electronic Day/Night Function, 12Vdc or 24Vac includes 3.0mm lens, ATW, BLC, AGC, ELC, DNR, No Power Supply. <b>Check for Availability</b>	\$	286.67
SCC-B5353	1/3" Super HAD IT CCD, Moving Filter True Day/Night Vari-Focal, 540TV Lines, 2.5-6mm Auto Iris Lens, Digital Noise Reduction, Dome Camera with Tri-Axis, 12Vdc or 24Vac. <b>Check for Availability</b>	\$	442.00
SCC-B5366	A1 Chipset, 1/3" Super-HAD IT CCD, Extended Dynamic Range (XDR), Electronic Day/Night, 600TV Lines, 2.5-6mm auto iris lens, up to 0.00023 Lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu	\$	355.50
SCC-B5367	A1 Chipset, 1/3" Super-HAD PS CCD, Extended Dynamic Range (XDR), Wide Dynamic Range (WDR), True Day/Night, 600TV Lines, 2.5-6mm auto iris lens, up to 0.000023, Lux B&W and 0.00023 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu	\$	455.50
SCC-B5368	A1 Chipset, 1/3" Super-HAD IT CCD, Extended Dynamic Range (XDR), Electronic Day/Night, 600TV Lines, 2.8-11mm auto iris lens, up to 0.00023 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu	\$	366.00
SCC-B5369	A1 Chipset, 1/3" Super-HAD PS CCD, Extended Dynamic Range (XDR), Wide Dynamic Range (WDR), True Day/Night, 600TV Lines, 2.8-11mm auto iris lens, up to 0.000023 Lux B&W and 0.00023 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu	\$	480.00
SCD-3080 New	SV5, WDR, Indoor Fixed Compact Dome with 1/3" CCD, 600 TV lines, Vari-focal lens 2.8-10mm - 24 VAC/12 VDC, White, Surface Mount. <b>Available in May</b>	\$	348.00
SID-562W	SV4 Chipset, 1/3" Vertical Double Density Interline CCD, Low Light Indoor Dome, Electronic Day/Night Function, 560 TV lines, 0.001Lux Color @50IRE, Wide Dynamic Range (WDR), High Light Compensation (HLC), Digital Image Stabilization (DIS), Samsung Super Noise Reduction II (SSNR II), 2.8-10mm auto iris, 3-Axis mounting, Multi-language OSD, 12Vdc or 24Vac, RS-485 Control, White	\$	440.00
SID-562B	SV4 Chipset, 1/3" Vertical double density color CCD, 560 TV lines, Electronic Day/Night, Wide Dynamic Range (WDR), High Light Compensation (HLC), Digital Image Stabilization (DIS), 0.001Lux Color @50IRE, Samsung Super Noise Reduction II (SSNR II), 2.8-10mm auto iris lens, 12Vdc or 24Vac, 3-Axis mounting, Multi-language OSD, RS-485 Control, Black	\$	440.00
SID-462W	W4 Chipset, 1/3" Super HAD CCD, Low Light Indoor Dome, Electronic D/N, 560 TV lines, 0.0006Lux Color @50IRE, Samsung Super Noise Reduction II (SSNR II), High Light Compensation (HLC), Digital Image Stabilization (DIS), 2.8-10mm auto iris, Multi-language OSD, 12Vdc, RS-485 Control, White	\$	367.00
SID-462B	W4 Chipset, 1/3" Super HAD CCD, Low Light Indoor Dome, Electronic D/N, 560 TV lines, 0.0006Lux Color @50IRE, Samsung Super Noise Reduction II (SSNR II), High Light Compensation (HLC), Digital Image Stabilization (DIS), 2.8-10mm auto iris, Multi-language OSD, 12Vdc, RS-485 Control, Black	\$	367.00
SCD-2021 New	W5, Indoor Fixed Compact Dome with 1/3" CCD, 600 TV lines, Fixed Lens 3.7mm and 8mm - 24 VAC/12 VDC, White - <b>Available in April</b>	\$	229.00
SCD-2030 New	W5, Indoor Fixed Mini Dome with 1/3" CCD, 600 TV lines, Fixed lens 6mm - 12 VDC Only, White - <b>Available in April</b>	\$	198.00
<b>DOME, Anti-VANDAL CAMERAS</b>			<b>LIST PRICE</b>
SCC-931T	IC Series, High Impact Dome, fix 1/4" Color DSP camera, 480TV Lines, 0.01 lux Minimum scene illumination, 12Vdc or 24Vac, 12X (3.6-43.2mm) Motorized Zoom w/10X Digital Zoom (X120), PIP, Motion detection, RS485 Remote control / Internal Manual Control of Zoom/Focus, IP66 grade shockproof, waterproof, dustproof	\$	490.00
SCC-C9302	IC Series, High Impact dome, fix 1/4" Color DSP camera, 480TV Lines, WDR, Day/Night, 0.2 lux color / 0.07 B&W Minimum scene illumination, 12Vdc or 24Vac, 12X (3.6-43.2mm) Motorized Zoom w/10X Digital Zoom (X120), 8 privacy zones, PIP, Motion detection, RS485 Remote control / Int man Control of Zoom/Focus, IP66 grade shockproof, waterproof, dustproof	\$	525.00
SCC-C9302F	IC Series, High Impact Dome, fix 1/4" Color DSP camera, 480TV Lines, WDR, Day/Night, 0.2 lux color / 0.07 B&W Minimum scene illumination, 12Vdc or 24Vac, 12X (3.6-43.2mm) Motorized Zoom w/10X Digital Zoom (X120), 8 privacy zones, PIP, Motion detection, RS485 Remote control / Int man Control of Zoom/Focus, IP66 grade shockproof, waterproof, dustproof. Flush mount	\$	872.22
SCX-301MMW New	Wall Mount (White), SCC-931T and SCC-C9302	\$	118.00
SCC-B5396	A1 Chipset, 1/3" Super-HAD IT CCD, Extended Dynamic Range (XDR), Electronic Day/Night, 600TV Lines, 2.5-6mm auto iris lens, up to 0.00002 Lux B&W and 0.0002 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu, Anti-Vandal Housing IP66 rated	\$	522.00
SCC-B5397H	A1 Chipset, 1/3" Super-HAD PS CCD, Multi-Language OSD Menu, Extended Dynamic Range (XDR), Wide Dynamic Range (WDR), True Day/Night, 600TV Lines, 2.5-6mm auto iris lens, up to 0.00002 Lux B&W and 0.0002 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Anti-Vandal Housing, IP66 rated, Extreme Cold Weather Operation -58°F-122°F	\$	666.70
SCC-B5398	A1 Chipset, 1/3" Super-HAD IT CCD, Extended Dynamic Range (XDR), Electronic Day/Night, 600TV Lines, 2.8-11mm auto iris lens, up to 0.00002 Lux B&W and 0.0002 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu, Anti-Vandal Housing, IP66 rated	\$	533.00
SVD-4600W	SV4 Chipset, 1/3" Vertical Double Density Interline CCD, 560 TV lines, True Day/Night (ICR), Wide Dynamic Range (WDR), 0.001Lux @ 50IRE, High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNR II (3D), 2.8-10mm auto iris, IP66, Anti-vandal Dome, Multi-language OSD, RS-485 control, 24Vac or 12Vdc, White	\$	600.00
STB-319VPW	White Ceiling mount for SVD-4600	\$	53.00
STB-249VPW	White Gooseneck Wall mount for SVD-4600	\$	62.00
STB-250VCW	White Corner mount adapter for SVD-4600	\$	36.00
STB-225VW	White Wall mount for SVD-4600	\$	60.00
STB-275VW	White Wall mount for SVD-4600 with side conduit entry	\$	78.00
STB-225VWS	Silver Wall mount for SVD-4300/4600	\$	60.00
STB-249VWS	Silver Wall mount for SVD-4300/4600	\$	56.00
STB-250VC	Silver Corner mount for SVD-4300/4600	\$	36.00
STB-275VWS	Silver Wall mount for SVD-4300/4600 with side conduit entry	\$	78.00
STB-319VPS	Silver Pendant mount for SVD-4300/4600	\$	53.00
SCC-B5399H	A1 Chipset, 1/3" Super-HAD PS CCD, Extended Dynamic Range (XDR), Wide Dynamic Range (WDR), True Day/Night, 600TV Lines, 2.8-11mm auto iris lens, up to 0.00002 Lux B&W and 0.0002 lux Color @ 15 IRE, Intelligent Video, Privacy Mask Function, 12Vdc or 24Vac, CCVC control, Multi-Language OSD Menu, Anti-Vandal Housing IP66 rated, Extreme Cold Weather Operation -58°F-122°F	\$	688.90
SCX-301MMW	Wall Mount (White), SCC-B539x Series	\$	118.00
SCX-301CMW	Ceiling Mount (White), SCC-B539x Series	\$	118.00
SCP-3120VH New	A1, WDR, 12X Compact Vandal-Resistant Mini PTZ Dome with Heater, 16X digital zoom, 600 TV Lines, True Day/Night - 24VAC	\$	1,398.00
SCP-2120 New	W5, Vandal Dome with 1/4" CCD, 580 TV lines, 12X zoom(3.8-38mm) - 24VAC/12VDC, White	\$	635.00
SVD-4400W	W4, Indoor/Outdoor Vandal Dome with 1/3" CCD, 580 TV lines, 2.8-10mm - 24VAC/12VDC, White	\$	433.00
<b>BULLET CAMERAS, IR CAMERAS</b>			<b>LIST PRICE</b>
SOC-4160	W5 Chipset, 1/3" Super HAD IT CCD, 600 TV Lines, True D/N (ICR), 0.0003Lux color @ 50IRE, High Light Compensation (HLC), SSNR III (2D+3D), Digital Image Stabilization (DIS), 2.8-10mm auto iris, Multi-language OSD, IP66, Coax and RS-485 control, 12Vdc or 24Vac.	\$	289.00
SCC-B9221	1/3" SUPER HAD CCD 380K pixels, Color bullet Camera, 480TV Lines, 0.3 LUX, 12 Vdc, Bracket included, Operation temp:-10°C to +50°C, 3.8-9.5mm auto iris lens, Weather resistant IP66 <b>Check for availability</b>	\$	280.00
SIR-4160	W5 Chipset, 1/3" Super HAD IT CCD, 131ft IR LED Camera, 600 TV lines, 2.8 - 10mm auto iris, 0.0003 Lux Color @ 50IRE, 0Lux B/W LED on, 32 IR LEDs, High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNR III (2D+3D), Weather resistant IP66, 24Vac or 12 VDC, Multi-language OSD	\$	500.00
SCC-B9371	1/3" SUPER HAD CCD 380K pixels, True Day/Night Bullet Camera, 540TV Lines, 0.5 LUX (F 1.2) LED off, 0 LUX LED on, 36 IR LEDs, 12Vdc or 24Vac, Bracket included, Operation temp:-10°C to +50°C, 3.8-9.5mm auto iris lens, Weather resistant IP66	\$	575.00
SCC-B9374	1/3" SUPER HAD CCD 380K pixels, True Day/Night IR Dome Camera, 540TV Lines, 0.5 LUX (F 1.2) LED OFF, 0 LUX LED ON, 18 IR LEDs, 12Vdc or 24Vac, 3-Axis Gimbal Bracket, Operation temp:-10°C to +50°C, 3.8-9.5mm auto iris lens, Anti-Vandal and Weather resistant IP66	\$	535.00
SADT-937WM	Wall Mount for SCC-B9374, White, Indoor/Outdoor	\$	104.00
SIR-4260V	W5 Chipset, 1/3" Super HAD IT CCD, True D/N (ICR), 66ft IR LED Dome Camera, 600 TV lines, Samsung Super Dynamic Range (SSDR), 0 Lux LED on, 0.0003 Lux @ 50IRE, High Light Compensation(HLC), SSNRIII (2D+3D), Digital Image Stabilization (DIS), 2.8 - 10mm auto iris, 10 IR LEDs, Multi-Language OSD, Anti-vandal Dome, Weather resistant IP66, COAX and RS-485 Control, 24Vac or 12 Vdc	\$	511.00
SIR-60	W4 Chipset, 1/3" Super-HAD CCD, True D/N (ICR), 580 TV Lines, 0.0003Lux @ 50IRE, 0Lux LED on, High Light Compensation (HLC), 23ft IR distance, SSNR II, 8 IR LED, Multi-language OSD, 12Vdc	\$	344.00
SCC-2120R New	W5, Indoor/Outdoor 131ft IR LED Bullet Camera with 1/4" CCD, 600 TV lines, 12X Zoom, IP65 with mount - 24VAC/12VDC	\$	698.00
<b>THERMAL IMAGING CAMERA SYSTEMS</b>			<b>LIST PRICE</b>
SCB-9050	Indoor/Outdoor Colorized Thermal Imaging Camera with 14mm lens, IP66 - 24 VAC <b>Special Order, Check for availability</b>	\$	9,998.00
SCB-9051	Indoor/Outdoor Colorized Thermal Imaging Camera with 50mm lens, IP66 - 24 VAC <b>Special Order, Check for availability</b>	\$	14,998.00
<b>PTZ CAMERA SYSTEMS</b>			<b>LIST PRICE</b>
SCC-C6323	Mini SmartDome™ Indoor PTZ Camera, Stylish Plastic Housing, Hi-Res, 520TV Lines, True Day/Night High Sensitivity With a Min. illumination of (15IRE, Sens-up128x), 0.0014 Lux(Color), 0.00014 Lux(B/W) 10X Optical Zoom lens, Built-in 10X Digital Zoom, Full Auto Focus function, Privacy Mask Zone (4 Area), 360° Endless PAN (Slip-rip), 0-90° Tilt	\$	823.50
SCC-C6325	Mini SmartDome™ PTZ Camera, IP66 Rating, Anti-Vandal, Hi-Res, 520TV Lines, True Day/Night High Sensitivity With a Min. illumination of (15IRE, Sens-up128x), 0.0014 Lux(Color), 0.00014 Lux(B/W) 10X Optical Zoom lens, Built-in 10X Digital Zoom, Full Auto Focus function, Privacy Mask Zone (4 Area), 360° Endless PAN (Slip-rip), 0-180° Tilt	\$	973.50
SCC-C7325	Mini SmartDome™ PTZ Camera, IP66 Rating, Built-in Outdoor Anti-Vandal Housing, Hi-Res, 520TV Lines, True Day/Night High Sensitivity With a Min. illumination of (15IRE, Sens-up128x), 0.0014 Lux(Color), 0.00014 Lux(B/W) 10X Optical Zoom lens, Built-in 10X Digital Zoom, Full Auto Focus function, Privacy Mask Zone (4 Area), 360° Endless PAN (Slip-rip), 0-180° Tilt	\$	1,048.50
SADT-937WM	Wall Mount for SCC-C6323 and SCC-C6325, Indoor/Outdoor	\$	104.00
SADT-732WM	Wall Mount for SCC-C7325, Indoor/Outdoor	\$	84.00
SADT-732CM	Ceiling Mount for SCC-C7325, Indoor/Outdoor	\$	84.00
SCC-C6413	New! A1 SmartDome™ Indoor PTZ System, 25X Optical Zoom lens, Built-in 16X Digital Zoom, True Day/Night, 0.0007 Lux Color, 0.00007 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 600TV Lines resolution, Intelligent Video, Virtual Progressive Scan (VPS), Extended Dynamic Range (XDR), RS-485, CCVC Control available in March	\$	2,099.00
SCC-C7413	New! A1 SmartDome™ Outdoor PTZ System, 25X Optical Zoom lens, Built-in 16X Digital Zoom, True Day/Night, 0.0007 Lux Color, 0.00007 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 600TV Lines resolution, Intelligent Video, Virtual Progressive Scan (VPS), Extended Dynamic Range (XDR), RS-485, CCVC Control available in March	\$	2,549.00
SCC-C6437 New	A1 SmartDome™ Indoor PTZ System, 34X Optical Zoom lens, Built-in 16X Digital Zoom, True Day/Night, 0.0007 Lux Color, 0.00007 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 600TV Lines resolution, Intelligent Video, Virtual Progressive Scan (VPS), Extended Dynamic Range (XDR), RS-485, CCVC Control	\$	2,349.00

SCC-C6455	A1 SmartDome™ Indoor PTZ System, 43X Optical Zoom lens, Built-in 16X Digital Zoom, True Day/Night, WDR, 0.0007 Lux Color, 0.00007 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 600TV Lines resolution, Intelligent Video, Virtual Progressive Scan (VPS), Extended Dynamic Range (XDR), RS-485, CCVC Control	\$	3,045.00
SCC-C7455 <b>New</b>	A1 SmartDome™ Outdoor PTZ System, 43X Optical Zoom lens, Built-in 16X Digital Zoom, True Day/Night, WDR, 0.0007 Lux Color, 0.00007 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 600TV Lines resolution, Intelligent Video, Virtual Progressive Scan (VPS), Extended Dynamic Range (XDR), RS-485, CCVC Control, IP66	\$	3,445.00
SCX-300CM	Ceiling Mount for SCC-C7455, SCC-C6455, SCC-C6437, & SCC-C6413/7413 (SCX-300HM required for indoor cameras)	\$	79.00
SCX-300HM	Hanging Mount Adapter for SCC-C6455, SCC-C6413 & SCC-C6437 to use with SCX-300CM/300WM	\$	59.00
SCX-300KM	Corner Mount Adapter for SCC-300WM	\$	79.00
SCX-300LM	Long Arm Wall Mount (Parapet Mount) Adapter for SCC-C6455, SCC-C6437, SCC-C6413/7413 & SCC-C7455	\$	395.00
SCX-300PM	Pole Mount for SCC-300WM	\$	79.00
SCX-300WM	Wall Mount for SCC-C6455/C7455, SCC-C6413/7413 & SCC-C6437	\$	79.00
SCX-DF300W	Flush Type Housing (Plastic) for SCC-C6455, SCC-C6413 & SCC-C6437	\$	111.00
SCX-DO300	Outdoor housing, SCC-C6413, SCC-C6437 & SCC-C6455	\$	455.00
SADT-100WM	Wall Mount for SCC-C6403, Indoor/Outdoor. Requires a housing	\$	105.56
SADT-100CM	Ceiling Mount for SCC-C6403, Pendant. Requires a housing	\$	105.56
SADT-100PM	Pole Mount for SCC-C6403, use with SADT-100WM Wall mount	\$	84.44
SADT-110CM	Corner Mount for SCC-C6403, use with SADT-100WM Wall mount	\$	84.44
SBR-100DCM	Indoor Ceiling Mount Bracket for recess application	\$	244.44
SHG-120	Metal Indoor Housing for SCC-C6403, Supports 70 lb/32kg, Requires wall or pendant mount	\$	182.22
SHG-220	Metal Outdoor Housing-Heater/Blower for SCC-C6403, supports 97 lb/44kg, Fan operating at 45 C or higher, Heater 10 C or less. Requires wall or pendant mount. Heater will require 1.3 Amps.	\$	462.22
SCC-C7478	SmartDome™ PTZ System, 36X Optical Zoom lens, Built-in 12X Digital Zoom, True Day/Night, WDR, RS-485, 0.04 Lux Color, 0.004 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 540TV Lines resolution, Wall Mount and Housing w/ heater/blower included, IP66 rating available in March	\$	3,300.00
SCC-C7478C	SmartDome™ PTZ System, 36X Optical Zoom lens, Built-in 12X Digital Zoom, True Day/Night, WDR, RS-485, 0.04 Lux Color, 0.004 Lux B&W @ 15IRE, 360° Endless Rotation, Motion Detection, Privacy Mask Zone, 540TV Lines resolution, Ceiling Mount and Housing w/ heater/blower included, IP66 rating	\$	3,300.00
SCX-747KM	Corner Mount for SCC-C7478 series	\$	98.00
SCX-747PM	Pole Mount for SCC-C7478 series	\$	89.00
SPD-3750T	SV4 Chipset, 1/4" Vertical Double Density color CCD, 550 TV lines, True D/N (ICR), 37X Optical Zoom PTZ Dome, 0.002Lux color @50IRE, Wide Dynamic Range (WDR), High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNRII (3D), RS-485/422 and Coax Control, Auto-Tracking, Multi-language OSD, 24Vac	\$	2,998.00
STH-370PO	Outdoor PTZ housing for SPD-3750/3700/3350/3310/2700, IP67	\$	598.00
STH-370PT	W4 Chipset, 1/4" Super HAD IT CCD, 550 TV lines, True D/N (ICR) 37X Optical Zoom PTZ Dome, 0.001Lux color @50IRE, High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNRII (3D), RS-485/422 and Coax Control, Auto-Tracking, Multi-language OSD, 24Vac	\$	2,898.00
SPD-2700	W4 Chipset, 1/4" Super HAD IT CCD, 550 TV lines, True D/N (ICR) 27X Optical Zoom PTZ Dome, 0.001Lux color @50IRE, High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNRII (3D), RS-485/422 and Coax Control, Multi-language OSD, 24Vac	\$	1,680.00
STB-270B	Wall Setup box for STB-270PWV and STB-300PW wall mounts	\$	160.00
STB-270PWV	Wall mount for SPD PTZ Housing (SPD-3750/3700/2700)	\$	60.00
STB-30PF	1.25" Pendant adaptor for SPD-3750/3700/2700	\$	40.00
STB-330PPM	Pole Mount Adapter for STB-270PWV and STB-300PW wall mounts	\$	62.00
STB-340PCM	Corner Mount Adapter for STB-270PWV and STB-300PW wall mounts	\$	62.00
STB-350PPM	Parapet Mount for 1.25" PTZ housing	\$	533.00
STB-370PC	Surface mount for SPD-3750/3700/2700	\$	144.00
STB-496PPV	Pendant mount for SPD PTZ Housing (SPD-3750/3700/2700)	\$	53.00
STH-370PE	Indoor in-ceiling housing for SPD-3750/3700/2700	\$	284.00
STH-370PI	Indoor PTZ housing for SPD-3750/3700/2700	\$	456.00
STH-380PO	Extreme weather outdoor PTZ housing for SPD-3750/3700/2700, -40° to 122°, IP67	\$	656.00
SPU-3750T	SV4 Chipset, 1/4" Vertical Double Density color CCD, 550 TV lines, True D/N (ICR), 37X Optical Zoom PTZ Dome, 0.002Lux color @50IRE, Wide Dynamic Range (WDR), High Light Compensation (HLC), Digital Image Stabilization (DIS), SSNRII (3D), RS-485/422 and Coax Control, Auto-Tracking, Multi-language OSD, IP66 Weather proof, 24Vac	\$	3,551.00
SPU-3700	W4, 37X Low Light PTZ Dome with Integrated outdoor housing, 1/4" CCD, 550 TV lines, IP66 - 24 VAC	\$	3,433.00
STB-300PP	1.25" Ceiling flange for SPU PTZ Dome series with Integrated Housing (SPU-3750T)	\$	53.00
STB-300PW	Wall mount for SPU PTZ Dome series with Integrated Housing (SPU-3750T)	\$	60.00
STB-40PF	1.25" Pendant adaptor for SPU PTZ Dome series with Integrated Housing (SPU-3750T)	\$	27.00
STB-355PPM	Parapet Mount for Integrated PTZ housing dome, SPU-3750T and SPU-3700	\$	533.00
STB-40PF <b>New</b>	1.25" Pendant adaptor for SPU PTZ Dome series with Integrated Housing (SPU-3750T)	\$	27.00
STB-300PP <b>New</b>	1.25" Ceiling flange for SPU PTZ Dome series with Integrated Housing (SPU-3750T)	\$	53.00
SCC-7413	A1, 25X PTZ Dome with Integrated outdoor housing, 1/4" CCD, 600 TV lines, IP66 - 24 VAC	\$	2,549.00
SCC-7415	A1, 25X WDR PTZ Dome with Integrated outdoor housing, 1/4" CCD, 600 TV lines, IP66 - 24 VAC	\$	2,649.00
SCC-C6415	A1, 25X WDR PTZ Dome, 1/4" CCD, 600 TV lines, IP66 - 24 VAC	\$	2,193.00
SCC-C6453 <b>New</b>	A1, 43X PTZ Dome, 600 TV lines - 24VAC	\$	2,945.00
SCC-C7453 <b>New</b>	A1, 43X PTZ Dome with Integrated outdoor housing, 1/4" CCD, 600 TV lines, IP66 - 24 VAC	\$	3,345.00
SCC-C7455 <b>New</b>	A1, 43X WDR PTZ Dome with Integrated outdoor housing, 1/4" CCD, 600 TV lines, IP66 - 24 VAC	\$	3,445.00
SPD-3350	SV4, 33X WDR PTZ Dome with 1/4" CCD, 550 TV lines - 24 VAC	\$	2,598.00
SCU-2370 <b>New</b>	W4, 37X Low Light PTZ Positioning system that Integrates Receiver, Pan/Tilt and Housing, 1/4" CCD, 580 TV lines, IP66 - 24 VAC	\$	3,298.00
<b>LENS</b>			<b>LIST PRICE</b>
SLA-12240 <b>New</b>	1/2" DC20X motorized zoom Varifocal Auto iris 8-80mm F1.2 CS-mount	\$	3,089.00
SLA-2810D	1/3" DC Varifocal Auto iris 2.8-10mm F1.4 CS-mount	\$	89.00
SLA-2985D	1/3" DC Varifocal Auto iris 2.9-8.5mm F1.2 CS-mount	\$	89.00
SLA-3580DN	1/3" DC Varifocal Auto iris 3.5-8mm F1.0 CS-mount	\$	78.00
SLA-550DA	1/3" DC Varifocal Auto iris 5-50mm F1.8 CS-mount	\$	138.00
SLA-812DN	1/2" DC Varifocal Auto iris 8-12mm F1.6 CS-mount	\$	80.00
SLA-880	1/2" DC10X motorized zoom Varifocal Auto iris 9-80mm F1.2 CS-mount	\$	911.00
SLA-M2882 <b>New</b>	1/3" Megapixel Lens, DC Varifocal Auto iris 2.8-8.2mm F1.4 CS-mount	\$	182.00
<b>ANALOG VIDEO RECORDING</b>			<b>LIST PRICE</b>
<b>SHR Series DVR, Embedded</b>			<b>LIST PRICE</b>
SHR-8160	DVR, 16 Ch, MPEG4 compression, Dual Codec, 480 fps D1 record, real time viewing, triplex, USB port, 16 Ch Audio, 500GB Hard drive. No DVD-RW	\$	4,480.00
SHR-8160-1T	1.0 TB (2) 500 GB	\$	4,731.00
SHR-8160-2.0T	1.5 TB (1) 500 GB + (1) 1TB	\$	4,873.00
SHR-8160-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	5,264.00
SHR-8160-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	5,658.00
SHR-8160-4.5T	4.5 TB (1) 500 GB + (4) 1 TB	\$	6,051.00
SHR-8160-6.0T	6.0 TB (6) 1 TB	\$	7,724.00
SHR-8162	DVR, 16 Ch, MPEG4 compression, Dual Codec, 480 fps D1 record, real time viewing, triplex, USB port, 16 Ch Audio, 500GB Hard drive. With DVD-RW	\$	4,824.00
SHR-8162-1T	1.0 TB (2) 500 GB	\$	5,075.00
SHR-8162-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	5,218.00
SHR-8162-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	5,609.00
SHR-8162-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	6,002.00
SHR-8162-5T	5.0 TB (5) 1 TB	\$	6,536.00
SHR-8080	DVR, 8 Ch, MPEG4 compression, Dual Codec, 240 fps D1 record, real time viewing, triplex, USB port, 8 Ch Audio, 500GB Hard drive. No DVD-RW	\$	3,791.00
SHR-8080-1T	1.0 TB (2) 500 GB	\$	4,042.00
SHR-8080-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	4,182.00
SHR-8080-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	4,576.00
SHR-8080-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	4,969.00
SHR-8080-4.5T	4.5 TB (1) 500 GB + (4) 1 TB	\$	5,360.00
SHR-8080-6.0T	6.0 TB (6) 1 TB	\$	6,462.00
SHR-8082	DVR, 8 Ch, MPEG4 compression, Dual Codec, 240 fps D1 record, real time viewing, triplex, USB port, 8 Ch Audio, 500GB Hard drive. With DVD-RW	\$	4,136.00
SHR-8082-1T	1.0 TB (2) 500 GB	\$	4,387.00
SHR-8082-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	4,529.00
SHR-8082-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	4,920.00
SHR-8082-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	5,313.00
SHR-8082-5T	5.0 TB (5) 1 TB	\$	5,847.00
SHR-7160	DVR, 16 Ch, MPEG4 compression, Dual Codec, 480 fps CIF record, real time viewing, triplex, USB port, 16 Ch Audio, 500GB Hard drive. No DVD-RW	\$	2,929.00
SHR-7160-1T	1.0 TB (2) 500 GB	\$	3,180.00
SHR-7160-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	3,322.00
SHR-7160-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	3,713.00
SHR-7160-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	4,107.00
SHR-7160-4.5T	4.5 TB (1) 500 GB + (4) 1 TB	\$	4,500.00
SHR-7160-6.0T	6.0 TB (6) 1 TB	\$	5,473.00
SHR-7162	DVR, 16 Ch, MPEG4 compression, Dual Codec, 480 fps CIF record, real time viewing, triplex, USB port, 16 Ch Audio, 500GB Hard drive. With DVD-RW	\$	3,102.00
SHR-7162-1T	1.0 TB (2) 500 GB	\$	3,353.00
SHR-7162-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	3,493.00
SHR-7162-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	3,887.00
SHR-7162-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	4,280.00
SHR-7162-5T	5.0 TB (5) 1 TB	\$	4,813.00
SHR-7080	DVR, 8 Ch, MPEG4 compression, Dual Codec, 240 fps CIF record, real time viewing, triplex, USB port, 8 Ch Audio, 500GB Hard drive. No DVD-RW	\$	2,413.00
SHR-7080-1T	1.0 TB (2) 500 GB	\$	2,664.00
SHR-7080-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	2,804.00

SHR-7080-2.5T	2.0 TB (1) 500 GB + (2) 1 TB	\$	3,198.00
SHR-7080-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	3,591.00
SHR-7080-4.5T	4.5 TB (1) 500 GB + (4) 1 TB	\$	3,982.00
SHR-7080-6.0T	6.0 TB (6) 1 TB	\$	4,664.00
SHR-7082	DVR, 8 Ch, MPEG4 compression, Dual Codec, 240 fps CIF record, real time viewing, triplex, USB port, 8 Ch Audio, 500GB Hard drive. With DVD-RW	\$	2,584.00
SHR-7082-1T	1.0 TB (2) 500 GB	\$	2,836.00
SHR-7082-1.5T	1.5 TB (1) 500 GB + (1) 1TB	\$	2,978.00
SHR-7082-2.5T	2.5 TB (1) 500 GB + (2) 1 TB	\$	3,369.00
SHR-7082-3.5T	3.5 TB (1) 500 GB + (3) 1 TB	\$	3,762.00
SHR-7082-5T	5.0 TB (5) 1 TB	\$	4,296.00
SHR-6042	DVR, 4Ch, MPEG-4 compression, Dual codec, up to 120fps recording, 4 channel audio, real time viewing, triplex, 250GB Hard Drive, USB port, built-in DVD-RW	\$	1,173.00
SHR-6042-500	500 GB (1) 500 GB	\$	1,229.00
SHR-6042-1T	1 TB (1) 1TB	\$	1,369.00
SHR-6082	DVR, 8Ch, MPEG-4 compression, Dual codec, up to 120fps recording, 4 channel audio, real time viewing, triplex, 250GB Hard Drive, USB port, built-in DVD-RW	\$	1,585.00
SHR-6082-750	750 GB (1) 250 GB (1) 500 GB	\$	1,837.00
SHR-6082-1.25T	1.25 TB (1) 250 GB (1) 1 TB	\$	1,978.00
SHR-6082-2.25T	2.25 TB (1) 250 GB (2) 1 TB	\$	2,345.00
SHR-6082-3.25T	3.25 TB (1) 250 GB (3) 1 TB	\$	2,689.00
SHR-6082-4.25T	4.25 TB (1) 250 GB (4) 1 TB	\$	3,021.00
SHR-6082-5T	5.0 TB (5) 1TB	\$	3,273.00
SHR-6162	DVR, 16Ch, MPEG-4 compression, Dual codec, up to 120fps recording, 4 channel audio, real time viewing, triplex, 250GB Hard Drive, USB port, built-in DVD-RW	\$	2,240.00
SHR-6162-750	750 GB (1) 250 GB (1) 500 GB	\$	2,492.00
SHR-6162-1.25T	1.25 TB (1) 250 GB (1) 1 TB	\$	2,633.00
SHR-6162-2.25T	2.25 TB (1) 250 GB (2) 1 TB	\$	3,025.00
SHR-6162-3.25T	3.25 TB (1) 250 GB (3) 1 TB	\$	3,418.00
SHR-6162-4.25T	4.25 TB (1) 250 GB (4) 1 TB	\$	3,810.00
SHR-6162-5T	5.0 TB (5) 1 TB	\$	4,007.00
SHR-6164	DVR, 16Ch, MPEG-4 compression, Dual codec, up to 240fps recording, 4 channel audio, real time viewing, triplex, 250GB Hard Drive, USB port, built-in DVD-RW	\$	2,757.00
SHR-6164-750	750 GB (1) 250 GB (1) 500 GB	\$	3,009.00
SHR-6164-1.25T	1.25 TB (1) 250 GB (1) 1 TB	\$	3,149.00
SHR-6164-2.25T	2.25 TB (1) 250 GB (2) 1 TB	\$	3,542.00
SHR-6164-3.25T	3.25 TB (1) 250 GB (3) 1 TB	\$	3,935.00
SHR-6164-4.25T	4.25 TB (1) 250 GB (4) 1 TB	\$	4,327.00
SHR-6164-5T	5.0 TB (5) 1 TB	\$	4,524.00
SHR-5082	Samsung DVR, 8 Ch, MPEG4 compression, Dual Codec, 120 ips record, real time viewing, triplex, USB port, 4 Ch Audio, 250GB Hard drive. Built in DVD-RW <b>Check for availability</b>	\$	2,029.00
SHR-5082-500	500GB (1) 500 GB	\$	2,149.00
SHR-5082-750	750GB (1) 250 GB + (1) 500 GB	\$	2,260.00
SHR-5082-1T	1.0 TB (2) 500 GB	\$	2,349.00
SHR-5082-1.25T	1.25 TB (1) 250 GB + (2) 500 GB	\$	2,480.00
SHR-5082-1.5T	1.5 TB (3) 500 GB	\$	2,582.00
SHR-5080	DVR, 8 Ch, MPEG4 compression, Dual Codec, 120 ips record, real time viewing, triplex, USB port, 4 Ch Audio, 250GB Hard drive <b>Check for availability</b>	\$	1,913.00
SHR-5080-500	500GB (1) 500 GB	\$	2,033.00
SHR-5080-750	750GB (1) 250 GB + (1) 500 GB	\$	2,124.00
SHR-5080-1T	1.0 TB (2) 500 GB	\$	2,258.00
SHR-5080-1.25	1.25 TB (1) 250 GB + (2) 500 GB	\$	2,380.00
SHR-5080-1.5T	1.5 TB (3) 500 GB	\$	2,469.00
SHR-5080-1.75T	1.75 TB (1) 250 GB + (3) 500 GB	\$	2,598.00
SHR-5080-2.0T	2.0 TB (4) 500 GB	\$	2,702.00
SHR-5080-2.25T	2.25 TB (3) 750 GB	\$	3,616.00
SHR-5080-2.50T	2.50 TB (3) 750 GB + (1) 250 GB	\$	3,856.00
SHR-5080-2.75T	2.75 TB (3) 750 GB + (1) 500 GB	\$	3,976.00
SHR-5080-3.0T	3.0 TB (4) 750 GB	\$	4,216.00
SHR-3040	DVR, 4 Ch, H.264 compression, 120 fps recording, 4 channel audio, USB port, 320GB Hard Drive	\$	663.00
<b>SVR-Series DVR, Embedded</b>		<b>LIST PRICE</b>	
SVR-3200-500	32CH, 500GB, MPEG4, 480fps@ D1, 960fps@2CIF, 960fps@CIF, Network video management software	\$	8,140.00
SVR-3200-1000	1TB	\$	8,526.00
SVR-3200-2000	2TB	\$	9,148.00
SVR-3200-3000	3TB	\$	9,770.00
SVR-3200-4000	4TB	\$	10,392.00
SVR-3200-6000	6TB	\$	11,636.00
SVR-3200-8000	8TB	\$	12,880.00
SVR-1680C-500	16CH, 500GB, 480fps@ D1, 480fps@2CIF, 480fps@CIF, Network video management software	\$	5,516.00
SVR-1680C-1000	1TB	\$	5,902.00
SVR-1680C-2000	2TB	\$	6,524.00
SVR-1680C-3000	3TB	\$	7,146.00
SVR-1680C-4000	4TB	\$	7,768.00
SVR-1680C-6000	6TB	\$	9,012.00
SVR-1680C-8000	8TB	\$	10,256.00
SVR-1670C-500	16CH, H.264, 500GB, 120fps@ D1, 240fps@2CIF, 480fps@CIF, Network video management software	\$	10,256.00
SVR-1670C-1000	1TB	\$	2,922.00
SVR-1670C-2000	2TB	\$	3,544.00
SVR-1670C-3000	3TB	\$	4,166.00
SVR-1670C-4000	4TB	\$	4,788.00
SVR-1670C-6000	6TB	\$	6,032.00
SVR-1670C-8000	8TB	\$	7,276.00
SVR-1660C-500	16CH, 500GB, 120fps@ D1, 240fps@2CIF, 480fps@CIF, Network video management software	\$	3,347.00
SVR-1660C-1000	1TB	\$	3,733.00
SVR-1660C-2000	2TB	\$	4,355.00
SVR-1660C-3000	3TB	\$	4,977.00
SVR-1660C-4000	4TB	\$	5,599.00
SVR-1660C-6000	6TB	\$	6,843.00
SVR-1660C-8000	8TB	\$	8,087.00
SVR-960C-500	9CH, 500GB, 120fps@ D1, 240fps@2CIF, 270fps@CIF, Network video management software	\$	2,303.00
SVR-960C-1000	1TB	\$	2,689.00
SVR-960C-2000	2TB	\$	3,311.00
SVR-960C-4000	4TB	\$	4,555.00
SVR-470-500	4CH, H.264, Integrated 3.5" LCD,30fps@ D1, 120fps@ CIF, 4ch audio input, No HDD, Network video management software	\$	1,250.00
SVR-470-1000	1TB	\$	1,300.00
SVR-470-2000	2TB	\$	1,600.00
<b>DVR Accessories</b>		<b>LIST PRICE</b>	
SVS-5R	SATA External RAID Storage Expansion Bay, up to 4 Hard Drives, Hard Drive not included	\$	2,613.00
SVS-5R-1000	1TB	\$	3,235.00
SVS-5R-2000	2TB	\$	3,857.00
SVS-5R-3000	3TB	\$	4,479.00
SVS-5R-4000	4TB	\$	5,101.00
SVS-5R-6000	6TB	\$	6,345.00
SVS-5R-8000	8TB	\$	7,589.00
<b>MONITORS</b>			
<b>CRT COLOR MONITORS</b>		<b>LIST PRICE</b>	
SMC-145	Samsung 14" CRT Color Monitor, 400 TV Lines, 4 BNC in/1 out, 1 BNC VCR input, 4 Audio RCA In/Out, Metal Case, NTSC/PAL	\$	375.00
SMC-215	Samsung 21" CRT Color Monitor, 450 lines, Audio, Built-in Speaker, Metal Case, 4 Video Inputs (BNC), Looping	\$	750.00
<b>TFT/LCD COLOR MONITORS</b>		<b>LIST PRICE</b>	
SMT-1712	Samsung 17" LCD TFT Monitor, Audio In/Out, Built-in Speaker, Built-in Power Supply, VGA input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio (5000:1 Dynamic), 300cd/m2, 5ms Response time, 6000MTTF	\$	575.00
SMT-1722	Samsung 17" LCD TFT Monitor, 600 Lines Ultra High Resolution, 120Hz Refresh rate, Built for Security, Built-in Power Supply, 2 BNC in/out, VGA input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, Built-in Speakers (2W), DNIe, Audio with VGA	\$	767.00
SMT-1912	Samsung 19" LCD TFT Monitor, Built for Security, Built-in Power Supply, VGA input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio (5000:1 Dynamic), 300cd/m2, 5ms Response time, 6000MTTF	\$	650.00
SMT-1922	Samsung 19" LCD TFT Monitor, 600 Lines Ultra High Resolution, 120Hz Refresh rate, Built for Security, Built-in Power Supply, 2 BNC in/out, VGA input, Tempered Glass, 1280X1024, 1000:1 Contrast Ratio, 5ms Response time, BNC, Built-in Speaker (2W), DNIe, Audio with VGA	\$	911.00
SMT-2231N US	22" High Resolution LCD Display, 120Hz Refresh rate, 600TV Lines, HDMI, BNC, VGA, Wide Viewing Angle, Built-in Speaker (2W)	\$	1,598.00
SMT-3222	Samsung 32" Large Format LCD Display, 600 TV Line, Built for Security, Built-in Power Supply, Multiple Inputs: D-Sub, RS232C cable, DVI-D, USB 2.0, S-Video, HDMI, BNC, DVI, Extended Video Wall Format, Pivot Technology, Anti Image Burn, 8ms Response time, Contrast Ratio 4000:1, 450 cd/m2, 1366x768, DNIe, Built-in Speaker (10W)	\$	2,370.00
SMX-400ST	Monitor Stand for 32-40" Samsung LCD Monitors	\$	59.00

SMT-4022	Samsung 40" Large Format LCD Display, Built for Security, Built-in Power Supply, Multiple Inputs: D-Sub, RS232C cable, DVI-D, USB 2.0, S-Video, BNC. Extended Video Wall Format, Pivot Technology, Anti Image Burn, 8ms Response time, Contrast Ratio 4000:1, 450cd/m2, 1920x1080, DNle	\$ 3,650.00
SMX-400ST	Monitor Stand for 32-40" Samsung LCD Monitors	\$ 59.00
<b>MONITOR MOUNTS</b>		<b>LIST PRICE</b>
STB-42LM	LCD Wall-mount for 42" LCD monitors (Tilt) - VESA Standard	\$ 173.00
STB-32LM	LCD Wall-mount for 32" LCD monitors - VESA Standard	\$ 144.00
STB-LM	LCD Wall-mount for 17" and 19" LCD monitors - VESA 100mm x 100mm	\$ 60.00
<b>ACCESSORIES</b>		
<b>ENCLOSURES &amp; MOUNTS</b>		<b>LIST PRICE</b>
STB-4150V	Wall/Ceiling mount for box cameras	\$ 29.00
STB-400	Wall mount for camera enclosures	\$ 42.00
STH-200	Indoor camera enclosure	\$ 44.00
STH-500	Indoor/Outdoor camera enclosure, Aluminum	\$ 78.00
MHG-200A	Indoor/Outdoor camera enclosure, Aluminum	\$ 78.00
SAH-550	Indoor/Outdoor camera enclosure, Aluminum	\$ 78.00
SCX-B200B	Indoor/Outdoor camera enclosure, Aluminum	\$ 78.00
SHB-4300H1	Indoor/Outdoor camera enclosure with heater -58? to 122?. IP66, Aluminum, 24VAC	\$ 88.00
<b>KEYBOARDS AND CONTROLLERS</b>		<b>LIST PRICE</b>
SCC-3100A US	System Keyboard and Joystick Controller for DVRs, Domes, PTZ cameras, and Matrix Switchers	\$ 1,000.00
SSC-1000	Multi Protocol, Controller for RS-485 Cameras (PTZ Camera Series, Motorized Zoom Lens Cameras and Anti-Vandal Dome cameras), RS-485 loop up to 4000ft (max total distance), LCD Screen, PTZ Control, Tours, Scan, Sequence, Presets	\$ 975.56
SCC-1000	Joystick Controller for RS485 camera PTZ and OSD control	\$ 711.00
SPC-100 <b>New</b>	Samsung Coaxial Remote Controller for A1/SV5/W5 Chip Technology Cameras	\$ 396.00
SPC-200	Samsung mini handheld PTZ Controller for camera setup	\$ 56.00
SCU-VAC <b>New</b>	Positioning System with Enclosure, IP 66 - 24VAC	\$ 2,298.00
SCX-RD100	Coaxial Remote Controller for A1™ Chip Technology Cameras	\$ 396.00
SCC-101	Mini handheld RS-485 controller for Camera setup	\$ 42.00
<b>MATRIX SYSTEMS</b>		<b>LIST PRICE</b>
SMX-25632	Matrix Switcher, 64 Inputs and 32 Outputs (Up to 256 input by attaching three SME-25632)	\$ 4,976.00
SME-25632	Matrix Expansion unit (Connect up to three units to SMX-25632)	\$ 4,976.00
SMV-25632	Matrix video camera video board supporting 16 inputs and 2 monitor outputs	\$ 2,322.00